



State Environment Impact Assessment Authority, M.P.
(Ministry of Environment, Forest and Climate Change, Government of India)

Environmental Planning & Coordination Organization

Paryavaran Parisar, E-5, Arera Colony
Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : mpseiaa@gmail.com

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

To,
Shri Ishan Siddique, Proprietor
S L K ORGANICS Near Madhav Press,
Ward No. 20, Old Ram Mandir Road,
Balaghat, M.P. -481001

No.: 3048 /SEIAA/ 20

Date: 16.9.20

Sub:- Case No. 5748/2018 : Prior Environment Clearance for proposed Grain Base Distillery for production of (revised capacity as 10 KLPD to 30 KLD of Total Spirit /Fuel Ethanol, 0.8 MW Co-generation power plant to 500 KW & 9 TPD to 16 TPD of CO₂ generation as by product at Khsra no. 289/4/2, 289/5/2, 291/19 Village - Lawda Tehsil - Lalburra, Distt - Balaghat (M.P.) Land acquired - 1.22 ha Land required for plant and building - 2796.46 sq.m. by S L K ORGANICS through Proprietor Shri Ishan Siddique, Near Madhav Press, Ward No. 20, Old Ram Mandir Road, Balaghat, M.P. -481001 E-mail: slkorganics@gmail.com Mobile no. 08989127876 Env't. Consultant: M/s Creative Enviro Services, Bhopal(M.P)

Ref: Your application dated 22.08.18 received in SEIAA office on 11.09.2018.

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendment, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, EIA report, ppt and additional clarifications furnished in response to the observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- This is a case of grain based distillery comprising production of revised capacity as 10 KLPD to 30 KLD of Total Spirit /Fuel Ethanol, 0.8 MW Co-generation power plant to 500 KW & 9 TPD to 16 TPD of CO₂ generation as by product. The unit is located at Village- Lawada (Chatera Road), Tehsil - Lalburra, Dist. - Balaghat (M.P.) and the proponent is S L K ORGANICS through Proprietor Shri Ishan Siddique,
- The project mainly comprises of installation of all the manufacturing and environment management equipment and necessary infrastructure development required for operating distillery unit and cogeneration power plant. As per EIA Notification dated 14th Sep., 2006 and as amended on 13th June, 2019, the project falls under Category "B", Project or Activity '5(g)' Distilleries (All Molasses based distilleries ≤ 100 KLPD).

Case No. 5748/2018

Issued vide letter no. dated

Case No.: To be quoted in registered cases for correspondence

iv. The detail of the unit is as follows:-

Production Capacity	Grain base distillery of 30 KLPD along with 500 KW Power Plant
Cost of Project	1257 Lacs
Grain Requirement	22500 TPA
Boiler capacity at MCR (100% Load)	10 TPH
Steam Requirement	6 TPH
Fuel	40 TPD as rice husk or 30 TPD as coal
Net fresh Water Requirement	186 KLPD
Power Requirement	Max 335 Kw
Capital Cost for Environmental measures (proposed)	230.40 Lacs
Recurring cost for environmental monitoring etc (Propose)	23.31 Lacs
Proposed area for plantation	5000 sq mt
Alternative Source of Power	DG set of 350KVA
Land acquired	Total 1.22 hact
Land required for plant and building	2275 sqmt

v. Total 1.22 ha (12200 sq mtrs) of land is in possession of proponent for proposed plant. PP has submitted copy of Khasra Panchsal 2017-18.. As per the Khasra Panchsala the land is the name of Ishan Siddique The land use break-up of the proposed unit is as follows:-

Particular	Area in SQM
Built up area	2275.00
Area under road	1955.00
Area for Raw Material Storage	465.61
Area for Fuel Storage	650.55
Area for Green Belt/green	5000.00
Open land	1853.84
Total land	12200

- vi. Public Hearing was held on 11.09.2019, in unit premises Village – Lawda Tehsil – Lalburra, Distt – Balaghat (M.P.) under the chairmanship of Additional District Magistrate, District Balaghat. The main issues were about severe air pollution, Water Pollution, Noise Pollution, Soil Pollution. Statement of the issues raised during public hearing and comments of the applicant that the given environment management is not practical and cannot be implemented. The proposed unit generate air, water, noise and other type of pollution which will extend severe health issue to people of the villages and will affect their next generation also. PP has committed that all the issues raised in public hearing (as technology, process, maintenance of CO2 generated during process etc.) will be compiled and addressed in the holistic manner.
- vii. The total water requirement is estimated to be 587 KLD and after recycling & reuse of 401KLD of water, Net Fresh Water requirement of the distillery plant will be around 186 KLPD. Water requirement of the plant is proposed to be met by ground water sources in combination internal recycling of water. PP has proposed to meet this requirement through ground water sources. The application has been made to CGWA for approval of ground water withdrawal.
- viii. Spent wash (225 M3 per day) will pass through centrifuge decanter for separation of solid. The part of thin slope (25 M3 per day) from centrifuge will be recycled to

process. The remaining slop will be concentrated through multi effect evaporator. Lees of 45 m³/day will be recycle back for RS dilution. Balance 27m³/day lees sent to CT make up after heat recovery.

- ix. The proposed Process condensate treatment plant will treat process condensate effluent generated from the grain based distillery of capacity 184 m³ per day which will be treated in condensate treatment system.. 1643/day treated water will return back to process for utilization in liquefaction/fermentation/cooling tower etc..CPU and RO are also proposed for unit of 30 KLD plant. Being zero discharge operation, ground water contamination is not expected. However following are the measures proposed:
- Embankment of bank of Nalla (flowing at eastern side of the unit) by providing slope at higher elevation to prevent the flow of runoff outside from premises.
 - Renovation of pond at village Lawada is also proposed with deepening and desilting with construction of recharge well in the tank, which will able to recharge the water 1,48,710 cum per annum
 - A drain along the boundary wall shall be made, which joins the settling tank to protect the flow of contaminant outside the premises if any.
 - Since the plant is having adequate land, it is proposed to construct a water reservoir to meet the water requirement. The capacity of water holding structure should be for 330 days (25mtrsX 35mtrsX10 mtrs) and same will be filled with monsoon water. The size of the water body may be planned for volume of 50,000 M³
 - RCC dyke/platform should be constructed for storage of chemicals and oil drums to avoid spillage.
- x. The industry will provide adequate storage facility for storage of raw material, finished products etc for the proposed unit.
- xi. Steam and power requirements of the ethanol, co-gen auxiliaries during operating periods, will be met internally from the co-gen power plant.
- xii. Rain water harvesting structure shall be made for the proposed distillery project. The total harvesting is proposed as 163210.14 cum/annum. Rainwater collected from roof top areas would be recharged through proposed one bore wells. Rainwater collected from road and paved area would be recharged through 30 recharge pits and 2 recharge pits with recharge wells.
- xiii. Following solid waste management practice to be adopted by unit:
- Fly ash from the boiler will be given for brick manufacturing unit
 - Waste papers and boxes will be sold off to vendors/ recyclers
 - Used oil from DG set will be given to authorized recyclers.

Details of Solid and Hazardous Waste Generation/Management			
Type Of Waste	Quantity	Storage	Utilization/ Disposal
DDGS – (by product)	4 TPD	Covered shed	Sold as Cattle Feed, Poultry & Fisheries
Boiler ash	2 TPD	Silo	Brick making or land filling
Waste papers/Boxes	1 T.P.D.	Covered shed	to recyclers
Used Oil	<200Lt/Yr	HDPE drums in covered shed	Given to re-cycler authorized by MPPCB/MoEF
Spent Resin from DM Plant	<50Kg/Yr	HDPE drums in covered shed	Given to re-cycler authorized by MPPCB/MoEF

Waste Carbon	activated	50-75 Kg	Stored in MS Drums	disposed off at TSDF Pithampur
-----------------	-----------	----------	-----------------------	-----------------------------------

- xiv. Air emission sources will be boiler and DG set (in case of operation) during the operation. Steam generation will be through boiler which is to be used for process as well as for power generation and DG set will be kept as standby arrangement for power generation. Spent wash (225 M3 per day) will pass through centrifuge decanter for separation of solid. The part of thin slop (25 M3 per day) from centrifuge will be recycled to process. The remaining slop will be concentrated through multi effect evaporator. Bag Filter will be installed to achieve the norms given by the state pollution control board. Stack height shall be estimated as 30mt for the proposed 10TPH boiler. The stack height of the proposed DG set has been provided as per CPCB norms. The ash from co gen plant will be given brick manufacturer.
- xv. To mitigate the impact of pollutants from boiler stack, diesel generator sets, fugitive emission and emission from vehicular traffic during the operational phase of the site, following measures are proposed for implementation:
- Provision of ESP at stack of boiler to control the emission below 50 mg per cubic meter.
 - Provision of Adequate stack height of 60 mt for boiler and 30 mt for the DG set for better dispersion.
 - Provision of Dust collectors system at various material transfer points.
 - Provision of Online continuous monitoring system for stack of boiler
 - Provision of parking at inside of unit near to main gate with basic facilities.
 - Provision of cover over bagasse conveyors belt along with dust suppression system
 - Regular maintenance and water spraying arrangement over approach road of the unit meeting to NH-69 as well as internal roads
- xvi. Odour generation is expected from molasses storage tank, bad mill sanitation, spent wash and alcohol storage tanks etc. Entire operation of unit is carried out in closed manner. It will control through use of efficient biocides, steaming of fermentation equipment, mill sanitation biocides etc.
- xvii. During operation phase, the required power will be taken from cogeneration power plant. One DG set of 350 KVA shall be kept as standby arrangement. A boiler of 10 TPH capacities is proposed to be installed for co generation of 500 KW of power.
- xviii. Total 5000 sq m area is kept for green belt development within the premises. Out of total 12200 sq mt of land and it will be developed with 1000 number of plants. The green belt development will be carried out as per CPCB guidelines and local species would be preferred. It was observed that some trees do exist within the project boundary for which PP submitted that no tree felling is proposed and the plant is designed in such a way that existing trees will be safe.
- xix. PP has included disaster management plan, Fire hydrant and fire fighting system shall be provided and on site emergency plan shall be delineated. Storage of fuel Ethanol, grains and spent wash shall be ensured as per industrial safety norms. Flammable chemical shall be stores away from source of ignition. Electrical wiring of flame proof type will be provided.
- xx. Under CER activities PP has proposed Infrastructure development at School, villages in co-ordination with district collector Balaghat with Rs. 25.50 Lakh Budgetary Provision.

S. no	Need Identified For CER Plan	Activities	Budgetary Provision (Capital) (Rs. In lacs)
1	Infrastructure development at School, villages in co-ordination with district collector Balaghat	Need base and under guidance of district collector Balaghat (MP)	Rs 25.50 Lacs for 03 years

Based on the information submitted at Para i to xx above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 633rd meeting held on 21.08.2020 and decided to accept the recommendations of 446th SEAC meeting held on dated 06.07.2020.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its amendments to the proposed Grain Base Distillery for production of (revised capacity as 10 KLPD to 30 KLD of Total Spirit /Fuel Ethanol, 0.8 MW Co-generation power plant to 500 KW & 9 TPD to 16 TPD of CO2 generation as by product at Khsra no. 289/4/2, 289/5/2, 291/19 Village – Lawda Tehsil – Lalburra, Distt – Balaghat (M.P.) Land acquired – 1.22 ha Land required for plant and building – 2796.46 sq.m. by S L K ORGANICS through Proprietor Shri Ishan Siddique, Near Madhav Press, Ward No. 20, Old Ram Mandir Road, Balaghat, M.P. -481001 subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

1. PP should obtain NOC from CGWA for extraction of ground water.
2. **PP should ensure:**
 - a. To construct water reservoir of water holding structure should be for 330 days (25mtrsX 35mtrsX10 mtrs) as proposed to meet the water requirement. and to reduce the demand of ground water.
 - b. Embankment of bank of Nalla (flowing at eastern side of the unit) by providing slope at higher elevation to prevent the flow of runoff outside from premises.
 - c. Renovation of pond at village Lawada with deepening and de-silting with construction of recharge well in the tank, to recharge the water.
3. **Waste Water Disposal:**
 - a. Industry shall install Multi Effective Evaporator (MEE) and adequate ETP for treatment and disposal of effluent. Zero discharge shall be maintained.
 - b. The process condensate, boiler blow down, cooling tower blow down, spent lees after cooling should be treated in condensate polishing unit.
 - c. Spent wash should be stored in MS/SS tank. The storage of spent wash shall not exceed 5 days capacity.
 - d. Process effluent/any waste water should not be allowed to mix with storm water. Storm water drain should be passed through guard pond.
4. **Solid & hazardous waste :-**
 - a. PP should obtain authorization from MPPCB regarding hazardous waste disposal. PP should ensure disposal of hazardous waste/ by products regularly through sale or in TSDF site and there should be no dumping of these materials in the premises/outside. PP should also ensure handling, disposal and management of hazardous waste as per the Hazardous waste (Management & Handling) Rules 2000.
 - b. Other solid waste generated from the process shall be used as cattle-feed. Industry shall explore the possibility to make it available to the local farmers.
5. **Air Pollution Control measures :**
 - a. PP should provide fogging system for dust suppression.

- b. PP should ensure installation of DG sets with canopy and the stack height should be as per the MPPCB norms.
 - c. PP should install continuous air quality monitoring station in coordination with MPPCB.
 - d. Industry shall install bag-house in boiler to maintain the emission level of particulate matter as per MPPCB/CPCB prescribed norms.
 - e. Boiler ash shall be stored separately as per CPCB guidelines So that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with storm water.
 - f. Bagasse ash and coal ash should be stored separately and reuse/recycle properly.
- 6. Noise & Odor Environment & Management**
- a. Walls and ceilings of the concerned buildings should be lined with sound absorbing materials.
 - b. Noise attenuating devices like ear plugs and ear muffs should be provided to the workers exposed to high noise level.
 - c. Use of efficient biocides to control bacterial contamination.
 - d. Control of temperature during fermentation to avoid in-activation / killing of yeast.
 - e. Regular use of bleaching powder in the drains to avoid growth of putrefying micro-organisms.
 - f. Closed operation of the process to avoid odour nuisance.
- 7. Energy Conservation:**
- PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures, and other energy efficient plant machineries and equipments.
- 8. Disaster management:**
- a. Prepare the onsite & offsite risk / disaster management plan, health and safety management plan and duly approved by the Competent Authority.
 - b. Fire fighting system shall be as per the norms and cover all areas where alcohol is produced, handled and stored. Provision of foam system for firefighting shall be made to control fire from made to control fire from the alcohol storage tank. DMP shall be implemented.
- 9. Green Area :-**
- a. PP should develop 15 m wide green belt with four rows of trees all along the periphery.
 - b. The plant species selection should be as per CPCB guidelines for plantation in industrial area.
 - c. Every effort should be made to conserve the existing trees in the project area.
 - d. Dense plantation shall be taken up in at least 33% of total plot area.
10. PP should ensure the implementation of CER activities to the extent of **Rs. 25.50** lakh will be used for Infrastructure facilities at schools of nearby villages in consultation with district collector Balaghat (MP).
11. PP should ensure maintenance of CO₂ generated during process and also compliance all the issues raised in public hearing.
12. Dedicated parking facility for loading and unloading of materials shall be provided in the factory premises. Unit shall develop the implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.
13. PP should ensure to submit half yearly compliance report and CER activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,Gol,Bhopal) than prior environmental

clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

B. Specific Conditions as recommended by SEAC

I Statutory Compliance

- i. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Madhya Pradesh Pollution Control Board (MPPCB).
- ii. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time & permission of competent authority if ant tree falling is to be carried out.
- iii. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

II. Air quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to MPPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
- iii. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS.
- iv. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
- v. DG exhaust will be discharged at height stipulated by CPCB.
- vi. CO₂ generated from the process shall be bottled/made solid ice and sold to authorized vendors.
- vii. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
- viii. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

III. Water quality monitoring and preservation

- i. Total fresh water requirement shall not exceed 186 cum/day proposed to be met from ground water source. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- ii. The spent wash shall be taken to multi effect evaporators (MEE) and process condensate will be taken to CPU and recycled in the process as per given proposal.
- iii. Number of working/operating days for the distillery shall be 300 days as proposed. However, the same may be increased to 330/round the year subject to zero liquid discharge ensured by the SPCB, while considering the Consent to Operate

- iv. The project proponent shall provide online continuous monitoring of effluent (if applicable) , the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- v. As already committed by the project proponent Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises, for which PP shall provide MEE, Incineration boiler and CPU unit for making system zero discharge
- vi. Adhere to 'Zero Liquid Discharge and No industrial effluent from the unit shall be discharged outside the plant premises. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom and data connectivity must be provided to the MPPCB's server for remote operations.
- vii. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the Madhya Pradesh Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- viii. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- ix. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
- x. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.

IV Noise monitoring and prevention

- i. Acoustic enclosure shall be provided to DG sets of 350 KVA for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V. Energy Conservation measures

- i. The energy sources for lighting purposes shall preferably be LED based.
- ii. Possibility of installation of solar power system may be explored.

VI. Waste management

- i. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- ii. Hazardous wastes such as used oil, discarded drums, used carbon etc shall be directly sent to CTSDf, Dhar.
- iii. The Fly ash generated from boilers shall be stored in silos and disposed to farmers of the area . The ash may be mixed with available press mud
- iv. If any Flammable, ignitable, reactive and non-compatible wastes should be stored separately and never should be stored in the same storage shed.
- v. Automatic smoke, heat detection system should be provided in the sheds. Adequate fire fighting systems should be provided for the storage area.
- vi. In order to have appropriate measures to prevent percolation of spills, leaks etc. to the soil and ground water, the storage area should be provided with concrete floor of inert material or steel sheet depending on the characteristics of waste

- handled and the floor must be structurally sound and chemically compatible with wastes.
- vii. Measures should be taken to prevent entry of runoff into the storage area. The Storage area shall be designed in such a way that the floor level is at least 150 mm above the maximum flood level.
 - viii. The storage area floor should be provided with secondary containment such as proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.
 - ix. Recent MSDS of all the chemicals used in the plant be displayed at appropriate places.
 - x. Proper fire fighting arrangements in consultation with the fire department should be provided against fire incident.
 - xi. All the storage tanks of raw materials/products shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided to the storage tanks. Closed handling system of chemicals shall be provided.
 - xii. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.
 - xiii. The company shall undertake waste minimization measures as below:
 - a. Metering and control of quantities of active ingredients to minimize waste.
 - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - c. Use of automated filling to minimize spillage.
 - d. Use of Close Feed system into batch reactors.
 - e. Venting equipment through vapour recovery system.
 - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.

VII. Green Belt

- i. The green belt of 5-10 m width will be developed mainly along the periphery and road side. Selection of plant species shall be as per the CPCB guide lines in consultation with the State Forest Department
- ii. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.
- iii. PP shall also develop green belt over community places in consultation with gram panchayat

VIII. Safety, Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- iii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iv. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- v. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vii. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

IX. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. The proposed EMP cost is Rs. 230.40 Lakhs as capital cost and 23.31 Lakhs /year as recurring cost.
- v. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- vi. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

X. Miscellaneous

- i. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- ii. The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.
- iii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, and also that during their presentation to the Expert Appraisal Committee.
- iv. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any


- v. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

Standard Conditions:

1. Regular monitoring of influent and effluent, surface, sub-surface and ground water should be ensured and treated waste water should meet the norms prescribed by the MPPCB or described under the Environment (Protection) Act, 1986 whichever are more stringent.
2. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. Agencies from time to time.
3. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF & CC, Gol, and its Regional Office, Bhopal.
4. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies (Panchayat and Municipal Bodies), District Collector and DFO as applicable and responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
5. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the MoEF & CC, Gol and State Level Environment Impact Assessment Authority (SEIAA) at www.environmentclearance.nic.in & www.mpseiaa.nic.in & and a copy of the same shall be forwarded to the Regional Office, MoEF & CC, Gol, Bhopal.
6. Full Cooperation should be extended to the Officers and staff from the Ministry and its Regional Office at Bhopal / the CPCB / the SPCB during monitoring of the project.
7. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
8. The Environmental Clearance shall be valid for a period of five years from the date of issue EC as per EIA Notification, 2006 Para 9.
9. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
10. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and

submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also

11. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF & CC, Gol.
12. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.



(Tanvi Sundriyal)
Member Secretary

3043
Endt No. / SEIAA/ 2020

Dated 16.9.2020

Copy to:-

- (1). Principal Secretary, Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, MP Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal.
- (4). The Collector, District Balaghat -M.P.
- (5). Sarpanch, Gram Panchyat Lawada, Tehsil-Lalbarha District-Balaght (MP)
- (6). Deputy Secretary, Department of Commerce, Industry & Employment, Mantralaya, Bhopal.
- (7). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (8). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (9). Guard file.


(Dr. Sanjeev Sachdev)
Officer-in-Charge