



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment, Forest & Climate Change)

Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16

visit us <http://www.mpseiaa.nic.in>

Tel: 0755-2466970, 2466859

Fax : 0755-2462136

No: 388 /SEIAA/2019

Date: 25.4.19

To,
Shri Sagarmal Jain, Director
VENUS ALLOYS PVT. LTD
67 Industrial area, Mandsaur,
Madhya Pradesh - 458001

Sub:- Case No.5770/2018: Prior Environment Clearance for proposed expansion in Production Capacity of Mini Steel Plant from for the products MS Billets from 84000 MTPA to 150000 MTPA, Mill Skull from 2100 MTPA to 3800 MTPA, Miss Roll from 2100 MTPA to 3800 MTPA and TMT Bars from 77700 MTPA to 142000 MTPA. by VENUS ALLOYS PVT. LTD. through Director Sagarmal Jain 67 Industrial area, Mandsaur, Madhya Pradesh - 458001 Email: venusalloys@gmail.com Phone No. 07422- 255602, 255604 Env't. Consultant: CES, Bhopal

Ref: Your application dtd. 08.10.18 received in SEIAA office on 11.10.2018

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) The proposed project is expansion of the existing industry. The Industry is in operation since May 2017, with valid Water & Air Consent from M. P. Pollution Control Board. The company is proposed to enhance the production capacity of MS Billets from 84000 MTPA to 150000 MTPA, Mill Skull from 2100 MTPA to 3800 MTPA, Miss Roll from 2100 MTPA to 3800 MTPA and TMT Bars from 77700 MTPA to 142000 MTPA.
- (ii) Earlier prior Environmental Clearance was granted by MPSEIAA vide letter No. 4419/SEIAA/2015 dtd. 05/08/2015 for the case no. 1807/2014. PP has submitted compliance report of earlier prior EC certified by MoEF & CC Regional Office, Bhopal (dtd. 31.01.2019). As per the compliance report out of total 48 environmental conditions 15 are being complied, 03 complied, 24 agreed to comply, 02 partly complied and 05 not complied and some compliance needs improvements which are in progress.
- (iii) The unit has started production from 03/05/2017 with Consents from M.P. Pollution Control Board under section Water & Air Act, valid up to 31/10/2019.
- (iv) This is a rolling mill project. All non-toxic secondary metallurgical processing industries manufacturing >5000 tones/annum metal components are covered under

Case No. 5770/2018

Issued vide letter no. dated

Case No.: To be quoted in registered cases for correspondence

3 (a) category B of the MoEF, GoI EIA Notification 2006 and its amendment dtd 01.12.2009.

- (v) There is no inter-state boundary within 05 km (EE, PWD letter dtd.10.01.14) and no Wildlife Sanctuaries, National Parks, and Tiger Reserves within 05 km of the boundary (DFO letter dtd. 10.01.14), hence, general conditions not attracted.
- (vi) PP has submitted copy lease deed dated 05.12.2013 between the Governor of MP through General Manegar District Trade and Industries Centre, Mandsaur, and M/s Venus Alloys, (P) Ltd. (unit-II) 67 through Director Shri S.M. Jain, 67, Industrial Area, Mandsaur for the period of 30 years (w.e.f. 05.12.1913 to 04.12.2043) for an area of 5000 sq.m. PP has submitted Khasra Panchsala 2014-15 for the khasra no. 612/1/1 for area 5.668.As per Khasra Panchsala land is the Govt land and allocated to Department of Industries GoMP.
- (vii) Public Hearing was conducted at Village- Fatehgarh, Tehsil- Dalauda, District- Mandsaur on 28th February, 2015 under Chairmanship of Additional Collector District Mandsaur . No adverse comments were observed in the Public hearing.
- (viii) The major raw material is ferrous contains of iron; and does not cause any negative impact on the environment during storage. The raw materials requirement are as follows:

S. No.	Raw Material	Existing capacity per year (Ton)	Proposed Capacity per year (Ton)	Source
1	MS Scrap & Sponge iron	94,000	165000	MS Scrap: Ship Breaking yard Alang & Soshiya, Bhavnagar, Gujrat and open Market from MP and Gujarat. In case if need, will import from Europe, Dubai & African Country. Sponge Iron: OM agency Hazira Surat and others
2.	Ferro Alloys	600	1000	Indore

- (ix) Water requirement would be 140KLD, industrial purpose only for Cooling and domestic water requirement will be 15 Kld. The water supply source is Ground water.
- (x) Trade effluent will be nil and waste water from domestic use shall be 8 kld, which will be treated in STP of 10 kld capacity. The STP will comprise of equalization tank, Primary Clarifier, Aeration, Secondary Clarifiers, and will work on activated sludge process. The entire treated water will be used for plantation and gardening purpose. The waste water from Softener will be reused for slag quenching.
- (xi) For control of air pollution PP has proposed as follows:-

Sources	Control Measures
Induction Furnace – 15T x 2 Nos	Type of hood to capture fumes – Canopy Type Outlet Stack emission < 50 mg/Nm ³ Type of filter Used – Reverse Pulse Jet cleaning Stack of 35m Installed 2 nd stage Fume extraction system, on the top of the shed.
D.G. Set Capacity - 340 KVA	Equipped with Acoustic Enclosure

Fugitive Emission	All the internal Road HAS BEEN pucca and regular water sprinkling shall be carried out on Roads
-------------------	---

- (xii) Main solid waste will be generated in form of Iron Slag of 1000 MTPA, which will be used for road making and filling low line area after iron recovery.
- (xiii) The Hazardous waste will be spent oil and lubrication oil of 2.0 KLD will be given to the recyclers as per the provision of Hazardous Waste Management Rules.
- (xiv) Total Electrical Power 9900 KVA shall be meet by Madhya Pradesh Vidyut Vitran Company Limited. The company shall also install one D.G. set of 500 KVA, for power back up for Office use, and company will install solar panel for lightening the street light in premises.
- (xv) PP has proposed 75% run off may be allowed to be drained through natural drainage system. For its sustenance and remaining 25% may be harvested and stored suitably. Around 0.012 mcm (i.e 12000 cu.m) of water therefore can be conserved within the plant.
- (xvi) For firefighting PP has proposed dry fire extinguishing system covering the entire Power station including all important auxiliaries, Suitable fire extinguishing system for all the transformers located in transformer yard, turbine generator, lube oil, equipment rooms, lube oil systems, diesel engine driven fire pump, etc. Portable extinguisher such as pressurized water type, carbon dioxide type and foam type has been located at strategic locations throughout the Plant.
- (xvii) The Occupational Health and Safety Management System is a key part in Industry. In this, Management Health and Safety are taken into consideration. The purpose of the Occupational Health and Safety Management System is as follows:
 - Minimize risk to employees and others
 - Improve business performance
 - Assist the organization to establish a responsible image for health and safety.
- (xviii) Adequate parking arrangement shall be provided as the 5000 sq.m land is left open.
- (xix) Greenbelt will be developed in 15510 sq.m area (Existing 12150 sq.m + Proposed 3360 sq.m) Lawn area – 990 sq.m PP has made Budgetary provision for plantation is Rs. 9.0 Lakhs.
- (xx) Under CSR activities PP has proposed as follows:-

S.No.	CSR Field	Fund allocated	Fund allocated proposed
1.	Infrastructure development through Fatehgarh panchayat, for need based activity as per the demand of Panchayat.	200000/- annual	200000/-annual
2.	Health Check up Camps in Fatehgarh including eye camps.	25000/- annual	25000/- annual
3.	Maintenance of Primary School Fatehgarh	25000/-	25000/-
4.	Other need based activities	150000/-	150000/-
	Total	400000/-	400000/-

(xxi) **Benefit of the Project:** Investment/Cost of the project is Rs. 47.00 Crores Employment potential 100 Nos direct and 50 Nos indirect employment to 100 Nos of project and revenue / taxes to Govt. in form of excise duties

Based on the information submitted at Para i to xxi above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 532nd meeting held on 02.04.2019 and decided to accept the recommendations of 346th SEAC SEAC meeting held on dtd.26.02.19

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its amendments to the expansion project of **Prior Environment Clearance for proposed expansion in Production Capacity of Mini Steel Plant from for the products MS Billets from 84000 MTPA to 150000 MTPA, Mill Skull from 2100 MTPA to 3800 MTPA, Miss Roll from 2100 MTPA to 3800 MTPA and TMT Bars from 77700 MTPA to 142000 MTPA.** by VENUS ALLOYS PVT. LTD. through Director Sagarmal Jain 67 Industrial area, Mandsaur, Madhya Pradesh - 458001 subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

1. The requirement of water exceeding 100 KLD PP should ensure to obtain NOC from the CGWA/Competent authority for withdrawal of ground water.
2. PP should ensure zero waste water discharge from the process.
3. PP should ensure air pollution control measure as proposed in EMP and should conduct regular monitoring of stack emissions and ambient air as per MPPCB / CPCB norms. For regular monitoring of air emission PP should installed ambient air monitoring stations.
4. PP should ensure the disposal of hazardous waste through authorized agencies and obtained consents from competent Authorities.
5. Raw material should be unloaded from raw material yard only to avoid traffic congestion and accident.
6. PP should ensure entire roof top area of plant should be used for rain water harvesting for ground water recharge with construction of recharging pit.
7. PP should obtain NOC for fire and approval for onsite offsite emergency plan, health and safety plan from the Competent Authorities.
8. Under green area development PP should ensure :-
 - (a) Plantation in three rows all along the periphery of the project area, and along the roads, subject to minimum of 33% of the total area of the project.
 - (b) Plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karnj, Kachnaar etc.
 - (c) Periphery Plantation should be completed within one year within the plant premises.
 - (d) Every effort should be made to protect the existing trees on the plot.
9. PP should ensure implementation of CSR activities as committed during presentation such as Infrastructure development through Fatehgarh panchayat, for need based activity as per the demand of Panchayat, Health Check up Camps in Fatehgarh including eye camps, Maintenance of Primary School Fatehgarh etc. with budgetary provision of Rs. 9.0 lakh.
10. PP should ensure proper road width and turning radius for the trucks and movement of vehicles. PP should ensure Pucca Parking bay for raw material and finished goods for at least 30 trucks.

Specific Conditions as recommended by SEAC

I Statutory compliance:

- (1) The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned Madhya Pradesh Pollution Control Board.
- (2) The project proponent shall obtain the necessary permission from the Authority i.e. MPAKVN for drawl of 50 KLD water required for the project.
- (3) The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

II. Air quality monitoring and preservation

- (4) The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31" March 2012 and connected to MPPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- (5) The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories
- (6) The project proponent shall install manual systems to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released e.g. PM10 and PM2.5 in reference to PM emission, and S02 and NOx in reference to S02 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
- (7) The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality I fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of MPPCB along with six monthly monitoring report.
- (8) Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources.
- (9) The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
- (10) Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly. All the internal roads shall be made pucca.
- (11) Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.
- (12) The project proponent shall use leak proof trucks/dumpers carrying raw materials and cover them with tarpaulin.
- (13) The project proponent shall provide covered sheds for raw materials like scrap and sponge iron etc.
- (14) The project proponent shall provide primary and secondary fume extraction system of adequate capacity at all melting furnaces.

- (15) Design the ventilation system for adequate air changes as per ACGIH document for all tunnels, motor houses, oil, and cellars.

III. Water quality monitoring and preservation

- (16) The project proponent shall carryout monitoring of effluent with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31" March 2012 from labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- (17) The project proponent shall submit monthly summary report of manual monitoring of ground water and effluent quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of MPPCB along with six-monthly monitoring report.
- (18) Adhere to 'Zero Liquid Discharge
- (19) Sewage Treatment Plant (10 KLD) shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- (20) The treated water (8 kld) from STP shall be used for gardening and spraying of roads.
- (21) The project proponent shall practice rainwater harvesting to maximum possible extent, hence, 12000 cu.m of rain water therefore can be conserved within the plant.
- (22) Permission of CGWB shall be obtained for drawl of ground water.

IV. Noise monitoring and prevention

- (23) Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- (24) The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V. Energy Conservation measures

- (25) The project proponent shall provide waste heat recovery system (pre-heating of combustion air) at the flue gases of reheating furnaces.
- (26) Practice hot charging of slabs and billets/blooms as far as possible.
- (27) Ensure installation of regenerative type burners on all reheating furnaces.
- (28) Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- (29) For this project Electrical Power 9900 KVA shall be meet by Madhya Pradesh Vidyut Vitran Company Limited.
- (30) Provide the project proponent for LED lights in their offices and residential areas.
- (31) One D.G. set of 500 KVA, for power back up for Office use, and company will install solar panel for lightening the street light in premises.

VI. Waste management

- (32) Proposed quantity of 6.0 TPA of Plant dust, papers produced during process which shall be managed through segregation at source using dust beans and collection at "value yard" selling to local vendor.
- (33) Proposed quantity of 1000 TPA iron Slag produced during process which shall be managed through installed iron recovery unit from slag and the recovered iron is being used with scrap to charge in induction furnace. The remaining part is being

used for civil work & bricks manufacturing after TCLD test and approval from the MP Pollution Control Board.

- (34) The waste/spent oil, 2.0 KL/Year and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- (35) Proposed quantity of 5.0 MT Bag filter dust shall be given to dispose as per HW Rules 2016.
- (36) Used refractories shall be recycled as far as possible.
- (37) Oily scum and metallic sludge recovered from rolling mills ETP shall be mixed, dried, and briquetted and reused melting Furnaces.
- (38) Possibility may be explored for using proposed quantity of 1000 TPA of iron slag in making MSAND or building material preparation.

VII. Green Belt

- (39) Green belt shall be developed in 15,930 sq. meter area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant with minimum three row plantation towards the road and village side.
- (40) The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

VIII. Public hearing and Human health issues

- (41) Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- (42) The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- (43) Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (44) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

IX. Corporate Environment Responsibility

- (45) In the proposed EMP, Rs. 214.00 Lakh as capital cost for the project and Rs. 73.10 Lakh /year has proposed as recurring expenses.
- (46) Under CSR Rs. 3.70 Lakh/ year proposed for Infrastructure development through Fatehgarh Panchayat, Health Check up Camps in Fatehgarh including eye camps etc.
- (47) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.

- (48) The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- (49) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- (50) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- (51) Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- (52) All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.

X. Miscellaneous

- (53) For Fire Protection System, fire water pumps of 5 H.P. Capacity shall be provided by PP.
- (54) AC motor driven fire water pumps for hydrant, medium velocity water spray system and foam system and Jackey pump 1 no. (AC motor driven) for maintaining pressure shall be provided.
- (55) The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- (56) The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.
- (57) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- (58) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- (59) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- (60) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other

orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

Standard Conditions:

- (61) Any enhancement of capacity, change in technology, modernization and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
- (62) All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
- (63) Periodic monitoring shall be carried out as per norms for RPM, SPM, SO₂, NO_x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the M. P. Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and displayed.
- (64) The project authorities shall inform to the Regional office of the Ministry of Environment and Forest, Bhopal and MPPCB final approval of the project by the concerned authorities and the date of start of land development work.
- (65) The Regional Office, MoEF, GoI, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, GoI, Bhopal and MP PCB.
- (66) Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation, if any shall be submitted to the Regional Office, MoEF, GoI, Bhopal, MP PCB within six months.
- (67) The Project Proponent has to upload only soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/>.
- (68) A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the associated Government Departments responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
- (69) The project proponent has to strictly follow directions/guideline issued by the MoEF, GoI, CPCB and other Govt. agencies from time to time.
- (70) The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal.
- (71) The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act,

1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

- (72) The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
- (73) Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- (74) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (75) The prior Environmental Clearance granted for the project is valid for a period of seven years from the date of issue.
- (76) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

389
Endt No. / SEIAA/ 2019

Dated 25.4.19

Jitendra Singh Raje
(Jitendra Singh Raje)
Member Secretary

Copy to:-

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Mandsaur, M.P.
- (5). The Commissioner, Municipal Corporation, Mandsaur-M.P.
- (6). M.D. AKVN IIDC, District- Mandsaur-M.P
- (7). Director, I.A. Division, Monitoring Cell, MoEF, GoI, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (8). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (9). Guard file.

Sanjeev Sachdev
(Dr. Sanjeev Sachdev)
Officer-in-Charge

Case No. 5770/2018

Issued vide letter no. dated

Case No.: To be quoted in registered cases for correspondence