



**State Environment Impact Assessment Authority, M.P.**  
(Government of India, Ministry of Environment, Forest & Climate Change)

Environmental Planning Coordination Organization (EPCO)  
Paryavaran Parisar, E-5. Arera Colony  
Bhopal-4620 16

visit us <http://www.mpseiaa.nic.in>  
Tel: 0755-2466970, 2466859  
Fax : 0755-2462136

No. 2503 SEIAA/2019  
Date: 5.3.19

To,  
Shri Sameer Gupta, Partner,  
M/s Fortune Soumya Housing,  
Fortune Soumya Santosa  
Bagli behind C-21 Mall Bhopal (MP)

**Sub:- Case No 5791/2018:** Revision of Prior Environmental Clearance for proposed Construction of Proposed Residential Development Fortune Soumya Santosa on Part of Khasra No. 35,40, 48, 49, P.H. NO: 25, Village Bagli, Tehsil Huzur, District Bhopal, MP, Total Land area: 62,873.23 sq.m Total Built- up area – Earlier built-up area : 49116.0 sq.m Proposed: 42856.47 sq.m. by Partner, Sameer Gupta, M/s Fortune Soumya Housing, Fortune Soumya Santosa C/O Fortune Soumya Housing Bagli behind C-21 Mall Bhopal (MP) E-mail: santosabhupal@gmail.com Env. Consultant: ENV DAS India (Pvt.) Ltd. Lucknow (UP)

**Ref:** Your application dtd. 12.11.2018 received in SEIAA office on 24.11.2018.

With reference to above the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14<sup>th</sup> September 2006 and its amendment, on the basis of the mandatory documents enclosed with the application viz., Form I, Form IA, Conceptual Plan, drawings and subsequently submission of PPT & the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i). The proposed project is a Building & Construction Residential Development Project "Fortune Soumya Santosa" at Khasra No.-35, 40, 48, 49, P.H. NO;25, Village-Bagli, Tehsil-Huzur, District-Bhopal (MP). The project includes construction of Housing (Residential: 321 no. EWS-30 no. LIG-20 no. Total: 371 nos.) with basic amenities Convenient Shops, EWS & LIG Club Swimming pool.
- (ii). Environment Clearance has already been issued vide letter no. 8179/SEIAA/2015 dated 26/11/2015. Due to change in layout plan PP has applied for revised EC. The proposed site has already been in possession of the project proponent. Site is open land and does not involve activities of any type.
- (iii). Earlier the environmental clearance was issued to PP dtd 26.11.15 for case no, 3278/2015. However vide letter dtd.22.01.19 PP has requested to withdraw the earlier environmental clearance for the said project and issue fresh environmental clearance for the same. As per request of PP the **case no. 3278/2015 has been closed by the authority in its 522<sup>nd</sup> meeting dtd. 22.01.19.**
- (iv). As per the T & CP Bhopal (vide letter dtd 20.01.14). The total land area is 61.607.01 sq.m. The total built up area proposed by PP is 42856.47sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total

Case No. 5791/2018

Issued vide letter no. .... dated .....

Case No.: To be quoted in registered cases for correspondence

construction is between 20,000 sq.mt. & 1,50,000 sq mt. and plot area is less than 50 ha.

- (v). PP has submitted latest (2014-2015) Khasra Panchsala and as per Khasra Panchsala the land is the name of M/s Fortune Somya Housing through partner Shri Sameer Gupta S/o Shri S. C. Gupta, Shri Ajay Mohganonkar, M/s Somya Homes Pvt. Ltd. through Director Shri Sanjay Kumar Sinha S/o Shri R. P. Sinha, Shri Suresh S/o Ramprasad and Shri Tulsiram S/o Shri Ramprasad. All the landowner executed registered joint venture agreement on 26.02.2014 for development of the project.
- (vi). The total water requirement is 249 KLD and fresh water requirement is 130 KLD. The total recycled water 119 KLD (43 KLD for flushing and 76 KLD for gardening). The source of water supply is Municipal Corporation, Bhopal. PP has submitted letter (dtd. 10.06.2015) from Municipal Corporation for supply of water 150 m<sup>3</sup> / day.
- (vii). The total waste water generation is 160 KLD which gets treated into 200 KLD and utilized within site for flushing, horticultural and other low end uses. Spare treated water, around 25 KLD (in non-monsoon) and 101 KLD (in monsoon) will be discharged into the municipal sewer line. PP has submitted letter dtd 22.12.14 from Nagar Nigam Bhopal for disposal of extra treated waste water
- (viii). Approximately 981 kg /day Municipal Solid waste & 57 kg horticulture waste shall be generated. The generated biodegradable and non biodegradable waste will be collected in twin Bin system at within campus and final disposal through Municipal Corporation Bhopal. The sewage sludge generated from STP (7 kg/d) will be also disposed off with municipal waste. PP has submitted copy of letter dtd 28.10.2014 from Municipal Corporation, Bhopal for disposal of solid waste.
- (ix). PP has proposed Hazardous waste & E- waste generated (1 kg/d) will be stored at separate place and handover to authorized dealers of CPCB.
- (x). The project complex will have traffic entry and exit from 12 m wide road on West & East. Roads for internal circulation having width of about 9 m and 7.5 m will be provided within the complex for smooth circulation of the traffic.
- (xi). PP has proposed to provide underground water storage tank, External Fire Hydrant System, Wet Riser System, Portable Fire extinguisher, Sprinkler System, & Fire Alarm system etc. as per NBC 2005.
- (xii). PP has submitted roof top rain water harvesting system for ground water recharging and has proposed 12 no of recharging pits.
- (xiii). The total power requirement is 1200 KVA. The source of electricity is Madhya Pradesh Kshetra Vidyut Vitran Company Limited. PP has also provided power back up 1x125 KVA. For control of energy PP has proposed CFL and fluorescent lamps in the common areas; Use of solar lights in open areas and landscaped area; Use of BEE 4-star rated or equivalent appliances.
- (xiv). PP has proposed to provide Individual car parking for residents and open parking for visitors.
- (xv). PP has proposed an area 7569.46 sq.m + 7701.14sq.m. (25% of plotted area) = 15270.6025 (Including Common and Individual Green area 7123.75 sq. m. (11.7%) to be developed as green area by planting 550 numbers of trees.

Based on the information submitted at Para i to xv above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 522<sup>nd</sup> meeting held on 22.01.2019 decided to accept the recommendations of 336<sup>th</sup> SEAC meeting held on dtd. 04.12.2018.

Hence, Environmental Clearance is accorded under the provisions of EIA notification dtd. 14<sup>th</sup> September 2006 and its amendments to the proposed " Revision of Prior Environmental Clearance for proposed Construction of Proposed Residential Development Fortune Soumya

---

Case No. 5791/2018

Issued vide letter no. .... dated .....

Case No.: To be quoted in registered cases for correspondence

Santosa on Part of Khasra No. 35,40, 48, 49, P.H. NO: 25, Village Bagli, Tehsil Huzur, District Bhopal, MP, Total Land area: 62,873.23 sq.m Total Built- up area – Earlier built-up area : 49116.0 sq.m Proposed: 42856.47 sq.m. by Partner, Sameer Gupta, M/s Fortune Soumya Housing, Fortune Soumya Santosa C/O Fortune Soumya Housing Bagli behind C-21 Mall Bhopal (MP) subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

**A. Specific Conditions as recommended by SEIAA:-**

- (1) The entire demand of fresh water should be met from municipal supply and there should be no extraction of ground water.
- (2) **Waste water**
  - (a) PP should ensure zero discharge of waste water in the project area until the municipal sewer line is laid.
  - (b) A Nalla traverses the eastern side of the proposed site, which ultimately meets the confluence of River Betwa. A green Buffer of 20 m should be created between the Nalla and the site and it should be ensured that no extra treated water is disposed off in the Nalla.
  - (c) PP should ensure linkage with municipal sewer line for disposal of waste water whenever municipal sewer line is laid in the project area
- (3) **Municipal Solid Waste**
  - (a) Provide compactors for MSW
  - (b) Ensure three bin system for segregated collection of waste.
  - (c) Ensure linkage with Bhopal Municipal Corporation for final disposal of MSW.
- (4) **For Rain Water Harvesting, and Ground water recharge:-**
  - (a) PP should ensure the rain water harvesting with 12 no. of recharging pits and these pits should be connected laterally to consume the surplus runoff. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
  - (b) The storm water from roof – top, paved surfaces and landscaped surfaces should be properly channelized to the rain water harvesting sumps through efficient storm water network as proposed. The budget should be included in EMP plan for storm water management.
  - (c) Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease.
- (5) **Air Quality and Noise:-**
  - (a) Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.
  - (b) Periodical stack monitoring should be carried out of all D.G. Set.
  - (c) Ambient air quality of the proposed unit should be monitored regularly.
  - (d) Appropriate stack height should be provided.
- (6) PP should ensure to construct height of the building, road width, Front MOS and side / rear MOS and Open spaces as per approved layout of T&CP.

(7) **For firefighting:-**

- (a) PP should ensure connectivity to the fire station from the project site.
- (b) As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code Part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.

(8) **For Energy Conservation PP should Ensure :-**

- (a) To provide 2 Nos. D.G. Set (1 x 125 KVA) Use of LED lights in the common areas, landscape areas, signage's, entry gates and boundary compound walls etc.
- (b) Solar lights provide for common amenities like Street lighting & Garden lighting.
- (c) PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures, and other energy efficient equipments.

(9) PP should ensure to provide car parking as per MPBVR 2012.

(10) **Green belt**

- (a) PP should ensure plantation in two rows along the periphery of the property. The tree species should include Neem, Kadam, Kachnar, Kranj, Saptarni. They should further ensure one tree per 100 sq.m of plot area. The organized green spaces should have trees on its periphery.
- (b) PP should ensure to create a buffer near entry point to the project site.
- (c) Every effort should be made to protect the existing trees on the plot.

**B. Specific Conditions as recommended by SEAC**

**(A) PRE-CONSTRUCTION PHASE**

- (11) Curtaining of site should also be carried out to protect nearby habitat.
- (12) Minimum fourteen rain water harvesting points should be provided.
- (13) For dust suppression, regular sprinkling of water should be undertaken.
- (14) PP will obtain other necessary clearances/NOC from respective authorities.

**(B) CONSTRUCTION PHASE**

- (15) During construction phase, the entire area should be covered with 10 feet MS sheets and due care should be taken for noise and vibration control during construction work.
- (16) During construction phase, a settling tank should be provided before final discharge of the effluent.
- (17) PPE's such as helmet, ear muffs etc should be provide to the workers.
- (18) Fire extinguishers should be provided on site during construction period.
- (19) Properly tuned construction machinery and good condition vehicles (low noise generating and having PUC certificate) should be used.
- (20) Waste construction material should be recycles as far as possible and remaining should be disposed off at a designated place in consultation with the local authority.

- (21) Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. As proposed in the landscape plan & EMP a minimum of 550 no's of trees will be planted around periphery, nallah side, roads and open area. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.
- (22) MSW storage area should have 48 hours storage capacity and MSW should be disposed off at a designated place in consultation with the local authority.
- (23) PP has proposed 12 number rain water harvesting pits, however number of harvesting pit with each block and their design should be based on recharge rate study.
- (24) LED should be preferred over of tube lights/CFL.
- (25) Provision for physically challenged persons is made so that they easily excess pathway/derive way for their vehicles.
- (26) PP should explore the possibility of providing solar street light during construction stage.
- (27) Waste oil generated from the DG sets (if any) should be disposed off in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 after obtaining authorization.

**(C) POST CONSTRUCTION/OPERATIONAL PHASE**

- (28) Fresh water requirement for the project shall not exceed 113 KLD.
- (29) As proposed, the waste water will be shall be treated in STP (capacity 200 KLD) giving tertiary system and will be reused for flushing system, dust suppression, watering at green belt area and only excess treated water shall be discharged in municipal drains for which necessary sewage discharge approval is obtained by them form the municipal corporation.
- (30) STP Sludge shall be disposed off with municipal solid waste.
- (31) Storage of solid waste shall be done for maximum 48 hours at site.
- (32) Recyclable waste will be sold to authorized agencies.
- (33) Storm water drainage system should be provided.
- (34) Proper fire fighting arrangements in consultation with the fire department should be provided against fire incident.
- (35) Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
- (36) PP shall explore the possibility for provision of bio- toilet for the common area like club house etc.
- (37) As submitted, pp shall adopt energy conservation measures and shall provide solar water heating system and external solar street light to conserve the energy.
- (38) PP shall provide DG set with enclosure and of adequate capacity for emergency services within the site. Waste oil generated from the DG sets should be disposed off in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 after obtaining authorization.

#### **(D) ENTIRE LIFE OF THE PROJECT**

- (39) PP has proposed Rs. 08.00 lacks for green belt development as capital cost and Rs. 06.00 lacks/year for recurring expenses in the proposed EMP of this project.
- (40) PP has proposed Rs 104.0 lacks for execution of environment management plan (inclusive of green belt development) as capital cost and Rs. 27.0 lacks/year as recurring expenses (inclusive of green belt development ) in the proposed EMP of this project which shall be complied therewith
- (41) As proposed, the green belt development / plantation activities at area of 7569.46 sq m. (12.43%) with 500 nos of plants should be completed within the first three years of the project and the proposed species should also be planted in consultation with the forest department.
- (42) The project authorities should comply with the provisions made in the Hazardous Waste (management, handling & Trans-boundary Movement) Rules 2016, Plastic Waste Management Rules 2016, e-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016 and Solid Waste Management Rules, 2016 etc.
- (43) In case of any, change in scope of work, technology, modernization and enhancement of capacity/ built-up area/ project area shall again require prior environmental clearance as per EIA notification, 2006.
- (44) The environment clearance is super seed to the previous environment clearance issued vide letter no. 8383/SEIAA/2015 dated 30.11.2015. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity/ built-up area/ project area, addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.

#### **Standard Conditions:**

##### **A. Construction Phase**

1. The construction site shall be provided with adequately barricades of at least 3 m height on its periphery with adequate signage.
2. All required sanitary and hygienic measures should be in place before starting any construction work and are to be maintained throughout the project phase.
3. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
4. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to dust etc. shall be carried out. Periodic monitoring for exposure to respirable dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of dust on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically.
5. A First Aid Room will be provided in the project both during construction and operation of the project.

6. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
7. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
8. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
9. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.
10. Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.
11. The diesel generator sets (if any) to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
12. The diesel required (if any) for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
13. Wastewater generated from temporary labor tents will be diverted to the sewer network in the area.
14. No water logging should take place at any point during construction phase.
15. If the project site is located within the 100 km of Thermal Power Stations, then fly ash should be used as building material in the construction as per the provisions of Fly ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003.
16. As far as possible ready mixed concrete should be used in construction work.
17. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
18. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/ MPPCB.
19. Storm water control and its use should be as per CGWB and BIS standards for various applications.
20. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
21. Care shall be taken during the wet drilling activities.
22. Spread of contaminated water should be prevented by installing temporary barriers of G.I. Sheets.

23. To prevent surface and ground water contamination by oil/grease, leak proof containers shall be used for storage and transportation of oil/grease. The floors of oil/grease handling area will be kept effectively impervious.
24. On-site burning of waste material will not be permitted.
25. Ground water should not be used during construction phase. Private tanker water suppliers may be asked to supply water during construction phase.
26. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
27. Wherever possible, the area around the STP / ETP should be surrounded with dense green belt.
28. To reduce the electricity consumption and load on air conditioning, high quality double glass with special reflective coating in windows should be promoted.
29. Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
30. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
31. Approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightning etc.

#### **B. Operation Phase**

32. The installation of the Sewage Treatment Plant (STP) as submitted by PP in the office of SEIAA should be certified by an independent expert and a report in this regard should be submitted to the Regional office of the Ministry of Environment & Forest, Gol before the project is commissioned for operation. Treated effluent discharge from STP shall be recycled /reused to the maximum extent possible. Treated effluent shall conform to the norms and standards of the M.P. Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
33. Treated waste water should not be used for air conditioning.
34. Treatment of 100% grey water by decentralized treatment should be done.
35. The bio-medical waste (if applicable) generated should be disposed off as per the provisions of Bio-medical waste (Management and Handling) Rules 1988 as amended till date.
36. Provision of separate entrance / exit gate should be made for collection of segregated bio-medical waste (if applicable) from the storage area.
37. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material as per CPCB norms.
38. Diesel power generating sets if proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and confirm to rules made under the Environment (Protection) Act, 1986. The height of stack



of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Low sulphur diesel must be used. The location of the DG sets may be decided with in consultation with Madhya Pradesh Pollution Control Board.

39. Noise should be controlled to ensure that it does not exceed the prescribed standards of CPCB.
40. Rain water harvesting for roof run- off and surface run- off, should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
41. The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
42. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
43. A Report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Regional office of Ministry of Environment & Forest, GoI in three months time.
44. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
45. Ozone Depleting Substances (Regulation & Control) Rules shall be followed while designing the air conditioning system (if any) of the project.

#### C. Others


46. All activities / mitigative measures proposed by PP in Environmental Impact Assessment (if applicable) and approved by SEAC must be ensured.
47. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
48. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
49. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. agencies from time to time.
50. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF, GoI, and its Regional Office located at Bhopal.
51. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
52. The Environmental Clearance shall be valid for a period of seven years from the date of issue of this letter.
53. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit

hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also.

54. The Regional Office, MoEF, GoI, Bhopal and MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan and other documents information should be given to Regional Office of the MoEF, GoI at Bhopal and MPPCB.
55. The Project Proponent shall inform to the Regional Office, MoEF, GoI, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
56. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
57. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
58. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
59. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company and in the public domain.
60. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
61. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
62. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.

63. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the State Level Environment Impact Assessment Authority (SEIAA) at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal.

64. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



(Jitendra Singh Raje)  
Member Secretary

o/c


2504

Endt No. / SEIAA/ 2019

Dated 5.3.19

Copy to:-

1. Principal Secretary, Urban Development & Environment Deptt. 3<sup>rd</sup> Floor, Mantralaya Vallabh Bhawan, Bhopal.
2. Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
3. Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
4. The Collector, District Bhopal -M.P.
5. The Commissioner, Municipal Corporation, Bhopal, MP
6. The Jt. Director, Town & Country Planning, Paryavaran Parisar, E-5, Arera Colony, Bhopal, MP
7. Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
8. Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
9. Guard file.



(Dr. Sanjeev Sachdev)  
Officer-in-Charge

o/c