



**State Environment Impact Assessment Authority, M.P.**  
(Ministry of Environment, Forest and Climate Change, Government of India)

**Environmental Planning & Coordination Organization**

Paryavaran Parisar, E-5, Arera Colony  
Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : [mpseiaa@gmail.com](mailto:mpseiaa@gmail.com)

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

To,  
The Manager  
Rusan Pharma Ltd.,  
Rusan House, 58-D, Government Industrial Estate,  
Charkop Kandivali (W) Mumbai - 400067.

No.: 2348 /SEIAA/26

Date: 21.8.2019

**Sub:-Case No.5835/2019:** Prior Environment Clearance for proposed API Drug Manufacturing Plant at plot no. - M-21, Pithampur Industrial Area, Special Economic Zone, Phase-II, Pithampur- 454775, Dist. Dhar (M.P) Total plot area of 24290.00 sq.m. Proposed Capacity - 61865 Kg/Year by Manager Rusan Pharma Ltd., Rusan House,58-D, Government Industrial Estate, Charkop, Kandivali (W) Mumbai -400067. E-mail:jekee.sahare@nsrtc.com Mobile No.- 9907744001 Env. Consultant: SMS ENVOCARE LIMITED, Pune, Maharashtra

**Ref:** Your application dtd. 17.01.19 received in SEIAA office on 24.01.2019

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14<sup>th</sup> September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) The Proposed API Drug Manufacturing Plant by Rusan Pharma Ltd. at Plot No. M-21, Pithampur Industrial Area, Special Economic Zone, Phase-II, Pithampur, Dhar (M.P.) with production Capacity - 61,865 Kg/Year.
- (ii) The proposed project is covered under 5 (f) category (B) of the schedule of EIA Notification issued by the Ministry of Environment & Forests vide S.O.1533 (E), dtd. 14.09.2006 and its amendments, hence is required to obtain prior EC. In the context of pandemic COVID -19, MoEF& CC, GoI Notification dtd. SO No. 1223 (E) dated 27<sup>th</sup> March, 2020 and OM vide dated 13.04.2020, for considering the API & Bulk drug Projects as B-2 category.
- (iii) There is no interstate boundary within 10 km and no National Park / Sanctuary within the 5 km of the project area hence the general conditions are not attracted.
- (iv) PP has proposed 13 no. of products with 61865.00 kg/year production capacity.

Case No. 5835/2019

Issued vide letter no. .... dated .....

Case No.: To be quoted in registered cases for correspondence



- (v) The total land area of the project is 24290.0 sq. m. and allotted by MPAKVN in Pithampur SEZ Phase II. PP has submitted copy of registered lease deed executed on 07.12.2017 between Managing Director MPAKVN, (Indore) Ltd. and M/s Rusan Pharma Ltd through authorised signatory Shri Sajith Nair for the period of 99 years commencing from 07.12.2017 to 06.12.2116.
- (vi) The total water requirement of the project will be 86.0 KLD out of which 57.0 KLD required for industrial purpose (Washing and cooling). Water usage for domestic purpose and greenbelt will be 5.0 KLD and 24.0 KLD, respectively. The water required for the proposed activity will be fulfilled by the MPAKVN.
- (vii) PP has proposed 25 KLD ETP & 10 KLD STP separately. ETP will be based on diffused aeration system followed by polishing treatment. High COD/TDS stream will be drained separately to MEE system with pre-treatment for physical treatment. STP will be based on MBBR packaged type separately followed by polishing treatment & disinfection by using UV System. It is planned adjoined ETP area & final treated water storage is common for ETP & STP for further reuse in gardening area. Project will not discharge high TDS/COD stream of utilities to proposed ETP. Treated single outlet will be as per MPPCB norms for maintaining zero liquid discharge (ZLD) i.e. utilization of treated effluent for gardening / plantation purpose on own land within premises.
- (viii) The main source of air pollution is from boiler and thermic fluid heater and DG Sets. For control of air pollution PP has proposed as follows:-
- Cyclone Separator followed by emission stacks shall be provided of 30 m height. Stack is also provided with required height of Stack
  - As per the MPPCB directive, emission of Particulate matter shall not exceed the limit of 150 mg/Nm<sup>3</sup>
  - Regular water sprinkling shall be ensured in the plant area during construction phase.
  - All internal roads shall be paved or concreted as per requirement to avoid the dispersion of Particulate matters.
  - Transportation of Raw material by closed trucks only.
  - Regular maintenance of vehicle with PUC shall be maintained.
  - Online stack monitoring system will be provided with due compliance from MPPCB
  - Thick green belt shall be developed in about 33% of total plot area which will help to control the air pollution.
- (ix) The source of solid/hazardous waste generation will be Used oil, Discarded containers/drums, which will be handled & disposed as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016. ETP Sludge, used lubricating oil will be reused as lubricating oil in pumps and gear box, and in case of excess, will be sent to registered re-refiners. Discarded drums/containers will be sold to approved recyclers. The hazardous wastes generated from process will be sent to CHWTSDF, Madhya Pradesh Waste Management Project (MPWMP), Plot No. 104, Sector-III, Pithampur, District Dhar MP for safe treatment and disposal. Agreement will be done with CHWTSDF for scientific collection, transportation, treatment and final disposal.
- (x) As per data available with Central Ground Water Authority; average annual rainfall at Dhar district is about 833.61mm (0.833m). Runoff at plant was calculated by using different runoff coefficient for roof top area, road & paved area, greenbelt area is **4227.059 m<sup>3</sup>**. Total average rainwater available per day is 4227.059/365 days=



11.58 M<sup>3</sup> For storm water management separate Drainage will be provided for Effluent and Storm water. Storm water will be further connected to Storage tank. This water will be used for green belt and other non portable domestic purpose. Drainage provided to Effluent will be connected to ETP.No any kind of waste water will be discharged out side the plant.

- (xi) The total power requirement is 1500 KVA which will be met from MP Paschim Kshetra Vidhyut Vitran Co. Ltd, Indore & for stand by PP has proposed 2.nos. of D.G. Set of 750 KVA in case of power failure.
- (xii) For firefighting measure, PP has proposed to provide hydrant system, fire detection and alarm system and different types of fire extinguishers and fire water storage facilities.
- (xiii) PP has proposed out of 24290.00 sq.m. area, 8015.7 sq meter (33%) area will be covered with the good green belt by planting 600 nos of trees. Based on permission and availability of land; company will also develop additional greenbelt in Industrial area.
- (xiv) Under the CER activities company has identified total around 1.25 crore more than 2% of total capital project cost. Company will have consultation with District Collector for identification of GP School at local area where following activities can be implemented. Status of implementation will be submitted to District Collector office. Details of the same are given below:

S. No	Activity	1st Yr. (20-21) (InLakhs)	2nd Yr. (21-22) (InLakhs)	3rd Yr. (22-23) (InLakhs)	4th Yr. (23-24) (InLakhs )	5th Yr. (24-25) (In Lakhs)	Total (in Lakhs)
1.	Providing financial assistance for various infrastructure development activities at Girl Higher Secondary School Sagore Block Nalcha, District Dhar	4	4	4	4	4	20
2	Providing financial assistance for various infrastructure development activities at Govt.School Sulawad Near Indorma Chowk,Pithampur.	4	4	4	4	4	20
3	Providing financial assistance for various infrastructure development activities at Girl Higher Secondary School Vikash Bhawan, Pithampur.	4	4	4	4	4	20
4	Providing financial assistance for various infrastructure development activities at Govt. Bhoj Girls Higher Secondary School Dhar.	4	4	4	4	4	20
5	Providing financial assistance for various infrastructure development activities at	3	3	3	3	3	15



	Govt. Primary School, Mhowgaon Pithampur.						
6	Providing financial assistance for various infrastructure development activities at Govt. Secondary School, Dakbangla.	3	3	3	3	3	15
7.	Providing financial assistance for various infrastructure development activities at Govt. Primary School, Panjhariya Pithampur MP	3	3	3	3	3	15
	<b>Total</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>125</b>

Based on the information submitted at Para i to xiv above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 630<sup>nd</sup> meeting held on 10.08.2020 and decided to accept the recommendations of 446<sup>th</sup> SEAC meeting held on dtd. 06.07.20

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14<sup>th</sup> September 2006 & its amendments for the proposed API Drug Manufacturing Plant at plot no. - M-21, Pithampur Industrial Area, Special Economic Zone, Phase-II, Pithampur- 454775, Dist. Dhar (M.P) Total plot area of 24290.00 sq.m. Proposed Capacity – 61865 Kg/Year by Manager Rusan Pharma Ltd., Rusan House, 58-D, Government Industrial Estate, Charkop, Kandivali (W) Mumbai -400067 subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

**A. Specific Conditions as recommended by SEIAA**

1. The entire demand of fresh water should be met through MPAKVN as proposed.
2. Fresh water should not be used for gardening purpose.
3. The waste water generated should be treated in the Effluent Treatment Plant and recycled in the Zero Liquid Discharge facility to recover water and there should be no discharge from the unit.
4. Proper piezometric holes for ground water sampling.
5. Maximum solvent recovery during process.
6. Company shall carry out the HAZOP study and report shall be submitted to ministry MoEF & CC Regional Office, Bhopal.
7. PP should obtained approval from competent authority for health & safety measure, Onsite & offsite disaster management, and risk management plan.
8. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.
9. PP should ensure plantation as proposed in an area of 8015.7 sq meter by planting additional plants also. Plantation of the trees of indigenous local varieties like Neem,



Peepal, Kadam, Karanj, Kachnaar etc along with ornamental varieties. Plantation should be completed in the first year.

10. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.
11. PP should ensure the implementation of CER activities to the extent of Rs. 1.25 crore as committed during presentation to the extent on regular basis in consultation with District Collector for identification of GP School at local area.
12. Total quantity of runoff water generated and green belt area should be collected in underground tank & used for process in plant to minimize fresh water requirement.
13. PP should ensure to harvest rainwater from the roof-tops of the buildings and storm water drains to recharge the ground water and used same water for process activities of the project to conserve fresh water.
14. Dedicated parking facility for loading and unloading of material should be provided in the factory premises.
15. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, GoI, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

**B. Specific Conditions as recommended by SEAC**

16. The products and production capacities of the unit are as follows:-

List of Products & Capacity (TPA)		
Sr. no.	Product Name	Proposed Qty. to be manufactured (Kg/A)
1	Buprenorphine Hydrochloride	750.00
2	Buprenorphine	50.00
3	Eflornithine Hydrochloride	40000.00
4	Bisoprolol Fumarate	6000.00
5	Tramadol Hydrochloride	1000.00
6	Promedol Hydrochloride	50.00
7	Naltrexone Hydrochloride	500.00
8	Naloxone Hydrochloride	5000.00
9	Nalbuphine Hydrochloride	750.00
10	Apomorphine Hydrochloride	500.00
11	Fentanyl Base / Citrate	15.00
12	Methadone Hydrochloride	7000.00
13	Nalmefene Hydrochloride	250.00
	Total	<b>61865.00 Kg/year</b>



**(A) Statutory compliance**

1. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Madhya Pradesh Pollution Control Board (MPPCB).
2. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time & permission of competent authority if any tree falling is to be carried out.
3. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended from time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

**(B) Air quality monitoring and preservation**

1. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to MPPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
2. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
3. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions from the boiler, DG set and scrubber shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
4. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
5. The DG sets (2X750 KVA= 1500 KVA) shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
6. DG exhaust will be discharged at height stipulated by CPCB.
7. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
8. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

**(C) Water quality monitoring and preservation**

1. The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
2. As already committed by the project proponent Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.
3. Total water requirement will be 86.0 kl/day. The water required for the proposed activity will be fulfilled by the MPAKVN Pithampur Industrial Area, Pithampur -454775,



Dist. Dhar, Madhya Pradesh. Effluent will be segregated at source based on TDS and COD value. High COD and high TDS effluent stream will be treated in MEE followed by the 25 KLD capacity ETP, and low COD and low TDS effluent stream will be treated directly in ETP. Treated water from the ETP plant will be used in gardening which reduces the fresh water requirement from 86.0 KLD to 70.0 KLD. The effluent treatment plant designed so low COD and low TDS effluent stream directly treat in 25 KLD ETP while High COD and high TDS effluent stream will first treated in 1.0 kl/hr capacity Multiple Effective Evaporator (MEE) and condensate of the MEE will be further treated in ETP.

4. Adhere to 'Zero Liquid Discharge and No industrial effluent from the unit shall be discharged outside the plant premises. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom and data connectivity must be provided to the MPPCB's server for remote operations.
5. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the Madhya Pradesh Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
6. Total fresh water requirement shall not exceed 86 KLD and as proposed MPAKVN shall provide the fresh water.
7. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
8. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
9. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.

**(D) Noise monitoring and prevention**

1. Acoustic enclosure shall be provided to 82 KVA & 380 KVA DG set for controlling the noise pollution.
2. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
3. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

**(E) Energy Conservation measures**

1. The energy sources for lighting purposes shall preferably be LED based.
2. Acoustic enclosure shall be provided to 1500 (2X750)KVA DG set for controlling the noise pollution.

**(F) Waste management**

1. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
2. Hazardous wastes such as spent solvents, organic incinerable wastes/residues, used filter bags, packaging materials, rejected/expired raw materials and off specification/rejected finished products from the manufacturing plants shall be directly sent to CHWTSDF, Madhya Pradesh Waste Management Project (MPWMP), Plot No. 104, Sector-III, Pithampur, District Dhar MP.



3. If any Flammable, ignitable, reactive and non-compatible wastes should be stored separately and never should be stored in the same storage shed.
4. Automatic smoke, heat detection system should be provided in the sheds. Adequate fire fighting systems should be provided for the storage area.
5. In order to have appropriate measures to prevent percolation of spills, leaks etc. to the soil and ground water, the storage area should be provided with concrete floor of inert material or steel sheet depending on the characteristics of waste handled and the floor must be structurally sound and chemically compatible with wastes.
6. Measures should be taken to prevent entry of runoff into the storage area. The Storage area shall be designed in such a way that the floor level is at least 150 mm above the maximum flood level.
7. The storage area floor should be provided with secondary containment such as proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.
8. Storage areas should be provided with adequate number of spill kits at suitable locations. The spill kits should be provided with compatible sorbent material in adequate quantity.
9. Recent MSDS of all the chemicals used in the plant be displayed at appropriate places.
10. Proper fire fighting arrangements in consultation with the fire department should be provided against fire incident.
11. All the storage tanks of raw materials/products shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided to the storage tanks. Closed handling system of chemicals shall be provided.
12. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.
13. The company shall undertake waste minimization measures as below:
  - a. Metering and control of quantities of active ingredients to minimize waste.
  - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
  - c. Use of automated filling to minimize spillage.
  - d. Use of Close Feed system into batch reactors.
  - e. Venting equipment through vapour recovery system.
  - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.

**(G) Green Belt**

1. Out of 24290.00 Sq. Mtr. area, 8015.7 sq. meter (33%) area will be covered with the good green belt and 600 trees (Tree-350 & Shrubs-250) will be planted. The green belt of 5-10 m width will be developed mainly along the periphery and road side. Selection of plant species shall be as per the CPCB guide lines in consultation with the State Forest Department.
2. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.



**(H) Safety, Public hearing and Human health issues**

1. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
2. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
3. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
4. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
5. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
6. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
7. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

**(I) Corporate Environment Responsibility**

1. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
2. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
4. Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
5. Total cost of proposed unit will be 50.0 crore. The estimated capital and recurring cost of Environmental Management Plan for is 198.0 Lakhs and 88.0 lakh/year respectively. Rs 7.0 lacs is proposed for green belt development which is include in EMP total cost..
6. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other



purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

7. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

**(J) Miscellaneous**

1. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
2. The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.
3. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
4. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
5. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

**Standard Conditions:**

1. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, Gol at Bhopal.
2. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.
3. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.
4. Industry should get the Emergency Disaster Management Plan approved by DTHS and should also comply with the provisions made in Public Liability Insurance Act, 1991.
5. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
6. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
7. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.



8. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.
9. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
10. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
11. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
12. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also
13. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
14. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
15. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
16. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
17. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
18. The prior Environmental Clearance granted for the project is valid for a period of seven years as per EIA notification dtd. 14.09.2006 & its amendments.
19. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same



periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

20. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

2349  
Endt No. / SEIAA/ 2020  
Copy to:-

Dated 27.8.2020

(Tanvi Sundriyal)  
Member Secretary

- (1). Principal Secretary, Urban Development & Environment Deptt. 3<sup>rd</sup> Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Dhar, M.P.
- (5). Managing Director, M.P. Audyogik Kendra Vikas Nigam (Indore) Limited, Free Press House First Floor, 3/54 Press Complex, Agra-Mumbai Highway Indore(M.P).
- (6). Director, I.A. Division, Monitoring Cell, MoEF, GoI, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

(Dr. Sanjeev Sachdev)  
Officer-in-Charge