



**State Environment Impact Assessment Authority, M.P.**  
(Ministry of Environment, Forest and Climate Change, Government of India)

**Environmental Planning & Coordination Organization**

Paryavaran Parisar, E-5, Arera Colony  
Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : [mpseiaa@gmail.com](mailto:mpseiaa@gmail.com)

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

To,  
Mr. Laxminarayan Agrawal, Proprietor,  
M/s Goyal Resins & Polymers,  
414/5, Khatipura, Sukhliya Gram,  
Link Road, Dist. Indore(MP)- 452010

No.: 1471 /SEIAA/ 80  
Date: 30.6.2020

**Sub:-Case No. 6498/2019** :Prior Environment Clearance for Proposed Expansion of Alkyd Resin, Hard Oil, Process Oil and Stand Oil Unit at Plot No. 414/5, Khatipura, Sukhliya Gram, Link Road, Newa Sanwer Industrial Area, Indore, MP Land area -1171.73 sq.m. Proposed Capacity: Existing: 130 MTPA Proposed: 3200 MTPA by Mr. Laxminarayan Agrawal, Proprietor, M/s Goyal Resins & Polymers, 414/5, Khatipura, Sukhliya Gram, Link Road, Dist. Indore- 452010 MP Email - [goyalresins@outlook.com](mailto:goyalresins@outlook.com), Mobile - 9425311492  
Env't. Consultant:- SAN Envirotech Pvt. Ltd. Ahmedabad (Gujrat)

**Ref:** Your application dtd. 21.08.19 received in SEIAA office on 31.08.2019

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14<sup>th</sup> September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) Goyal Resin & Polymers is existing unit producing Resin and Process + stand oil with capacity of 130 MT/year. Unit has valid consent under the different Environmental Act issued by MPPCB.
- (ii) Now, unit proposes to expand its capacity with addition of new products up to 3200 MT/year. The proposed expansion will be carried out within the same premises.
- (iii) The proposed project is covered under 5 (f) category (B) of the schedule of EIA Notification issued by the Ministry of Environment & Forests vide S.O.1533 (E), dtd. 14.09.2006 and its amendments, hence is required to obtain prior EC.
- (iv) There is no interstate boundary within 10 km and no National Park / Sanctuary (DFO letter dtd. 17.07.19) within the 5 km of the project area hence the general conditions are not attracted.
- (v) Public Hearing for the proposed project was conducted on 05 March 2020 within the premises area of the project site under the Chairmanship of Add Collector, Indore.

Some issues regarding, environment pollution, employment to local people raised during the Public Hearing which were addressed by PP.

- (vi) Existing unit and proposed expansion will be in the same plant premises. The total land area of the project is 1171.73 sq. m. and owned by M/s Goyal Resins & Polymers. PP has submitted land diversion order dtd. 24.04.98. As per the land documents the sand land is diverted for industrial purpose in the name of the used M/s Goyal Resins & Polymers. The Land breakup of the area is as follows:-

Sr. No.	Particular	Area (sq.m)
1	Plant Facilities	50
2	Storage (RM & Finished Products)	450
3	Utilities	55
4	Internal Road	176.73
5	Green Belt	390
6	Office & Lab	50
<b>Total</b>		<b>1171.73</b>

- (vii) Total water requirement after expansion will be 8.0 KLD. Total water requirement for industrial purpose (Washing and cooling) will be 4.0 KLD. Water usage for domestic purpose and greenbelt will be 2.0 KLD and 2.0 KLD, respectively.
- (viii) After expansion, total industrial wastewater generation will be 2.0 (condensate from process - 0.5 KLD, cooling bleed off - 0.5 KLD, and washing - 1.0 KLD). Domestic wastewater generation will increase from 0.2 KLD to 1.5 KLD.
- (ix) The only source of gaseous emission will be from the stack attached with two numbers of Thermic Fluid Heaters (TFH) and stand by D.G. Set of 45 kVA. Bio coal/Briquette & HSD will be used as fuel in TFH and D G Set. There will be no process emissions. There will be no process gas emission.
- (x) The source of solid/hazardous waste generation will be Used oil, Discarded containers/drums, which will be handled & disposed as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- (xi) ETP Sludge, used lubricating oil will reused as lubricating oil in pumps and gear box, and in case of excess, will be sent to registered re-refiners. Discarded drums/containers will be sold to approved recyclers.
- (xii) Power supply from Madhya Pradesh Western Area Electrical Distribution Company Limited, Indore. Energy consumption: 100 KVA & stand by D.G. Set (1 x 45 KVA) in case of power failure.
- (xiii) For firefighting measure, PP has proposed to provide hydrant system, fire detection and alarm system and different types of fire extinguishers and fire water storage facilities.
- (xiv) Out of 1171.73 Sq. meter area, 390 sq meter (33%) area will be covered with the good green belt and 40 trees will be planted.
- (xv) Unit has proposed to spend about Rs. 0.4 Lakhs towards various CER activities, which includes educational activities, drinking water and sanitation facilities, etc. Green belt, CER, energy and power requirement

Based on the information submitted at Para i to xv above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 621<sup>st</sup> meeting held on 18.06.2020 and decided to accept the recommendations of 434<sup>th</sup> SEAC meeting held on dtd. 20.05.20.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14<sup>th</sup> September 2006 & its amendments for the proposed Expansion of Alkyd Resin, Hard Oil, Process Oil and Stand Oil Unit at Plot No. 414/5, Khatipura, Sukhliya Gram, Link Road, Newa Sanwer Industrial Area, Indore, MP Land area -1171.73 sq.m. Proposed Capacity: Existing: 130 MTPA Proposed: 3200 MTPA by Mr. Laxminarayan Agrawal, Proprietor, M/s Goyal Resins & Polymers, 414/5, Khatipura, Sukhliya Gram, Link Road, Dist. Indore- 452010 subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

**A. Specific Conditions as recommended by SEIAA**

1. The entire demand of fresh water should be met through Private tankers.
2. **For Air Pollution:**
  - (a) The performance of air pollution control system should be regularly monitored and maintained.
  - (b) PP should ensure regular stack monitoring & ambient air quality monitoring and should be carried out as per the guidelines/norms of MPPCB/CPCB.
  - (c) In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator/bag filters and water sprinkling system.
  - (d) Dust suppression system including water sprinkler system/ fogging arrangement shall be provided at loading and unloading areas to control dust emission.
  - (e) Fugitive emission in the work zone environment, product, raw material storage areas etc. shall be regularly monitored.
  - (f) Transportation of raw material and finished goods should be carried out in covered trucks.
  - (g) Adequate stack height shall be provided to coal fire boiler to control the air emission within stipulated by CPCB/MPPCB. Low NOx burner shall be provided in Captive co-generation Power plant to reduce the NOx emission.
3. **Hazardous Waste Management:**
  - (a) As proposed above, PP should ensure disposal of hazardous waste regularly and there should be no dumping of these materials in the premises/outside.
  - (b) PP should ensure handling, disposal and management of hazardous waste as per the related prescribed rules.
  - (c) PP should obtain Renewal of authorization regularly from MPPCB for collection storage and disposal of hazardous waste (Management, Handling & Transboundary Movement) Rules 2008 and its amendments. Membership of the TSDF should be obtain for hazardous waste disposal.
  - (d) Ensure the transportation of raw / finished material only by covered vehicles.
4. **Green Belt Development:**
  - (a) PP should ensure plantation as proposed in an area of 390 sq meter by planting additional plants also.
  - (b) Plantation in the project area of indigenous local varieties like Neem, Peepal, Kadam and Kachnaar.

(c) Every effort should be made to protect the existing trees on the plot.

6. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.

7. In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.

8. Total quantity of runoff water generated and green belt area should be collected in underground tank & used for process in plant to minimize fresh water requirement.

9. Double containment system shall be provided for all waste transport vehicles to avoid spillage. The spillage shall be cleared immediately.

10. Process effluent/any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.

11. PP should ensure to harvest rainwater from the roof-tops of the buildings and storm water drains to recharge the ground water and used same water for process activities of the project to conserve fresh water.

12. Dedicated parking facility for loading and unloading of material should be provided in the factory premises.

13. PP should ensure to undertake CER activities with budget provision of Rs. 0.4 Lakhs and all relevant measures for improving the socio-economic conditions of the surrounding area. PP shall give preference to develop/provide infrastructural facilities in schools or aganwadies of nearby village.

14. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, GoI, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

#### **B. Specific Conditions as recommended by SEAC**

##### **15. Products with capacities for the proposed project:**

Sr. No.	Name of Products	Quantity (MT/Annum)		
		Existing	Proposed addition	Total after expansion
1.	Alkyd Resin			
2.	Hard Resin	80	2620	2700
3.	Process Oil	0.0	400	400
4.	Stand Oil	40	10	50
		10	40	50
	Total	130	3070	3200

#### **(A) Statutory compliance**

16. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Madhya Pradesh Pollution Control Board (MPPCB).

17. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time & permission of competent authority if ant tree falling is to be carried out.

Case No. 6498/2019

Issued vide letter no. .... dated .....

Case No.: To be quoted in registered cases for correspondence

**(B) Air quality monitoring and preservation**

18. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
19. The project proponent shall install system to carryout Continuous Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released e.g. PM10 and PM2.5 in reference to PM emission and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each) covering upwind and downwind directions.
20. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions from the boiler, DG set and scrubber shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
21. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
22. The DG sets (100 KVA) shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
23. DG exhaust will be discharged at height stipulated by CPCB.
24. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
25. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

**(C) Water quality monitoring and preservation**

26. 8.0 KLD water will be consumed from Private Tankers. The effluent shall (2.0 KLD) after primary treatment will be disposed off at CETP, Indore.
27. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the Madhya Pradesh Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
28. Total fresh water requirement shall not exceed 8.0 KLD and as proposed by PP shall provide the fresh water.
29. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
30. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
31. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.

**(D) Noise monitoring and prevention**

32. Acoustic enclosure shall be provided to 100 KVA DG set for controlling the noise pollution.

33. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.

34. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

**(E) Energy Conservation measures**

35. The energy sources for lighting purposes shall preferably be LED based.

36. The total power requirements for project will be 100 KVA. The power will be supplied by MPPCL, Indore

**(F) Waste management**

37. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.

38. The Fly ash generated from boilers shall be stored in silos and disposed of through cement manufacturers by bulkers / closed containers and should comply with Fly Ash Utilization Notification, 1999 and as amended subsequently.

39. If any Flammable, ignitable, reactive and non-compatible wastes should be stored separately and never should be stored in the same storage shed.

40. Automatic smoke, heat detection system should be provided in the sheds. Adequate fire fighting systems should be provided for the storage area.

41. In order to have appropriate measures to prevent percolation of spills, leaks etc. to the soil and ground water, the storage area should be provided with concrete floor of inert material or steel sheet depending on the characteristics of waste handled and the floor must be structurally sound and chemically compatible with wastes.

42. Measures should be taken to prevent entry of runoff into the storage area. The Storage area shall be designed in such a way that the floor level is at least 150 mm above the maximum flood level.

43. The storage area floor should be provided with secondary containment such as proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.

44. Storage areas should be provided with adequate number of spill kits at suitable locations. The spill kits should be provided with compatible sorbent material in adequate quantity.

45. Recent MSDS of all the chemicals used in the plant be displayed at appropriate places.

46. Proper fire fighting arrangements in consultation with the fire department should be provided against fire incident.

47. All the storage tanks of raw materials/products shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided to the storage tanks. Closed handling system of chemicals shall be provided.

48. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.

49. Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.

50. The company shall undertake waste minimization measures as below:

a. Metering and control of quantities of active ingredients to minimize waste.

- b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
- c. Use of automated filling to minimize spillage.
- d. Use of Close Feed system into batch reactors.
- e. Venting equipment through vapour recovery system.
- f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.

**(G) Green Belt**

- 51. Out of 1171.73 Sq. meter area, 390 sq meter (33%) area will be covered with the good green belt and 40 trees will be planted. The green belt of 2 m width will be developed mainly along the periphery and road side. Selection of plant species shall be as per the CPCB guide lines in consultation with the State Forest Department.
- 52. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.

**(H) Safety, Public hearing and Human health issues**

- 53. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- 54. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- 55. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- 56. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- 57. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 58. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- 59. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

**(I) Corporate Environment Responsibility**

- 60. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- 61. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or

- shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
62. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
  63. Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
  64. The proposed EMP cost is Rs. 27.5 lacs and 9.0 lacs/year as recurring cost and out of which the Environment Monitoring Cost for the project is 2.5 lacs and Rs. 1.0 lacs is proposed for green belt development.
  65. Under CER activity, Rs 4.0 lacs per year are proposed for different activities.
  66. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
  67. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- (J) Miscellaneous**

68. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
69. The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.
70. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
71. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
72. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

#### **Standard Conditions:**

1. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, Gol at Bhopal.
2. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.
3. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.

4. Industry should get the Emergency Disaster Management Plan approved by DTHS and should also comply with the provisions made in Public Liability Insurance Act, 1991.
5. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
6. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
7. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
8. The Regional Office, MoEF, GoI, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, GoI, Bhopal and MP PCB.
9. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
10. The project proponent has to strictly follow directions/guideline issued by the MoEF, GoI, CPCB and other Govt. agencies from time to time.
11. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal and MP PCB.
12. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also
13. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
14. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of

Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

15. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
16. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
17. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
18. The prior Environmental Clearance granted for the project is valid for a period of five years as per EIA notification dtd. 14.09.2006.
19. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
20. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

1472  
Endt No. / SEIAA/ 2020

Dated 30.6.2020

(Tanvi Sundriyal)  
Member Secretary

Copy to:-

- (1). Principal Secretary, Urban Development & Environment Deptt. 3<sup>rd</sup> Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Indore, M.P.
- (5). Managing Director, M.P. Audyogik Kendra Vikas Nigam (Indore) Limited, Free Press House First Floor, 3/54 Press Complex, Agra-Mumbai Highway Indore(M.P).
- (6). Director, I.A. Division, Monitoring Cell, MoEF, GoI, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

(Dr. Sanjeev Sachdev)  
Officer-in-Charge