



State Environment Impact Assessment Authority, M.P.
(Ministry of Environment, Forest and Climate Change, Government of India)

Environmental Planning & Coordination Organization

Paryavaran Parisar, E-5, Arera Colony

Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : mpseiaa@gmail.com

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

To,

Shri Vivek Gupta, Director

M/S TRIMBEKSHWAR AGRO INDUSTRIES PVT. LTD

Plot No. 27 & 32 AKVN Industrial Area,

Meghnagar, District - Jhabua,

MP-457779

No.: 4583 /SEIAA/ 20

Date: 29/10/20

Sub:-Case No. 7591/2020 :Prior Environment Clearance for Construction of Manufacturing of Fertilizers Unit of Single Super Phosphate Plant, at Plot No. 26-A, 26-B, 26, 27, 28, 31, 32, 33 & 34-A AKVN Industrial Area, Tehsil - Meghnagar, District - Jhabua, M.P. Total Area: 9828.56 Production Capacity : 300.0 TPD of Powder & Granulated Super Phosphate by Shri Vivek Gupta Director, M/S TRIMBEKSHWAR AGRO INDUSTRIES PVT. LTD Plot No. 27 & 32 AKVN Industrial Area, Meghnagar, District - Jhabua, M.P. 457779-[Email-timbek@gmail.com](mailto:timbek@gmail.com) Mob:-9479649918

Ref: Your application dtd. 05.09.20 received in SEIAA office on 09.09.2020

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) This is an existing and modernization project which is producing of City Compost with 3000.0 MT per year, NPK Mix Fertilizers Granulated (By Mixing Only) with capacity of 15000.0 MT per year, Soil Conditioner with capacity of 8000.0 MT per year and Vermi Compost with capacity 2000.0 MT per year, respectively. In these regards, consent order has been obtained from Madhya Pradesh Pollution Control Board (MPPCB) on 14.05.2019 with consent no. AW-65282 which is applicable up to 31.05.2021.
- (ii) The existing manufacturing plant is in operation since 2004 and consequently was not under the purview of the EIA Notification, 2006 and hence did not require Environmental Clearance. Now as it is going for the production of Single Super Phosphate, it will require prior Environmental Clearance. As per the Schedule to the EIA Notification, 2006 & its amendments, it falls under the Sl. No. 5(a) and also it will come under category B because it does not include any Sulphuric Acid manufacturing unit inside its premises.

Case No. 7591/2020

Issued vide letter no. dated

Case No.: To be quoted in registered cases for correspondence

(iii) Now, PP is proposing a chemical fertilizer unit of Single Super Phosphate Plant with capacity of 300.0 TPD of Powder & Granulated Super Phosphate which will be produced in this project.

(iv) The project is proposed for Manufacturing of Fertilizers Unit of Singh Super Phosphate Plant with Production capacity 300.0 TPD of Powder & Granulated Single Super Phosphate

| Sl. No. | Raw Product Name | Capacity |
|---------|---------------------|----------|
| 1 | Rock Phosphate (RP) | 170 TPD |
| 2 | Sulphuric Acid | 108 TPD |

(v) This is a chemical fertilizer project. All non – toxic secondary metallurgical processing industries manufacturing > Single Super Phosphate are covered under the EIA Notification 2006 as amended 2009 and are mentioned at SN 5(a), B. Hence these projects are required to obtain prior EC before establishment.

(vi) There is no inter-state boundary (PWD letter dtd. 31.08.2020) within 05 km and no Wildlife Sanctuaries, National Parks, and Tiger Reserves within 05 km of the boundary, hence, general conditions not attracted.

(vii) The case was discussed in 463rd SEAC dtd. 01.10.2020 and recommended for grant of prior EC conditions.

(viii) The M/s Trimbekshwar Agro Industries Pvt. Ltd., Plot No. 27 & 32, AKVN Industrial Area, meghnagar, District Jhabua, MP-457779. The land of 9828.56 sqm has been allotted by DIC for industrial use only). PP has submitted registered transfer deed dtd. 07.01.2020 .As per the transfer deed lease holder Praveen Engineers transferred the land to M/s Trimbekshwar Agro Industries Pvt. Ltd.,

(ix) Raw materials required for production of SSP are mainly rock phosphate and sulphuric acid. Rock phosphate will be sourced from RSMM (Rajasthan State Mines or imported). The sulphuric acid will be sourced from open market (local supplier) located at surrounding districts. The minimum of 31% plus grade is suitable for the production. Sulphuric acid: The technical grade Sulfuric acid that is 98.5% pure or spent sulphuric acid is suitable for the process. Sulphuric acid will be sourced from local supplier and stored in Tanks.

(x) Total water requirement for operation phase of the proposed project is estimated at 30 KLD and shall be received from the MPIDC supply. The source of water supply for the project is MPIDC.(letter dtd.11.08.20)

(xi) Total water requirement for the project during its full-fledged operation phase is estimated to be 30.0KLD water which will be met from MPIDC. The fresh water requirement for the proposed project will be used for dilution of Sulphuric Acid, absorption of Hydro Fluoro Silicic Acid in scrubber, domestic and for plantation purpose.

(xii) Single Super Phosphate (SSP) is a versatile three in one fertilizer because it supplies 16% P2O5 and 12% calcium. One Ton of SSP contains 490.0 Kg of nutrients of which only 160.0 Kg are recognize. SSP is the only phosphate fertilizer in the world which supplies 100% of its guaranteed P2O5 in water soluble form. It is an ideal fertilize for short duration and seasonal crops which remove 70% of their

total phosphate uptake from the soil in the first 30 to 40 days of their life cycle. Here, water soluble phosphate plays an important role and thus, single super phosphate has an edge over other phosphate fertilizers.

- (xiii) The raw water requirement for the project is Rock Phosphate – 170 TPD & Sulphuric Acid – 108 TPD which will be transported by trucks from local market.
- (xiv) Utilization of treated domestic wastewater in toilet flushing, greenbelt development and dust suppression;
- (xv) A drain along the boundary wall shall be made , which will join the proposed settling tank/water tanks to protect the flow of contaminant towards nearby land
- (xvi) Regular monitoring and analysis of upstream and downstream of River Sank wrt to industry shall be continue.
- (xvii) Effective and strict implementation of recommendation of rain water harvesting measures. Water harvesting structure have been constructed for harvesting of water at the rate of 3950 cum water per annum. Therefore installation of pizometers is recommended for ground water table study.
- (xviii) RCC dyke/platform should be constructed to avoid leachate possibility.
- (xix) Air emissions from melting furnaces are particulates, carbon monoxide, sulfur dioxide, nitrogen oxides, and small quantities of chlorides and fluorides. During Tapping: Emission consists of iron oxides in addition to oxide fumes from alloys to the ladle and during pouring: particulate emissions from pouring consist of fumes, CO, VOCs, and particulates from the mold and core materials when contacted by the molten steel. As the mold cools, emissions continue. Emissions from pouring are usually uncontrolled. Following measures are proposed to mitigate negative impact of operation phase of the project on the surrounding air environment
- (xx) During the acidulation process some acidic fumes containing fluorine are emitted from den and mixer. They are scrubbed to remove toxic gases. H_2SiF_6 formed in scrubber can be used to make Na_2AlF_6 which is useful by product. The environmental problems arising out of this proposed process is due to the emission of acidic fluoride which are released during acidulation process. The detailed system for the control of this emission has been designed and proposed to be installed in the plant. The treatment system will be capable of controlling the emission from the plant.
- (xxi) The acidic fumes are scrubbed in very advanced to stage venture scrubber connected in series along with a cyclonic separator. In this case water is used as the absorbent for the acidic fumes and Fluorides. The fresh water for absorbent purpose is added in the final stage of scrubbing.
- (xxii) Silica Sludge will be generated as a Hazardous waste i.e. 0.50 TPD will be generated of solid waste & it shall be disposed as per CPCB/SPCB Norms and HW Rules. Non-Hazardous Solid Waste: Other municipal solid waste generated would include kitchen waste, cardboards, papers, plastics, and garden waste. Cardboard, papers and plastic wastes will be handed over to scrap dealers and kitchen & garden waste would be sent to the nearest municipal waste collection site.

- (xxiii) The plant water management system is designed to minimize the potential for storm water contamination occurring at the site. This will be achieved by incorporating the following features into the storm water management system:
- Run-off from upstream areas will be diverted to proposed water body within the premises through storm water drain around the plant site.
 - The quantity of contaminated run-off generated will be minimized by diverting run-off from areas external to the plant to storm water discharge points;
 - Hazardous material and fuel storage areas will be bounded and drains will be provided to around these facilities to prevent entering of run-off water; and
 - Run-off from area external to process areas of the plant will be contained within a storage system.
 - Regular inspection and cleaning of storm drains.
 - Total power requirement is estimated to be 400.0 HP KW which will be met from Madhya Pradesh Electricity Board (MPEB).
- (xxiv) PP has proposed to provide 02 nos of recharging pits for recharging of ground water.
- (xxv) About 990 Sq.mt. landscape area for plantation of land area shall be developed as green belt by planting 310 numbers of tress at plant boundaries, road sides, around offices & buildings and stretch of open lands.
- (xxvi) Project cost is estimated Rs. 493.23 Lakhs. The investment on environmental protection measures or environmental management plan has been estimated as capital investment is estimated Rs. 51.50 Lakhs and Rs. 9.20 lakhs as a recurring cost for the project.
- (xxvii) Under CER activities PP has proposed Construction of Community Toilets, Water supply arrangement in school with Storage Tank & Plumbing System or contribution to Gram Panchayat under pubic water supply scheme. Distribution of Computer systems and online setup to the schools. at Navagaon Khalsa, Fatepura, Ghosaliya Chhota village. Promotion of advanced agriculture practices and water efficient farming practices etc with budgetary provision of Rs. 9.86 lacs.

| CER activities as per notifications | | Proposed Budget for CER |
|---|---|---|
| 1. Construction of Community Toilets, Water supply arrangement in school with Storage Tank & Plumbing System or contribution to Gram Panchayat under pubic water supply scheme. | Implementation area | project capital cost including land and machinery = INR 493.23 Lakhs Proposed CER 2% of the which is approx. =INR 9.86 Lakh. |
| | With the help of Gram Panchayat: <ul style="list-style-type: none"> • Nayagaon Khalsa Village, 2.30 KM -W • Fatepura Village – 2.70 KM – E • Ghosaliya chhota Village – 2.60 KM – NE | |
| 2. Distribution of Computer systems and online setup to the schools. | | |

Based on the information submitted at Para i to xxvii above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 644th meeting held on 07.10.2020 and decided to accept the recommendations of 463rd SEAC meeting held on dtd. 01.10.20

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its amendments for the Proposed Manufacturing of Fertilizers Unit of Single Super Phosphate Plant, at Plot No. 26-A, 26-B, 26, 27, 28, 31, 32, 33 & 34-A AKVN Industrial Area, Tehsil - Meghnagar, District - Jhabua, M.P. Total Area: 9828.56 Production Capacity : 300.0 TPD of Powder & Granulated Super Phosphate by Director, M/S TRIMBEKSHWAR AGRO INDUSTRIES PVT. LTD Plot No. 27 & 32 AKVN Industrial Area, Meghnagar, District - Jhabua,, subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

- (1) The entire demand of fresh water should be met through AKVN supply and there should be no extraction of ground water.
- (2) PP should ensure zero waste water discharge from the process. As per the proposal submitted 100% waste water shall be re-cycled in the process. No water shall be discharged outside the premises.
- (3) The acidic liquid from the scrubbing system shall be used in the process.
- (4) Silica sludge from SSP manufacturing process shall be stored in designated covered and lined yard and the same shall be used as filler for the fertilizer. A logbook of the same shall be maintained.
- (5) The gases from the den conveyor will be separated by scrubber fan Ventury, Cyclone separator and cyclonic scrubbers.
- (6) PP should ensure air pollution control measure as proposed in EMP and should conduct regular monitoring of stack emissions and ambient air as per MPPCB / CPCB norms. For regular monitoring of air emission PP should installed ambient air monitoring stations.
- (7) PP should ensure the disposal of hazardous waste through authorized agencies and obtained consents from competent Authorities.
- (8) PP should ensure all the raw material shall be stored separately in designated place.
- (9) Garland drain surrounding the raw material storage area has to be constructed which shall be connected to the recycling system.
- (10) Scrubber system adequate capacity shall be installed to control fluorine and hydrogen fluoride gas emission from the stack so as to keep the values as per the norms of MPPCB.
- (11) Concentration of fluoride has to be monitored in the ground water on regular basis.
- (12) PP should obtain NOC for fire and approval for onsite offsite emergency plan, health and safety plan from the Competent Authorities.
- (13) Regular monitoring of influent and effluents surface, sub-surface and ground water shall be ensured and treated waste water shall be re-cycled in the process. Leachate study for effluent generated & analyses should also be regularly carried out and report submitted to ministry and MPPCB.
- (14) All types of solid wastes shall be handled and managed as per the prescribed norms.

- (15) In view of use of concentrated sulphuric acid in the process industry shall take all precautions to avoid accidents from spillage/storage/ handling etc.
- (16) Production of the sulphuric acid will be not allowed within the premises.
- (17) Risk & Disaster Management Plan along with the mitigation measures should be prepared and copy shall be submitted to Ministry of Environment & Forests, GoI & MPPCB.
- (18) **Under green area development PP should ensure :-**
- (a) Green belt development in an area of 990 sqm shall be covered with plantation by planting 310 numbers of trees.
 - (b) Plantation of the trees of indigenous local varieties like Neem, Ficus Benjamina, Ashok, Amaltas, Canocarpus etc. Periphery Plantation should be completed within one year within the plant premises.
 - (c) Every effort should be made to protect the existing trees on the plot.
 - (d) At least 33% of the total plot area including the thick green belt shall be developed as green area through tree plantation.
- (19) Monthly monitoring should be done of all the environmental parameters and Environmental Management Cell meeting should be carried out every month.
- (20) Secondary fugitive emissions from all sources shall be controlled within latest permission limits issued by the Ministry and regularly monitored. Guidelines / Code or practice issued by CPCB shall be followed.
- (21) **Corporate Environment Responsibility**
- a. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
 - b. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
 - c. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
 - d. Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
 - e. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
 - f. PP should ensure implementation of CER activity of Rs. 9.86 lakh in consultation with District Collector/gram Panchayat of nearby villages.

g. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

h. PP should ensure to submit half yearly compliance report and CER activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

B. Specific Conditions as recommended by SEAC

(22) All tailing collection ponds shall have HDPE lining with appropriate peizometric holes & leachate collection arrangements. All the components of this system should be well within approach for smooth monitoring.

(23) Alkali scrubbing shall be carried out for scrubbing the fluorine.

(24) Continuous Emission Monitoring System shall be installed with inter-locking system such that in case of any failure when emissions are beyond the thresh-hold limits the complete operation of the plant trips down automatically.

(25) 'Zero liquid discharge' condition shall be maintained.

(26) Explore the possibility to reduce the curing period through temperature & moisture control.

(27) Boilers shall be fitted with bag-filters and other effective APC system in view of the proposed fuel (bio-fuel).

Standard Conditions:

1. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
2. The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.
3. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
4. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
5. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.
6. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, Gol at Bhopal.
7. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.

8. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.
9. Industry should get the Emergency Disaster Management Plan approved by DTSH and should also comply with the provisions made in Public Liability Insurance Act, 1991.
10. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
11. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
12. The fluoride emission shall not be more than 25 mg/Nm³ emanating from the scrubbing system.
13. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of raw material and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. No overloading of raw material for transportation shall be committed.
14. Periodic monitoring shall be carried out as per norms for RPM, SPM, SO₂, NO_x monitoring and fluoride. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the M. P. Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and displayed.
15. Data on ambient air quality (RSPM, SPM, SO₂, NO_x) should be regularly submitted to the Regional office of the Ministry of Environment and Forest, Bhopal and the M.P. Pollution Control Board / Central Pollution Control Board once in six months.
16. The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water.
17. Measures shall be taken for control of noise levels below 75 dBA in the work environment. Workers shall be provided with ear plugs / muffs.
18. Personnel working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
19. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
20. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
21. The Regional Office, MoEF, GoI, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact

Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.

22. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
23. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
24. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
25. Any change in the correspondence address be duly intimated to all the regulatory authority within 30 days of such change.
26. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also
27. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
28. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
29. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
30. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
31. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

32. The prior Environmental Clearance granted for the project is valid for a period of seven years as per EIA notification dtd. 14.09.2006 & its amendments.
33. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
34. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

4584
Endt No. / SEIAA/ 2020
Copy to:-

Dated 29.10.2002

(Tanvi Sundriyal)
Member Secretary

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Jhabua, M.P.
- (5). Managing Director, M.P. Audyogik Kendra Vikas Nigam (Indore) Limited, Free Press House First Floor, 3/54 Press Complex, Agra-Mumbai Highway Indore (M.P).
- (6). Director, I.A. Division, Monitoring Cell, MoEF, GoI, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

(Dr. Sanjeev Sachdev)
Officer-in-Charge