



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Madhya Pradesh)

To,

The Director
SUNNY PAINT & TAR PRODUCTS
A/72, Sector-C, Industrial Area, Sanwar Road, Indore, MP -452001

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MP/IND3/73932/2004 dated 22 Mar 2022. The particulars of the environmental clearance granted to the project are as below.

1. **EC Identification No.** EC22B021MP110594
2. **File No.** 8730/2021
3. **Project Type** Expansion
4. **Category** B1
5. **Project/Activity including Schedule No.** 5(f) Synthetic organic chemicals industry (dyes & dye intermediates; bulk
6. **Name of Project** Expansion of Paint and Varnishes Manufacturing Plant
7. **Name of Company/Organization** SUNNY PAINT & TAR PRODUCTS
8. **Location of Project** Madhya Pradesh
9. **TOR Date** 31 Mar 2004

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 23/05/2022

(e-signed)
Shriman Shukla
Member Secretary
SEIAA - (Madhya Pradesh)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



Ref: Proposal No. SIA/MP/IND3/73932/2004, Case No 8730/2021: Prior Environment Clearance for the Expansion of Paint & Varnishes Manufacturing Plant at A/72, Sector-C, Industrial Area, Sanwer Road, Indore, MP by Mr. Sunny Dhamija, Director, SUNNY PAINT & TAR PRODUCTS A/72, Sector-C, Industrial Area, Sanwer Road, Indore, MP - 452001 E-mail : sunnydhamija26@gmail.com Telephone No. : 0731- 2720306 Mob: 09826707183 Env. Consultant: M/s. Gurung Environment Solutions Pvt. Ltd. Jaipur

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form 2, pre-feasibility report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- i. The proposal is for Environmental Clearance for "Expansion of Paint & Varnishes Manufacturing Plant" located at A/72, Sector-C, Industrial Area, Sanwer Road, Indore, Madhya Pradesh-452001 by M/s Sunny Paint & Tar Products.
- ii. The geographical Co-ordinates of the site are Latitude 22°46'0.59"N; Longitude: 75°51'17.35"E
- iii. It is an operational unit engaged in Manufacturing of different kind of Paint, Tar and Varnishes. The unit is only for formulation. Unit has valid consent to operate issued by MPPCB vide Consent no. AWH86616 valid upto 31.12.2021. Being a formulation unit, environmental clearance is not applicable to the existing unit.
- iv. Now, company has proposed to manufacture 10,000 MT of Synthetic Resin (Alkyd Resin & Maleic/ Phenolic Resin) along with the enhancement of few of the existing products in the existing plant.
- v. Industry falls under the category of 5(f) of schedule of EIA Notification, 2006 "Synthetic Organic chemical Industries" and categorized under "B" because as per the amended EIA Notification 25.06.2014, small scale industries of cat. 5(f) may consider B category if unit will fulfil criteria mention in the said notification.
- vi. There is no Wildlife sanctuary and no reserve forests within 10 km distance from the project site. No, national parks, Biosphere Reserves, Tiger/Elephant Reserves, etc. is present within 10 km distance from the project site. Khan River is flowing at 0.3 km (SE) from the project site.
- vii. TOR recommended in 522nd SEAC meeting dated 27.10.2021 and approved in 693rd SEIAA meeting dated 25.11.21 and TOR issued vide letter no. 2810-11/SEIAA/21 dated 12-01-22 valid till 2410.2025. EC recommended in 566th SEAC meeting dated 23-04-22.
- viii. Unit is spread over an area of 1394 sq.m. The proposed expansion shall be done within the existing premises. No additional land required for the expansion of project.

S. No.	Description	Area (sq. m)	Percentage (%)
1	Plant area, Utility area & storage area	788	56.53
2	Green area	512	36.73
3	Road Area	72	5.16
4	Parking area	22	1.58
	Total	1394	100.00

ix. Project at Glance is mentioned below:

S.No	Particular	Unit	Existing	Proposed	After Expansion	
1.	Total Plot Area	Sqm	1394	0	1394	
2.	Green belt area	Sqm	-	512	512	
3.	Fresh Water Requirement	KLD	1	11	12	
4.	Wastewater Generation - Effluent	KLD	0.8	2.0	2.8	
5.	Wastewater generation- Domestic	KLD	0.8	1.7	2.5	
6.	Power Requirement	HP	75	50	125	
7.	Power Backup	KVA	125	0	125	
8.	Manpower Requirement	No.	15	45	60	
			Permanent	15	45	50
			Contractual	0	10	10
9.	Project cost	Rs. Cr	0.79	0.75	1.54	
10.	Capacity of Boiler	Lac K Cal	6	-	6	
11.	Fuel (for Boiler) (Coal)	TPD	0.5	0.5	1	

x. Freshwater requirement of the project after expansion will be 12 KLD sourced from private tankers. The wastewater generation from the industrial process will be 2 KLD which will be sent to the CETP for treatment and final disposal. The domestic wastewater generation will be 2.5 KLD which will be disposed into septic tanks via soak pit.

xi. The power requirement for the proposed expansion will be 125 HP will be supplied through M.P. Paschim Kshetra Vidhyut Vitaran Company Limited, Indore. Existing DG Set of 125 kVA will be used in the plant during emergency failure.

xii. The source of air pollution from existing and proposed expansion is mentioned below:

S.No.	Stack Attached	Capacity	Fuel Used	Stack Height	APCM	Expected Pollutants
Existing						
1	Boiler	6 Lac K Calories/hr	Bio Briquette	30	Bag Filter, Dust Collector and Natural Draft	PM, Sox, NOx
2	DG Set	125 KVA	HSD	11	Stack & Natural Draft	PM, Sox, NOx

xiii. The details of waste generation and disposal method are mentioned below:

Name of Waste	Source of Generation	Category No. (As per Sch-I&II 2016)	Quantity (After Expansion)	Mode of Treatment & Disposal Method
Discarded Containers/Bags /Liners	Storage & Handling of Raw Materials	Sch-I/33.3	5000 Nos/year	Collection, Storage, Decontamination or sale to authorised decontamination facility
Used/Spent Oil	Used/Spent Oil	Sch-I/5.1	0.1 KL/year	Collection, Storage, Transportation & Disposal by selling to registered Refiners.
Wastewater treatment sludge	-	Sch-I/34.3	2 MT/year	Collection, Storage, Transportation and disposal to authorized TSDF.
Fly Ash	Boiler	Non-Haz	0.1 TPD	Sent to brick manufacturer
Municipal Waste	-	Municipal Waste	18 Kg/day	Disposal at approved municipal site.

- xiv. The estimated project cost after expansion will be Rs. 1.54 Crores.
- xv. PP has proposed to develop a dense greenbelt of of 512 sqm (36.73 % of total plot area) in the plant. A wide green belt will be developed around the plant boundary. Around 120 trees shall be planted within the premises.
- xvi. All the disaster management measures are incorporated in the EIA report.
- xvii. Under CER activity, Social and community infrastructure and services would be provided in response to the need of communities. PP has proposed to spend Rs. 02 Lakhs on Corporate Environmental Responsibility (CER) such as Installation of Solar Panels in nearby School, Provision of Health Awareness Camps, Vaccination Drives, Cattle Health Checkup in nearby villages, Organic agricultural training and awareness for the same with agricultural department etc.

Based on the information submitted at Para i to xvii above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 722nd meeting held on 07.05.2022 and decided to accept the recommendations of 566th SEAC meeting held on dated 23.04.2022.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA Notification dtd. 14th September 2006 & its amendments to the proposed Expansion project of Paint & Varnishes Manufacturing Plant at A/72, Sector-C, Industrial Area, Sanwer Road, Indore, MP by Mr. Sunny Dhamija, Director, SUNNY PAINT & TAR PRODUCTS, A/72, Sector-C, Industrial Area, Sanwar Road, Indore, MP - 452001 subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

1. The entire demand of fresh water should be met through tanker water, PP should obtain NOC from concerned department or CGWA for withdraw of ground water as per Gazette notification S.O.3289(E) dated 24th September 2020 issued by Central Ground Water Authority (CGWA)
2. The Project Proponent shall make necessary arrangements for control of Air Pollution occurring due to the installation and operation of the Air Polluting machinery installed in the industrial premises.
3. The project proponent shall submit monthly summary report of continuous stack emission (inclusive of data of continuous SPM monitoring at inlet and outlet of APCD before stack) and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/ fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of MPPCB and also six-monthly monitoring reports to SEIAA.
4. The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
5. The project proponent shall install 24x7 continuous online SPM monitoring system at the inlet and outlet of APCD to monitor and achieve the suspended particulate matter (SPM) emission standards as prescribed by CPCB/SPCB.
6. The project proponent shall construct rain water tanks to store rain water run off generated from the roof tops etc during monsoon season within its premises.
7. The project proponent shall minimize the water consumption in the industrial plant complex by segregation of used water, practicing cascade use and by recycling treated water.
8. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
9. PP should ensure to achieve minimum 95% solvent recovery.

10. The project proponent shall undertake pre-monsoon and post monsoon monitoring of the Ground water for heavy metals in addition to routine parameters. At least 3 samples i.e. one from within the premises and two from outside the premises of the industry shall be taken.
11. All the vehicle movement areas as well as approach road to the gate /weighing bridge shall be paved with pucca/metalled / cement concrete to control the dust emissions expected from vehicle movements.
12. The vehicles to be used for loading/unloading purposes shall not be parked along the roadside to avoid traffic congestion and a dedicated parking place to be provided for the same within the Project premises.
13. The project proponent shall adopt green technologies to conserve water and energy. Also, provide abrasive resistant fire bricks in the crucibles to reduce the periodic maintenance and disposal of discarded fire bricks if applicable.
14. The project proponent shall use natural gas as substitute fuel wherever possible in the existing industry/ for the expansion project as soon as this becomes commercially available. PP should ensure to implement non conventional energy source wherever is possible.
15. Odour Management:
 - (a) Nozzles, sprayers and atomizers that spray ultra-fine particles of water or chemicals should be used along the boundary lines of area sources to suppress odours
 - (b) Odorous air streams frequently contain high concentration of moisture. PP should ensure to use Mist filters for this purpose so that mist filter can remove solids and liquids from gas stream.
 - (c) Regular transportation of Sludge and other odor producing material to CHWT/SDF
 - (d) Proper storage of chemical, solvent to avoid direct contact of sunlight
 - (e) Personal Protective Equipment should be provided to the workers while handling of chemical and raw material
16. PP should ensure to make arrangement for disaster management.
17. No construction and expansion activities will be allowed in MOS area.
18. The specific need base activities to be undertaken under CER to be carried out in consultation with District collector.
19. PP should ensure to submit half yearly compliance report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

B. Specific Conditions as recommended by SEAC

I The EC shall be valid for following products and given capacity:

S.No.	Product	Unit	Existing (Quantity)	Proposed (Quantity)	After Expansion (Quantity)
Existing (Non- EC product)					
1.	Bitumen Primer	MTPA	105	0	105
2.	Ceiling Compound	MTPA	105	0	105
3.	Distemper Dry and Oil Bound	MTPA	60	0	60

4.	Enamel Road Marking, Black Japan, Red Oxide	MTPA	30	2970	3000
5.	Expansion Joint Filler Board	MTPA	3000	0	3000
6.	French Polish	MTPA	6	0	6
7.	Tarfelt	Nos/Year	24000	0	24000
8.	Varnish Terfaintine	MTPA	12	0	12
New Products (EC Products)					
9.	Resin	MTPA	0	10000	10000

I Statutory Compliance

- The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Madhya Pradesh Pollution Control Board (MPPCB).
- The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

II Air quality monitoring and preservation

- The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
- To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions from the boiler, one DG sets (1 x 125 kVA) and scrubber shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
- Storage of raw materials, chemicals etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- The one DG sets (1 x 125 kVA) shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
- National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
- The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

III Water quality monitoring and preservation

- The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the Madhya Pradesh Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- Total fresh water requirement shall not exceed 12.0 KLD (out of which 3 KLD for domestic, 08 KLD for industrial water use & 01KLD for green belt use purpose).
- Total wastewater generation after expansion will be 4.5 KLD (Domestic: 2.5 KLD & Industrial: 2 KLD). 2.5 KLD domestic sewage will be disposed to septic tank followed by soak pit. Around 2.0 KLD wastewater is expected to be generated as industrial effluent which will be sent to the CETP for treatment after pre-treatment at site.
- In case, if in-house bore or tube well is required, than CGWA permission shall be obtained before extracting ground water.
- Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.

- vii. The Company shall harvest rainwater, after taking permission from State Pollution Control Board, from the roof tops of the admin buildings. Process building, raw material and finished goods storage building shall not be used for ground water recharging.
- viii. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.

IV Noise monitoring and prevention

- i. Acoustic enclosure shall be provided to DG sets (1 x 125 kVA) for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V Energy Conservation Measures

- i. The energy sources for lighting purposes shall preferably be LED based.
- ii. The existing power requirement of project is 75 HP and will be increased to 125 HP after expansion. Electricity is being sourced by M.P. Paschim Kshetra Vidhyut Vitaran Company Limited.

VI Waste management

- i. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- ii. Hazardous waste such as Used oil, Discarded containers/drums, shall be handled & disposed as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016 as follows:

Sr. No	Name of Waste	Source of Generation	Category No. (As per Sch-I&II 2016)	Quantity (After Expansion)	Mode of Treatment & Disposal Method
1	Discarded Containers/Bags /Liners	Storage & Handling of Raw Materials	Sch-I/33.3	5000 Nos/year	Collection, Storage, Decontamination or sale to authorised decontamination facility
2	Used/Spent Oil	Used/Spent Oil	Sch-I/5.1	0.1 KL/year	Collection, Storage, Transportation & Disposal by selling to registered Refiners.
3	Wastewater treatment sludge	-	Sch-I/34.3	2 MT/year	Collection, Storage, Transportation and disposal to authorized TSDF.
4	Fly Ash	Boiler	Non-Haz	0.1 TPD	Sent to brick manufacturer
5	Municipal Waste	-	Municipal Waste	18 Kg/day	Disposal at approved municipal site.

- iii. If any Flammable, ignitable, reactive and non-compatible wastes should be stored separately and never should be stored in the same storage shed.
- iv. Automatic smoke, heat detection system should be provided in the sheds. Adequate fire fighting systems should be provided for the storage area.
- v. In order to have appropriate measures to prevent percolation of spills, leaks etc. to the soil and ground water, the storage area should be provided with concrete floor of inert material

- or steel sheet depending on the characteristics of waste handled and the floor must be structurally sound and chemically compatible with wastes.
- vi. Measures should be taken to prevent entry of runoff into the storage area. The Storage area shall be designed in such a way that the floor level is at least 150 mm above the maximum flood level.
 - vii. The storage area floor should be provided with secondary containment such as proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.
 - viii. Storage areas should be provided with adequate number of spill kits at suitable locations. The spill kits should be provided with compatible sorbent material in adequate quantity.
 - ix. Recent MSDS of all the chemicals used in the plant be displayed at appropriate places.
 - x. Proper fire fighting arrangements in consultation with the fire department should be provided against fire incident.
 - xi. All the storage tanks of raw materials/products shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided to the storage tanks. Closed handling system of chemicals shall be provided.
 - xii. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.
 - xiii. ETP sludge, process inorganic salt shall be disposed off to the TSDF.

VII Green Belt

- i. The PP will develop greenbelt of 512 sqm (36.73 % of total plot area) in the plant. A wide green belt will be developed around the plant boundary. Around 120 trees shall be planted within the premises.
- ii. Also 3000 plants shall be planted, maintained and protected for minimum 05 yeras on Kshipra River through forest department, Ujjain.
- iii. The green belt of 5-10 m width shall be developed near the total project area, mainly along the plant periphery, in downward wind direction and along road sides etc. Selection of plant species shall be as per the CPCB guide lines in consultation with the Forest Department.
- iv. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 1-1.5 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature.
- v. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.

VIII Safety, Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- iii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iv. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- v. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

- vii. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

IX EMP & Corporate Environment Responsibility

- i. The proposed EMP cost is Rs. 23.50 lakhs and 02.50 lakhs/year as recurring cost and out of which the Environment Monitoring Cost for the project is 1.0 lakhs and Rs. 0.40 lakhs is proposed for green belt development.
- ii. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- iii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iv. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- v. Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
- vi. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- vii. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

X. Miscellaneous

- i. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- ii. The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.
- iii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- iv. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- v. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

Standard Conditions:

1. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, GoI at Bhopal.
2. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.
3. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.
4. Industry should get the Emergency Disaster Management Plan approved by DTHS and should also comply with the provisions made in Public Liability Insurance Act, 1991.
5. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
6. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
7. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
8. The Regional Office, MoEF, GoI, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, GoI, Bhopal and MP PCB.
9. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
10. The project proponent has to strictly follow directions/guideline issued by the MoEF, GoI, CPCB and other Govt. agencies from time to time.
11. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal and MP PCB.
12. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also
13. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

14. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
15. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
16. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
17. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
18. The prior Environmental Clearance granted for the project is valid for a period of seven years as per EIA notification dtd. 14.09.2006 & its amendments.
19. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
20. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

(Shriman Shukla)
Member Secretary

Copy, through email, for information and necessary action to –

- (1). Principal Secretary, Department of Environment, Government of MP, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Member Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, Distt- Indore (M.P.).
- (5). Managing Director, M.P. Audyogik Kendra Vikas Nigam (Indore) Limited, Free Press House First Floor, 3/54 Press Complex, Agra-Mumbai Highway Indore (M.P).
- (6). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, JorBagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

(Alok Nayak)
Officer-in-Charge