

## Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020

The 627<sup>th</sup> meeting of the State Level Environment Impact Assessment Authority was convened on 22.07.2020 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Rakesh K. Shrivastava, Chairman, SEIAA. The following members attended the meeting:-


- |    |                      |                  |
|----|----------------------|------------------|
| 1  | Shri R.K. Sharma     | Member           |
| 2. | Smt. Tanvi Sundriyal | Member Secretary |


### A. Following mining and other than mining cases have been considered:-


S.No	Case No.	Category	No. & date of latest SEAC & SEIAA meeting
1.	7224/2020	1 (c)	444 SEAC meeting dated 3.07.20.
2.	6951/2020	1 (a)	445 SEAC meeting dated 4.07.20.
3.	5835/2019	5 (f)	446 SEAC meeting dated 6.07.20.
4.	7238/2020	1 (a)	443 SEAC meeting dated 2.07.20.
5.	7270/2020	8 (a)	443 SEAC meeting dated 2.07.20.
6.	7286/2020	1 (a)	445 SEAC meeting dated 4.07.20.
7.	5792/2018	8 (a)	445 SEAC meeting dated 4.07.20.
8.	6723/2019	8 (a)	608 SEIAA meeting dated 4.05.20.
9.	7274/2020	1 (a)	445 SEAC meeting dated 4.07.20.
10.	7232/2020	1 (a)	444 SEAC meeting dated 3.07.20.
11.	7240/2020	1 (a)	444 SEAC meeting dated 3.07.20.
12.	6740/2020	1 (a)	444 SEAC meeting dated 3.07.20.
13.	7294/2020	1 (a)	445 SEAC meeting dated 4.07.20.
14.	7295/2020	1 (a)	445 SEAC meeting dated 4.07.20.
15.	7237/2020	1 (a)	444 SEAC meeting dated 3.07.20.
16.	5906/2019	8 (a)	445 SEAC meeting dated 4.07.20.
17.	7010/2020	8 (a)	445 SEAC meeting dated 4.07.20.
18.	6705/2018	8 (a)	446 SEAC meeting dated 6.07.20.
19.	5690/2018	8 (a)	446 SEAC meeting dated 6.07.20.
20.	5748/2018	5 (g)	446 SEAC meeting dated 6.07.20.

**1. Case No.7224/2020:** Prior Environment Clearance for Kotha Barrage Major Irrigation Project at Village - Kotha, Tehsil - Kurwai, District- Vidisha (MP) Gross Command Area- 39000ha; Cultureable command area (CCA): 35000 ha Catchment Area- 8711 sq.m.Height of Barrage- 15.6 M by Project Administrator, Office of Project Administrator, Kotha Barrage Project Implementation Unit, Ganjbasoda, Dist. Vidisha, MP,through Engineer-in chief Department of water Resources,Tulsi Nagar Bhopal (MP) -462003 Email – piukothabarrage@ gmail.com, Phone - 07594 – 222942 Environmental Consultant Voyants Solutions Pvt. Ltd., Gurgaon

1. The Kotha Barrage Major Irrigation project is located on river Betwa in upper middle Betwa sub-basin in district Vidisha, Madhya Pradesh. The river sub basin is a part of Yamuna basin. The proposed Barrage site shall be across Betwa River near village Kotha in Kurwai Tehsil of Vidisha district.
2. The proposed project is green field project and shall be conceived with a view to harness Betwa River for providing irrigation facility to 5500 ha during Kharif and 20000 ha during Rabi with 127.50 % annual irrigation intensity.

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman





3. Proposed barrage shall be across Betwa River near village Kotha in Kurwai Tehsil of Vidisha district, M.P., and is about 8 km from Kurwai and 5 km from Mandi Bamora on Ganj Basoda – Bina road.
4. As per EIA Notification of September 2006 and subsequent amendments, Irrigation Projects, listed at item 1(c) of Schedule, having culturable command area (CCA) greater than or equal to 10,000 ha and less than 50,000 ha are considered as category B1 project; and are therefore be appraised at State level.
5. No National Park, Sanctuary, Defense Establishments, Archeological Monuments, Notified Eco-sensitive areas or protected area under Wildlife (Protection) Act exists within the project area or within 10 km distance from it.
6. TOR was issued by MoEF & CC vide their letter No. J-12011/05/2016-IA-I (R), dated 9<sup>th</sup> December, 2016, prior to amendment of 14/08/2018 in EIA Notification of September 2006. Earlier CCA of > 10,000 ha was Category A.
7. In compliance of provision under the Terms of Reference, after incorporating issues raised and their compliance in the EIA-EMP report, it was submitted on line to SEIAA, Bhopal, on date 27.05.2020 for consideration of Environment Clearance.
8. The case was discussed in SEAC meetings 442<sup>nd</sup> SEAC meeting dtd. 16.06.20 and 444<sup>th</sup> dtd.03.07.20 and is recommended for grant of prior EC subject to special conditions.
9. As per above recommendation the case was scheduled for presentation and after the deliberation PP was asked to submit following:-
  - (i). It is noted that PP has proposed green belt development plan in 27.00 ha area with 41500 no of plant along the approach road side (5km) and colony area. It is decided that PP should clarify green belt development plan with detailed breakup of the proposed plan along with details of number of trees in the proposed locations.
  - (ii). Under CER activities PP has proposed Health Care, Education, Infrastructure Development, Sanitations and drinking water facilities, Skill Development and Training and Environment Enhancement with 751.0 lakh Budgetary provision . PP should revise the activities as per requirement of nearby villagers.


**2. Case No. 6951/2020:** Prior Environmental Clearance for Murrum Quarry (Opencast Manual/Semi Mechanized Method) in an area of 2.00 ha. for production capacity of 7700 cum per annum at Khasra No. 223, 225 at Village - Parsoura, Tehsil - Raisen, Dist. Raisen (MP). by Mohd. Salman Khan, R/o Ward No. 9, Talab Muhalla, Tehsil & Dist. Raisen, MP – 464551.

This case was recommended in 445<sup>th</sup> SEAC dated 4/7/2020 it was recorded that.....

*"----- PP has submitted the response of above quarries same date vide letter dated 04.07.2020, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for*

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman




## Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020


*grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*


PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. After detailed discussions and perusal of recommendations of 445<sup>th</sup> SEAC meeting dated 4.07.2020, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall not start mining activity before execution of lease agreement.
- III. The depth of the pit shall be as per the Approved Mining Plan.
- IV. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- V. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- VI. Total 2400 saplings of suitable tree species i.e. Neem, Pipal, Munga, Mango, Amla, Kadam etc. shall be planted by PP under plantation programme in consultation with DM at identified revenue land of the district. PP shall also explore and identify the chunk of land in the area from revenue record to carry out plantation programme as proposed.
- VII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- VIII. PP must ensure implementation of the following activities with separate budget provision of total Rs 0.75 Lakh under CER:
  - a) Provide to repair and maintain aganwadi center and toys for children.
  - b) Provide to sport kit for school.
  - c) Provide to COVID-19, distribution of sanitizers, mask, soaps, phenyl etc in village parsoara and near villagers.
  - d) Provide to Grazing land.

**PP shall give preference to develop/provide infrastructural facilities in schools or aanganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based**

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.

- IX. PP should ensure to submit half yearly compliance report, Plantation and CER activity report along with photographs of all activities in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, GoI, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA..


Hence, Prior Environmental Clearance is granted for Murrum Quarry (Opencast Manual/Semi Mechanized Method) in an area of 2.00 ha. for production capacity of 7700 cum per annum at Khasra No. 223, 225 at Village - Parsoura, Tehsil - Raisen, Dist. Raisen (MP). for the lease period to Mohd. Salman Khan, R/o Ward No. 9, Talab Muhalla, Tehsil & Dist. Raisen, MP - 464551.


**3. Case No.5835/2019:** Prior Environment Clearance for propped API Drug Manufacturing Plant at plot no. - M-21, Pithampur Industrial Area, Special Economic Zone, Phase-II, Pithampur-454775, Dist. Dhar (M.P) Total plot area of 24290.00 sq.m. Propped Capacity – 61865 Kg/Year by Manager Rusan Pharma Ltd., Rusan House, 58-D, Government Industrial Estate, Charkop, Kandivali (W) Mumbai -400067. E-mail: jekee.sahare@nsrtc.com Mobile No.- 9907744001


1. The Proposed API Drug Manufacturing Plant by Rusan Pharma Ltd. at Plot No. M-21, Pithampur Industrial Area, Special Economic Zone, Phase-II, Pithampur, Dhar (M.P.) with production Capacity – 61,865 Kg/Year.
2. The proposed project is covered under 5 (f) category (B) of the schedule of EIA Notification issued by the Ministry of Environment & Forests vide S.O.1533 (E), dtd. 14.09.2006 "Synthetic organic chemicals industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)
3. There is no interstate boundary within 10 km and no National Park / Sanctuary within the 5 km of the project area hence the general conditions are not attracted.
4. The case was discussed in SEAC meetings 252<sup>nd</sup> dated 18/03/2019, 390<sup>th</sup> dated 10/08/2019, 434<sup>th</sup> dated 20/05/2020 and 446<sup>th</sup> dtd. 06.07.20 and recommended for EC.

After detail discussion and deliberation the PP was asked to submit the Revised CER with proper breakup of activities.

**4. Case No 7238/2020** Prior Environmental Clearance for Metal Stone Quarry (Opencast Manual / Semi Mechanized Method) in an area of 1.160 ha. for production capacity of 59850 cum/v year at Khasra No. 12, 13 at Village - Somchidi, Tehsil -

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



**Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020**


Mahidpur, Dist. Ujjain (MP). by M/s Kamla Construction Company, Main Road, Obedullaganj, Dist. Raisen, MP – 456441 (Temporary Permit).


This case was recommended in 443<sup>rd</sup> SEAC meeting dated 02.07.2020 and it was recorded that.....


*".....PP has submitted the response of above quarries same date vide letter dated 02.07.2020, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':.."*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 443<sup>rd</sup> SEAC meeting dated 02.07.2020, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall not start mining activity before execution of lease agreement.
- III. The depth of the pit shall be as per the Approved Mining Plan.
- IV. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary and towards Pucca Road (North & East direction) and towards Human settlement (South – East direction).
- V. PP shall ensure that the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- VI. PP should first carry-out plantation in and around mining lease and submit compliance within six months otherwise EC will be revoked
- VII. PP shall ensure protection and conservation of existing trees falling under mining lease area and existing 02 trees within lease are proposed felling for which PP will take permission from competent authority and 20 trees shall be additionally planted, and other trees which are located in the barrier zone shall be kept intact.
- VIII. If required, Controlled blasting with arrangements of sand bags towards Pucca Road (North & East direction) and & controlled muffle blasting with Protection plan shall be carried out with arrangements of sand bags towards Human settlement (South – East direction).
- IX. PP shall ensure to construct and maintained the approach road. Plantation will be carried out on both side of approach road.
- X. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing road & as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- XI. Total 1400 saplings shall be planted by PP in two years under plantation programme suitable indigenous tree species both side approach road, lease

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



## Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020

boundary, transportation route, all around the boundary of govt, School, open sapace near habitation,. Plantation of Neem, Peepal, Amaltas, Bargad, Jamun , Munga etc. will be planted on priority.

- XII. PP must ensure implementation of the following activities with separate budget provision of Rs 2.0 lakh under CER.

- (a) Provision of infrastructure facility at school- Providing infrastructure support like play ground, furniture, boundary wall, toilets, solar power system etc to the village school at Somchidi (Rs. 1,90,000).
- (b) Development of Grazing land - Suitable grass species will be shown in the grazing land of the village area (Rs. 10,000).


**The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat**

- XIII. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, GoI, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.


**Hence, Prior Environmental Clearance is granted for Metal Stone Quarry (Opencast Manual / Semi Mechanized Method) in an area of 1.160 ha. for production capacity of 59850 cum/v year at Khasra No. 12, 13 at Village - Somchidi, Tehsil - Mahidpur, Dist. Ujjain (MP). for the lease period to M/s Kamla Construction Company, Main Road, Obedullaganj, Dist. Raisen, MP – 456441 (Temporary Permit)**

**5. Case no. 7270/2020:** Prior Environmental Clearance for proposed Commercial Project "The Land Mark", Total land area 6380.14 sq.m., Total built-up area (slab area including all common passages, parking, podium etc.) 33172.74 sq.mtrs.) at Village- AB Road (Scheme 94), Sector-C, Ring Road, Tehsil- Indore, District- Indore (MP) . by Shri Jaspreet Singh Bhatia, Partner R/o 23C/CA, 24C/CA, 25C/CA, A.B. Road Ring Road Indore (MP)-452018, Email - info@satgurudevelopers.com, Mobile – 9425006259 Env't. Consultant: M/s. Creative Enviro Services


1. The project is Development of "The Land Mark" by Satguru, Proposed Commercial Project, (Total land area 6380.14 sq.mtrs., Total builtup area (slab area including all common passages, parking, podium etc.) 33172.74 sq.mtrs.) at Village- AB Road (Scheme 94), Sector-C, Ring Road, Tehsil- Indore, District- Indore (MP)
2. As per the approval of T & CP Indore (vide L. No. 2623//Na. Gra. Ni./2019 dtd 08.05.19) the total land area of village Rangwasa is 11.297 ha and village Sindoda is 0.986 ha . The total built up area proposed by PP is – 33172.74 sq.m



(Tanvi Sundriyal)  
Member Secretary



(R.K. Sharma)  
Member





(Rakesh K. Shrivastava)  
Chairman




The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 as the total construction is between 20,000 sq.m & 1,50,000 sq.m.

3. The case was discussed in SEAC meetings 443<sup>rd</sup> dtd. 02.07.20 and recommended for grant of EC subject special conditions.
4. As per Recommendation of SEAC the case was considered and recorded that:
  - i. Regarding land documents PP has submitted lease deed dtd. 25<sup>th</sup> February 2005. As per the lease deed the said land is allotted to Ankit Enterprises through Shri Manjeet Singh Bhtaia Simran Enterprises through Shri Jagjeet Singh Tishu Enterprises through Shri Manmeet Singh **for the period of 30 years.**
  - ii. Total water demand is anticipated to be 224 KLD. Fresh water requirement for the project is 97 KLD which will be met by supply from Indore Municipal Corporation. PP has submitted letter (dtd. 07.03.20) from Municipal Corporation Indore for water supply.
  - iii. The waste water of 130 KLD will generated during the operation phase and generated waste water shall be treated in sewage treatment plant of 135 KLD capacity based on MBBR technology and treated wastewater will be used for flushing HVAC cooling and landscaping by means of dual Plumbing system. PP has submitted letter (dtd. 12.02.2020) from Municipal Corporation Indore for disposal of extra treated waste water.
  - iv. For control of air pollution PP has proposed Noise Emission Control Technologies: DG set shall have in built acoustic enclosure which will be designed for minimum 65 dB (A). Ambient Noise Monitoring shall be carried out as per direction of MPPCB
  - v. The maximum quantity of municipal solid waste generated during operation phases is estimated to be 640 kg/day including biodegradable and non-biodegradable waste. Twin bin waste collection system will be used within the complex – green bins for bio-degradable wastes and blue bins for non-biodegradable wastes shall be provided.  
Bio degradable will be sent to organic waste convertor and Non bio-degradable will be Collected and transported to the segregation point. Rest inert MSW will be handed over to Municipal Corporation, Indore for final disposal. PP has submitted letter (dtd. 21.01.2020) from Municipal Corporation Indore for disposal of solid waste.
  - vi. Rainwater harvesting has been proposed to recharge ground water for which 02 recharge pits shall be constructed.
  - vii. Total Power requirement for the project will be 2500 KVA and it will be sourced from State Electricity Board. DG sets will be used during power failure only. A DG set with DG Set of 3X800 KVA, will be used as emergency power backup. The proponent has taken various energy conservation measures which include:
    - Use of energy efficient devices like light sources such as true-lite fluorescent lamps and LED.


  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member


  
(Rakesh K. Shrivastava)  
Chairman




- Use of insulation on roof top to reduce air-conditioning load.
  - Use of capacitors at load centers to improve voltage and power factor to reduce distributional losses and also to avoid penalty by state electricity authority.
  - All high efficiency motors will be used in the commercial complex.
  - Variable Frequency Drives are proposed to be installed for hydro-pneumatic system for water supply and Secondary chilled water pumps for air-conditioning.
  - LED based lighting will be done in the common areas, landscape areas, signage, entry gates and boundary walls etc.
  - Use of Poly Crystalline technology is proposed for the project.
- viii. PP has proposed all other fire safety requirements in line with latest NBC-2016 these are:
- Wet riser system, Internal fire hydrants strategically located to cover maximum area, Fire pump, Sprinkler pump, Jockey pump, Sprinklers system, Two-way communication system, External yard hydrants, Portable fire extinguishers etc.
  - Addressable microprocessor based fire alarm and detection system
  - Smoke detectors above and below false ceiling spaced as per NFPA standards (500 Sft coverage per detector)
  - Addressable hooters at all lift lobbies and staircase entrances.
  - Fire Fighting Sump-2,00,000 Litre U G Sump – 2,35,000 Liter
- ix. PP has proposed to provide water sprinklers, fire fighting extinguishers, fire hydrant pipe, underground storage tank, 4 way fire brigade inlet connection etc. as per NBC 2005. PP has obtained fire fighting NOC (dtd. 27.01.20 from UADD, Bhopal.
- x. PP has proposed the maximum height of the building is 30 m. PP has provided 75 mtrs Ring Road & 9 mtrs Service Road, Front MOS 12 m and Rear MOS 7.5m. As per MP Bhumi Vikas Niyam 2012 rule 42 (2) Road width should be 18m & above, front MOS 12.0 m and side / rear MOS 7.50 m for building up to 30 m.
- xi. PP has proposed total car parking 338 ECS (Open Parking –25 ECS Basement Parking- 313 ECS )
- xii. As details provided by PP, 1203.73 sq.m of area is dedicated for the green belt development by planting 70 nos of trees.
- xiii. Under CER activities PP has proposed the project cost including the land 62.63 Crores and considering the OM of Ministry the CER budget will be 1.25 Crores as follows :



(Tanvi Sundriyal)  
Member Secretary



(R.K. Sharma)  
Member



(Rakesh K. Shrivastava)  
Chairman





## Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020


SN	Plan	Area of Activity	Budgetary provisions (Rs in lacs)
1	Provision of Infrastructure facility to nearby school viz Chair, Table, Fan, drinking water facility, Medical check up facility, toilet facility, playground, boundary wall etc at school located in and around Indore City	Indore City and Near By Area	35 Lacs
2	Provision of PPE Kit, Ventilators, sanitizer equipment, Thermal Sensor etc wrt KOVID situation		17 Lacs
3	Need Based CER programme in consultation with district authorities of Indore (MP)	As per direction of District Authorities	73 Lacs
	Total		125 Lacs

**Hence It is decided to accept the recommendations of 443<sup>rd</sup> SEAC meeting dtd. 02.07.20 with special conditions and accord Prior Environmental Clearance for the proposed Commercial Project "The Land Mark", Total land area 6380.14 sq.m., Total built-up area (slab area including all common passages, parking, podium etc.) 33172.74 sq.mtrs.) at Village- AB Road (Scheme 94), Sector-C, Ring Road, Tehsil- Indore, District- Indore (MP) . by Shri Jaspreet Singh Bhatia, Partner R/o 23C/CA, 24C/CA, 25C/CA, A.B. Road Ring Road Indore (MP)-452018, subject to following specific conditions imposed by SEIAA.**

1. The fresh water supply arrangement should be met through Municipal Corporation, Indore (as per IMC letter dtd.07.03.20) and there should no extraction of ground water.
2. The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
3. PP should ensure linkage with Nagar Nigam Indore (letter dtd. 12.02.2020) for disposal of extra treated waste water.
4. Ensure regular operation and maintenance of the STP.
5. The final disposal point for storm water will be municipal storm drain if storm water network is present. If storm water network is absent, the storm water surface runoff should be disposed off in proper way. The budget should be including in EMP plan for storm water management.
6. PP should ensure linkage with Municipal Corporation (letter dtd. 21.01.2020) for final disposal of MSW.
7. PP should ensure building height, road width, front MOS and side / rear as per approved layout of T & CP.
8. PP should ensure distance of fire station approachable from the project site.
9. As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
10. PP should ensure the rain water harvesting with 02 recharging pits and these pits should be connected laterally to consume the surplus runoff. In addition, PP

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



## Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020


should provide recharging trenches. The base of the trenches should be Kachha with pebbles.

11. PP should ensure to provide car parking area for total car parking 338ECS (Open Parking –25ECS Basement Parking-313 ECS).PP should explore the possibility to increase the number of car parking.
  12. PP should ensure plantation in an area of 1203.73 sq.m of area is dedicated for the green belt development by planting 70 nos of trees.
  13. PP should ensure to implement the CER activities as proposed such as Infrastructure facility to nearby school, Provision of PPE Kit, Ventilators, sanitizer equipment, Thermal Sensor etc wrt KOVID situation and Need Based CER programme in consultation with district authorities of Indore for which budgetary allocation of **Rs. 1.25 Crs.** has been made.
- 6. Case No. – 7286/2020** Prior Environmental Clearance for Dolomite Mine (**open cast manual method**) in an area of 3.58 ha. (7930 TPA) (Khasra No. 138/2 & 138/5) at Village - Agri, Tehsil - Kurai, District - Seoni (MP) by M/s Alpha Minerals, Authorized Person Shri Sanjay Rajendra Hirawat, Ganj Chowk, Tehsil - Katangi, District - Balaghat (MP) - 481445, Email – sanjayhirawat@gmail.com, Mobile - 9893651325. This case was recommended in 445<sup>th</sup> SEAC meeting dated 04.07.2020 and it was recorded that.....


*“-----PP has submitted the response of above quarries same date vide letter dated 04.07.2020, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. After detailed discussions and perusal of recommendations of 445<sup>th</sup> SEAC meeting dated 04.07.2020, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-


- i. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- ii. PP shall not start mining activity before execution of lease agreement.
- iii. The depth of the pit shall be as per the Approved Mining Plan.
- iv. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- v. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- vi. Total 4500 saplings of suitable tree species i.e. Neem, Pipal, Bargad, Mango, Amla, Amaltas, Kachnar, Saptparni, Karanj, Bael, Drumstick etc.



(Tanvi Sundriyal)  
Member Secretary



(R.K. Sharma)  
Member



(Rakesh K. Shrivastava)  
Chairman



shall be planted by PP under plantation programme in consultation with DM at identified revenue land of the district. PP shall also explore and identify the chunk of land in the area from revenue record to carry out plantation programme as proposed.

- vii. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- viii. PP must ensure implementation of the following activities with separate budget provision of total Rs 2.0 lakh under CER:
  - ❖ To provide infrastructure support like play ground, furniture, boundary wall, toilets etc. to the village school at Agri.
  - ❖ Development of grassland with suitable grass species at suitable government land.


**PP shall give preference to develop/provide infrastructural facilities in schools or aanganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.**


- ix. PP should ensure to submit half yearly compliance report, Plantation and CER activity report along with photographs of all activities in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,GoI,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.


**Hence, Prior Environmental Clearance is granted for Dolomite Mine (open cast manual method) in an area of 3.58 ha. (7930 TPA) (Khasra No. 138/2 & 138/5) at Village - Agri, Tehsil - Kurai, District - Seoni (MP) for the lease period to M/s Alpha Minerals, Authorized Peson Shri Sanjay Rajendra Hirawat, Ganj Chowk, Tehsil Katangi, District balaghat (MP) - 481445.**

**7. Case No 5792/2018:** Environmental Clearance for propped "AVASA" Multi flat Unit at Khasra No 374,375/1,375/2part,376/1 part ,376/2 , 377/1 , 377/2part, 378/2,378/3, 378/4, 379/1, 379/2, 379/3, 379/4, 379/5,379/6, 379/7,380/1/2/5, 385/P, 385/P, 385/2, 386/1,389/1, 389/2, 390/1, 390/2, 386/2, 389/1, 390/2 Village Bijalpur Tehsil & District Indore, MP. Total Plot area: 20550 sq.m Total Built- up area – 40859.04 sq.m.by Director,Mr. Anurag Maheshwari, M/s Shri Shristi Constructin Pvt. Ltd, Khasra no. 379/4,Bijalpur, opposite phalbag, A.B. Road Indore (MP) 452012 - E-mail: avasa.shristi@gmail.com Mob:9827078899

1. The project involves construction of residential building by Shri Shristi Constructin Pvt. Ltd with total built up area of 40859.04 sq.m in total plot area of 20550 sq.m at Khasra No. 374,375/1,375/2part,376/1 part ,376/2 , 377/1 , 377/2part, 378/2,378/3, 378/4, 379/1, 379/2, 379/3, 379/4, 379/5,379/6,

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman




## Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020


379/7,380/1/2/5, 385/P, 385/P, 385/2, 386/1,389/1, 389/2, 390/1, 390/2, 386/2, 389/1, 390/2 Village - Bijalpur Tehsil & District Indore, (M.P.).


2. As per the approval of T & CP Indore (vide L. No. 326/L.P.63/10/Na. Gra. Ni./2011 dtd 17.01.11) the total land area is 1.926 ha at Village – Bijalpur Tehsil & District Indore (M.P.). The total built up area proposed by PP is 40859.04 sq m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 as the total construction is between 20,000 sqmt. & 1,50,000 sqmt.
3. The project is a case of violation on account of not securing prior environment clearance before starting the construction activities at site. The construction work was started at site and before the application was submitted to MPSEIAA for grant of prior environmental clearance.
4. Committee considering the recent GoI, MoEF & CC Notification dated 8<sup>th</sup> March, 2018 recommends that case may be dealt as per the provisions laid down in this notification and the project may granted Terms of Reference for undertaking Environment Impact Assessment and preparation of Environment Management Plan on assessment of ecological damage, remediation plan and natural and community resource augmentation plan and it shall be prepared as a independent chapter in the EIA report by the accredited consultant and the collection and analysis of data for assessment of ecological damage, preparation of remediation plan and natural and community resource augmentation plan shall be done by an environmental laboratory accredited by the National Accreditation Board for Testing and Calibration Laboratories.
5. PP has submitted the remediation plan and natural community resource augmentation plan corresponding to the ecological damage assessed and economic benefits derived due to violation in the tune of suggested guidelines by the committee, with the supported by documentary proofs, such as bills, CA audit, certificates, photographs, prescribed various undertakings and CER.
6. The case was discussed in SEAC meetings 338 dated 02.01.19, and 445<sup>th</sup> dtd.04.07.20 is recommended for grant of EC subject special conditions and submission of bank gurantee (BG) with 03 years validity of Rs. 15,59,888.00 Lakhs (equivalent to amount proposed in remediation and resource augmentation plan) with the MP Pollution control Board.

**After recommendation of SEAC the case was considered and after deliberation PP was asked to submit bank gurantee (BG) with 03 years validity of Rs. 15,59,888.00 Lakhs (equivalent to amount proposed in remediation and resource augmentation plan) with the MP Pollution control Board.**

- 8. Case no. 6723/2019:** Prior Environmental Clearance for proposed Expansion Environmental Clearance of Residential & Commercial Development at plot no 27, YashwantNiwas Road , Tehsil & District Indore, MP. Total Plot area- 1,77,638,598 sq.m. (43.89) Existing Built-up Area: 63,802.97 sq.m Proposed Built-up Area: 68,889.14 sq. m. by M/S. SAICHARAN PROPERTIES LTD. through Authorized Signatory, Mr. Sudhanshu Pareek, 101, Kalpataru Synergy, Opp. Grand Hyatt, Santacruz(E) Mumbai 400 055 (Maharashtra) 400 055 E-mail Sudhanshu.pareek@kalpataru.com Telephone No. 022-30645000 Fax No. 022-30645351

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



1. The project is proposed for Expansion in Construction for Residential & Commercial Development (Total Area = 12,626.00 sqm, FAR- 28,657.86 sqm, Non- Far- 40,231.28 sqm, Total Construction Area = 68,889.14 sqm) at Plot No. 27, Yashwant Niwas Road, Tehsil & Dist. Indore, (MP) by M/s. Sai Charan Properties Ltd.
2. The case was discussed in SEAC meetings 417 dated 22.01.20, and 421<sup>st</sup> dtd. 21.01.20 and recommended for EC. After recommendation of EC PP called for presentation however in absence of PP the case has been delisted in 608<sup>th</sup> SEIAA meeting dtd. 04.05.20. Vide letter dtd. 23.06.20 received in SEIAA office 26.06.20 PP has requested to relist the case by showing interest to present the case before the authority.
3. Accordingly relisted the case and scheduled for presentation.

**After detail discussion and deliberation the PP was asked to submit the Revised CER with proper breakup of activities.**


**9. Case No. - 7274/2020** Prior Environmental Clearance for **Stone Quarry** (open cast semi mechanized method) in an area of 2.350 ha. (21756 cum per annum) (Khasra No. 1387/1/1) at Village - Bamhani, Tehsil - Gopadbanas, District - Sidhi (MP) by Smt. Kiran Pathak W/o Shri Mahendra Kumar Pathak R/o village - Bamhani, Tehsil - Gopadbanas, District - Sidhi (MP) - 486661, Email - pathakkiran695@gmail.com, Mobile - 9424641200.

This case was recommended in 445<sup>th</sup> SEAC meeting dated 04.07.2020 and it was recorded that.....


*"-----PP has submitted the response of above queries same date vide letter dated 04.07.2020, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. After detailed discussions and perusal of recommendations of 445<sup>th</sup> SEAC meeting dated 04.07.2020, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-


- i. Before commencing any mining activity chainlink fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- ii. PP shall not start mining activity before execution of lease agreement.
- iii. The depth of the pit shall be as per the Approved Mining Plan.
- iv. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.



(Tanvi Sundriyal)  
Member Secretary



(R.K. Sharma)  
Member



(Rakesh K. Shrivastava)  
Chairman




- v. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- vi. Total 3000 saplings of suitable tree species i.e. Neem, Pipal, Bargad, Mango, Amla, Subabul, Dalbergia sissoo etc. shall be planted by PP in first three years under plantation programme in consultation with DM at identified revenue land of the district. PP shall also explore and identify the chunk of land in the area from revenue record to carry out plantation programme as proposed.
- vii. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- viii. PP must ensure implementation of the following activities with separate budget provision of Rs 1.20 lakh/Year under CER:
  - a) **1<sup>st</sup> Year (Village – Bamhani >728 household):**
    - ❖ Roof Top Rainwater harvesting in Panchayat Bhawan, School building & Primary Health Centre.
    - ❖ Distribution of masks, sanitizers, mass sanitization programme in the project affected villages w. r. t. COVID-19 pandemic.
    - ❖ Development of grazing land at suitable government land.
  - b) **2<sup>nd</sup> Year (Village – Bamhani >728 household):**
    - ❖ Distribution of sports kit and chairs at a village school.
    - ❖ Repairing/maintenance of school boundary, floor, wall and chairs.
  - c) **3<sup>rd</sup> Year (Village – Deochha >117 household):**
    - ❖ Repairing/maintenance of school boundary, floor, wall and chairs.


**PP shall give preference to develop/provide infrastructural facilities in schools or aanganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.**

- ix. PP should ensure to submit half yearly compliance report, Plantation and CER activity report along with photographs of all activities in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, GoI, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.


**Hence, Prior Environmental Clearance is granted for Stone Quarry (open cast semi mechanized method) in an area of 2.350 ha. (21756 cum per annum) (Khasra No. 1387/1/1) at Village - Bamhani, Tehsil - Gopadbanas, District - Sidhi (MP) for the lease period to Smt. Kiran Pathak W/o Shri Mahendra Kumar**



(Tanvi Sundriyal)  
Member Secretary



(R.K. Sharma)  
Member



(Rakesh K. Shrivastava)  
Chairman



Pathak R/o village - Bamhani, Tehsil - Gopadbanas, District - Sidhi (MP) - 486661.


10. **Case No 7232/2020** Prior Environmental Clearance for Gitty Stone Mine (Opencast Manual / Semi Mechanized Method) in an area of 1.35 ha. for production capacity of 40000 cum/year at Khasra No. 629P. at Village- Maheba, Tehsil- Gaurihar, District- Chhatarpur (MP). by M/s A.S.R. Enterprises, Partner, Shri Ashwini Kumar Dwivedi, Paradise Colony, Panna Road, Dist. Chhatarpur, MP – 471001


This case was recommended in 444<sup>th</sup> SEAC meeting dated 03.07.2020 and it was recorded that.....


*".....PP has submitted the response of above quarries same date vide letter dated 03.07.2020, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A'"*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 444<sup>th</sup> SEAC meeting dated 03.07.2020, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-**

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall not start mining activity before execution of lease agreement.
- III. The depth of the pit shall be as per the Approved Mining Plan.
- IV. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary and towards Kaccha road side (South & East Direction).
- V. PP shall ensure that the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- VI. PP shall ensure to construct garland drain with settling tank (2) all around the lease area and regular cleaning & maintenance shall also be carried out by PP.
- VII. If required, controlled blasting shall be carried out with arrangements of sand bags towards Kaccha road side (South & East Direction).
- VIII. PP shall ensure to construct and maintained the approach road. Plantation will be carried out on both side of approach road.
- IX. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing road & as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- X. Total 1700 saplings shall be planted by PP in First year under plantation programme in consultation with DM at identified revenue land of the district. PP shall also explore and identify the chunk of land in the area from revenue record to carry out plantation programme as proposed.

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



**Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020**

- XI. Plantation of Neem, Peepal, Mahua, Bargad, Jamun , Munga etc. will be planted on priority
- XII. PP must ensure implementation of the following activities with separate budget provision of Rs 5.0 lakh for 5 years @ 5.0 lakh/ year under CER.

**CER Activity - Maheba Village (Population-3799 )**

- (a) Covid-19 awareness campaign and distribution of mask , sanitizer for village people (In 1st year for CER) .
- (b) Preparation of grazing land in village area. (In 1st year for CER) .
- (c) Construction of 2 rooms with smart classes in Govt. middle school Maheba.

**PP shall give preference to develop/provide infrastructural facilities in schools or aganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat**


- XIII. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,Gol,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.


**Hence, Prior Environmental Clearance is granted for Gitty Stone Mine (Opencast Manual / Semi Mechanized Method) in an area of 1.35 ha. for production capacity of 40000 cum/year at Khasra No. 629P at Village- Maheba, Tehsil- Gaurihar, District- Chhatarpur (MP). for the lease period to M/s A.S.R. Enterprises, Partner, Shri Ashwini Kumar Dwivedi, Paradise Colony, Panna Road, Dist. Chhatarpur, MP – 471001**


- 11. Case No. 7240/2020:** Prior Environmental Clearance for Soil Quarry (Opencast Manual/Semi Mechanized Method) in an area of 1.066 ha. for production capacity of 2,800 cum per annum at Khasra No. 389/2, 396/min-2 at Village- Sirthaiyapura, Tehsil- Vijaypur, District- Sheopur (MP). by Shri Ramesh Kushwaha, R/o Gram - Sirthaiyapura, Tehsil - Vijaypur, Dist. Sheopur, MP.

This case was recommended in 444<sup>th</sup> SEAC dated 3/7/2020 it was recorded that.....

*"----- PP has submitted the response of above quarries same date vide letter dated 04.07.2020, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member


  
(Rakesh K. Shrivastava)  
Chairman





## Minutes of the 627<sup>th</sup> Meeting of SEIAA dated 22.07.2020

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. After detailed discussions and perusal of recommendations of 444<sup>th</sup> SEAC meeting dated 3.07.2020, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-

- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall not start mining activity before execution of lease agreement.
- III. The depth of the pit shall be as per the Approved Mining Plan.
- IV. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- V. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- VI. Total 1300 saplings of suitable tree species i.e. Neem, Pipal, Mahua, Mango, Amla etc. shall be planted by PP under plantation programme in consultation with DM at identified revenue land of the district. PP shall also explore and identify the chunk of land in the area from revenue record to carry out plantation programme as proposed.
- VII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- VIII. PP must ensure implementation of the following activities with separate budget provision of total Rs 0.15 Lakh/Year under CER:
  - a) Provide to Covid-19 awareness campaign and distribution of mask, sanitizer for village people (*In 1st year for CER*) Village Sirthaiyapura (Population 1675).
  - b) Preparation of grazing land in village area (*In 1st year for CER*) Village Sirthaiyapura (Population 1675).
  - c) Provide to proper maintenance of Sirthaiyapura village anganwadi:
    - Repairing of walls
    - Proper electric wiring
    - Providing shed in outer portion of anganwadi

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



PP shall give preference to develop/provide infrastructural facilities in schools or aanganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.

- IX. PP should ensure to submit half yearly compliance report, Plantation and CER activity report along with photographs of all activities in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, GoI, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA..

Hence, Prior Environmental Clearance is granted for Soil Quarry (Opencast Manual/Semi Mechanized Method) in an area of 1.066 ha. for production capacity of 2,800 cum per annum at Khasra No. 389/2, 396/min-2 at Village- Sirthaiyapura, Tehsil- Vijaypur, District- Sheopur (MP). for the lease period to Shri Ramesh Kushwaha, R/o Gram - Sirthaiyapura, Tehsil - Vijaypur, Dist. Sheopur, MP.


**12. Case No 6740/2020** Prior Environment Clearance for Stone Mine (Opencast Manual / Semi Mechanized Method) in an area of 0.356 ha. (8000 cum) (Khasra No. 881), Village - Ghatahari, Tehsil - Gaurihar, Dist. Chhatarpur (MP) by Shri Rohit Tiwari S/o Shri Mahesh Tiwari, Village - Khiruhi, Dist. Mahoba, UP – 210504


This case was recommended in 420 SEAC meeting dated 27.01.2020 and was again discussed in 444<sup>th</sup> SEAC dated 03.07.2020 as per decision of 616 SEIAA meeting dated 09.06.2020 and it was recorded that.....


*PP has submitted the response of above quarries same date vide letter dated 27.01.2020, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':*

- 1. Production shall be as per mine plan with quantity not exceeding for Stone 24,000 cum per annum only till validity of lease.*
- 2. A budgetary provision for Environmental management Plan of Rs. 20.0 Lakh as capital and Rs. 5.87 Lakh/year and under CER Rs. 1.90 Lakh has proposed.*

*Vide SEIAA's letter no. 1250 dated 24.06.2020 this case was sent back to SEAC for re-appraisal in view of that "as systematic scientific mining in such a small lease area of 0.356 ha., for production capacity of 24,000 cum/year seems unfeasible /doubtful". In this above context this case file was placed before the committee and committee observed that PP submitted the reply which was raised in the 616th SEIAA meeting wherein PP has submitted that the lease was sanctioned for a period of period of 27.11.2010 to 26.11.2020 and the remaining*

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman




*duration of the lease expiry is 05 months only. As per the approved mining plan the total production capacity is 24,000 cum./annum i.e. 2000 cum/month and PP has just 05 months left. So, in that way PP shall be extracted production of 10,000 cum in 05 months inspite of 24,000 cum./annum. PP also requested to consider their proposal for 05 months only.*


*Committee observed that as on date as per the approved mine plan, mining can be carried out only up to November, 2020 i.e. for another 04 months & 8000 cum only (considering mining period from August to November, 2020). As per plan submitted by PP vide letter dated 27/01/2020, this production can be achieved with two benches with ultimate depth up to 06 meters only with space available at pit bottom 75x25 meters i.e. 1875 meters. After deliberation, committee decides that above clarification may be sent to SEIAA for onward necessary action.*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. After detailed discussions and perusal of recommendations of 444<sup>th</sup> SEAC dated 03.07.2020, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-


- I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- II. PP shall not start mining activity before execution of lease agreement.
- III. The depth of the pit shall be as per the Approved Mining Plan.
- IV. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- V. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- VI. Total 500 saplings of suitable tree species i.e. Neem, Pipal, Bargad, Gulmohar etc. shall be planted by PP under plantation programme in consultation with DM at identified revenue land of the district. PP shall also explore and identify the chunk of land in the area from revenue record to carry out plantation programme as proposed.
- VII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.
- VIII. PP must ensure implementation of the following activities with separate budget provision of Rs 1.9 lakh under CER.



(Tanvi Sundriyal)  
Member Secretary



(R.K. Sharma)  
Member



(Rakesh K. Shrivastava)  
Chairman



- a) Contribution of social welfare for village school (smart class and library) (Rs. 40,000).
- b) Installation of handpump in nearby village @ 50,000x1 (Rs. 50,000).
- c) Traffic awareness program will be conducted by the Project Proponent (Rs. 20,000).
- d) Development of the Grazing land for the cattles by the Project Proponent (Rs. 80,000).

**PP shall give preference to develop/provide infrastructural facilities in schools or aanganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.**


- IX. PP should ensure to submit half yearly compliance report, Plantation and CER activity report along with photographs of all activities in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, GoI, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA..

**Hence, Prior Environment Clearance is granted for Stone Mine (Opencast Manual / Semi Mechanized Method) in an area of 0.356 ha. for production capacity of 8000 cum only (as per SEAC recommendation) at Khasra No. 881 in Village - Ghatahari, Tehsil - Gaurihar, Dist. Chhatarpur (MP) for the lease period to Shri Rohit Tiwari S/o Shri Mahesh Tiwari, Village - Khiruhi, Dist. Mahoba, UP – 210504**


- 13. Case No. 7294/2020:** Prior Environmental Clearance for Stone Quarry in an area of 4.00 ha. for production capacity of 50,000 cum per annum at Khasra No. 14/1 at Village- Pakariya, Tehsil- Burhar, District- Shahdol (MP) by M/s Siddha Sai Stone Crusher, Partner Shri Santosh Kumar Manglani R/o Ward No. 1, Dhanpuri, District Shahdol MP.

This case was recommended in 445<sup>th</sup> SEAC dated 4/7/2020 it was recorded that.....


*"----- The case was presented by PP and their consultant, wherein during presentation and discussion it was observed that this is the case of expansion in production capacity as previously PP has obtained EC for 5,000 cum/year from SEIAA as case no. 3741/2015. Now PP applied as new case for 50,000 cum/year capacity and thus it's a case of expansion. Committee after deliberation decided that case file may be sent back to SEIAA as PP during presentation was advised to apply a fresh for expansion as per the procedure laid down in EIA Notification, 2006 with compliance of earlier EC conditions duly verified by the competent authority.*



(Tanvi Sundriyal)  
Member Secretary



(R.K. Sharma)  
Member



(Rakesh K. Shrivastava)  
Chairman



As per above observation of SEAC, it was decided to close the case as it's a case of expansion hence PP is directed to apply a fresh for expansion as per the procedure laid down in EIA Notification, 2006 with compliance of earlier EC conditions duly verified by the competent authority


14. Case No. 7295/2020: Prior Environmental Clearance for Stone Quarry (Opencast Manual/Semi Mechanized Method) in an area of 2.50 ha. for production capacity of 20,000 cum per annum at Khasra No. 863 at Village- Kisroli, Tehsil- Kailaras, District- Morena (MP). by Shri Ashok Singh Yadav R/o village Kisroli, Tehsil Kailaras, District Morena (MP).


This case was recommended in 445<sup>th</sup> SEAC dated 4/7/2020 it was recorded that.....


"----- PP has submitted the response of above quarries same date vide letter dated 04.07.2020, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. After detailed discussions and perusal of recommendations of 445<sup>th</sup> SEAC meeting dated 4.07.2020, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-

- X. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- XI. PP shall not start mining activity before execution of lease agreement.
- XII. The depth of the pit shall be as per the Approved Mining Plan.
- XIII. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.
- XIV. PP shall ensure the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.
- XV. Total 3000 saplings of suitable tree species i.e. Neem, Pipal, Bargad, Gulmohar etc. shall be planted by PP under plantation programme in consultation with DM at identified revenue land of the district. PP shall also explore and identify the chunk of land in the area from revenue record to carry out plantation programme as proposed.
- XVI. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.

XVII. PP must ensure implementation of the following activities with separate budget provision of total Rs 5.0 Lakh @ Rs.1.00 lakh per year under CER:

e) Provide to Covid-19 awareness campaign and distribution of mask, sanitizer for village people (In 1st year for CER) Village Kisroli (Population-2286).

f) Provide to preparation of grazing land in village area (In 1st year for CER) Village Kisroli (Population -2286).

g) Provide to construction of 2 rooms with point work in Panchayat Bhawan at Kisroli Village.

PP shall give preference to develop/provide infrastructural facilities in schools or aanganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.


XVIII. PP should ensure to submit half yearly compliance report, Plantation and CER activity report along with photographs of all activities in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,GoI,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA..


Hence, Prior Environmental Clearance is granted for Stone Quarry (Opencast Manual/Semi Mechanized Method) in an area of 2.50 ha. for production capacity of 20,000 cum per annum at Khasra No. 863 at Village- Kisroli, Tehsil- Kailaras, District- Morena (MP). for the lease period to Shri Ashok Singh Yadav R/o village Kisroli, Tehsil Kailaras, District Morena (MP).


15. Case No 7237/2020 Prior Environment Clearance for Limestone Mine in an area of 52.353 ha. (Limestone - 1.0 Million TPA, Waste - 0.5 Million TPA), Village - Kundla, Suvkheda, Morka & Segwa, Tehsil - Jawad, Dist. Neemuch (MP) by M/s UltraTech Cement Limited, Dr. K.V.Reddy, Vice President & Corporate Head - Environment, Ahura Centra, A-wing, 1st Floor, Mahakali Caves Road, Andheri(E), Dist. Mumbai, Mah. - 400093

The case was recommended in 444 SEAC meeting dated 3.07.20 and PP was called for presentation but PP could not present in the meeting for presentation hence, case is deferred for upcoming SEIAA meeting.

16. Case No. - 5906/2019 M/s Global Developers, 505, Shalimar Morya Park, Lokhandawala Complex, Andheri (W), Dist. Mumbai, (Mah.) - 400053. Prior

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman



Environment Clearance for Construction of Residential Project "Shalimar Palms" (Total Project Area = 42,817.08 sqm., Built-up Area = 49,419.83 sqm) at Khasra no. -631/1, 631/2, 631/3 & 632, Village - Piplyahana, Tehsil - Indore & Dist. -Indore, (M.P.). For - Building Constuction Project.

**The case was recommended in 445 SEAC meeting dated 4.07.20 and PP may be called for presentation.**

**17. Case No 7010/2020** Prior Environment Clearance for Proposed Housing Development Project "Ultimate English Vilas" (Total Land Area = 69851.60 sqm, Net Plot Area = 64971.95 sqm Total Built up Area = 86905.23 sqm) at Village - Borda, PH No. 29, Tehsil - Huzur, Kolar Road, Dist. Bhopal by M/s Ultimate Builders, G-2/G-17, Kamdhenu Tower, E-2/21, Arera Colony, Bhopal, MP,

**The case was recommended in 445 SEAC meeting dated 4.07.20 and PP may be called for presentation.**

**18. Case No. - 6705/2018** Shri Subhash Patil, Office of Divisional Project Engineer, Project Implementation Unit, at Public Works Department, Dist. Satna,(M.P.), Prior Environment Clearance for Proposed 150 admissions medical college & hospital (Plot Area - 177638.598 sqm, Built up Area - 84096.575 sqm) at Village - Kirpalpur, Tehsil - Raghuraj Nagar, Dist.- Satna,(M.P.) Cat. 8(a) Building & Construction Project

**The case was recommended in 446 SEAC meeting dated 6.07.20 and PP may be called for presentation.**


**19. Case No. - 5690/2018** M/s Chugh Realty, 503, Chugh Realty, Scheme No. 54, Orbit Mall, Vijay Nagar, AB Road, Indore, (M.P.) – 452010 Prior Environment Clearance for Residential Project "Grande Exotica" (Total Plot Area: 26660 sqm, Net Planned Area: 26520.0 sqm, Built-up Area: 102251.3 sqm, Built-up Area Constructed : 93124.8 sqm) at Village - Bhicholi Mardana, Tehsil - Indore, Distt. - Indore, (M.P.) Cat. - 8(a) Building and Construction Projects.FoR – Building Construction.


**The case was recommended in 446 SEAC meeting dated 6.07.20 and PP may be called for presentation**


**20. Case No. - 5748/2018** M/s. S.L.K.Organics, Near Mahadev Press, Ward No. 20, Old Ram Mandir Road, Balaghat, MP – 481001 Prior Environment Clearance for Grain Based Distillery for Production of 10 KLPD of total spirit /fuel ethanol, 0.8 MW Co-generation power plant & 9 TPD of CO<sub>2</sub> generation as by product, at Khasra no.-289/4/2, 289/5/2, 291/19, Village- Kawda (Chatera Road), Tehsil - Lalburra, Dist. Balaghat (MP).Category: 5(g) Distillery Project.

**The case was recommended in 446 SEAC meeting dated 6.07.20 and PP may be called for presentation**

*Meeting ended with a vote of thanks to the Chair.*

  
(Tanvi Sundriyal)  
Member Secretary

  
(R.K. Sharma)  
Member

  
(Rakesh K. Shrivastava)  
Chairman