

Minutes of the 116th Meeting of SEIAA dated 08.01.2013

The 116th meeting of the State Level Environment Impact Assessment Authority was convened on 08.01.2013 at 02.30 PM at the Authority's Office in M. P. Pollution Control Board Building, Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Amar Singh, Chairman, SEIAA. The following members attended the meeting:-


- | | | |
|---|--------------------|------------------|
| 1 | Shri M. Hashim | Member |
| 2 | Shri Manohar Dubey | Member Secretary |

1. Following cases received from SEAC have been considered and the details of the receipt of the recommendations & record from the office of SEAC is as follows:


S No	Case No.	No. & date of latest SEAC meeting in which case was recommended	Date of receipt of SEAC minutes in SEIAA	Date of receipt of records in SEIAA office
1.	627/2011	108 th SEAC meeting dtd 05.11.2012	04.12.2012	12.12.2012
2.	481/2009	109 th SEAC meeting dtd 06.11.2012	04.12.2012	18.12.2012
3.	488/2009	109 th SEAC meeting dtd 06.11.2012	04.12.2012	12.12.2012
4.	554/2010	109 th SEAC meeting dtd 06.11.2012	02.01.2013	02.01.2013
5.	679/2012	109 th SEAC meeting dtd 06.11.2012	04.12.2012	18.12.2012
6.	793/2012	109 th SEAC meeting dtd 06.11.2012	04.12.2012	18.12.2012
7.	774/2012	111 th SEAC meeting dtd 05.12.2012	18.12.2012	21.12.2012


2. Mining cases less than 5 ha in which general condition is attracted.

S No	Cases
1.	Sand mine quarry in an area of 1.21, production capacity 1,00,000 cum / year at Khasra No. 1007, Village Sikarganj, Tehsil Rampur Nakin, District Sidhi, MP by Shri Shambhu Kumhar Tanay, Shri Vikai Kumhar Village Baghdad Dhawiya, Tehsil Rampur, District Sidhi, MP
2.	Ordinary clay quarry in an area of 4.0 ha production capacity 30,000 cum / year at Khasra No. 192/1, village Kujahapur, Tehsil Sheopur, District Sheopur by Shri Vinod Kumar Shukla Construction Pvt. Ltd. 18, Second Floor, Metro Plaza, E-5, Arera Colony, Bhopal, MP
3.	Stone mine in an area of 4.0 ha production capacity 1 Lakh Tonnes per Annum at Village Chandanpura, Tehsil & District Shivpuri, MP by Vinod Kumar Roy M/s Dilip Buildcon Limited HIG Aarshirvad Nagar, Gwalior, MP
4.	Sand quarry in an area of 1.50 ha production capacity 15,000 cum / year at Khasra No. 363, Village Vijoriya, Tehsil & District Alirajpur, MP by Ver Singh S/o Shri Alsingh, Village Vijoriya, PO Chandanpur, Tehsil & District Alirajpur, MP-457887
5.	Stone Gitti Mines in an area of 1.800 ha production capacity 2,00,000 cum at survey no. 26 village Nayagaon, District Shivpuri, MP by Mr. Dilip Suryavanshi Managing Director, Dilip Buildcon Limited, E-5/99, Arera Colony, Bhopal MP -462 016
6.	Stone Gitti Mines in an area of 4.000 ha production capacity 2,00,000 cum at survey no. 457/1 village Chandanpura, District Shivpuri, MP by Dilip Suryavanshi Managing Director, Dilip Buildcon Limited, E-5/99, Arera Colony, Bhopal MP -462 016
7.	Stone Gitti Mines in an area of 4.000 ha production capacity 2,00,000 cum at survey no. 915 village Kakarvaya, District Shivpuri, MP by Mr. Dilip Suryavanshi Managing Director, Dilip Buildcon Limited, E-5/99, Arera Colony, Bhopal MP -462 016
8.	Sand Quarry in area of 1.71 ha production capacity 20,000 cum / year at Khasra No. 278, 279, Village Umariya, Tehsil Sihawal, District Sidhi, MP by Shri Suraj Singh Director, Santosh Real Infraventure Pvt. Ltd. B-3, II Floor Arohi Complex, Sec. H Aliganj Lucknow, UP-226024.
9.	Metal Stone Quarry in area of 1.588 ha production capacity expansion 500 cum / year to 10,000 cum / year at Khasra No. 960 Village Jakhoda, Tehsil Ghatigaon, District Gwalior, MP by Hari Kishan, Village Lodhupura, Tehsil Ghatigaon, District, Gwalior, MP


(Manohar Dubey)
Member Secretary

116th SEIAA Meeting dtd. 08.01.2013


(M. Hashim)
Member


(Amar Singh)
Chairman


Page 1 of 9

Minutes of the 116th Meeting of SEIAA dated 08.01.2013

3. **Case No. 627/2011**, Prior Environmental Clearance for Darshani Iron Ore, Manganese ore, laterite & ochre mine in an area of 5.70 ha. for production capacity of 26,768 TPA at Village Darshani, Tehsil Majholi, District Jabalpur, MP by M/S Shree Kamal Lime Industry, Station Road, Katni-483501 (M.P.)
- The case was discussed in 79th SEAC meeting dated 02.09.2011 and recommended in **108th SEAC meeting dated 05.11.2012**. It is recorded that...
"After deliberations committee concluded that the EIA report, the EMP and the mitigations proposed by the PP are acceptable hence the case may be recommended for grant of prior EC subject to the six special conditions."
 - The case was discussed in depth and it was noted that interstate boundary and National Park/Sanctuary are not within 10 Km radius. Hence, General Conditions are not attracted.
 - The PP has submitted the notarized copy of the lease deed for 30 years w.e.f. 23.05.11.
 - The proposed plantation program was examined and it was found that 2465 trees would be planted in an area of 1.835 ha at the end of lease period. The plantation program was found satisfactory.
 - It was noted that the Public Hearing was held on 23.06.2012 at mining site under the Chairmanship of Additional Collector, Jabalpur. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
 - As per approved mining plan vide No. MP/JBP/Iron/MPLN/G-13/10-11 dtd. 29.11.2010 the expected life of mine is calculated as 5 years + (Reserves – production during gestation period) / Envisaged rate of production) $5 + [545369-94870] / 20000 = 28$ years. It is noted that as per Form-1 and minutes of 108th SEAC dtd 05.11.12 the production capacity has been mentioned as 26768 TPA and as such the life of mine is (mineable reserve / year wise rate of production i.e. $545369-94870/26768=17+5$ years) 22 years.
 - The Authority accepted the recommendation of 108th SEAC meeting dated 05.11.12 and decided to accord Prior Environmental Clearance for Darshani Iron Ore, Manganese ore, laterite & ochre mine in an area of 5.70 ha. for production capacity of 26,768 TPA for the mine life i.e. 22 years only at present at Village Darshani, Tehsil Majholi, District Jabalpur, MP by M/S Shree Kamal Lime Industry, Station Road, Katni-483501 (M.P.).
4. **Case No. 481/2009**, Prior Environmental Clearance for captive thermal power plant in an area of 5.80 ha for production capacity 35 MW at Khasra No.141,142,144,216,447, Village Bela, Tehsil Raghurajnagar, District Satna, (MP), by M/s Birla Corporation Ltd. (Cement Div.).
- The case was discussed in 107th SEAC meeting dated 11.10.12 and recommended in **109th SEAC meeting dated 06.11.12**. It is recorded that...
"The EIA report, EMP and other submissions made by the PP were found to be satisfactory and acceptable hence committee decided to recommend the case for grant of prior EC subject to the 8 special conditions."


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


16.01.13
(Amar Singh)
Chairman

Minutes of the 116th Meeting of SEIAA dated 08.01.2013

- ii. It was noted that the Public Hearing was held on 11.11.2011 at Govt. Primary School, Bela under the Chairmanship of Additional Collector, Satna. The issues raised during public hearing were of general nature, nothing adverse was found regarding degradation of the environment.
- iii. It was noted that the area of coal storage has been earmarked as per the break-up of land use details for proposed land given below : -

S. No.	Project Activity	Area (ha)
1.	Power Plant	1.45
2.	Coal Storage	0.53
3.	Green Belt	1.70
4.	Others	1.17
	Total	4.85

- iv. It was found that earlier ToR was issued by the SEAC (vide no. 85 dtd 03.02.2010) for the proposed project at PO Birla Vikas (existing Cement Plant) District Satna. Thereafter revised ToR was issued (SEAC vide no. 11 dtd 13.01.2011) for the same project at village Bela, Tehsil - Raghurajnagar, District Satna. The report about details of land and ownership records for the changed site was not prepared therefore, it was decided that the same should be examined by the SEIAA office.
- v. The document submitted by the PP regarding coal linkage was examined and it was noted that in a point wise reply of ToR issued by SEAC vide letter no. 11/PS-MS/ MPPCB/ SEAC /ToR (71)/2011 dtd 13.01.11 the PP has submitted that coal required for this project will be sourced from our own Coal Washery (2.0 km away from the proposed project site).
- Further it was also noted that the PP has enclosed the copy of the Office Memorandum from Ministry of Coal, Gol (vide no. 23014/ 2/2008-CPD dtd 31.03.2008) wherein minutes of 258th meeting of the Standing Linkage Committee to consider coal linkage to cement plant for the quarter April – June, 2008 is enclosed. The letter is enclosed **in final EIA/EMP report at Annexure-II.**
- vi. While discussing this issue it was observed that Coal Washery project up to 1 million tons per annum requires prior environmental clearance under category – B as item 2(b). It is decided that PP should be asked to inform whether he has got prior environmental clearance or not for coal washery at Birla Corporation Ltd. (Cement Division), Satna, MP.
- In this regard it is decided that PP should be asked to provide the clear status of the coal linkage to the proposed Captive Thermal Power Plant.
- vii. It was decided that the PP should submit the information by 28.02.2013.



(Manohar Dubey)
Member Secretary

116th SEIAA Meeting dtd: 08.01.2013



(M. Hashim)
Member




(Amar Singh)
Chairman


Page 3 of 9

Minutes of the 116th Meeting of SEIAA dated 08.01.2013

5. **Case No. 488/2009**, Prior Environmental Clearance for Ronsara Bauxite , Laterite, Fireclay Red Ochre & Yellow Ochre mine in an area of 9.250 ha. for production capacity 3000 TPA at Village Ronsara, Tehsil Sihora, District Jabalpur, MP by M/S Gulab Chand Gupta, (Power of Attorney holder Shek Lilyas Khan, Pathani Mohalla, Ward No. 5, Sihora, Jabalpur-485221 M.P).
- The case was discussed in 89th & 101st SEAC meeting dtd 14.02.12 & 22.08.12 respectively and recommended in 109th **SEAC meeting dtd 06.11.12**. It is recorded that... *"The EIA, EMP and other submissions made by the PP pertaining to environment conservation are acceptable. Hence committee decided to recommend the case for grant of prior EC subject to 9 special."*
 - The case was discussed in depth. It was noted that the original lease was for a period of 10 years w.e.f. 07.12.1985. Thereafter, PP has applied for renewal of lease in Form-J on 07.12.1994 for a period of 20 years. It is learnt that the renewal of lease deed in the State Government is under consideration. In this regard it was decided that the Mining Deptt. should be asked to inform the status of lease renewal, whether it is pending for consideration or has been rejected. The Mining Department should submit the information latest by 28.02.2013. Copy of the letter should be endorsed to PP also.
6. **Case No. 554/2010**, Prior Environmental Clearance for Mini LPG Bottling Plant Bhopal – Indore By Pass Road Post Bakania Bhouri Bhopal -462030 by M/s Bharat Petroleum Corporation Ltd. R. M. Kakurla (Sr. Manager E & P West).
- The case was discussed in 82nd SEAC meeting dtd 13.10.11 and recommended in **109th SEAC meeting dtd 06.11.12** it is recorded that... *"After deliberations committee decided to recommend the case for grant of prior EC subject to the 9 special conditions."*
 - It was noted that the ownership of the land Khasra No. 37 & 21 at village Kalukhedi-Bakania, Bhopal belongs to Project Proponent the M/s Bharat Petroleum Corporation Ltd.
 - It was found that the PP has made the fire fighting provision e.g. fire water tanks, fire water pumps, jock pump, DCP extinguisher, CO₂ Cartridge etc. and NOC for the fire fighting has been obtained from M P Technical and Fire Fighting Services, Police Head Quarter, Bhopal vide no. क्र./अपुमनि/तक / अशसे / 173 A /11 dtd 08.07.2011.
 - The public hearing was made on 29.08.2012 under the Chairmanship of ADM, Bhopal at plant site Bakaniya. There is nothing adverse in it.
 - The Authority accepted the recommendation of 109th SEAC meeting dated 06.11.2012 and decided to accord Prior Environmental Clearance for Mini LPG Bottling Plant Bhopal – Indore By Pass Road Post Bakania Bhouri Bhopal -462030 by M/s Bharat Petroleum Corporation Ltd. R. M. Kakurla (Sr. Manager E & P West).


(Manohar Dubey)
Member Secretary

116th SEIAA Meeting dtd. 08.01.2013


(M. Hashim)
Member


16.01.13
(Amar Singh)
Chairman

Page 4 of 9

7. **Case No. 679/2012**, Prior Environmental Clearance for manufacturing of single super phosphate from powder form to granular without changing in production capacity i.e. 1,65,000 MTPA (Change in product form) at Meghnagar Industrial Area "A", Village -Meghnagar, Tehsil Meghnagar, District Jhabua, MP by M/s Madhya Bharat Phosphate Pvt. Ltd. F-1/50, Arera Colony, Bhopal.

- i. The case was initially recommended in 93rd SEAC meeting dated 10.04.2012 again it was reconfirmed in 98th SEAC meeting dated 23.07.2012 to modify the Prior EC and lastly in **109th SEAC meeting dated 06.11.2012** the recommendation remained unaltered. It is recorded that... *Ministry's circular no. J-11013/41/2006-1A.11 (I) dated 20.10.2009 and Circular No. F. No. J-11011/S18/2010-1A-11 (I) pertains to all expansion projects only. The project under discussion is not an expansion project; PP in this case is proposing for change in the product form without enhancing the production capacity. Hence the said circulars are not applicable for this project. Nevertheless, the committee has already discussed the compliances in general during the meeting held earlier the same have been scrutinized once again and found acceptable. Thus committee's recommendations in this case remain unaltered. The case may be forwarded to SEIAA for further action in the matter.*
- ii. The case was discussed in depth. The document submitted by PP was examined and it is noted that in response of SEIAA's letter No. 1207 dated 01.10.2012 the PP has submitted (vide L.No. nil dated 10.10.2012) that they have not received any notice under EPA 1986, Air Act 1981, Water Act 1974 after issuing of EC on 25.08.2008.

The Authority accepted the recommendation of 93rd & 98th SEAC meeting dated 10.04.12, 23.07.12 respectively and decided that Prior EC issued by MoEF, Gol is to be revised for granting manufacturing of single super phosphate (SSP) from powder form to granular form (GSSP) without changing in production capacity i.e. 1,65,000 MTPA. at Meghnagar Industrial Area "A", Village -Meghnagar, Tehsil Meghnagar, District Jhabua, MP by M/s Madhya Bharat Phosphate Pvt. Ltd. F-1/50, Arera Colony, Bhopal.

6. **Case No. 793/2012**, Prior Environmental Clearance for residential project at Village Shahpura, Tehsil Huzur, Bhopal Khasra No. 297/75 /1 & part of 1500 by Madhya Pradesh Housing and Infrastructure Development Board, Bhopal through Shri Ajay Tiwari (EE)


- i. The case was discussed in 104th SEAC meeting dated 30.09.2012, 106th SEAC meeting dated 10.10.2012 and recommended in **109th SEAC meeting dated 06.11.2012** it is recorded that *"Committee found the submissions made by the PP satisfactory and acceptable including the EMP. Hence the case has been recommended for grant of prior EC subject to 9 special conditions."*
- ii. The case was discussed and it was noted that the T & CP vide letter no. 347/LP 081 /High rise/Na.Gra.Ni./2010 dtd 06.05.10 has approved the layout at village Shahpura, Tehsil Huzur, Bhopal Khasra No. 297/75/1 & part of 1500 land area 7529.88 sq m for high rise building to Madhya Pradesh Housing and Infrastructure Development Board, Bhopal.



(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman

Minutes of the 116th Meeting of SEIAA dated 08.01.2013

- iii. It was noted that as per notarized copy of Khasra Panchsala 2007-2008 submitted by PP the land details are as follows :

क्र	फार्म-1 में उल्लेख किये गये खसरा न.	टी एण्ड सी पी में उल्लेखित खसरा न.	खसरा पांचशाला वर्ष 2007-08	स्वामित्व (खसरा पांचशाला अनुसार)
	खसरा न.	रकबा	खसरा न.	रकबा
1	297 / 75 / 1 का भाग		297 / 75 / 1 का भाग	0.757 (1.87 ए)
2	1500 का भाग		1500 का भाग	26.576
	कुल	7529.88 वर्गमी.	कुल	0.7529 हे. 7529.88 वर्गमी.

- iv. The water supply documents submitted by PP vide letter no. 1607 to 1608 dtd 08.01.13 was examined and found that the consent for 68 KLD of water supply (bulk connection) has been obtained from the Municipal Corporation, Bhopal vide no. 244/ ज.का.विभाग / 2012-13 dtd 07.01.13. In this regard it was decided that the total water requirement should not exceed from 67.8 KLD as recommended by SEAC in its 109th meeting dtd 06.11.12.
- v. It was noted that the PP has submitted the NOC for firefighting from Fire Fighting Department Municipal Corporation, Bhopal (vide no. 49/Agani Vi/10 dtd 20.12.2010. Broadly the following fire safety measures are provided :

During construction phase :

- Fire protection equipments like sand Buckets and extinguishers will be installed at suitable place.

During operation phase :

- Static Tank (underground) and overhead tank for fire.
- Landing valves with hose reels within the complex.
- External hydrant all around the building & yard.
- Automatic sprinkler system provided in building (1 sprinkler/12 m)
- Pumping arrangement system – Riser system with pressure pump, auto operation with pressure switch.
- Staircase / lifts pressurization /smoke extraction system.

- vi. The distance of fire station from the site has not been mentioned. It was decided that PP should submit certificate on this point from the Municipal Corporation, Bhopal.
- vii. It was found that solid waste generation is 223 kg / day. This shall be segregated at source and waste will be disposed of at trenching site of BMC for which Health Department of BMC has given NOC vide letter no. 647 dtd 08.10.12.
- viii. As per T & CP approval the parking provision for 254 cars has been provided. As per MP Bhumi Vikas Niyam, 2012 rule 84 appendix I – 1 the requirement of ECS is 1 ECS per 100 sq m built up area. As such the PP has made for provision of 254 car parking. Thus parking provided by PP is satisfactory.




(Manohar Dubey)
Member Secretary

116th SEIAA Meeting dtd. 08.01.2013



(M. Hashim)
Member



(Amar Singh)
Chairman

Page 6 of 9

Minutes of the 116th Meeting of SEIAA dated 08.01.2013

- ix. It is noted that the proposed height of the building is 45 m. The Ground Floor Plan submitted by PP shows 6 m wide one way road for entrance and exit. The central verge for greenery development is also shown in the plan. As per MoEF, Gol Office Memorandum (vide no. 21-270/2008-IA.III dtd 07.02.12) the minimum width for buildings with height between 30-45 m should be 18 m. It was decided to ask the PP how he will manage the fire fighting?
- x. The PP should submit the information by 28.02.2013.
7. **Case No. 774/2012**, Prior Environmental Clearance for Housing Project "Ras Town" at Khasra No. 20/8, 20/9, 20/10, 23/5, 23/6, Village Talawani Chanda, Tehsil & District Indore, MP total land area 36430 sqmt. (3.643 ha) total built up area 40349.88 sqmt. by M/s Shri Sai Buildinfra Pvt. Ltd. , Indore 302-303, Sangam House, 14-B, Palasia, A. B. Road, Indore, MP.
- i. The case was discussed in 104th SEAC meeting dated 30.09.2012 and recommended in **111th SEAC meeting dated 05.12.2012** it is recorded that *"The EMP and other submissions made by the PP are satisfactory hence committee decided to recommend the case for grant of prior EC subject to the 7 special conditions."*
- ii. It was found that as per Form-I & Conceptual Plan the total built-up area is 40349.88 Sq m which is less than 1,50,000 Sq.mt. Thus the project is categorized as activity 8(a) as per schedule of EIA Notification 2006.
- iii. The land ownership record were examine and found that land is in the name of Shri Sai Buildinfra Pvt. Ltd. for the proposed housing project "Ras Town" at Khasra No. 20/8, 20/9, 20/10, 23/5, 23/6 at Village-Talawani Chanda, Tehsil & District Indore.
- iv. It was noted that the project site is adjacent to the Municipal Corporation Indore. It was decided that PP should be asked to inform the distance of Municipal Corporation boundary from the proposed housing project site.
- v. The issue of water supply was discussed and it was noted that the PP has applied (vide L.No. nil dtd 24.09.2012) to CGWA to obtain 400 KLD water. It was observed that the project site is very close to Municipal Corporation Limit, therefore, it was decided that PP should be asked to inform that what effort has been made by him to obtain the Municipal water supply ?
- vi. It has been noted that the daily MSW generation is 1.409 tone. The PP has applied to Municipal Corporation Indore vide L.No. nil dtd 17.09.2012 for granting the permission to dispose the MSW in their dump site. It was decided that PP should be asked whether he has got the permission or not?
- vii. It is noted that the proposed height of the building i.e. 18 m. As per MoEF, Gol Office Memorandum (vide no. 21-270/2008-IA.III dtd 07.02.12) the minimum width for buildings with height between 15-30 m should be 15 m. It was decided to ask from the PP that how he will manage the fire fighting?
- viii. It was brought to the notice that PP has applied for firefighting NOC to the Municipal Corporation, Indore. He should submit the NOC.
- ix. It was decided PP should submit above informations by 28.02.2013.




(Manohar Dubey)
Member Secretary

116th SEIAA Meeting dtd. 08.01.2013



(M. Hashim)
Member



(Amar Singh)
Chairman

Page 7 of 9

Minutes of the 116th Meeting of SEIAA dated 08.01.2013


8. The Authority examined the following cases listed below along with details / reasons and noted that the general conditions are attracted for these cases. Therefore, these cases do not come under the jurisdiction of MP, SEIAA. It was decided that these cases need not to be registered and the application with all documents in original should be returned to PP along with a letter to PP stating reason. Copy of letter should be endorsed to all concerned :-

S.No	Cases	Details / reasons
1.	Sand mine quarry in an area of 1.21, production capacity 1,00,000 cum / year at Khasra No. 1007, Village Sikarganj, Tehsil Rampur Nakin, District Sidhi, MP by Shri Shambhu Kumhar Tanay, Shri Vikai Kumhar Village Baghdad Dhawiya, Tehsil Rampur, District Sidhi, MP	As per the परिशिष्ट-1 verified by DFO and letter from उपसंचालक Tiger Reserve, Sidhi vide no. 4392 dtd 17.10.12 submitted by PP the distance of Son Ghariyal Sanctuary is 1200 m. As per the EIA Notification, 2006 general condition is attracted. Hence, the case does not come under MPSEIAA preview.
2.	Ordinary clay quarry in an area of 4.0 ha production capacity 30,000 cum / year at Khasra No. 192/1, village Kujahapur, Tehsil Sheopur, District Sheopur by Vinod Kumar Shukla Construction Pvt. Ltd. 18, 2 nd Floor, Metro Plaza, E-5, Arera Colony, Bhopal, MP	As per the परिशिष्ट-1 point no. 9 interstate boundary is within 10 km. As per the EIA Notification, 2006 general condition is attracted. Hence, the case does not come under MPSEIAA preview
3.	Stone mine in an area of 4.0 ha production capacity 1 Lakh Tonnes per Annum at Village Chandanpura, Tehsil & District Shivpuri, MP by Vinod Kumar Roy M/s Dilip Buildcon Limited HIG Aarshirvad Nagar, Gwalior, MP	As per the परिशिष्ट-1 verified by DFO and letter from DFO vide no. 6484 dtd 09.11.2012 submitted by PP the Madhav National Park Shivpuri is situated at 600 m from Project Site. As per the EIA Notification, 2006 general condition is attracted. Hence, the case does not come under MPSEIAA preview.
4.	Sand quarry in an area of 1.50 ha production capacity 15,000 cum / year at Khasra No. 363, Village Vijoriya, Tehsil & District Alirajpur, MP by Ver Singh S/o Shri Alsingh, Village Vijoriya, PO Chandanpur, Tehsil & District Alirajpur, MP-457887	As per the परिशिष्ट-1 point no. 9 Gujarat State Boundary is with 10 km. As per the EIA Notification, 2006 general condition is attracted. Hence the case does not come under MPSEIAA preview.
5.	Stone Gitti Mines in an area of 1.800 ha production capacity 2,00,000 cum at survey no. 26 village Nayagaon, District Shivpuri, MP by Mr. Dilip Suryavanshi Managing Director, Dilip Buildcon Limited, E-5/99, Arera Colony, Bhopal MP -462 016	As per the परिशिष्ट-1 verified by DFO and letter from DFO vide no. 6362 dtd 03.11.2012 submitted by PP the Madhav National Park Shivpuri is situated at 600 m from Project Site. As per the EIA Notification, 2006 general condition is attracted. Hence, the case does not come under MPSEIAA preview.


(Manohar Dubey)
Member Secretary

116th SEIAA Meeting dtd. 08.01.2013


(M. Hashim)
Member


16.1.13
(Amar Singh)
Chairman

Page 8 of 9

Minutes of the 116th Meeting of SEIAA dated 08.01.2013

6.	Stone Gitti Mines in an area of 4.000 ha production capacity 2,00,000 cum at survey no. 457/1 village Chandanpura, District Shivpuri, MP by Mr. Dilip Suryavanshi Managing Director, Dilip Buildcon Limited, E-5/99, Arera Colony, Bhopal MP -462 016	As per the परिशिष्ट-1 verified by DFO and letter from DFO vide no. 6484 dtd 09.11.2012 submitted by PP the Madhav National Park Shivpuri is situated at 600 m from Project Site. As per the EIA Notification, 2006 general condition is attracted. Hence, the case does not come under MPSEIAA preview.
7.	Stone Gitti Mines in an area of 4.000 ha production capacity 2,00,000 cum at survey no. 915 village Kakarvaya, District Shivpuri, MP by Mr. Dilip Suryavanshi Managing Director, Dilip Buildcon Limited, E-5/99, Arera Colony, Bhopal MP -462 016	As per the परिशिष्ट-1 verified by DFO and letter from DFO vide no. 6363 dtd 03.11.2012 submitted by PP the Madhav National Park Shivpuri is situated at 2500 m from Project Site. As per the EIA Notification, 2006 general condition is attracted. Hence, the case does not come under MPSEIAA preview.
8.	Sand Quarry in area of 1.71 ha production capacity 20,000 cum / year at Khasra No. 278, 279, Village Umariya, Tehsil Sihawal, District Sidhi, MP by Shri Suraj Singh Director, Santosh Real Infraventure Pvt. Ltd. B-3, II Floor Arohi Complex, Sec. H Aliganj Lucknow, UP-226024.	As per the परिशिष्ट-1 verified by DFO and letter from उपसंचालक Tiger Reserve, Sidhi vide no. 4026 dtd submitted by PP the distance of Son Ghariyal Sanctuary is 1208 m. As per the EIA Notification, 2006 general condition is attracted. Hence, the case does not come under MPSEIAA preview.
9.	Metal Stone Quarry in area of 1.588 ha production capacity expansion 500 cum / year to 10,000 cum / year at Khasra No. 960 Village Jakhoda, Tehsil Ghatigaon, District Gwalior, MP by Hari Kishan, Village Lodhupura, Tehsil Ghatigaon, District, Gwalior	As per the DFO vide letter no. 7869 dtd 19.11.12 submitted by PP the Son Chiraiya Sanctuary Ghatgaon is located within 10 km radius. As per the EIA Notification, 2006 general condition is attracted. Hence, the case does not come under MPSEIAA preview.

Meeting ended with a vote of thanks to the Chair.




(Manohar Dubey)
Member Secretary

116th SEIAA Meeting dtd. 08.01.2013



16.01.2013
(M. Hashim)
Member



16.01.13
(Amar Singh)
Chairman