

## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

The 138<sup>th</sup> meeting of the State Level Environment Impact Assessment Authority was convened on 20.06.2013 at 10.30 AM at the Authority's Office in M. P. Pollution Control Board Building, Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Amar Singh, Chairman, SEIAA. The following members attended the meeting:-


- 1 Shri M. Hashim Member
- 2 Shri Sharad Kumar Jain Member Secretary I/C

A. Following cases received from SEAC have been considered and the details of the receipt of the recommendations & record from the office of SEAC is as follows:


S No	Case No.	No. & date of latest SEAC meeting in which case was recommended	Date of receipt of SEAC minutes in SEIAA	Date of receipt of records in SEIAA office
1.	553/2010	128 <sup>th</sup> SEAC meeting dtd 26.04.2013	09.05.2013	20.05.2013
2.	713/2012	125 <sup>th</sup> SEAC meeting dtd 09.04.2013	27.04.2013	09.05.2013
3.	884/2012	129 <sup>th</sup> SEAC meeting dtd 27.04.2013	09.05.2013	20.05.2013
4.	973/2012	128 <sup>th</sup> SEAC meeting dtd 26.04.2013	09.05.2013	20.05.2013
5.	1333/2013	126 <sup>th</sup> SEAC meeting dtd 10.04.2013	27.04.2013	09.05.2013
6.	1562/2013	126 <sup>th</sup> SEAC meeting dtd 10.04.2013	27.04.2013	09.05.2013

1. **Case no. 553/2010**, Prior Environmental Clearance for Limestone mine & Reject Stone in an area of 23.90 ha.(59.06 acre) for production capacity of 5,00,000 TPA and crusher for sizing of mineral at Khasra no. 172 P & 173 P at Village Rewra, Teh- Raghurajnagar, District Satna M.P by Smt Manju Singh (Legal Heir of Late Shri Gopal Sharan Singh), P.O. Pushpraj Nagar, District Satna M.P. – 485001.

- (1). The case was discussed in 58<sup>th</sup> & 101<sup>st</sup> SEAC meeting dtd. 02.06.2010 & 22.08.2012 and recommended in 128<sup>th</sup> SEAC meeting dtd. 26.04.2013 ..... based on the submission of documents and presentation made by the PP the committee has recommended for grant of prior EC to the project subject to the 9 special conditions.
- (2). It was noted that the PP has applied in **Form-I** for Prior Environmental Clearance for Limestone Mine & Reject Stone (Opencast other than fully mechanized) in an area of 23.90 ha. for production capacity of 5,00,000 TPA at Khasra no. **172 P & 173 P** at village Rewra, Teh- Raghurajnagar, District Satna (M.P).
- (3). It was noted that as per order from Mineral Resource Deptt, GoMP vide No. F-3- 25/ 2001/12/1 dated 08.12.2011 an application was submitted by the PP for second renewal of lease in area of 99.06 acres (40.09 ha) on 21.02.2000. The first renewal period was up to 28.04.2001. After due consideration the State Government granted the renewal of lease area of 59.06 acre (23.90 ha) for 20 years from 28.04.2001, after deducting 40 acres land in favour of Municipal Corporation, Satna. Thus the validity of the lease is up to 27.04.2021.
- (4). It was noted that the originally the ToR was issued vide no. 428 dated 26.06.2010, for 40.09 ha. thereafter, on request of PP to change the lease area the amended ToR was issued vide no 99 dated 15.03.2012 for 23.90 ha. Further the PP requested for extension of validity of original ToR for one year with inclusion of sizing unit (crusher) in the lease area boundary. The SEAC agreed and issued the revised ToR vide letter no 629 dated 01.10.2012 with condition that ToR issued vide letter dated 26.06.2010 shall remain unaltered.

  
**(Sharad Kumar Jain)**  
 Member Secretary I/C

  
**(M. Hashim)**  
 Member

  
**(Amar Singh)**  
 Chairman




## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

- (5). The case was discussed in depth and it was noted that the inter-state boundary, National Park/Sanctuary are not located within 10 Km. radius, therefore, General Condition is not attracted.
  - (6). The proposed plantation program was examined and it was found that 12200 trees would be planted in an area of **6.10 ha** at the end of lease period. The plantation program was found satisfactory. It was also noted that as per post mining land use pattern (**EIA Report: Table no 4.5**), an area of 14.585 ha will be rehabilitated for water harvesting.
  - (7). It was noted that the Public Hearing was held on 27.12.2012 at mining site under the Chairmanship of Upper Collector, Satna. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
  - (8). It was decided to accept the recommendation of 128<sup>th</sup> SEAC meeting dtd. 26.04.2013 to grant Prior Environmental Clearance for **Limestone Mine & Reject Stone** (Opencast other than fully mechanized) in an area of 23.90 ha. for production capacity of 5,00,000 TPA and crusher for sizing of mineral for lease period **i.e. upto 27.04.2021** at Khasra no. 172 P & 173 P at Village-Rewra, Teh- Raghurajnagar, District Satna (M.P) by Smt Manju Singh (Legal Heir of Late Shri Gopal Sharan Singh), P.O. Pushpraj Nagar, District Satna M.P. – 485001.
2. **Case No. – 713/2012** – Prior Environmental Clearance for Expansion of Bulk Drug, Intermediates and API at Plot no. Q-1 to Q- 4 Ghirongi Industrial Area, Vill -Malanpur, Teh – Gohad Distt.- Bhind (M.P.) by M/s Teva API India Limited through Shri S. Sunderganesh Authorized Signatory (Sr. Director – Technical Operations), Plot No. Q1 to Q4, Malanpur Industrial Area, Malanpur, Distt. - Bhind (M.P.) – 477116
- (1) This is a case of revalidation / change of prior Environmental Clearance for total 66 products mix with production capacity for 2951 MTPA (Form-1 & 98<sup>th</sup> SEAC meeting dtd 23.07.12) in place of 17 product mix with production capacity 2977.22 MTPA for which prior Environmental Clearance was granted by MP-SEIAA (6<sup>th</sup> meeting dtd 07.01.2009) for case no. 16/2008 (vide letter No. 307/EPCOSEIAA/ 09, dated 11/02/09).
  - (2) The project is covered under 5 (f) category (B) of the Schedule of EIA Notification issued by the Ministry of Environment & Forests vice S.O.1533(E), dtd. September 14, 2006.
  - (3) The total land area of the project is 2,92,500.00 sq. m. PP has submitted lease deed (dtd 01.02.2008) for 30 years (01.02.2008 to 31.01.2038) with MPAKVN (G) Ltd. Gwalior through Managing Director District.
  - (4) The case was discussed in SEAC meetings 98<sup>th</sup> dtd.23.07.12, 122<sup>nd</sup> dtd.11.03.13 & in 125<sup>th</sup> dtd. 09.04.13 recommended for grant of prior EC subject to 04 special conditions.
  - (5) The case was examined in depth and it is noted that :-
    - (a). It is a case of expansion. Earlier EC was issued by MPSEIAA. PP has submitted (vide letter dtd. 21.06.2012 received in SEIAA office 21.06.12) status of the compliance of the conditions stipulated in the

  
(Sharad Kumar Jain)  
Member Secretary I/C

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman



## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

existing EC, consent to establish and consent to operate. The information submitted by PP was forwarded to SEAC vide letter dtd 05.07.12. It is to mention that As per MoEF, Gol office memorandum F. No. J-11011/6/618/2010-IA-II (I) dtd 30.05.2012 "..... the project proponent shall henceforth submit a certified report of the status of compliance of the conditions stipulated in the environmental clearance for the ongoing / existing operation of the project by the Regional Offices of the Ministry of Environment and Forests." It is noted that PP (vide letter dtd 18.10.2012) has submitted a copy of compliance of EC conditions to MoEF, Regional Office (West Zone), Bhopal, however as per MoEF, Gol office memorandum the compliance report submitted by PP is not certified by the Regional Offices of the Ministry of Environment and Forests.

- (b). As per point no. 3 of the office memorandum dtd 30.05.2012 the compliance conditions are to be discussed by Expert Appraisal Committee and duly recorded in the minutes.
- (c). Further, as per MoEF, Gol office memorandum dtd 01.07.2011 :
- (i). The TORs shall indicate the need to have a separate chapter on compliance to environmental clearance conditions and / or the NOC from the respective State Pollution Control Boards. The testing / verification undertaken for the compliance shall be from the recognized environmental laboratory.
  - (ii). During the discussions at TOR and EC stages, it shall be verified from the project proponents if the unit has received any notice under the Section 5 of Environment (Protection) Act 1986 or relevant Sections of Air and Water Acts and their compliance.
  - (iii). The compliance report shall be discussed during the EAC meetings for its adequacy.
  - (iv). While processing the expansion cases for final decision, the note shall cover the compliance status and the observations / recommendations of EAC on the existing / operation units. "
- (d). It is noted that compliance of earlier EC has been included in the ToR issued by SEAC (vide no. 614 dtd 25.09.12). PP has included compliance status in the EIA Report which is not certified by Regional Office of MoEF. The compliance report has been discussed in 122<sup>nd</sup> SEAC meeting dtd 11.03.13 but the note covering the compliance status and the observations / recommendations of SEAC on the existing / operation units have not been recorded. Further, the status of notices under the Section 5 of Environment (Protection) Act 1986 or relevant Sections of Air and Water Acts and their compliance are also not recorded.
- (e). **It is decided that a letter :-**
- (i). A letter should be sent to PP asking him to give the report on compliance status duly certified by Bhopal Regional Office, MoEF, Gol by 31.08.2013. A copy of the letter should be endorsed to Bhopal Regional Office, MoEF, Gol.
  - (ii). The case file should be returned to SEAC for examination and submit note covering the compliance status and the observations

  
(Sharad Kumar Jain)  
Member Secretary I/C

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman



# Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

/ recommendations of SEAC on the existing / operation units and the status of notices under the Section 5 of Environment (Protection) Act 1986 or relevant Sections of Air and Water Acts and their compliance by 31.08.2013.

- (iii). A letter should be sent to Member Secretary, MPPCB to submit information whether PP has been served any notice under the Section 5 of Environment (Protection) Act 1986 or relevant Sections of Air and Water Acts and if yes complete details of the notices by 31.08.13. A copy of letter should be endorsed to PP to submit the above information.

(6). The above information should be submitted latest by 31.08.2013.

3. **Case No. 884/2012**, Prior Environmental Clearance for Manufacturing Unit of Billets of Stainless Steel, Plain Carbon Steel, Alloy Steel & Rolling Mill at Sector III Plot no. 164A & 164B Industrial Area (total plot area 106200 sqmt.) Pithampur Tehsil- Dhar, Distt.- Dhar (M.P), Capacity: Billets of Stainless Steel & Plain Carbon Steel & Alloy Steel -2,08,000 TPA, Rolling Mill- 1,00,000 TPA) by MCL Global Steel Private Limited, through Executive Director, Mr. Vinod Kumar 22/2, Yaswant Niwas Road, Near Rani Sati Gate- Indore, Distt. – Indore (M.P.) – 452003.
- (1) This is a project pertaining to manufacturing unit of Billets of Stainless Steel, Plain Carbon Steel, Alloy Steel & Rolling Mill located at Sector III Plot no. 164A & 164B Industrial Area Pithampur Tehsil- Dhar, Distt.- Dhar (M.P) by MCL Global Steel Private Limited, through Executive Director, Mr. Vinod Kumar. (Form – I).
- (2) The production capacity for Billets of Stainless Steel, Plain Carbon Steel & Alloy Steel is 208000 TPA & for Rolling mill is 1,00,000 TPA. (Form-I 129<sup>th</sup> SEAC mtg dtd.27.04.13). Hence, the project is covered under 3 (a) category i.e. non-toxic secondary metallurgical processing industry (production capacity more than 30,000 Tonnes per year) of the Schedule of EIA Notification issued by the Ministry of Environment & forests vice S.O.1533 (E), dtd. September 14, 2006 and its amendment dtd. 01.12.2009.
- (3) The ToR were issued to PP by SEAC (vide letter no. 268 dtd 11.03.2013) and EIA was submitted by PP (vide letter dtd 02.04.13).
- (4) The case was discussed in SEAC meetings 110<sup>th</sup> dtd.04.12.12 in 129<sup>th</sup> dtd. 27.04.13 it is recommended for grant of prior EC subject to 05 special conditions.
- (5) The case was examined in depth and it is noted that :-
- (i). The total land area of the project is 106200 sq. m. allotted by MPAKVN Indore (Form –I). PP has submitted notarized copy of lease deed (dtd 07.08.2010) which was made between the Governor of Madhya Pradesh acting through Managing Director M.P.AKVN District (Indore) Ltd. and Maxworth Spinning & Knitting Private Limited for 30 years (07.08.2010 to 06.08.2040). The name of the company has been changed to MCL Global Steel Private Limited and product to Billets of Stainless Steel, Plain Carbon Steel, Alloy Steel & Rolling Mill. PP has submitted copy of letter (no. AKVN/I/Infra/2012/1428 dtd 17.10.12 (.ppt pg.8)) from MPAKVN for

(Sharad Kumar Jain)  
Member Secretary I/C

(M. Hashim)  
Member


(Amar Singh)  
Chairman



## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

permission of change of product and name of company and notarized copy of lease deed in the name of M/s MCL Global Steel Pvt. Ltd.

- (ii). The project site is located in Pithampur Industrial area (District Dhar) approved by Commerce, Industries & Employment Deptt. GoMP vide notification dtd 17.01.2012 and is not included in the list of disallowed activities. Hence, as per EIA Notification Para 7 (III) stage (3) b public hearing is not required.
  - (iii). It is noted that the total water requirement is 1215 KLD (construction phase – 15 KLD & Operational phase – 1200 KLD). The source of water supply is MPAKVN. It is to be noted that PP has submitted copy of application (02.11.12) for water supply to AKVN, Indore. PP has submitted (vide letter dtd 18.06.13) a copy of letter to AKVN, Indore (dtd 25.04.13) regarding deposition of fee for water supply and is satisfactory.
  - (iv). Total water requirement for the project during its full fledged operation phase is estimated to be 1200 KLD, the water is used in cooling purpose only. Hence, no industrial effluent will be discharged, which makes this production process as Zero Discharge Production Process. The sewage generated during the construction and operation phases is proposed to be collected in septic tank and treated in vermi culture based sewage treatment plant. The waste water from softener will be reused for green belt development and is satisfactory.
  - (v). As per 129<sup>th</sup> SEAC meeting dtd 27.04.2013 sources of air emissions will be from Electric Arc Furnace / Induction Furnace & LF. The likely air emission include PM, SO<sub>x</sub>, NO<sub>x</sub>. PP has proposed stack height of 40 m, fume Extraction System & Bag Filters to minimize the emissions and to maintain the emissions within the prescribed limits. Regular monitoring of emissions from all stacks and ambient air quality is proposed as per norms.
  - (vi). The hazardous waste (spent oil form D. G. set – 2000 liters in year) will be generated. It is proposed to be disposed through authorized recyclers. The solid waste (slag approx. 1000 MT per month) is proposed to be used in the plant premises for low land filling and internal road construction and is satisfactory. As recommended by SEAC (129<sup>th</sup> meeting dtd 27.04.2013) inventorisation of all the hazardous waste generated from the industry should be prepared and accordingly membership of common TSDF shall be obtained by PP.
- (6) It was decided to accept the recommendations of 129<sup>st</sup> SEAC meeting dtd 27.04.2013 with 5 special conditions and accord prior Environmental Clearance to Manufacturing Unit of Billets of Stainless Steel, Plain Carbon Steel, Alloy Steel (capacity 2,08,000 TPA) & Rolling Mill (capacity 1,00,000 TPA) at Sector III Plot no. 164A & 164B Industrial Area (total plot area 106200 sqmt.) Pithampur Tehsil-Dhar, Distt.- Dhar (M.P) by MCL Global Steel Private Limited, through Executive Director, Mr. Vinod Kumar 22/2, Yaswant Niwas Road, Near Rani Sati Gate-Indore, Distt. – Indore (M.P.) – 452003.

  
(Sharad Kumar Jain)  
Member Secretary I/C

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman



## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

4. **Case No. 973/2012** – Prior Environmental Clearance for Proposed Indian Institute of Technology at village – Simrol, Tehsil Mhow, Distt.- Indore(M.P.) , Total Land Area – 501.42 Acres (202.918 ha), Total Built Up Area – 12,65,179.45 sq. mt. by Director, IIT, Indore, Ministry of Human Resource Deptt., Govt. of India through Col. Raja Sekhar. Registrar, IIT, Indore, Institute of Engg. & Technology, DAVV Campus, Khandwa Road, Indore- 452017.

- (1) The proposed project is construction of Indian Institute of Technology, Indore at village – Simrol, Tehsil Mhow, Distt.- Indore(M.P.) , Total Land Area – 501.42 Acres, Total Built Up Area – 12,65,179.45 sq. mt. by Ministry of Human Resource Deptt., Govt. of India through Col. Raja Sekhar. Registrar, IIT, Indore, Institute of Engg. & Technology, DAVV Campus, Khandwa Road, Indore- 452017
- (2) As per the approval of T & CP Indore (vide Let. No.7713 dtd.11/12/12) the total land area is 501.42 Acres (202.918 ha) at village – Simrol, Tehsil Mhow, Distt.- Indore(M.P.)
- (3) As the total plot area is 501.42 Acres (202.918 ha) and total built-up area of 12,65,179.45 m<sup>2</sup>. ( Form-1 & 126<sup>th</sup> SEAC meeting minutes dtd 10.04.13), the project comes under 8 (b) category (B1) of schedule of EIA Notification, 2006 as the total plot area is more than 50 ha & construction is more than 1,50,000 sqmt. Accordingly TOR was issued (vide 71/PS-MS/MPPCB/ SEAC/ TOR (112) 2013 Bhopal dtd. 02.02.13) & PP submitted EIA & EMP (vide letter no. IITI/RO/1/2013 dtd. 19.13.13 received in SEIAA office 20.03.13).
- (4) The case was discussed in SEAC meetings 112<sup>th</sup> dtd. 17.12.12 for ToR and in 126<sup>th</sup> SEAC meeting dtd.10.04.13 recommended for grant of prior EC subject to 08 special conditions.
- (5) The case was discussed in 133<sup>rd</sup> SEIAA meeting dtd 24.05.13 as per decision PP has submitted (vide letter dtd 12.06.13 & 14.06.13 received in SEIAA office on 13.06.2013 & 14.06.13 respectively) that they have applied for GRIHA and registration number has been given while final rating shall be given only after the completion of building.
- (6) The case was examined in depth and It is noted that :-
  - (i). The project includes construction of building for Academics (10), Lecture Halls (3), Central Facility (Library, Administration, Workshop, Auditorium, Guest House, Indus. Res. Work, Nat. Inst. of Design, Central Hub) (10), Residential Faculty House, Studio Aptt., Girls & Boys hostel, Director Residence) (50) & Amenities Comm., Dinning, Faculty Club, School, Primary Health& Sports Complex) (11). The maximum height is 30 m.
  - (ii). Out of the total land of the project 501.42 acres (202.918 ha) 80.0 ha is forest land for which stage -1 approval from Govt. of India (vide letter dtd 03.06.2011) has been given and the land has been transferred to revenue Deptt. and allocated to PP. **The land ownership documents were examined and found satisfactory.** The breakups of the land are as follows: -
    - a) 29.02 acres (11.755 ha) of land is of MP Govt. Technical Education Deptt. and has been allotted to IIT, Indore vide allotment order no. F-1-52/2008/42-1 dtd 18.03.2013. PP has submitted copy of allotment order and notarized copy of Khasra Panchsala 2012-2013 in which the

  
(Sharad Kumar Jain)  
Member Secretary I/C

  
(M. Hashim)  
Member

  
27.6.13  
(Amar Singh)  
Chairman



## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

land is in the name of Technical Education Deptt. MP Govt. Bhumiswami - IIT, Indore. PP has submitted copy of lease deed for 30 years (23.05.13 to 22.05.43) for 29.02 acres.

b) 432.12 acres (174.949 ha) land is Madhya Pradesh Govt. Revenue Department land and is in the name of IIT, Indore, Gol. PP has submitted notarized copy of registered lease deed in favour of IIT, Indore for 30 years (27.06.2012 to 26.06.2042). PP has submitted Kistbandi Khatoni B-1 (2011-2012) for 432.18 acres (174.949 ha) accordingly to which land is in the name of MP Govt. Revenue Deptt. landowner IIT, Indore, Gol.

c) 40.29 acres (16.315 ha) land is Madhya Pradesh Govt. -Revenue Deptt. land. PP has submitted notarized copy of allotment order (vide no. F-16-5/2012/7/2-A dtd. 04.04.2013). As per the order the land has been given for token Rs. 1/- per year on permanent lease. PP has submitted Kist Bandi Khatoni B-1 (2011-2012) for 40.28 acres (16.315 ha) according to which land documentship is in the name of Govt. Of MP, Revenue Deptt. PP has submitted copy of lease deed for 30 years (23.05.13 to 22.05.43) for 40.29 acres.

(iii). The total water requirement is 6705 KLD and fresh water requirement is 4155 KLD (SEAC 126<sup>th</sup> meeting dtd 10.04.13 & .ppt). The total recycled water 2095 KLD (.ppt). The source of water supply is Municipal water and NVDA. It is noted that PP has submitted Provisional NOC of IMC for supply of 5.0 MLD water & NVDA of 4.5 MLD for drawing water from Narmada-Kshipra-Simhastha link Project (vide let. No.13/PS dtd. 02/02/13). **It is decided that the entire demand of fresh water should be met from Municipal Supply and there should be no extraction of ground water.**


(iv). The total waste water generation is 2835 m<sup>3</sup>/ day. PP has provided sewage treatment plant of 3000 & ETP For the treatment of lab effluents ETP capacity -400 KLD; modular type (capacity of 5 to 10 KLD) are proposed. The total treated waste water is 2550 KLD (.ppt & SEAC), which is proposed to be recycled. Out of this 1050 KLD will be used in flushing + 320 KLD in HVAC system + 2095 KLD is proposed to be used in horticulture and is found satisfactory. **It is decided that the disposal of extra treated waste water if any should be linked with the Municipal sewer line.**

(v). PP has proposed rain water harvesting by way of constructing seven water bodies within the campus and the natural recharge with harvesting structure.

(vi). PP has submitted (letter dtd 18.05.2013 received in SEIAA office on 23.05.13) that the maximum height is 30 m, Front MOS 12.0 m (9 m 126<sup>th</sup> SEAC meeting dtd 10.04.13) and side / rear MOS 7.50 m. As per the layout map approved by Town & Country Planning (7713 dtd 11.12.12) the width of internal main road is 30 m. **It is decided that the minimum width of**

  
(Sharad Kumar Jain)  
Member/Secretary I/C

  
(M. Hashim)  
Member

  
27.6.13  
(Amar Singh)  
Chairman



## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

the internal main road from gate to reach the building within the campus should not be less than 24 m as per MP Bhumi Vikas Niyam 2012, Rule No. 42 in view of MoEF, Gol office memorandum F-21-270/2008-IA.III dtd. 06.06.2013 – guidelines for high rise buildings- modification reg.

- (vii). PP has applied for firefighting NOC to UADD, Bhopal (dtd. 09.04.13) and PP has not submitted the distance of fire station. It is noted that as per Gol office memorandum dtd 07.02.2012 regarding guidelines for high rise building up to 30 m distance of fire station is not required. It is decided that PP should provide adequate fire protection measures as envisaged under the National Building Code of India and submit NOC for firefighting from Municipal Corporation, Indore.

- (viii). Car parking detail provided by PP (submitted vide letter dtd 18.05.2013) are as follows:

Particular	Area in sq. mt.	No. of Vehicles	Type of Vehicles
Basement	Not applicable	Not applicable	Not applicable
Stilt	6000.0	3000	Cycles
Ground & Open	53,925.	2157	Car
4 storey Multi level car parks	80100.0	3204	Cars
<b>Total</b>	<b>140,025.0</b>	<b>5361</b>	<b>Cars</b>
		<b>3000</b>	<b>Cycles</b>

As per MPBVR 2012 Rule 84(i) appendix of I- 1 Clause 1.3(Table) the required Parking is **10121.4 ECS** (@ 12,65,179.45 sq. mt. /125 sq. m. of built-up area per ECS for Educational Institute.). **It is decided that the PP should provide car parking for 10121.4 ECS as per the MPBVR, 2012 Rule no. 84 (1) Appendix I-1, I-3.**

- (ix). Approximately 8650 kg/day (126<sup>th</sup> SEAC meeting dtd 10.04.13) of Municipal Solid waste shall be generated. This is proposed to be disposed in sets of two bins of 200 lit. Capacity each and will be strategically placed at locations near hostel, academic building, canteen, staff quarters etc. PP has applied to IMC (vide let dtd. 05/04/13) for disposal of solid waste. **It is decided that the final disposal of Municipal solid waste should be integrated with the Municipal Corporation, Indore.**

(7) PP should submit the above information latest by 31.08.2013.

5. **Case no. 1333/2013**, Application for Prior Environmental Clearance for expansion of area development and township projects "Malwa County" (existing 26,500.24 m<sup>2</sup> ) plot area 4,42,890 m<sup>2</sup> and total built up area after expansion 1,48,895.85 m<sup>2</sup> at Khasra No. 112, 113/3, 113/4, 119/3/1, 119/3/2/1, 128, 129/4/1, 129/4/3, 130, 131, 132, 133/1/2 KH, 133/1/2/GH, 133/2, 133/3, 133/159, 134, 137, 138, 139, 140/1, 140/2/1, 140/2/2, 141, 142, 143/2, 144/2, 146/1, 146/2, 146/3, 146/4, 147, 148/1, 148/2, 150, 151, 152, 155/2/1, 155/2/2, 155/2/3, 155/2/4, 155/3, 156/1, 158/2 & 158/3 at village Rau Khedi, Tehsil Sanwer, District Indore by M/s Satya

  
(Sharad Kumar Jain)  
Member Secretary I/C

  
(M. Hashim)  
Member

  
27.6.13  
(Amar Singh)  
Chairman




## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

Infrastructures Ltd. through Vice President Mr. Kamal Gupta, Plot No. 8, Sector-44, Gurgaon, Haryana-122003, Ph. No. 09818698835, Email purchase @ satyadevelopers.com.

- (1) Application submitted by PP (vide letter no. nil dtd 04.03.13 received in SEIAA office 08.03.13).
  - (2) Case sent to SEAC for appraisal vide letter no. 3008 dtd 18.03.13.
  - (3) The case was discussed in 126<sup>th</sup> SEAC meeting dtd 10.04.2013 and in the minutes it is recorded that *".....the construction activity has already been initiated at the site without obtaining prior EC. Thus it is a clear case of violation of EIA Notification. Committee decided to return the case to SEIAA. SEIAA may like to issue directions for appraisal of the case in light of MoEF, GoI, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012"*.
  - (4) PP has submitted vide letter no. nil dtd 03.05.13 received in SEIAA office on 06.05.2013 a copy of resolution passed by Board of Directors in the meeting dtd 03.05.13.
  - (5) It is decided that as per MoEF, GoI, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012 PP should submit the details as to why the construction activities have been undertaken? How much construction has already been done? Whether the construction activities are still continuing? If yes PP is directed to stop the construction activities with immediate effect and should not undertake any kind of construction until prior EC under EIA Notification 2006 is accorded.
  - (6) It is decided that PP should submit the above information latest by 31.08.2013 and if these information are not received the case will summarily be rejected.
6. **Case no. 1562/2013**, Application for Prior Environmental Clearance for proposed "Silver Estate Vertica" Group Housing Project total plot area 16,700 sqmt. & built up area 27033.48 sqmt. at Survey Nos. 60, 61, 62, 63, 64/1, 66, village Katara, Tehsil Huzur, District Bhopal by M/s Macker Real Ventures through Mr. Neeraj Bhushan Macker owner 501, 5<sup>th</sup> Floor, Ashima Corporate Zone, Ashima Mall, Hoshangabad Road, Bhopal – 462026, Ph. No. 405-3444, 6461989, Email info@mackerrealventures.com.
- (1) Application submitted by PP (vide letter no. nil dtd 08.03.13 received in SEIAA office 22.03.13).
  - (2) Case sent to SEAC for appraisal vide letter no. 3265 dtd 26.03.13.
  - (3) The case was discussed in 126<sup>th</sup> SEAC meeting dtd 10.04.2013. In the minutes it is recorded that *"the construction activity has already been initiated at the site without obtaining prior EC. Thus it is a clear case of violation of EIA Notification. Committee decided to return the case to SEIAA. SEIAA may like to issue directions for appraisal of the case in light of MoEF, GoI, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012"*.
  - (4) PP vide letter no. nil dtd 10.04.13 received in SEIAA office on 15.04.2013 has submitted that they have constructed portion of the project without obtaining environmental clearance. The reason given is lack of information and also

  
(Sharad Kumar Jain)  
Member Secretary I/C

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman



## Minutes of the 138<sup>th</sup> Meeting of SEIAA dated 20.06.2013

share ignorance to the applicable laws and conditions w.r.t the project of such magnitude. The letter was forwarded to SEAC vide no. 500/SEIAA/2013 dtd 09.05.13.

- (5) PP has submitted vide letter no. nil dtd 03.05.13 received in SEIAA office on 03.05.2013 a copy of resolution passed by Board of Directors.
- (6) It is decided that as per MoEF, GoI, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012 PP should submit the details as to why the construction activities have been undertaken? How much construction has already been done? Whether the construction activities are still continuing? if yes PP is directed to stop the construction activities with immediate effect and should not undertake any kind of construction until prior EC under EIA Notification 2006 is accorded.
- (7) It is decided that PP should submit the above information latest by 31.08.2013 and if these information are not received the case will summarily be rejected.

*The meeting ended with vote of thanks to the chair.*

  
(Sharad Kumar Jain)  
Member Secretary I/C

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman