

## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

The 145<sup>th</sup> meeting of the State Level Environment Impact Assessment Authority was convened on 31.08.2013 at 10.30 AM at the Authority's Office in M. P. Pollution Control Board Building, Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Amar Singh, Chairman, SEIAA. The following members attended the meeting:-

1	Shri M. Hashim	Member
2	Shri Manohar Dubey	Member Secretary

A. Review of the status of pending cases which were registered in Year 2012

B. Following cases have been considered and the details of the receipt of the additional information from PP are as follows :-

S No	Case No.	No. & date of SEIAA meeting in which add. information was asked	Date of issue of minutes of SEIAA meeting	Date of Rcpt. of last inform.
1.	774/2012	134 <sup>th</sup> SEIAA meeting dtd 28.05.2013	04.06.2013	15.07.2013
2.	1170/2013	139 <sup>th</sup> SEIAA meeting dtd 27.06.2013	04.07.2013	23.07.2013

C. Representation from PP


S No	Case No.	Date of Rcpt. of PP letter
1.	45/2008	17.07.2013
2.	49/2008	03.07.2013


A. Review of the status of pending cases which were registered in Year 2012.


- (1). The total cases registered in the year 2012 were 403. These cases were examined by the Officers working in the SEIAA and they have found that still some cases are pending for a decision to grant prior EC and till date final decision has not been taken. The breakup of the total cases as per the office records is given below :-

### Status of the Cases Registered In the Year 2012

1.	Total No. of cases	403 (S. No. 660 to 1062)
a.	Minor mineral	284
b.	Case other than minor mineral	119

  
 (Manohar Dubey)  
 Member Secretary

  
 (M. Hashim)  
 Member

  
 (Amar Singh)  
 Chairman



## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

<b>2.</b>	<b>Cases in which EC granted (total)</b>	<b>98</b>
a.	Major Mineral	00
b.	Minor Mineral	84
c.	Other than mining	14
<b>3.</b>	<b>Cases closed / delisted / rejected (total)</b>	<b>08</b>
a.	Major Mineral	2
b.	Minor Mineral	4
c.	Other than mining	2
<b>4.</b>	<b>Pending cases</b>	<b>101</b>


(i). Breakup of **101** Pending Cases According to Items as per Schedule of EIA Notification 2006 is as below:


S. No.	Item No. as per schedule	No. of Cases
1	1(a)	55
2	1(c)	16
3	5(a)	06
4	5 (f)	05
5	6 (b)	01
6	8(a)	16
7	8 (b)	02
	<b>Total</b>	<b>101</b>


(ii). Details of pending cases are as follows.

### Details of Pending Cases

S. No.	Pending at	Mining Cases	Cases Other than Mining	Total
1.	SEAC level	55	38	93
2.	SEIAA level	0	08	08
	<b>Total</b>	<b>55</b>	<b>46</b>	<b>101</b>

  
**(Manohar Dubey)**  
 Member Secretary

  
**(M. Hashim)**  
 Member

  
**(Amar Singh)**  
 Chairman



## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

### (2). Pending Cases – Mining


Out of 55 pending cases of mining projects only 21 cases, as given below in the list, were reviewed in this meeting. While remaining 34 cases will be reviewed in the next meeting.

#### The following decisions have been taken:

- (i). Out of 55 cases the remaining 34 cases in which ToR have been issued in time and are under consideration in SEAC will be reviewed in the next meeting.
- (ii). It is noted that there are some cases of Major Minerals having mining lease area less than 5 ha. It is decided that these cases should be placed before SEIAA in next meeting for review in respect of MoEF, OM dated 18.05.2012, and the EIA Notification dtd 14.09.2006 issued by the Ministry of Environment & Forest Govt. of India.
- (iii). Regarding 21 cases, mentioned in the list given below, following decisions have been taken.
  - a. **Regarding Case No. 661 and case No. 710 (Sr. No. 1 and 5 of the list) :** It was noted that the case were sent to the SEAC vide No. 884 dated 02.01.2012 and vide No. 410 dated 22.06.2012 respectively but the ToR has not been issued till yet, while at Para No. 7 : **Stages in the Prior Environmental Clearance (EC) Process for New projects** and subsequent sub Para (ii) of II (**Scoping**) of EIA Notification 2006, it is mentioned as follows :-  
*.....The Terms of Reference (TOR) shall be conveyed to the applicant by the Expert Appraisal Committee or State Level Expert Appraisal Committee as concerned within sixty days of the receipt of Form 1. ....If the Terms of Reference are not finalized and conveyed to the applicant **within sixty (60) days** of the receipt of Form 1, the Terms of Reference suggested by the applicant shall be deemed as the final Terms of Reference approved for the EIA studies.*  
**In the context of above it was decided to ask from the SEAC about the status of these cases.**
  - b. **Regarding Case No. 1008 and Case No. 1013 (Sr. No. 20 and 21 of the list) :-** It was noted seriously that the draft of ToR for these two cases were sent very late by the SEAC for approval to the SEIAA office. It was decided to write to SEAC that such delay in issuing the draft ToR should be avoided in future.
  - c. **Regarding Case No. 669, 670, 672, 885, 886, 1006 (Sr. No. 2, 3, 4, 17, 18 and 19 of the list) :-** It was observed that the SEAC took 4 to 7 months time to issue the ToR. It was decided to write to SEAC that such delay should be avoided in future and norms of EIA Notification 2006 should be adhered to.

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

- d. It was found that the cases Sr. No. 6 to 16 in the list below, having mining lease area less than 5 ha are Major Minerals and Granite & Marble Minerals (*mentioned in schedule-I of MP Minor Mineral Rule 1996*). It is decided to put-up all these cases separately in the next SEIAA meeting for review.

Cases of Mining Projects – Major Minerals and Marble & Granite , YEAR - 2012								
S. No.	Case No.	Cate gory	Name of Project Proponent (PP)	Type of Activity	Date of dispatch to SEAC	ToR issued on	Validity of ToR	
1	661/2012	1(a)	M/s Rajeev Chadha. Opp.G.S. College, Civil lines Jabalpur-M.P.	Iron ore/Blue dust, laterite & yellow ochre mine are 7.310 ha at village Gandhigram, Teh- Sihora Distt-Jabalpur M.P.	02.01.12	ToR not issued. PP absent.	.....	
2	669/2012	1(a)	M/s K.J.S Cement LtdNear Railway crossing NH-7, Maihar Distt-Stana-M.P.	Lime stone mine 45.888 ha. at village Bhatia, Teh-Maihar, Distt-Stana-M.P.	09.02.12	22.06.2012	21.06.2014	
3	670/2012	1(a)	M/s K.J.S Cement LtdNear Railway crossing NH-7, Maihar Distt-Stana-M.P.	Lime stone mine 7.102 ha. at village Barahia, Teh-Maihar, Distt-Stana-M.P.	09.02.12	22.06.2012	21.06.2014	
4	672/2012	1(a)	M/s Shri Prakash Sandhya S/o Shri RamdulareSandhiya R/o Nai Basti P.O & Distt-Katni-M.P.	Laterite & Fireclay Mine area 9.084 ha. at village Bichhia, Teh-Murwara, Distt-Katni-M.P.	29.02.12	18.07.2012	17.07.2014	
5	710/2012	1(a)	Silon Salaiya Pyrophyllite & Diaspore Mine by Khajuraho Minerals	Prior Environmental Clearance for expansion of the capacity from 20,000 TPA to 25,000 TPA for the Pyrophyllite & Diaspore Mine in an area of 5.00 ha at village SilonSalaiya, Tehsil - Rajnagar, District - Chhatarpur by M/s Khajuraho Minerals Pvt. Ltd.	22.06.12	ToR not issued. PP absent.	.....	
6	719/2012	1(a)	M/s Bahubali Marbles C/o Shri Yashwant Jain, 1280, Home Science College Road, Nepier Town, Jabalpur	Environmental Clearance for approval of 02.06 ha, Marble mine at Village-Chhapra, Tehsil-Bahoriband, Distt-Katni (M.P)	05.07.12	25.04.2013	24.04.2015	
7	729/2012	1(a)	M/s Ashwani DosajC/o Shri Sudhir Kumar Singh, Near Chhatarpur Bus Stand, Mohoba Road, Chhatarpur	Granite deposit mine area - 3.50 ha at Village - Vijaypur, Teh - Mohangarh, Dist - Tikamgarh	20.07.12	25.04.2013	24.04.2015	

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

Cases of Mining Projects – Major Minerals and Marble & Granite , YEAR - 2012							
S. No.	Case No.	Category	Name of Project Proponent (PP)	Type of Activity	Date of dispatch to SEAC	ToR issued on	Validity of ToR
8	738/2012	1(a)	M/s Tejaswini Mining, C/o Shri K.P. Pathak, 16 Sarada Bazar, Jabalpur	Marble mine - 3.91 ha at Village - Chhatarpur, Teh - Bahoriband, Dist - Katni, MP	24.07.12	25.04.2013	24.04.2015
9	764/2012	1(a)	Dhamki Laterite, Manganese & Iron ore M/S Shobha Mineral 765, Napier Town, Jabalpur, M.P., PIN-482001.	Environment Clearance for Dhamki Laterite, Manganese & Iron Ore, (production capacity expansion from 49375 to 80000 TPA), lease area (3.60 Ha) M/s. Shobha Minerals at Village Dhamki, Tehsil – Sihora, Dist Jabalpur (M.P.)	06.08.12	25.04.2013	24.04.2015
10	780/2012	1(a)	M/s Jatashankar Marble Pvt. Ltd., Ganesh Villa, House No. 153, Sector 46 NIT, Faridabad (Haryana) Pin- 121001	Environmental Clearance for our Labraha Granite Mine of 2.922 hectare on Khasra No. 1480, village Labraha Tehsil: Chandla Distt. Chhatarpur (M. P.) Capacity: 18000 ton/year.	16.08.2012	25.04.2013	24.04.2015
11	783/2012	1(a)	Govindraj S/O Shri T R Ayyiav, Bijoli, Teh & Dist. Jhansi , U.P. Tikamgarh, M.P.	Environment Clearance for Approval of 03.500 Hectares Granite Stone Quarry at Vill. VIJAYPUR, TEH.- MOHAN GARH, Dist.- TIKAMGARH	16.08.2012	25.04.2013	24.04.2015
12	789/2012	1(a)	Shri Govindraj, Vijaypur Madkhera Granite Deposit, Bijoli, Tehsil & District - Jhansi	Environment Clearance for 0.250 hectare Granite stone quarry at village-Vijaypur, Tehsil-Mohangarh, Dist.- Tikamgarh (MP)	17.08.12	25.04.2013	24.04.2015
13	792/2012	1(a)	M/S RMG Super Mines Pvt. Ltd., 33, Jagran Bhawan, Press Complex, M.P. Nagar, Bhopal-462011.	Dhamdha Iron Ore, Laterite, Clay & Ochre Deposit (production capacity - 75241TPA), lease area (4.54 Ha) M/s. RMG Super Mines Pvt. Ltd at Village Dhamdha, Tehsil – Sihora, Dist Jabalpur	17.08.12	25.04.2013	24.04.2015
14	808/		M/s Swastik Enterprises 117/P/16,	Granite quarry of 3.836 hectare at	22.08.12	25.04.2013	24.04.2015

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

Cases of Mining Projects – Major Minerals and Marble & Granite , YEAR - 2012							
S. No.	Case No.	Category	Name of Project Proponent (PP)	Type of Activity	Date of dispatch to SEAC	ToR issued on	Validity of ToR
	2012		Kakadev Kanpur (UP)	village Malka Tehsil Nowgaon District Chhatarpur			
15	821/2012	1(a)	Shri Arun Kumar Dongsare, Budhwari Bazar, Narmdajee Ward, Mandla	1.40 ha Kakaiya Dolomite mine (6712 MTPA) at village Kakiya, Tehsil – Bichiya Dist. Mandla	29.08.12	PP has applied for expansion of production capacity from 6712 MTPA to 92316 MTPA. PP's application sent to SEAC on 16.01.2013. Presented in SEAC meeting dtd. 29.08.2013. ToR shortly to be issued.	.....
16	824/2012	1(a)	M/s Eastern Minerals Regd. 35, Vivekanand Marg, Cantonment Jhansi(U.P.)	Eastern Minerals Garhi Pyrophyllite & Diaspoer Mine of 4.272 hectare on khasra no. 132, 133, 135, 130 & 131/2 village Garhi Tehsil Nowgaon Distt. Chhatarpur	30.08.12	25.04.2013	24.04.2015

  
**(Manohar Dubey)**  
 Member Secretary

  
**(M. Hashim)**  
 Member

  
**(Amar Singh)**  
 Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

Cases of Mining Projects – Major Minerals and Marble & Granite , YEAR - 2012							
S. No.	Case No.	Category	Name of Project Proponent (PP)	Type of Activity	Date of dispatch to SEAC	ToR issued on	Validity of ToR
17	885/2012	1(a)	M/s Fortune Stones Ltd, 11, Banglow No-2, Loknathpurm, Sagar Road, Chhatarpur. 471001	Environmental Clearance for the Granite deposit quarry (6.00 Hect quarry) is located at village – Kathara, Tehsil - Lovekush Nagar, Chhatarpur District (MP).	18.10.12	30.07.2013	29.07.2015
18	886/2012	1(a)	M/s Fortune Stones Ltd, 11, Banglow No-2, Loknathpurm, Sagar Road, Chhatarpur. 471001	Environmental Clearance for the Granite deposit quarry (21.736 Hect quarry lease area) is located at village – Kathara, Tehsil - Lovekush Nagar, Chhatarpur District (MP).	18.10.12	30.07.2013	29.07.2015
19	1006/2012	1(a)	M/s Saturn Ferro Alloys (P) Ltd. 11, Anupam Nagar, Raiput (CG)	Environmental Clearance for Jagantola Manganese Ore Mines - 5.73 Hectare at Village : Jagantola, Tehsil : Baihar, District : Balaghat	18.10.12	09.05.2013	08.05.2015
20	1008/2012	1(a)	Dr. Om Prakash Rai, Katni Road , P.O.- Maihar, Distt-Satna (M.P.), Pin- 485 771	Environment Clearance for approval of 8.094 Hectares Limestone mine at Vill.- Pahari, Teh. Maihar, Dist.-Satna (M.P.).	26.12.12	Recently draft ToR received from SEAC for approval from SEIAA.	.....
21	1013/2012	1(a)	Dr. Om Prakash Rai, Katni Road , P.O.- Maihar, Distt-Satna (M.P.), Pin- 485 771	Environment Clearance for approval of 6.543 Hectares Limestone mine at Vill.- Pahari, Teh. Maihar, Dist.-Satna (M.P.).	26.12.12	Recently draft ToR received from SEAC for approval from SEIAA.	.....

  
**(Manohar Dubey)**  
 Member Secretary

  
**(M. Hashim)**  
 Member

  
**(Amar Singh)**  
 Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

### (3). Pending Cases other than mining

- (i). It has been informed by the SEIAA office that **62** (sixty two) cases of category other than mining were registered in 2012. Out of these in fourteen (14) cases EC has been issued while two (2) cases have been closed and forty six (46) are pending.
- (ii). It is noted that following **38 (thirty eight)** are pending at SEAC. The list of these cases along with details is given below.

### LIST OF CASES OTHER THAN MINING [2012] – PENDING AT SEAC

S. No	Case No.	Category	Name of Project Proponent (PP)	Project / Activity	Date of rec. in SEIAA	sent to SEAC	Date of issue of ToR	Validity of ToR	EIA report rec. / sent to SEAC	SEAC query	Status	Response
1.	665/2012	8(b)	Shri B M Agarwal Sr. Consultant SADA (Special Area Development Authority Counter Magnet) 12, city centre, Gwalior -474001	Township project 805 ha. at village sojna, Tighra, Kaitha, Kulaith, Teh & Distt. Gwalior-M.P.	19.12.11	12.01.12	18.04.12.	17.04.14	Received on 17.10.12 & sent to SEAC on 29.11.12.	111 <sup>th</sup> mtg. 06.12.12 – add. inf. PP and site visit	Inf. Not submitted by PP	
2.	666/2012	5(a)	M/s Khaitan Chemicals & Fertilizers Ltd 3 <sup>rd</sup> floor, Apolo Arcade ½ Old Palasia, A.B Road, Indore-452 018	2 x400 (800) MTPD capacity Granulation plant for single super phosphate at village Nimrani-Teh-Kasrawad, Distt-Khargone	31.12.12	12.01.12	Letter sent to SEAC on 12-01-12 for ToR. ToR not issued	-	-	-	No response from PP. Again applied case no. 819/2012	-
3.	673/2012	1(c)	Chief Engineer, Chambal Betwa Basin Water Resources Deptt. Bhopal	Ghogra Medium Tank Project (Main dam)	23.02.12	05.03.12			13-06-13 & sent to SEAC on 20-06-13.		As per 92 <sup>nd</sup> SEAC mtg. 09.04.12 – SEAC has recommended that the project is linked with case no. 674 and is of A category as kheoni sanctuary is 8.75 km .	

  
(Manohar Dubey)  
Member Secretary


  
(M. Hashim)  
Member


  
(Amar Singh)  
Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

4.	674/2012	1(c)	Chief Engineer Chambal Betwa Basin Water Resources Deptt. Bhopal	Ghogra Complex (Medium) Irrigation project -Ghogra feeder Teh-Nasruliganj, Sehore, MP	23.02.12	05.03.12					As per 92 <sup>nd</sup> SEAC mtg. 09.04.12 –SEAC has recommended that the project is linked with case no. 673 & 675 and is of A category as Kheoni sanctuary is 8.75 km .	
5.	675/2012	1(c)	Engineer in Chief Deptt. of Water Resources Tulsinagar, Bhopal-M.P	Ghogra Complex (Medium) Irrigation Project , Upper Ghogra Tank, Tehsil Narsullaganj, District Sehore, MP	23.02.12	05.03.12	Letter sent to SEAC on 15.06.12 for ToR. ToR not issued		-	As per 92 <sup>nd</sup> SEAC mtg. 09.04.12 – SEAC has recommended that the Kheoni sanctuary is 8.75 km. Hence project is of A category and decided to return the case to SEIAA.	SEAC has neither sent a letter nor the file to SEIAA.	Vide letter dtd 24.05.12 PP has informed that it is category a project (sanctuary 8.7 km). Presently may be dropped
6.	677/2012	5(a)	Shri Manoj Agrawal, MD M/s JMD Fertilizers Pvt. Ltd. Brajdham Colony Indore Road, Harda, MP-461331	Single Super Phosphate 400 TPD at village Attarsama Teh-Harda, Distt-Harda, MP	22.02.12	05.03.12	06.06.12.	05.06.14	Public hearing rec. on 15.04.13 sent to SEAC 27.04.13 EIA not submitted	-	EIA not submitted	
7.	682/2012	8(a)	M/s Jitesh Estate Pvt Ltd, Bhopal 141 City Trade Centre Malviya Nagar, Bhopal	Vishnu Hieghts at Bawadia Kala, Teh-Huzur Distt-Bhopal	25.02.12	16.03.12	N. A.	N. A.	N.A.	97 <sup>th</sup> mtg. 24.06.12. Add. Inf. from PP.	-	No response from PP.
8.	686/2012	1(c)	Executive Engineer Water Resources Div. Panna, M.P.	Patne Medium Irrigation Project at village Hada, Teh-Pawai, Distt-Panna	20.03.12	29.03.12	08.05.12 & 22.06.12 (additional) ToR	21.06.14	EIA Not submitted			

  
**(Manohar Dubey)**  
 Member Secretary


  
**(M. Hashim)**  
 Member


  
 10.9.13  
**(Amar Singh)**  
 Chairman




### Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

9.	687/ 2012	1(c)	Executive Engineer Water Resources Div. Panna-M.P.	Runj Medium Irrigation Project, Panna at village Viashramganj, Teh- Ajaygarh Distt-Panna- M.P.	20.03.12	29.03.12	08.05.12 & 22.06.12 (additional) ToR	21.06.14	EIA Not submitted			
10.	688/ 2012	1(c)	Executive Engineer Water Resources Div. Panna-M.P.	Pawai Medium Irrigation Project, Panna at village Pandheria, Teh- Shahnagar, Distt- Panna-M.P.	20.03.12	29.03.12	08.05.12 & 22.06.12 (additional) ToR	21.06.14	EIA Not submitted			
11.	689/ 2012	1 (c)	Chief Engineer Chambal, Betwa basin Water Resource Deptt., Bhopal	Semri Medium Irrigation Project at village Markheda, Tappa Teh- Begamganj, Distt- Raisen	20.03.12	11.04.12	20.06.12	19.06.14	EIA rec. on 14.08.13 sent to SEAC 23.08.13		Under process in SEAC	
12.	691/ 2012	1(c)	SE MPC (Bodhi) Water Resource Department Dam Safety Building Tulsinagar, Bhopal	Majhagaon medium irrigation project at village Majhagaon, Teh-Ajaygarh, Distt- Panna	23.03.12	11.04.12				94 <sup>th</sup> SEAC mtg. dtd 07.05.12. The PP has dropped the projects at present, thus it may kept on hold till further communication. Committee decided to keep the case on hold till next meeting. If proponent does not respond before the next meeting the project may be returned to SEIAA.	However SEAC has not returned the case yet.	

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
10.9.13  
(Amar Singh)  
Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

13.	692/ 2012	1(c)	EE Survey and Investigation Division, Water Resource Deptt. Tikamgarh	Ganeshpura pickup weir irrigation project at village Pacher, Teh-Khargapur Distt-Tikamgarh	19.03.12	11.04.12	20.06.12	19.06.14	Not submitted	-		
14.	693/ 2012	1(c)	EE Water Resource Deptt Chhindwara	Mohgaon Medium Irrigation Project at village Bhumna, Teh-Sausar, Distt-Chhindwara	16.03.12	11.04.12	20.06.12	19.06.14	Not submitted			
15.	696/ 2012	5(a)	M/s Bharat Phosphates & Chemicals (P) Ltd. Mr Ashok Chatterjee, Director 210 Ratnamani Complex, 7/1, New Palasia, Indore-M.P.	Manufacturing of SSP /GSSP production capacity 1000 TPD at Khasra No 455/2, Industrial area A B road Nirmani, Khargone-M.P.	05.04.12	18.04.12	04.08.12	03.08.14	Not submitted			
16.	697/ 2012	1(c)	Executive Engineer Water Resource Deptt. Div. Seoni, MP	Kachnamandi (Medium) irrigation project (Main Dam at Sathakala Teh-Barghat, Distt-Seoni)	30.03.12	18.04.12	Letter sent to SEAC on 18-04-12 for ToR. ToR not issued			As per 94 <sup>th</sup> mtg. dtd 07.05.12 PP has informed that the department has dropped the projects at present, thus it may be kept on hold till further communication from the department. Committee decided to keep the case on hold till next	SEAC has neither sent a letter nor the file to SEIAA.	

  
**(Manohar Dubey)**  
 Member Secretary


  
**(M. Hashim)**  
 Member


  
**(Amar Singh)**  
 Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

										meeting. If proponent does not respond before the next meeting the project may be returned to SEIAA		
17.	698/2012	1(c)	E-in-C, WRD Tulsi nagar, Bhopal Chief Engineer Dhasan ken Basin Water REsource Deptt. Sagar-M.P.	Puncham Nagar Medium Project at village pagara, Teh-Banda, Distt-Sagar-M.P.	28.03.12	18.04.12	20.06.12	19.06.14	Not submitted			
18.	699/2012	1(c)	EE, Water Resource Deptt Shivpuri-M.P.	Mahwar Medium Irrigation Project at village Nawli, Teh-Picchore, Distt-Shivpuri-M.P.	28.03.12	18.04.12	20.06.12	19.06.14	Not submitted			
19.	700/2012	1(c)	E E, Water Resource Department Dewas MP.	Datuni Medium Irrigation Project at village Sukhlia Teh-Kannod, Distt-Dewas	12.04.12	19.04.12	20.06.12	19.06.14	EIA/EMP report received on 16-07-13 & sent to SEAC on 22.07.13.		Under process in SEAC.	
20.	701/2012	1(c)	Chief Engineer Yamuna Basin, Water resources Deptt. Gwalior-M.P.	Chetikheda medium irrigation project (Kanwari Bandh) at village Arrood, Teh-Vijaypur, Distt-Sheopur-M.P.	03.04.12	19.04.12	20.06.12	19.06.14	Not submitted			

  
**(Manohar Dubey)**  
 Member Secretary


  
**(M. Hashim)**  
 Member

  
**(Amar Singh)**  
 Chairman




### Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

21.	702/2012	8(a)	M/s D.B. Infrastructure Pvt Ltd C/o D B City (Real Estate Div.) 5 <sup>th</sup> Floor D B Mall, Arera Hills, Bhopal	Proposed Residential Township project at Talawali Chanda, Teh. & Distt. Indore, MP	11.04.12	25.04.12	N. A.	N. A.	N.A.	95 <sup>th</sup> SEAC mtg. dtd 08.05.12 Add. inf. -	Under process in SEAC.	No response from PP.
22.	704/2012	5(f)	M/s Impress Chemicals Pvt. Ltd. RH-24, Scheme No. - 54, Vijay Nagar, Indore (M.P.)	Proposed Drug Manufacturing unit at Pithampur Industrial Area, Dist. - Dhar, M.P.	24.04.12	02.05.12	04.08.12	03.08.14	Not submitted			
23.	714/2012	6(b)	M/s Indian Oil Corporation Ltd, MP State Office, 16, Arera Hills, Bhopal	Development of additional Tankage for MS and ATF and tank and truck loading facility at existing terminal of IOCL at Vi Bangrod Tehsil & Dist Ratlam	08.06.12	04.07.12	25.09.12	24.09.14		The PP has requested vide letter rec. in SEIAA 29-06-13 for Public Hearing exemption. Letter sent to SEAC on 06.07.13.	Under process in SEAC	
24.	716/2012	1(c)	Chief Engineer, Rani Avanti Bai Lodhi Sagar Project, Bargi Hills, Jabalpur, MP	Upper Burhner Medium Irrigation Project, Village - Divri Dadar, Teh - Bichia, Dist - Mandla, MP	14.06.12	05.07.12	25.09.12	24.09.14	EIA not submitted			
25.	727/2012	5 (f)	M/s RSPL Ltd., 109/366, R.K. Nagar, GT Road, Kanpur	Optical Brightener at Plot No. 42-46 & 49-53, MPAKVN Sector - K, Sidhgawan Growth Center, Sagar, MP	05.06.12	20.07.12	101 <sup>st</sup> SEAC mtg. 22.08.12 for ToR. ToR not issued.			For ToR land details Consultant not qualified Integration of all units.	PP has requested letter dtd 08.04.13 for getting extension for presentation date. The letter sent to SEAC on 25-04-13.	No response from PP.

  
**(Manohar Dubey)**  
 Member Secretary


  
**(M. Hashim)**  
 Member


  
 10.9.13  
**(Amar Singh)**  
 Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

26.	730/ 2012	8(b)	M/s AR Infrastructure Pvt. Ltd., Indra Prakash Building, 21, Barakhamba Road, New Delhi	Group Housing Project at Village - Moja Talavali Chanda, Teh & Dist - Indore	29.06.12	20.07.12	11.03.13	10.03.15	22.08.13 & sent to SEAC on 29.08.13		EIS sent to SEAC on 29.08.13	
27.	734/ 2012	5(a)	M/s Khaitan Chemicals & Fertilizers Ltd., 301-308, Apollo Arcade, 3rd Floor, 1/2 Old Parasia, Indore	Single Super Phosphate - 4.0 lac TPA ( 2 x 600 TPD) Fertilizer unit SSP, GSSP- 4.0 lac TPA ( 3 x 400 TPD), Sulphuric Acid - 1.65 lac TPA (500 TPD) & 5 MW Captive Power Unit Village - Gudaholla, Dist Neemuch, MP	09.07.12	31.07.12	01.10.12	30.09.14	not submitted		EIA not submitted	
28.	817/ 2012	8(a)	M/s Dwarkadheesh Haveli Builders, Dwarkadham, Karod-Gandhi Nagar by pass road, Badwai, Bhopal,	Dwarkadham Project at village Badwai Tehsil Huzur District Bhopal	16.08.12	29.08.12	N. A.	N. A.	N. A.	104 <sup>th</sup> mtg. 30.09.12 - land owned by several. Joint venture agreement.	Under SEAC	No response from PP
29.	818/ 2012	8 (a)	M/s Himanshu Infrastructure Pvt. Ltd. through Director Mr. Mahesh Manwani, A2, 2 <sup>nd</sup> Floor, above Metro Shoes, Ravishankar Market, Bhopal	Proposed Alpine Greenage at village Gehukheda, Tehsil Huzur, District Bhopal	17.08.12	29.08.12	N. A.	N. A.	N. A.	104 <sup>th</sup> mtg. 30.09.12 - land not transferred to PP	Under consideration in SEAC.	No response from PP.
30.	819/ 2012	5 (a)	M/s Khaitan Chemicals & Fertilizers Limited, A. B. Road, Nimrani, Tehsil Kasrawad, District Khargone- 451-569, Madhya Pradesh	Expansion of 4.0 lacs TPA (2 x 600 TPD) Single Super Phosphate & 6.60 lacs TPA (5 x 400 TPD) Granulated Single Super	21.08.12	29.08.12	11.12.12	10.12.14	EIA not submitted	-	EIA not submitted	

  
**(Manohar Dubey)**  
 Member Secretary


  
**(M. Hashim)**  
 Member

  
**(Amar Singh)**  
 Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

				Phosphate Plant at village Nirmani District Khargone, MP								
31.	820/2012	8(a)	Naman Equipments & Construction (India) Pvt. Ltd., 115 Diamond Trade Centre, Diamond Colony, Indore	Residential and Commercial project "Nariman Point" at village Pipliya Kumar Tehsil & District Indore (MP).- 452022	28.08.12	31.08.12	N. A.	N. A.	N. A.	104 <sup>th</sup> mtg. 30.09.12- Add. Inf. Details of – land ownership documents MSW storage facility Water supply NOC Ground water recharge STP details, etc.		No response from PP.
32.	839/2012	8(a)	M/s. Shri Aurobindo Institute of Medical Science, Indore-Ujjain State Highway, Gram-Bhanwrasla, Tehsil-Sanwer, District Indore (MP)	Expansion of Hospital & Institute of Medical Science (SAIMS) at village Bhanwrasla, Tehsil-Sanwer, District Indore (MP)	16.08.12 10.01.13 (revised from)	07.09.12 16.01.13 (revised from)	N. A.	N. A.	N.A.	106 <sup>th</sup> dtd 10.10.12 violation case Site visit by SEAC. 119 <sup>th</sup> mtg dtd 02.02.13 site visited clear violation. PP submitted revised proposal. PP to submit resolution. SEIAA may take decision.	Neither file nor case sent to SEIAA.	PP has submitted revised resolution (violation case) on 04.05.13 & sent to SEAC on 30-05-13
33.	889/2012	8(a)	Jabalpur Development Authority through Shri Manoj Kumar Director OASIS Builders Pvt. Ltd. Muskan Plaza, MR-4 Road, Shatabdipuram, Jabalpur (MP)	Residential Project "Muskan Green" at MR-4, Shatabdipuram, J.D.A. Scheme no. 11/C" Lakshmipur, Teh. & Dist. Jabalpur	22.10.12	06.11.12	N. A.	N. A.	N.A.	111 <sup>th</sup> SEAC mtg. PP absent. 119 <sup>th</sup> mtg. 02.02.12 – Add. Inf. Agreement between		No response

  
**(Manohar Dubey)**  
 Member Secretary


  
**(M. Hashim)**  
 Member


  
**(Amar Singh)**  
 Chairman




### Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

				(MP)						builder JDA Copy of registration issued to developer. NOC for MSW disposal Disposal of extra treated sewage. Fire fighting emergency plan etc.		
34.	941/ 2012	5(f)	M/s Yarrow Pharmaceuticals Pvt. Ltd, B-201, Ivory, Tower, Sector 70, S.A.S. Nagar , Mohali Punjab-160071	Environment Clearance for approval of M/s Yarrow Pharmaceuticals Pvt. Ltd, P-26 to P -32, industrial Estate, Ghirongi, (Malanpur), Tehsil Gohat, Distt Bhind -477177	01.11.12	20.11.12	ToR not issued		-	For ToR 116 <sup>th</sup> dtd 15.01.12, 119 <sup>th</sup> dtd 02.02.13 124 <sup>th</sup> SEAC mtg. dtd 13.03.13 – PP absent.		PP absent.
35.	942/ 2012	8(a)	Shrimal Builders Private Ltd. 2 <sup>nd</sup> Floor, Badsha Plaza, Right Town, Jabalpur(MP) - 482002	Multi building Residential project at Gourighat Road, Jabalpur	03.11.12	21.11.12	N. A.	N. A.	N. A.	116 <sup>th</sup> mtg. dtd 15.01.12 Add. Inf. NOC water supply & discharge of waste water Traffic plan Details of protective barrier along the river. Layout of play ground Affidavit no GW will be used.		No response from PP

  
(Manohar Dubey)  
Member Secretary


  
(M. Hashim)  
Member


  
(Amar Singh)  
Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

36.	970/ 2012	5(f)	M/s Lupin Limited, Plot No. 198-202, New Industrial Area no. 2, Mandideep, District Raisen, MP	Capacity Enhancement for some of our Existing Products and Inclusion of some New products.	05.11.12	04.12.12	05.03.13	04.03.15	Not submitted			
37.	972/ 2012	5(a)	Narmada Bio-Fuels Pvt. Ltd, 16/1 Shakti Appts, Old Palasia, -Pin code 452008 Indore	Single Super Phosphate (SSP) 600 MT/D (2.0 lac MT / year) partially to be converted to GSSP Fertilizer Plant at Village Nihali, Dist - Barwani (M.P.)	23.11.12	06.12.12	11.03.13	10.03.15	P.H. sent on 29.06.13 & EIA on 06.07.13	-	Under process in SEAC.	
38.	1037/ 2012	8(a)	M/s. Urbis Developers Pvt. Ltd. 39 Alkapuri, Behind New High Court, City Center, Gwalior (M.P.) - 474001	"Royale Enclave" High Rise Residential Project at Village Ohadpur, Tehsil & Dist.Gwalior (M.P.)	14.12.12	29.12.12	N. A.	N. A.	N. A.	115 <sup>th</sup> mtg. 05.01.13 PP absent. 116 <sup>th</sup> mtg. dtd 15.01.13 Add. Inf. Copy of application of water supply Copy of compensation of EWS. Location of play ground Location of STP and MSW sites.		No response from PP.

  
**(Manohar Dubey)**  
 Member Secretary

  
**(M. Hashim)**  
 Member

  
**(Amar Singh)**  
 Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

(iii). The above cases were examined by the Authority and it is decided that :-

- A. In case no. 666/2012 (5 (a)), 727/2012 & 941/2012 (5 (f)) ToR have not been issued till date, it is observed that as per EIA Notification dtd 14.09.2006 issued by Ministry of Environment & Forest, Govt. of India Para 7 (Stages in the prior Environmental Clearance (EC) process for new projects) and subsequent sub-Para (ii) of II. Stage (2) - Scoping: it is mentioned that *"The Terms of Reference (TOR) shall be conveyed to the applicant by the Expert Appraisal Committee or State Level Expert Appraisal Committee as concerned within sixty days of the receipt of Form 1. In the case of Category A Hydroelectric projects Item 1(c) (i) of the Schedule the Terms of Reference shall be conveyed along with the clearance for pre-construction activities. If the Terms of Reference are not finalized and conveyed to the applicant within sixty days of the receipt of Form 1, the Terms of Reference suggested by the applicant shall be deemed as the final Terms of Reference approved for the EIA studies. The approved Terms of Reference shall be displayed on the website of the Ministry of Environment and Forests and the concerned State Level Environment Impact Assessment Authority."*
- B. In case no. 665/2012 (8 (b)), the EIA report has been sent to SEAC on 29.11.12 and as per 111<sup>th</sup> SEAC meeting dtd 06.12.12 additional information has been asked from PP and also site visit is proposed by the Committee. It is noted that a period of about eight months has passed and no recommendation has been received from SEAC
- C. In case nos. 682/2012, 702/2012, 817/2012, 818/2012, 820/2012, 839/2012, 889/2012, 942/2012, 1037/2012 (all 8 (a)) it is observed that SEAC has not taken any decision regarding recommendation / rejection even after a time period more than six months, while as per Para 7 stages in the prior Environmental Clearance (EC) process for new projects and subsequent sub-para (iii) of IV stage (4) – Appraisal it is mentioned that *"The appraisal of an application shall be completed by the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned within sixty days of the receipt of the final Environment Impact Assessment report and other documents or the receipt of Form-1 and Form-1 A, where public consultation is not necessary and the recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee shall be placed before the competent authority for a final decision within the next fifteen days...."*
- D. Hence it is decided that in all the cases mentioned in point no. A, B & C above, a letter should be sent to SEAC to submit the status / recommendation on following points :-
- (a). If the cases which are pending for want of information at PP level then recommendation to de-list the case as per MoEF, GoI, O.M. No. J-11013/5/2009-IA-II(Part) dtd. 30<sup>th</sup> October, 2012.

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman



## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

(b). If relevant information has been submitted by the PP the case should immediately be appraised and recommendation should be sent to SEIAA accordingly.

E. In case no. 673/2012, 674/2012 and 675/2012 (1(c)) it is noted that PP vide letter no. 3441792/07 dtd 24.05.12 has accepted that the Kheoni sanctuary of Dewas District is located at distance of 8.75 km. As per the recommendation of SEAC in 92<sup>nd</sup> meeting dtd 09.04.12 the project 674/2012 falls at a distance of 8.75 km from the Kheoni sanctuary it is classified under category "A" and is beyond the scope of MP-SEAC. Since all the three projects are interlinked they cannot be treated as independent projects. Hence, since the general condition is attracted, **it is decided that for want of jurisdiction these three cases should be closed.**

F. In case no. 686/2012, 687/2012, 688/2012, , 692/2012, 693/2012, 698/2012, 699/2012, 701/2012, 716/2012 (1(c)), 677/2012, 696/2012, 734/2012, 819/2012 (5(a)), 704/2012, 970/2012 (5(f)), 714/2012 (6 (b)) the ToR have been issued and EIA reports have not been submitted by PP. **It is noted that the validity of ToR is within the time limit.**


G. In case no. 691/2012 & 697/2012 (1 (c)), it is noted that as per 94<sup>th</sup> SEAC mtg. dtd 07.05.12 "*It was informed by the proponent that the department has dropped the projects at present, thus it may be kept on hold till further communication from the department. Committee decided to keep the case on hold till next meeting. If proponent does not respond before the next meeting the project may be returned to SEIAA*". It is noted that neither SEAC has sent letter nor the case file to SEIAA till date. **It is decided that since more than one year has been passed a letter may be sent to PP to submit the status of the above cases and ask whether they should be dropped.**

H. It is noted that in case no. 689/2012, 700/2012 (1 (c)) & 730/2012 (8 (b)), 972/2012 (5 (a)), PP has submitted final EIA in July/ August, 2013 and the cases are under consideration in SEAC.

(iv). It is noted that following eight (08) cases are pending at SEIAA in which additional information is to be submitted. List of these cases with details is given below :-

LIST OF CASES OTHER THAN MINING [2012] - PENDING AT SEIAA										
S. No	Case No.	Cate gory	Name of Project Proponent (PP)	Project / Activity	Date of rec. in SEIAA	sent to SEAC	SEAC recommendation	Last SEIAA meeting	Desired Information	Response
1.	667/2012	8(a)	M/s Prabhatam Infrastructure Ltd Rastriya tower 38,Rani Jhansi Road, New Delhi-55	Prabhatam heights group Hosing Project at village-Hataikhera, Raisen Road Bhopal	12.01.12	09.02.12	103 <sup>rd</sup> SEAC mtg. 12.09.12- EC recommended	141 <sup>st</sup> dtd 11.07.13	MS, MPPCB to ascertain the quantur of construction TL 31.08.13.	

  
(Manohar Dubey)  
Member Secretary


  
(M. Hashim)  
Member


  
10.9.13  
(Amar Singh)  
Chairman



### Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

2.	685/ 2012	8(a)	Shri Manoj Jain Partner Global properties Air port by pass road, near RGVP Bhopal-M.P.	Shopping mall Maple High street Khasra no 367, 374, 386/1 at village Bawadia Kalan, Teh-Huzur, Distt- Bhopal-M.P.	19.03.12	27.03.12	121 <sup>st</sup> dtd 28.02.13 – EC recommended	140 <sup>th</sup> mtg. dtd 04.07.13	NOC for discharge of waste water. Fire fighting NOC for plot no. 46 – TL 31.08.13	Not submitted yet.
3.	713/ 2012	5(f)	M/s TEVA API India Ltd. Plot No. Q1 to Q4, Ghirongi Industrial area Malanpur, Dist - Bhind	Expansion of Bulk Drugs Plot No. Q1, Q2, Q3, Q4 Ghirongi, Industrial Area, Malanpur, Bhind	21.06.12	05.07.12	125 <sup>th</sup> mtg. dtd 09.04.13- EC recommended	138 <sup>th</sup> mtg. 20.06.13- Report on compliance status of earlier EC Case returned to SEAC on 22.07.13 for comments on compliance report MPPCB regarding Notice served under Air & Water Acts. – TL 31.08.13		No response
4.	721/ 2012	8(a)	M/s Ashok Kashyap, Sr. GM, Khaneja Properties Pvt. Ltd., 56-58, Community Centre, Estate Kailash, New Delhi	Commercial project at Bairagarh Chichli, Kolar Road, Bhopal	14.06.12	07.07.12	98 <sup>th</sup> mtg. dtd 23.07.13- EC recommended	143 <sup>rd</sup> dtd 16.08.13	MS, MPPCB RO to ascertain the quantum of construction – TL 30.09.13	
5.	773/ 2012	8(a)	M/s Asnani Builder & Developers Ltd. through Shri Visan Asnani and Shri O.P. Kriplani, 17 Zone-II, MP Nagar, Bhopal	Residential Project at village Katara, Tehsil - Huzur, Bhopal	17.07.12	06.08.12	104 <sup>th</sup> mtg. dtd 30.09.12 – recommended for withdrawal as per PP request.	125 <sup>th</sup> mtg. dtd 09.04.13 PP is required to obtain EC. As the total built up area is 20,000 sqmt.		No response from PP.
6.	774/ 2012	8 (a)	M/s Shri Sai Buildinfra Pvt. Ltd., Indore through Director Shri Saifee Raja, 302-303, Sangam House, 14-B, Palasia, A. B. Road, Indore, MP	<b>Housing Project "Ras Town" at Village Talawali Chanda, Tehsil &amp; District Indore, MP</b>	10.07.12	06.08.12	111 <sup>th</sup> mtg. dtd 06.12.12 – EC recommended	134 <sup>th</sup> mtg. 28.05.13	NOC for water supply and MSW from MC, Indore. Fire NOC Linkage of extra treated water. TL 15.07.13	Vide letter dtd 13.07.13 PP has submitted the information. <b>Case included in agenda of 145<sup>th</sup> SEIAA mtg.</b>
7.	775/ 2012	8 (a)	Mr. Umesh Lilani, G-9 Man Developments, Man Heritage, 6/2	Construction of Proposed Residential Complex "Royal Amar Greens" at	12.07.12	06.08.12	119 <sup>th</sup> mtg. dtd 02.01.13 – EC recommended	141 <sup>st</sup> dtd 11.07.13	Letter to Commissioner, Municipal	PP vide letter dtd 25.08.13 has submitted :-

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member


  
(Amar Singh)  
Chairman




### Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

			South, Tukoganj, Indore (M.P.)	Village- Niranjanpur, District-Indore, M.P.					Corporation, Indore for certifying the :- ZO letter for waste water discharge, MSW, NOC for water supply etc. – TL 31.08.13	Certified copy of letter from Zonal Officer regarding discharge of waste water.  Letter from IMC regarding MSW  Copy of application to Collector for abstraction of ground water. <b>Case included in list of pending cases.</b>
8.	805/2012	8 (a)	M/s Salasar Balaji Real Infra 19, A Balwant Nagar, Thatipur, Gwalior (MP) -474011	Salasar Heights Residential Project at Village Ohadpur, Tehsil & District Gwalior	08.08.12	21.08.12	119 <sup>th</sup> mtg. dtd 02.02.13 – EC recommended	127 <sup>th</sup> mtg. dtd 22.04.13	Registered partnership deed NOC for discharge of treated waste water. NOC for MSW.	PP submitted information on 29.08.13. <b>Included in the list of pending cases.</b>

- (v). In case no. 667/2012, 685/2012, 713/2012 & 721/2012 information is yet to be received. The cases will be considered on receiving the requisite information.
- (vi). In case no. 773/2012 decision was taken in 125<sup>th</sup> SEIAA meeting dtd 09.04.2013 and it is recorded that *The Authority decided to reject the recommendation of 104<sup>th</sup> SEAC meeting dtd 30.09.12 to allow PP to withdraw the case. It was decided that PP should obtain prior EC as the total constructed area after completion of the project will be 1,44,000 sqmt. irrespective of the area being developed in phased manner by PP or the occupants of the plots*. Accordingly vide letter dtd 27.04.2013 PP has been informed. No response has been received from PP till date. It is decided that a letter should be written to MS-MPPCB, MS-SEAC, Commissioner Nagar, Nigam, Jt. Director Town & County Planning and all other concerned informing the decision of 125<sup>th</sup> SEIAA meeting dtd 09.04.13.
- (vii). It is noted that the case no. 774/2012, 775/2012, 805/2012, PP has submitted the information. Case No. 774/2012 is included in the agenda of this meeting while case 775/2012 & 805/2012 are included in the pending cases shall be considered on the basis of merit.

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman



## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013


4. It was also decided that the concerned PPs should be informed about those cases which are summarily closed / rejected. The copy of the letter should be endorsed to MS, MPPCB, MS, SEAC and all other concerned.
5. It was noted that papers / files of cases (673/2012, 674/2012, 675/2012) which are rejected / closed are in the office of SEAC. It was decided that they should be asked to return the concerned case files immediately.


### B. Cases related to additional information


- (1) **Case No. 774/2012**, Prior Environmental Clearance for Housing Project "Ras Town" at Khasra No. 20/8, 20/9, 20/10, 23/5, 23/6, Village Talawani Chanda, Tehsil & District Indore, MP total land area 36430 sqmt. (3.643 ha) total built up area 40349.88 sqmt. by M/s Shri Sai Buildinfra Pvt. Ltd., Indore 302-303, Sangam House, 14-B, Palasia, A. B. Road, Indore, MP.

1. The case was discussed in SEIAA meeting 134<sup>th</sup> dtd 28.05.2013 and it was recorded that .....

- (2) In response to the above queries PP (vide letter dtd 26.02.2013 received in SEIAA 26.02.13) submitted the reply and it is noted that :-
  - (a). The Municipal Boundary from project site is 3.5 k.m.
  - (b). The total water requirement is 634 KLD for the project and fresh water requirement is 400 KLD. The 393 KLD of treated waste water will be available from STP. Out of this 233.8 KLD water shall be recycled and use for horticulture and flushing. Regarding the issue of water supply submission of PP that project falls in Gram Panchyat area & it is 3.5 k.m. away from the Municipal Boundary it is not possible to connect water supply line to Municipal line for the project and fulfill the drinking water supply for ground water is not acceptable. It is decided that the entire fresh water requirement (400 KLD) for the project should be met through Indore Municipal water supply and there should be no extraction of ground water. **PP should submit NOC from Indore Municipal Corporation for supply of 400 KLD of water.**
  - (c). Regarding disposal of municipal solid waste PP has submitted copy of application (dtd. 17.09.12) submitted to Municipal Corporation, Indore. **It is decided that PP should submit clear NOC for disposal of MSW should be integrated with Municipal Corporation, Indore.**
  - (d). As per the office memorandum MoEF, Gol 21-270/2008-IA.III dtd 07.02.2012 for buildings having height between 15 to 30 m the internal road width within the campus should not be less than 15 m. The maximum height of the proposed building is 18 m. PP has proposed 15 m wide internal road within the campus for movement of fire fighting vehicles and is satisfactory.
  - (e). Regarding fire fighting NOC from Urban Administration Development Department, Bhopal (vide letter no. 3303 dtd 01.08.2012). **It is decided that PP should submit fire fighting NOC from Indore, Municipal Corporation.**
- (3) PP has provided rain water harvesting for roof top areas through percolation wells for artificial recharge of ground water and is satisfactory.
- (4) The total waste water generation is 435.47 KLD. PP has proposed STP capacity of 436 KLD. The 393 KLD of treated waste water (159 KLD) will be available from STP. Out of this 233.8 KLD treated water will be recycled in flushing and horticulture however there will be extra 159 KLD of treated waste water. **It is decided that the disposal of extra treated waste water should be linked with the municipal sewer line.**
- (5) PP has (vide letter dtd 24.11.12 to SEAC) proposed car parking space for 766 ECS which is sufficient as compared to MPBVR 2012 Rule No. 84 (1) Appendix-I-1 clause 1 (3) table according to which the parking requirement is 1 ECS @ 100 sqmt. built up area i.e.  $40349.88/100 = 404$  ECS.
- (6) It is decided that the PP should submit the information pertaining to point no. 5 (b, & e) by 15.07.2013. "

  
(Manohar Dubey)  
Member Secretary


  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman




## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

2. In response to the above query, reply submitted by PP (vide letter dtd 13.07.13 & 26.07.13 received in SEIAA office on 15.07.13 & 27.08.13 respectively) the case was discussed in depth and it is noted that :-
- (i) PP has submitted that project area falls in Gram Panchayat area and it is 3.5 km away from the municipal line. They have applied for 400 KLD of fresh water supply permission to Commissioner Indore Municipal Corporation vide letter dtd 09.02.2013 and has enclosed a copy of application. It is noted that the permission for water supply has not yet been issued to PP by the Indore Municipal Corporation. It is decided that :
    - a. A letter stating the details submitted by the PP should be written to Commissioner Municipal Corporation, Indore to submit the status or decision taken in the above case. A copy of this letter should be endorsed to PP.
    - b. PP should obtain NOC from Municipal Corporation, Indore for supply of 400 KLD fresh water before starting any construction activity and there should be no extraction of ground water. A copy of this letter should be endorsed to Commissioner Municipal Corporation, Indore.
  - (ii) PP has submitted that regarding disposal of municipal solid waste he has applied to Indore Municipal Corporation vide letter dtd 17.09.12 it is in process and shall be submitted to SEIAA office on receiving the same. **It is decided that PP should integrate the disposal of MSW with Indore Municipal Corporation and should obtain a clear NOC for MSW disposal before starting any construction activity. A copy of this letter should be endorsed to Commissioner Municipal Corporation, Indore.**
  - (iii) Regarding fire fighting NOC PP has submitted to consider the fire fighting NOC issued by UADD, Bhopal vide letter no. 3303 dtd 01.08.12 in view of notification of MP Govt. Housing and Environment Deptt. dtd 07.09.11. It is noted that PP has proposed to provide fire protection and life safety arrangements as per the prevailing local fire bye laws and National Building Code Part - IV 2005. PP has proposed automatic fire detection and alarm system, integrated public announcement system, fire hydrants, underground water storage tank 50,000 liter exclusively for fire protection. **It is decided that the fire fighting NOC issued by UADD dtd 01.08.12 in view of MoEF, Gol office Memorandum no. 21-270/2008-IA.III dtd 06.06.2013 is satisfactory.**
  - (iv) Regarding extra treated waste water PP has not responded in the above referred reply. However, vide letter dtd 22.05.13 received in SEIAA office on 23.05.13 PP submitted that the excess treated waste water (159 KLD) will be discharged in

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
10.9.13  
(Amar Singh)  
Chairman



## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013


nearby Nalla. This statement of PP is not accepted and It is decided that PP should apply to Municipal Corporation, Indore for linking the waste water discharge with the Municipal Corporation sewer line. PP should obtain clear NOC from Indore Municipal Corporation, for disposal of extra treated waste water (159 KLD). A copy of this letter should be endorsed to Commissioner Municipal Corporation, Indore.

(v) The above information should be submitted in SEIAA office latest by 31.10.2013.


(2) **Case No. 1170/2013** Prior Environmental Clearance for Proposed "Sukh Sagar Medical College and Hospital" Village – Chargawan, Tehsil –Jabalpur, District Jabalpur (MP) at Khasra No.- 1/2, 2/3, 3/3, 4,5, 6, 7 and 8, Total Land Area – 11.04 ha, Total Built Up Area – 104685.69 sq. m by Gyanjeet Sewa Mission Trust, Jabalpur through Shri Amandeep Khanna, Sukh Sagar Motors, Sukh Sagar Valley, Polipathar, Narmada Road, Jabalpur (M.P.) – 482001 Tel:0761-4055055

1. The case was discussed in SEIAA meeting 139<sup>th</sup> dtd 27.06.13 and it is recorded that .....

- (1) The proposed project is of construction of Medical College & Hospital buildings at Khasra No.- 1/2, 2/3, 3/3, 4,5, 6, 7 and 8 at Village – Chargawan, Tehsil –Jabalpur, Jabalpur (M.P.). The proponent is Gyanjeet Sewa Mission Trust, Jabalpur through Shri Amandeep Khanna Sukh Sagar Motors, Sukh Sagar Valley, Polipathar, Narmada Road, Jabalpur (M.P.) – 482001. The project includes construction of building for College Building, Auditorium, Mortuary, Laundry, Oxygen Plant, Hospital Building, Hostels, Staff Residence, Guest House.
- (2) As per the approval of T & CP Jabalpur (vide Let. No.3105 dtd 23/08/12) The total land area is 11.04ha (110400 sq. m.) at Khasra No.- 1/2, 2/3, 3/3, 4,5, 6, 7 and 8 Village – Chargawan, Tehsil –Jabalpur, Jabalpur (M.P.) The total built-up area proposed by PP is 104685.69 sq. m (SEAC 120<sup>th</sup> dtd. 27.02.13). The project comes under 8 (a) category B of schedule of EIA Notification, 2006 because total construction is between 20000 sq. m & 150000.0 sq. m. and total land area is less than 50 ha.
- (3) The case was discussed in SEAC meetings 120<sup>th</sup> dtd. 27.02.13 and in 131<sup>st</sup> dtd.08.05.13. As per the query raised regarding violation in 120<sup>th</sup> meeting ".....an affidavit has to be furnished stating that no construction activities have been initiated at site and that the same status shall be maintained till obtainment of prior EC for the project". Accordingly PP vide letter dtd 22.03.2013 has submitted an affidavit (dtd 16.03.2013) to this effect to the Member Secretary, SEAC and is included in the record. On the basis of the affidavit it is evident that no construction has started.
- (4) The case was examined in depth and it is noted that :-

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman



## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013


(i). As per the land ownership documents (Khasra Panchsala 2011-12) it is noted that the land details are as follows:


क्र.	फार्म-1 में उल्लेख किये गये खसरा न.	टी एण्ड सी पी में उल्लेखित खसरा न.	खसरा पांचशाला वर्ष 2011-12	स्वामित्व (खसरा पांचशाला अनुसार)
	खसरा न.	रकबा है	खसरा न.	रकबा है
1	1/2		1/2	1.020
2	2/3		2/3	0.600
3	3/3		3/3	3.230
4	4		4	1.390
5	5		5	1.380
6	6		6	1.380
7	7		7	1.380
8	8		8	0.660
योग	8	11.04 है	8	11.040 है (110400 वर्गमी.)
क्र.	फार्म-1 में उल्लेख किये गये खसरा न.	टी एण्ड सी पी में उल्लेखित खसरा न.	खसरा पांचशाला वर्ष 2011-12	स्वामित्व (खसरा पांचशाला अनुसार)
	खसरा न.	रकबा है	खसरा न.	रकबा है
1	1/2		1/2	1.020
2	2/3		2/3	0.600
3	3/3		3/3	3.230
4	4		4	1.390
5	5		5	1.380
6	6		6	1.380
7	7		7	1.380
8	8		8	0.660
योग	8	11.04 है	8	11.040 है (110400 वर्गमी.)

PP submitted copy of registered (dtd. 31.12.12) lease deed (for 99 years) between Gyanjeet Sewa Mission Trust, & Khanna properties & infrastructures Pvt. Ltd. and is satisfactory.

(ii). The total water requirement is 543 KLD & Fresh water requirement is 356 KLD & 187 KLD recycled water (120<sup>th</sup> SEAC meeting minutes). PP has applied for NOC from CGWA for abstraction of ground water (and submitted copy of query reply to CGWA letter dtd. 25.02.13). PP has also applied to Nagar Nigam Jabalpur (vide let. 12.03.13.) and Chief Engineer Rani Awanti Bai Sagar Project, Jabalpur (dtd. 12.03.13) for water supply. **It is decided that the entire demand of fresh water should be met either from municipal supply or from the Rani Awanti Bai Sagar Project, Jabalpur and there should be no extraction of ground water. PP should submit clear NOC for supply of 356 KLD fresh water from Nagar Nigam Jabalpur or EE Rani Awanti Bai Sagar Project Jabalpur, MP.**

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman





## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013


- (iii). PP has proposed roof top rain water harvesting by way of constructing recharge pits and storm water harvesting structures by providing drains with inverted filters.
- (iv). The total waste water generation is 487 KLD. The waste water from hospital complex is 304 KLD. The raw effluent from the hospital is proposed to be collected in the pre chlorination tank through the screen chamber where chlorination will be done. The treated effluent will be sent to STP for further treatment. PP has provided sewage treatment plant of 500 KLD capacity. 187 KLD of treated waste water is proposed to be recycled. **It is decided that PP should submit the water balance giving details of remaining treated waste water. PP should also submit whether any waste water will be discharged out of the campus. If yes the mode and place of its final discharge.**
- (v). The internal roads and open space etc. within the campus should be according to MP Bhumi Vikas Niyam, 2012.
- (vi). Approximately 1546.3 kg/day of Municipal Solid waste & 284 kg/day of bio-medical waste will be generated. PP has submitted a copy of agreement (as part of .ppt) with M/s Elite Engineers, Jabalpur, Operators of the common bio-medical waste treatment facility located at village Kathonda, Madhotal, Jabalpur. **It is decided that PP should submit notarized copy of agreement with M/s Elite Engineers for disposal of bio-medical waste and document related to the accreditation of the firm with CPCB / MPPCB. PP should also submit NOC from Municipal Corporation, Jabalpur for disposal of municipal solid waste.**
- (vii). The fire fighting measure proposed by PP include overhead storage tank as per NBC 2005, fire hydrant system, Hydrant pumps, sprinkler pumps, hand held fire extinguishers wet risers, hose reel, automatic alarm system. PP has submitted a copy of fire NOC (dtd 28.01.2013) from Nagar Nigam, Jabalpur in which it is mentioned that in case of fire accident the fire brigade vehicle will be made available to PP. **It is decided that PP should submit notarized copy of fire NOC from Nagar Nigam, Jabalpur as per MoEF, Gol office memorandum 21-270/2008-IA.III dtd 07.02.2012.**
- (viii). PP has provided car parking for 782 cars (725 open area and 57 stilt). **It is decided that PP should provide car parking for 1396 ECS (@104685.69 sqmt built up area / 75) as per MPBVR 2012 Rule 84(i) appendix of I- 1 Clause 1.3.**
- (5) PP should submit the above information latest by 31.08.2013."

### 2. In response to the above query, reply submitted by PP (vide letter dtd 22.07.13 received in SEIAA office on 23.07.13) the case was discussed in depth and it is noted that :-

- (i). PP has submitted that the project located at village Chargaon & it does not comes in the limits of Municipal Corporation of Jabalpur. As per direction of 139<sup>th</sup> SEIAA meeting dtd. 27.06.13 PP has approached to JMC for supply of water & they have assured that after completion of project in future they will provide water supply for the project. However, PP has obtained NOC from Gram Panchyat Mukanwara (dtd. 09.07.13) for supply of 356 KLD water because the village Chargaon comes under Mukanwara Gram Panchyat and is having its own water treatment plant of 3 MLD. It is noted that in query reply letter PP (dtd 22.07.13) has mentioned "however as per direction, we approached

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member


  
10.9.13  
(Amar Singh)  
Chairman





## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

to JMC and EE, Raniwati Bai Sagar Project and the letter received from them were submitted to your good office." But it is observed that PP has submitted a copy of letter no. 76 dtd 26.06.13 from Nagar Nigam, Jabalpur regarding water supply in future. However, no letter issued from Chief Engineer Rani Awanti Bai Sagar, Project Jabalpur has been submitted by PP in SEIAA office. Instead as per office record PP has submitted in SEAC office (vide letter dtd 22.03.13) a copy of application dtd 12.03.2013 submitted to Chief Engineer Rani Awanti Bai Sagar Project Jabalpur for drawl of water from Bargi Canal for their project. **It is decided that PP can take water supply from either Mukanwara Gram Panchayat or Rani Awanti Bai Sagar Project, Jabalpur subject to condition that the entire demand of fresh water (356 KLD) should be met through surface water supply and there should be no extraction of ground water.**

- (ii). Regarding disposal of treated waste water PP has submitted that the total waste water generation is 487 KLD and treated water will be available as 438 KLD per day(after 10% process loss). PP has proposed to recycle the treated waste water for flushing (187KLD), HVAC system (239 KLD) and horticulture (12 KLD) and there will be no discharge of treated waste water outside the campus. **It is decided that the entire treated waste water should be recycled as proposed by PP and there should not be any discharge of waste water outside the premises.**
- (iii). Regarding disposal of bio medical waste PP has submitted notarized copy of agreement (dtd 11.02.13) with M/s Elite Engineers-Operators of common bio medical waste treatment facility located at village Kathomda, Madhavatal, Jabalpur. It is noted that PP has submitted notarized copy of MPPCB, Bhopal letter no. 106/BMW/MPPCB/2013 dtd 07.06.2013 regarding renewal of authorization for one year (28.04.2013 to 27.04.2014) to M/s Elite Engineers for bio medical waste treatment facility (Management & Handling Rules, 1998). PP has also submitted NOC (19.07.13) from Municipal Corporation, Jabalpur for disposal of municipal solid waste and is satisfactory.
- (iv). PP has submitted a notarized copy of fire certificate (dtd 09.07.13) from Gram Panchyat Mukanwara, Jabalpur along with drawings and has assured that they will comply all the measures for firefighting as per the National Building Code, 2005 and Medical Council of India guideline. PP has proposed fire hydrant system, automatic fire alarm system, hydrants pumps, sprinkler, jockey pumps, hand held fire extinguishers, automatic sprinkler system, wet risers, hose reels, over head water storage tanks for firefighting. **It is decided that PP should obtain firefighting NOC from Nagar Nigam, Jabalpur / UADD Deppt., Bhopal before starting any construction activity.**

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
10.9.13  
(Amar Singh)  
Chairman





## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013


- (v). Regarding parking space the submission of PP to consider parking area as per MPBVR 2012 i.e. net built up area (74632.31 sqmt) excluding the circulation area and stilt parking was examined in depth and **it is decided that as per discussed in case no. 45/2008 in this meeting the car parking should be as per the (rule no. 84 Appendix – I.1 table no. 1.3) MPBVR 2012 and PP should provide car parking provision for 970 ECS (for institutional (net built up area 67253.39 sqmt / 75 = 896 ECS) and residential (net built up area 7378.90 sqmt / 100 = 74 ECS).**
- (vi). It is decided to accept the recommendations of 131<sup>st</sup> SEAC meeting dtd 08.05.2013 with 05 special conditions and accord prior Environmental Clearance to Proposed "Sukh Sagar Medical College and Hospital" Village – Chargawan, Tehsil –Jabalpur, District Jabalpur (MP) at Khasra No.- 1/2, 2/3, 3/3, 4,5, 6, 7 and 8, Total Land Area – 11.04 ha, Total Built Up Area – 104685.69 sq. m by Gyanjeet Sewa Mission Trust, Jabalpur through Shri Amandeep Khanna, Sukh Sagar Motors, Sukh Sagar Valley, Polipathar, Narmada Road, Jabalpur (M.P.) subject to specific conditions imposed by SEIAA in its meetings.

### C. Representation from PP

- (1). **Case No. 45/2008**, Prior Environmental Clearance for DB Mall Gwalior at old MPSRTC Workshop, Race Course Road, Gwalior (M.P.) at Khasra No. 520 to 528, 531,532 of Mahalgaon 41,42 & 43 of Thatipur the total land area - 9900 sqmt. and the total built up area – 29883 sq.mt by M/s Girja Colonizers through Shri Pramod Maheshwari, General Manager, Special Projects, Dwarka Sadan, Bhaskar Lane, Jayendra Ganj, Gwalior (MP)-474009.
1. Prior EC was granted to PP vide letter dated 25.06.13 in which the specific condition no. 2 is as follow :-  
"PP should provide car parking for 664 ECS (29883 sqmt. / 45) as per rule no. 95 of MPBVR 2012.)"
  2. PP (vide letter dtd. 13.07.13 received in SEIAA office on 17.07.2013) has submitted that the calculation made by SEIAA office for providing 664 ECS is based on the total built up area of 29883 sqmt. which is inclusive of the 02 basement parking floors with total area 10180.5 sqmt. and has requested to calculated the parking area as per the sub rule no. 30 of rule no. 2 wherein the definition of built up area has been defined and accordingly amend the above specific condition. The submission given by PP was examined in depth and it is noted that:-
    - (i). As per MPVBR 2012 Rule no. 2 –Definitions, sub-rule no. 30 .....

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
(Amar Singh)  
Chairman



## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

"Floor area ratio" (FAR) means the ratio of total built up area in a building on all floors to the total plot area of the land in question. The built up area shall mean the total built up area on all floors excluding the area under lift wells, service ducts, machine room for lifts, water tanks, escalator, lift lobby, fire escapes, ramps, refuse chutes and service ducts, pump room, mezzanine floor, balcony (upto a width of 1.20 mtrs) parking areas, parking floors, mechanized parking areas, porch, service floors, podiums, private garage (not exceeding 25 sqmt), servant quarter (not exceeding 25 sq. mtrs.), basement subject to the provision of Rule 76, corridors, arcades, lobbies, mumpsee, staircases, entrance lobbies or foyers, atrium which is not used for commercial activity, pump room and two watchmen hut each not exceeding 6 sq. meteres, but shall include covered projections exceeding the limits prescribed under Rule 58."

(ii). As per the MoEF, Gol office letter dtd. 02.04.2012 in which it is mentioned that .....


- (i). The built up area as per the amendment dated 4<sup>th</sup> April, 2011 to the EIA Notification is, "the built – up or covered area on all the floors put together including basements (s) and other service areas, which are proposed in the building / construction projects.
- (ii). Area which is not covered or any area which is open to sky / cut out / duct should not be counted in the calculations of built up area. The open to sky and the cut out / ducts are required for proper light and ventilation of building.
- (iii). Atrium i.e. open portion of a building which is not covered at intermediate floor levels but covered at the top level like any shopping malls or hotels can be taken into account for calculation of the built up area but it should not be calculated for each floor. "


(iii). While calculating the car parking as per rule no. 95 of MPVBR 2012 Appendix I.i office of SEIAA has considered the total built up area as per the above MoEF, guidelines. However, on examining it is noted that for the purpose of calculating the car parking the area for parking should be excluded while considering the total built up area. **It is decided that the request of PP should be accepted and a corrigendum should be issued replacing the condition no. 2 of the prior EC issued to PP (vide letter no. 1075-1076 dtd 25.06.2013) as follows :-**


In the said EC in Para x specific condition no. 2 should be substituted namely "PP should provide car parking for 311 ECS (14002.63 sqmt. / 45) as per rule no. 95 of MPBVR 2012.)"

(2). **Case No. 49/2008**, Prior Environmental Clearance for Marble Deposit mine in an area of 7.09 ha for production capacity 19,000 TPA at Khasra No. 1114/P, 1115/P, 1116, 1118, 1119/2, 1120, 1122/1, 1122/2, 1161/p at Village Jujhawal, Tehsil Bahoriband, District Katni (M.P.) by M/s Jujhawal Marble Deposit Mine C/o Shri Yogesh Kumar Paliwal, 30, New ACC Colony, Katni (M.P.) :- **Request for amendment in the Prior EC letter (Mining method).**

1. It is noted that PP has applied for renewal of consent under Air and Water Act from MPPCB for which he has requested to issue the letter of amendment in the mining method namely "**open cast and mechanized method**" in place of **open cast manual**, which is mentioned in Prior EC letter dated 11.06.2009. Following relevant issues regarding the case are mentioned here under :-

  
(Manohar Dubey)  
Member Secretary

  
(M. Hashim)  
Member

  
10.9.13  
(Amar Singh)  
Chairman



## Minutes of the 145<sup>th</sup> Meeting of SEIAA dated 31.08.2013

- (i) It was noted that the PP had applied in **Form-I** for Prior Environmental Clearance of Marble Deposit mine (Opencast & mechanized method) in an area of 7.09 ha. for production capacity 19,000 TPA at **Survey No. 1114/P, 1115/P, 1116, 1118, 1119/2, 1120, 1122/1, 1122/2, 1161/p** at Village Jujhawal, Tehsil Bahoriband, District Katni (M.P.).
- (ii) It was noted that the case was discussed in 3<sup>rd</sup> & 22<sup>nd</sup>, SEAC meeting dated 29.05.2008 & 26.03.2009, and **recommended in 24<sup>th</sup> SEAC meeting dtd. 21.04.2009**. Based on the submission of documents and presentation made by the PP the committee had **recommended for grant of prior EC**.
- (iii) It was noted that the case was discussed in 14<sup>th</sup> SEIAA meeting dtd. 25.05.2009 and Prior EC was granted. Thereafter the Prior EC letter was issued vide L no. 80 dtd. 11.06.2009.

Consequent upon the above it was noted that the PP has submitted a letter vide no. nil dtd. 20.06.2013 received in SEIAA office on 03.07.2013 and **requested for amendment in the prior EC letter by changing the mining method**, because the subjected quarry is being operated by opencast and mechanized method.


2. It was noted that in support of his request the PP has submitted that the mining method is mentioned as **Open cast and mechanized** at various places in the respective records submitted for prior EC, which is given here under -


Form 1	S.No. 1.1
PFR	pg-8
EIA Report	Ch- 2.8, 2.11
Presentation before SEAC	pg-5


In context of above it was found that there are enough documentary facts to consider the request of PP, hence, request is justified.

3. It was decided to substitute the sentence mentioned at Para 2 of the EC letter vide L no. 80 dtd. 11.06.2009..... "Method of mining will be open cast manual involving drilling and blasting" namely **"Method of mining will be open cast and mechanized"** and inform with the amendment to the PP and all concerned accordingly.

*The meeting ended with vote of thanks to the chair.*

  
**(Manohar Dubey)**  
 Member Secretary

  
**(M. Hashim)** 10.9.13  
 Member

  
 10.9.13  
**(Amar Singh)**  
 Chairman