

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

The 158th meeting of the State Level Environment Impact Assessment Authority was convened on 04.09.2014 at 3.30 PM at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- | | | |
|---|-----------------------------|------------------|
| 1 | Shri H.S. Verma | Member |
| 2 | Shri Ajatshatru Shrivastava | Member Secretary |

- A. Following cases received from SEAC have been considered and the details of the receipt of the recommendations & record from the office of SEAC is as follows:

S No	Case No.	No. & date of latest SEAC meeting in which case was recommended	Date of receipt of SEAC minutes in SEIAA	Date of receipt of records in SEIAA office
1.	1165/2013	143 rd SEAC meeting dtd 29.10.13	27.11.2013	27.11.2013
2.	677/2012	143 rd SEAC meeting dtd 29.10.13	27.11.2013	27.11.2013
3.	656/2011	143 rd SEAC meeting dtd 29.10.13	27.11.2013	27.11.2013
4.	659/2011	143 rd SEAC meeting dtd 29.10.13	27.11.2013	27.11.2013
5.	1306/2013	143 rd SEAC meeting dtd 29.10.13	27.11.2013	27.11.2013
6.	564/2010	143 rd SEAC meeting dtd 29.10.13	27.11.2013	27.11.2013

- B. Remaining cases of 157th SEIAA meeting dated 26.08.14 (Miscellaneous Cases/Representation from PP (Mining Cases 1(a)))


S No	Case No.	PP Representation received in SEIAA
7.	486/2009	19.08.13
8.	482/2009	19.08.13
9.	200/2008	23.10.13
10.	914/2012	25.02.14
11.	1124/2013	
12.	429/2009	25.08.2014


- C. Post facto approval for cases-files sent to SEAC


S No	Case No.
13.	1685/2013
14.	1687/2013

D. POLICY DECISIONS

- a. Cases forwarded by MoEF- Registration



(Shri Ajatshatru Shrivastava)
Member Secretary



(Shri H.S. Verma)
Member



(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

1. **Case No. – 1165/2013** Prior Environmental Clearance for proposed project "Spring Valley Dew" at Khasra No. 19, 20, 22, 29, 38, 317, 316(Part) 31, 32, 34, 35, 36, 37, 41 at Village Katara, Bhopal (MP) Total Land Area — 36000.00 Sq m. or 3.60 ha (8.9 Acre) Total Built 49924 sq.m. by Asnani Builders and Developers Pvt. Ltd through Shri Deepesh Asnani Director, Block – A, Second Floor, Mansarowar Complex, (Near M.P. Nagar–BPL) Bhopal (M.P.) – 460211 email: deepesh@asnanibuilder.com
 - 1) The proposed project is building construction residential project comprising 648 DU (1 BHK-108 unit, 2 BHK- 240 unit, 3 BHK- 205 unit, 4 BHK – 5 and pent house-90) at Village – Katara, Bhopal (M.P.). The Proponent is Shri Deepesh Asnani Director, Asnani Builders and Developers Pvt. Ltd., Block – A, Second Floor, Mansarowar Complex, Near M.P. Nagar Bhopal (M.P.)
 - 2) As per the approval of T & CP Bhopal (vide letter 1346 dtd.19.11.10) the total land area is 3.60 ha (8.90 acre) at Village – Katara, Bhopal (M.P.) The total built up area proposed by PP is 49924 sq.mt and as per building permission is 43480.55 sqmt. (issued vide letter dtd 21.01.11 & 30.03.11 by Gram Panchayat Rapadiya) The project comes under 8 (a) category (B) of the Schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.
 - 3) The case was discussed in SEAC meetings 140th dtd 30.08.13 & 143rd dtd 29.10.13 and the project is recommended for grant of prior EC subject to 07 special conditions.
 - 4) The case was discussed in depth and it is noted that :-
 - i. **PP has not submitted** notarized copy of land diversion order and latest Khasra Panchsala regarding land ownership.
 - ii. The total water requirement is 450 KLD and fresh water requirement is 351 KLD. The total recycled water 160 KLD. The source of water supply is Ground water. **It is decided that PP should submit a clear NOC from CGWA for extraction of 351 KLD of ground water.**
 - iii. The total waste water generation is 400 KLD. PP has provided sewage treatment plant of 400 KLD. The total treated waste water is 305 KLD, Out of this 100 KLD will be recycled in flushing, 50 KLD Horticulture & 10 KLD DG cooling, while remaining extra treated waste water is 145 KLD which is proposed to be disposed in the drainage. **PP has submitted NOC issued from Gram Panchayat Rapadiya Distt. Bhopal dtd.26.08.13 regarding discharge of extra treated waste water.**
 - iv. Approximately 2200 kg/day of Municipal Solid waste shall be generated. This is proposed to be managed by bins of three colors (green, blue and dark grey) separate for biodegradable and non biodegradable. Storage and Segregated Waste will be transported to the municipal land fill site for treatment and disposal. **It is decided that the disposal of MSW should be linked with Municipal**


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

Corporation, Bhopal and PP should submit NOC from BMC for disposal of MSW.

- v. The maximum height of the building is 18 m. PP has provided road width 12 m; Front MOS 7.5 m and side/rear MOS 6.0 m. **It is decided that the width of the road and side & rear MOS should be as per MPBVR 2012 rule no. 42 table 1.**
- vi. PP has proposed to provide fire fighting provisions as per NBC 2005 with fire hydrants, water storage tanks sprinkler system, flow switches, pumps, test walls, drain pipes etc. **PP has submitted copy of fire fighting NOC issued from BMC vide letter dtd. 29.05.12 and is satisfactory.**
- vii. PP has provided rainwater harvesting system with recharging pits (6 nos) as per guideline of CGWA to manage increased runoff & storm water by well-designed storm water management plan **and is satisfactory.**
- viii. As per Rule no. 84 Table 1.3 of MPBVR 2012 the required car parking for 49924 sqmt. Built up area is 499 ECS (@1 ECS per 100 sqmt. built up area). PP has not submitted the details of car parking provisions. **It is decided that PP should submit the details of car parking.**
- ix. Out of the total land area 36000 sqmt. an area of 3042 sq.m (8.4%) is proposed to be developed as green area. However, SEAC has recommended that "At least 30% of the total area shall be covered under green". **It is decided that PP should submit landscape plan showing the area of plantation, species to be planted and distance between the trees.**

2. **Case No. 677/2012** Prior Environmental Clearance for proposed "Manufacturing of SSP at Khasra no. 4/1,4/3 village Attarsama Teh-Harda, Distt-Harda (M.P.) Production capacity=400 TPD (Granulated) by M/s JMD Fertilizers Pvt. Ltd., through Managing Director Shri Manoj Agrawal, Brajdharm Colony Indore Road, Harda (M.P.)

1) The case was discussed in depth and it is noted that :-

- i. The application was submitted by PP in SEIAA office on 22.02.2012.
- ii. The case was registered and forwarded to SEAC for appraisal on 05.03.2012.
- iii. As per 93rd SEAC meeting dtd 10.04.2012 ToR was issued to PP vide letter dtd. 06.06.12.
- iv. MPPCB conducted public hearing on 09.03.13
- v. Vide letter dtd. 09.09.13 PP applied to SEIAA for withdrawal of application which was forwarded to SEAC vide letter dtd 01.10.13.
- vi. The case was discussed in 143rd SEAC mtg. dtd. 29.10.13 and it is recorded that "This is a proposed SSP plant. The ToR to carry out EIA / EMP for the project was issued on 06.06.12. PP has submitted letter on 09-09-13 for withdrawal of their application. Committee decided to return the case to SEIAA for delisting the project."

(Shri Ajatsatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

- 2) The Authority decided to accept the recommendation of 143rd SEAC meeting for withdrawal of application by PP and delist the case. A letter should be sent to PP and all concerned regarding delisting of the case.
3. **Case No. 656/2011** Prior Environmental Clearance for proposed Group Housing Project "M/s Lakshman Nagar Griha Nirman Sahakari Sanstha Samiti" at Khasra No. 328/2/3, 332, 331/2, 336/1 & 333 Village- Khajrana, Tehsil & Distt.- Indore (MP) Total Land Area – 5,99,226.89 sq.m. (59.9226 ha) (Form-I) 55,670 sqm (5.5676 ha) (T & CP letter) Total Built Up Area 1,04,138.37 sq.m. (Form-I) by M/s Lakshman Nagar Griha Nirman Sahakari Sanstha Samiti through President Mr. Sanjay Goyal, 11/2 Meerapath Indore (MP) – 452003 (Environmental Consultant ; Grass Roots Research & Creation (P) Ltd. Noida, UP)
- 1) The proposed project is building construction project comprising Residential block, Shopping/Club area & service area etc. at Khajrana, Tehsil & Distt.- Indore. The Proponent is M/s Lakshman Nagar Griha Nirman Sahakari Sanstha Samiti through President Mr. Sanjay Goyal, 11/2 Meerapath, Indore.
- 2) As per the approval of T & CP Indore (vide letter 2577 dtd.25.04.11) the total land area is 5.567 ha at Village- Khajrana, Khasra No. 328/2/3, 332, 331/2, 336/1 & 333, Tehsil & Distt.- Indore (MP) The total built up area proposed by PP is 1,04,138.37 sq.m. The project comes under 8 (a) category (B) of the schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1,50,000 sq mt. and plot area is less than 50 ha.
- 3) The case was discussed in SEAC meetings 85th dtd.13.12.11, 87th dtd.07.01.12, 116th dtd. 15.01.13, 135th dtd 04.06.13 & 143rd dtd. 29.10.13 and the project is recommended for grant of prior EC subject to 09 special conditions.
- 4) The case was discussed in depth and it is noted that :-

As per the 116th SEAC meeting dtd 15.01.13 query was raised and it is recorded that "..... It was reported that a site office and a block has been constructed at site. Committee has decided to visit the site to verify the facts."

Accordingly a Sub-Committee comprising Dr. V. Subramanian and Shri A. P. Shrivastava inspected the site on 01.03.13. The Sub-Committee found that a hall of around 120 sq mt. was constructed and existed on the site. Doors and windows were not erected. PP was asked to submit land documents showing details of Khasra, constitution of registration of society etc. Vide letter dtd 13.09.13 PP submitted the required information (affidavit regarding status of constructions, Khasra Nos. etc.). As per the affidavit "..... 3. That the company constructed a temporary shelter as a guard room approx. 124.2 sqmt. raised up to window level which will be demolish as per the requirement of SEAC....." and has also given assurance that further construction has been stopped and will not be commenced without obtaining required NOC /Clearances from the Competent Authority. The case was again discussed in 143rd SEAC meeting and it is recorded that"PP has submitted satisfactory response to the above queries. The other submissions including the EMP was also found to be satisfactory and acceptable, thus committee decided to recommend the case for grant of prior EC subject to the following special conditions:....."


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S.Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

- 5) The total land area of the project as submitted by PP in Form-1 is 5,99,226.89 sq.m. (59.9226 ha). However, as per the T & CP approval issued vide letter 2577 dtd 25.04.11 for Khasra Nos. 328/2/3, 331/2, 332, 333 & 336/1 total area is 5.567 ha and is in the name of M/s Laxman Nagar Griha Nirman Sahkari Santha Samiti, Indore. As per the Khasra Panchsala 2012-13 the above khasras (5 nos.) are in the name of M/s Laxman Nagar Griha Nirman Sahkari Santha Samiti, Indore. **It is decided that PP should clarify the total land area for which Prior EC is required.**
- 6) The total water requirement is 400 KLD (294 KLD domestic + 88 KLD flushing + 104 KLD Horticulture + 3 KLD DG, + 7 KLD Recreation purpose) and fresh water requirement is 294 KLD. The source of water supply is Municipal Corporation Indore. PP has submitted letter no. 1207 (dtd. 10.09.13) issued from Municipal Corporation Indore for supply of water. **It is decided that PP should submit clear NOC from Municipal Corporation, Indore specifying the quantity of fresh water required for the project.**
- 7) The total waste water generation is 253 KLD. PP has provided sewage treatment plant of 300 KLD. The total treated waste water is 202 KLD (88 KLD-flushing+104 KLD Horticulture+3 KLD DG cooling+7KLD Recreation) hence there is ZERO discharge. **It is decided that the entire treated waste water should be used within the campus and if there is any waste water discharge outside the campus it should be linked with Indore Municipal Corporation sewer system.** PP has submitted letter (dtd. 10.09.13) issued from Municipal Corporation Indore for discharge of extra treated waste water. **It is decided that PP should submit clear NOC for discharge of waste water.**
- 8) Approximately 1307 kg/day of Municipal Solid waste shall be generated this is proposed to be managed by bins of three colors (green, blue and dark grey) separate for biodegradable and non biodegradable. The inert solid waste will be stored temporary within premises till a govt. design landfill site come up in the area. STP sludge 20 kg / day is proposed to be used in horticulture. PP has submitted letter no. 1207 dtd. 10.09.13 issued from Municipal Corporation Indore for disposal of solid waste. **It is decided that the disposal of MSW should be linked with Municipal Corporation, Indore and PP should submit clear NOC from Indore Municipal Corporation for disposal of MSW.**
- 9) The maximum height of the building is 18 m. PP has proposed to provide road width 12 m/ 9.52m ; Front MOS 12 m and side / rear MOS 9.0m/6.0m. **It is decided that the width of the road and side & rear MOS should be as per MPBVR 2012 rule no. 42 table 1.**
- 10) PP has proposed to provide fire fighting provisions including underground fire tank of 300 m³ capacity, fire main connected to external yard hydrants, wet riser system with landing hydrants walls, and fire hose cabinet, fire extinguishers, sprinkler system, automatic sprinkler system, fire tender route with access to each tower, fire escape, staircase and firefighting equipment in accordance with NBC, 2005 (Part IV) and other relevant IS codes. **PP has**


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

submitted fire fighting NOC issued from UADD vide letter no. 785 dtd 27.02.2013 and is satisfactory.

- 11) PP has proposed to provide roof top rainwater harvesting system with 16 nos. of geo textured recharging pits within the premises. The storm water runoff from open areas it proposed to be intercepted through network of well designed storm water drainage system **and is satisfactory**.
 - 12) PP has provided total parking 795 ECS (stilt parking 12,911.12 sq.m./30=431 ECS and Open parking – 9080 sq. m/25=364 ECS. However, as per Rule no. 84 Table 1 (3) of MPBVR 2012 the required car parking for group housing $1,04,138.37/100 = 1041$ ECS. **It is decided that PP should provide car parking provisions as per MPBVR 2012 Rule No. 84 Table 1 (3).**
 - 13) An area of 16780.49 sq.m (30% of total area) is to be developed as green area. It is decided that the PP should clarify the area of plantation in view of discrepancy in the total land area approved by T & CP and total area in Form-1 submitted by PP.
4. **Case No. 659/2011**, Prior Environmental Clearance for Laterite and Red Ochre mine in an area of 15.00 ha for production capacity of 8550 TPA of Laterite and 11,354 TPA of Red Ochre at village Budhanwara, Tehsil Bohriband, Distt. Katni, MP by M/S Shri Neeraj Kumar Jain, Sawarkar Ward, Nai Basti, Distt. Katni, MP.
- 1) The case was discussed in 88th SEAC meeting dtd. 13.02.2012, 139th SEAC meeting dtd. 29.08.13 and recommended in 143rd SEAC meeting dtd. 29.10.2013 based on the submission of documents and presentation made by the PP the committee has recommended for grant of prior EC to the project subject to the 4 conditions.
 - 2) It was noted that the PP has applied in Form-I for Prior Environmental Clearance of Laterite and Red Ochre mine (Open cast semi mechanized method) in an area of 15.00 ha for production capacity of 16,500 MTPA at Khasra No. 339/543 at village Budhanwara, Tehsil Bohriband, Distt. Katni.
 - 3) However, the SEAC in its 143rd meeting dtd 29.10.13 has recommended for production capacity of 8550 TPA of Laterite and 11,354 TPA of Red Ochre.
 - 4) The case was discussed in depth and it was noted that as per DFO, Katni letter vide No. 6218 dtd. 27.09.2013 the National Park/Sanctuary are not located within 10 Km., radius. Hence, the General Conditions are not attracted. It is also noted that the distance of Forest Boundary is not within 250 m. from the mining site.
 - 5) The plantation program was examined and it was found that an area 4.95 ha. will covered at the rate of 1500 sapling per ha. Thus plantation will be done on 33% of the total mine lease area. The plantation program was found satisfactory.
 - 6) It was found that as per Mining Plan (Vide L.No. MP/Katni/Laterite/MPLN/G-23/07-08 dtd. 10.03.2008 from IBM) the expected life of mine is about 50 years and as per lease deed the lease period is 20 years (w.e.f. 03.08.2010).

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

- 7) It was noted that the Public Hearing was held on 31.01.2013 at Mining site, Budhanwara Distt. Katni, under the Chairmanship of ADM, Katni. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
- 8) It was decided to accept the recommendation of 143rd SEAC meeting dtd. 29.10.2013 to grant Prior Environmental Clearance for Laterite and Red Ochre mine (Open cast semi mechanized method) in an area of 15.00 ha for production capacity of 8550 TPA of Laterite and 11,354 TPA of Red Ochre at Khasra No. 339/543 at village Budhanwara, Tehsil Bohriband, Distt. Katni (M.P.) for lease period i.e. up to 02.08.2030 by M/S Shri Neeraj Kumar Jain, Sawarkar Ward, Nai Basti, Distt. Katni (M.P.).
5. **Case No. 1306/2013** Prior Environmental Clearance for proposed "New York City " Residential and commercial project at Khasra No. 969/1/3, 970/2, 970/3, 971/2, 972/1/2, 973/2/1, 975/3/1, 973/1/3, 975/1, 974/1/2, 975/2 Village-Nihalpur Mundi, Tehsil Indore, Distt. Indore (MP) Total Land Area 52500.00 sq.mt. (5.25 ha) Total Built Up Area 45357.98 sq.mt. by M/s Highway Infrastructure Pvt. Ltd., through Director, Anup Agrawal 57-FA, Scheme No. 94, Pipliyahana Junction, Ring Road, Indore (M.P.) email: hiplindore@gmail.com (Environment Consultant Insitu Enviorecare, Bhopal)
 - 1) Application for Prior Environmental Clearance was submitted by PP (vide letter dtd 27.02.13) received in SEIAA office on 05.03.13
 - 2) The proposed project is building construction project involves the construction of Shopping Mall/Entertainment Building, Hotel Building, Row Housing Scheme, Multi-Unit Residential Development Scheme, Informal Sector and Community Sector at Village Nihalpur Mundi, Tehsil - Indore, Distt. Indore (MP) The Proponent is M/s Highway Infrastructure Pvt. Ltd., through Director, Anup Agrawal 57-FA, Scheme No. - 94, Pipliyahana Junction, Ring Road, Indore (MP)
 - 3) As per the T & CP Indore (vide letter 1129 dtd.02.03.12) the total land area is 5.252 ha at Village Nihalpur Mundi, Tehsil Indore, Distt. Indore (MP). The total built up area proposed by PP is 45357.98 sq.mt. The project comes under 8(a) category(B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sqmt. & 1, 50,000 sqmt. and plot area is less than 50 ha.
 - 4) The case was discussed in SEAC meetings 127th dtd 25.04.2013, 140th dtd 30.08.13 and 143rd dtd 29.10.13 and is recommended for Prior EC with four conditions,
 - 5) The case was discussed in depth and it is noted that :-
 - i. A complaint from Shri Sumit Mishra, Indore was received in SEIAA office dtd 11.07.13 which was forwarded to SEAC vide letter no. 1201 dtd 16.07.13.
 - ii. The matter was discussed in 140th SEAC meeting dtd 30.08.13 and it is recorded that "..... A complaint was also forwarded by SEIAA from some local resources of Indore, stating that a crusher is operating in the premises of the proposed

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

project and that construction has been initiated at site. After deliberations committee has asked the PP to submit clarification and information on following issues along with the supporting documents:

- Complete details of the proposed STP to be furnished.
- Status of construction (if any) at the site, along with the notarized copies of necessary permissions obtained from Town & Country Planning Deptt. and other concerned authorities to be furnished."

- iii. Further on submission of query reply by PP the case was again discussed in 143rd meeting dtd 29.10.13 and it is recorded that ".....PP has submitted the response to the above queries and the same was placed before the committee. A complaint was also forwarded by SEIAA from some local resources of Indore, stating that a crusher is operating in the premises of the proposed project and that construction has been initiated at site. Sub-committee visited the site to verify the facts about the complaint. The site visit revealed that the crusher is not operating at the proposed site and construction of more than 20000 m² has been done at the site. The submissions made by the PP were found to be satisfactory and acceptable hence the committee decided to recommend the case for grant of prior EC subject to the following special conditions:

1. This is found to be a case of violation; hence EC may be issued after taking necessary action as detailed in MoEF O.M. No. J-11013/41/2006-IAII (I) dated 12/12/12....."

- 6) Meanwhile, PP (vide letter dtd 16.09.13 received on SEIAA office on 02.11.13) submitted apology letter for committing violation of the provision of EIA Notification 2006 along with a copy of resolution passed by the Board of Directors in their meeting on 16.09.13. Since the tenure of MP-SEIAA & SEAC was over on 11.11.2013 the case was forwarded to MoEF, GoI as per provision of EIA Notification of 2006 and its amendment.

- 7) The Authority is of the view that it is undisputed that violation of EIA Notification 2006 has taken place. **It is decided that :-**

- (i). As per MoEF, GoI, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012 and OM dtd 27.06.2013 PP should submit the details as to why the construction activities have been undertaken. How much construction has already been done? Whether the construction activities are still continuing? PP is directed to stop the construction activities with immediate effect and should not undertake any kind of construction until prior EC under EIA Notification 2006 is accorded.

PP should submit the above information latest by 15.10.14.

- (ii). A letter should be sent to Principal Secretary, GoMP, Housing and Environment giving the details of violation to take action as per office memorandum of MoEF, GoI J-11013/41/2006 IA II (I)dt. 27.06.13 & 12.12.12 (Para 5 (ii)) "to initiate credible action on the violation by invoking powers under section 19 of the Environment (Protection) Act, 1986 for taking necessary legal action under section 15 of the Act for the period for which the violation has taken place and evidence provided to MoEF of the credible action taken." The details of legal action taken by the Principal Secretary H & EN GoMP taken should be made available to the Authority by 15.12.14.

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

- (iii). The details of project proponent, a copy of commitment and Resolution passed in the meeting of the Board of Directors of M/s Highway Infrastructure Pvt. Ltd held on 16.09.13 should be put on the website of MPSEIAA for information of all stake holders.
6. **Case No. 564/2010** Prior Environmental Clearance for Piprahat Limestone mine in an area of 7.316 ha. at Khasra Nos. 152(P), 154(P), 1563(P), 164, 165(P), 166(P) & 167(P) at Village-Piprahat, Tehsil-Maihar, District-Satna-(M.P) for production capacity of 5,00,000 TPA (expansion) by M/s KJS Cement Ltd. Corporate Office A-7, Maharaniabagh, New Delhi (Earlier PP - Shri Ramlal Daftari, JSQ- 39, ACC Colony P.O Kaimur Distt- Katni-M.P.).
- 1) The case was discussed in depth. It was noted that as per the decision of 143rd SEIAA meeting dtd. 16.08.2013, the PP, vide L.No. 1579/SEIAA/13 dtd. 06.09.2013 was asked to submit the EIA Report within the time limit for validity of ToR i.e. upto 26.09.2013.
 - 2) It was found that the PP has not submitted EIA Report within the validity period of ToR i.e. upto 26.09.2013 (as per MoEF, GoI OM No. J-11013/41/2006-IA.II(I) dtd. 22.03.2010.).
 - 3) On the basis of above fact, the authority decided to delist the case. The PP and all concerned shall be informed accordingly.
7. **Case No. 486/2009** Prior Environmental Clearance for Limestone Mine, Village-Bhatia, Tehsil-Maihar, District-Satna (M.P.) mining lease area 18.27 ha. for Production capacity 20,000 TPA by M/s S.N. Sunderson & Co. Jabalpur Road Post Box No. 39, Bhargawan, District-Katni (M.P.).
- 1) The Case was discussed in depth. It was noted that as per the decision of 142nd SEIAA meeting dtd. 18.07.2013 PP vide L.No. 1387/SEIAA/13 dtd. 03.08.2013 was asked to submit EIA Report in the SEIAA office within the time limit for validity of ToR i.e. upto 17.02.2014.
 - 2) It was found that the PP vide letter dtd. 19.08.2013 has informed that the responsibility pertaining to land and leases now does not remain with him. He has requested for withdrawal the notice (SEIAA's above said letter).
 - 3) On the basis of above fact, the authority decided to delist the case. The PP and all concerned shall be informed accordingly.
8. **Case No. 482/2009** Prior Environmental Clearance for Limestone Mine, Village-Bhatia, Tehsil-Maihar, District-Satna (M.P.) mining lease area 10.472 ha, production capacity 20,000 MT/Y by M/s S.N. Sunderson & Co. Jabalpur Road Post Box No. 39, Bhargawan, District-Katni (M.P.).
- 1) The Case was discussed in depth. It was noted that as per the decision of 142nd SEIAA meeting dtd. 18.07.2013 PP vide L.No. 1385/SEIAA/13 dtd. 03.08.2013 was asked to submit EIA Report in the SEIAA office within the time limit for validity of ToR i.e. upto 17.02.2014.
 - 2) It was found that the PP vide letter dtd. 19.08.2013 has informed that the responsibility pertaining to land and leases now does not remain with him. He has requested for withdrawal the notice (SEIAA's above said letter).

(Shri Ajayshatru Shrivastava)
Member Secretary

(Shri H.S. Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

- 3) On the basis of above fact, the authority decided to delist the case. The PP and all concerned shall be informed accordingly.
9. **Case No. 200/2008** Prior Environmental Clearance for Stone Mine with Crusher (Opencast Manual Method) in an area of 11.54 ha. at Village-Nayagaon Lakheri, Tehsil-Rajnagar, District-Chhatarpur for production capacity of 800 m³ per year by M/s Vindhyaachal Minerals, Village and Post-Dhamna, Tehsil-Rajnagar, District-Chhatarpur (M.P.).
- 1) The case was discussed in depth. It was noted that the PP vide application dtd. 23.10.2013 has requested for review the decision of 150th SEIAA meeting dtd. 05.10.2013 regarding re-submission of fresh application for prior EC. He has further requested that he may be allowed to submit revised Mining Plan based on revised production capacity of 800 m³ per day (2,40,000 m³ per year) and reduced lease area of 9.0 ha.
 - 2) It was found that in Rapid EIA Report submitted by PP the lease area and production capacity are mentioned as 11.54 ha and 800 m³ per year respectively.
 - 3) On the basis of above fact, the authority decided to reject the PP's application. PP will be informed accordingly.
10. **Case No. 914/2012** Prior Environmental Clearance for Stone Boulder Quarry (Manual/ Semi Mechanized Method) in an area of 2.0 ha. for production capacity of 40,000 m³ per year at Khasra No. 590 at Village-Rabadiya, Tehsil-Tonk Khurd Distt.-Dewas (M.P.) by Shri Dilip Upadhyay S/o Shri Prabhudyal Upadhyay, 64, Vrandawan Garden, SCH No. 140, Near Bengali Square, Indore (MP)-452001.
- 1) The case was discussed in depth and it was found that as per decision of 127th SEIAA meeting dtd. 22.04.2013, prior EC in the case was granted vide L.No. 571/SEIAA/13 dtd. 15.05.2013.
 - 2) It was noted that PP vide letter dtd. 25.02.14 has requested for change in name of the project Village i.e. from Rabadiya to Janauli Bujurg in the EC letter.
 - 3) It was found that in the documents submitted by PP for prior EC like Form-1, PFR, EMS, Collector Office (Mining) L.No. 845 dtd. 19.07.2012 name of the village is mentioned as Rabadiya, while in other documents like Gram Panchayat letter dtd. 16.08.2012, Tehsildar site Inspection Report dtd. 25.06.2012, Khasra Panchshala etc. the name of village is mentioned as Janauli Bujurg.
 - 4) In context of above, it was decided that PP should apply afresh by mentioning exact name of the village, tehsil, district etc. PP will be informed accordingly.
11. **Case No. 1124/13** Prior Environmental Clearance for Clay Mine (Manual Method) in an area of 1.214 ha. for production capacity of 5,00,000 m³ per year at Khasra No. 16/2/1 at Village-Pipalkhiriya, Tehsil-Raisen, District-Raisen (MP) by Shri Ramesh Yadav S/o Shri Ghasilal Yadav, 115, Bijali Colony, Anand Nagar, Bhopal (M.P.).

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

- 1) The case was discussed in depth and it was found that as per decision of 128th SEIAA meeting dtd. 03.05.2013, prior EC in the case was granted vide L.No. 684/SEIAA/13 dtd. 17.05.2013.
 - 2) It was noted that PP vide letter dtd. Nil received in SEIAA office on 16.01.2014 has requested for change in the period of prior EC / lease from 2 years to 10 years in the EC letter.
 - 3) In context of above, it was decided that PP should be asked to submit following documents / information as per the requirement of EIA Notification S.O.2731(E) dtd. 09.09.2013 and MoEF, Gol OM No. J-13012/12/2013-IA-II(I) dtd. 24.12.2013.
 - (i) Notarized / Self attested copy of the Mining Plan approved by DGM Bhopal
 - (ii) Letter from mining officer regarding name, location/survey number and lease area of other operating mines within 500 mts radius from the periphery of the proposed mine.
 - (iii) Notarized / Self attested copy of Environmental Management Plan prepared by Registered Qualified Person (RQP).
 - 4) Above documents/information should be submitted by PP in SEIAA office latest by **15.10.2014**.
- 12. Case No. 429/2009, Prior Environmental Clearance for Granite Query in an area of 5.00 ha for production capacity of 10,000 MTA at village Bansia, Tehsil Loundi, District Chhatarpur, M. P. by M/S Bhagyawanti Granite & Stone Pvt. Ltd. at Chhangeraja House, Benisagar, Panna (MP)- EC transfer regarding.**
- 1) It was noted that the PP (M/S Bhagyawanti Granite & Stone Pvt. Ltd.) has requested to transfer the EC in the name of M/s Mepal Mines & Minerals, Shri Deep Poddar 402, Darshan Mall, 15/2, Race Course Road, Indore. It was found in the record that Prior EC letter was issued vide L.No. 692 dated 01.08.2012 in the name of M/S Bhagyawanti Granite & Stone Pvt. Ltd. at Chhangeraja House, Benisagar, Panna, M. P. The PP (Transferor) has submitted the following documents in support of his request.
 - 2) The copy of order from DGM Office, Madhya Pradesh vide No. 13580-82/खनिज/न.क्र.140/उ.प./2013 Dated 18.07.2014.
 - 3) A Copy of Lease transfer agreement (Form-14).
 - 4) In this regard it was noted that in EIA Notification 2006 as per Para-11 Transferability of Environmental Clearance (EC) there is a provision of transferring the EC.
- Para-11 :-** A prior environmental clearance granted for a specific project or activity to an applicant may be transferred during its validity to another legal person entitled to undertake the project or activity on application by the transferor, or by the transferee with a written "no objection" by the transferor, to, and by the regulatory authority concerned, on the same terms and conditions under which the prior environmental clearance was initially granted, and for the same validity period. No reference to the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned is necessary in such cases.
- 5) In context of above it was decided that the EC may be transferred in the name of M/s Mepal Mines & Minerals, Shri Deep Poddar 402, Darshan Mall,

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S. Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

15/2, Race Course Road, Indore M.P. (Transferee) subject to the submission of an affidavit that transferee shall abide with the same terms and conditions under which the prior environmental clearance was initially granted, and for the same validity period.

Further it was also decided that a letter should be issued to the transferee to submit the affidavit in this regard. After receiving the affidavit in the SEIAA office the letter of transfer of EC may be issued by Member Secretary, MP-SEIAA.

13. **Case No. 1685/2013** Prior Environmental Clearance for proposed Residential Township project "Regal Town" at Khasra No. 306, 307/1/2, 311/1kh, 311/1kha, 312, 150/5/2k, 309/3/2kha, Village Khajurikalan, Tehsil Huzur, District Bhopal (M.P.), Plot Area 27,860 Sq.m., Built up Area 49.678.50 Sqm by Proprietor K.L. Sharma, 157, C Sector, Indrapuri, Bhopal (MP) regal.homes@gmail.com

- 1) The case was considered in 151st SEIAA meeting dated 22.10.13. **It is a case of violation of EIA Notification, 2006**, as per Gol, MoEF, office memorandum dated 12.12.12 & 27.06.13.
- 2) A letter was sent to Principal Secretary Housing and Environment, Go MP dtd. 05.11.13 for initiating credible legal action against PP under EPA Act.
- 3) PP vide letter dated 05.11.13 was asked to submit ".... (vii) why the construction activities have been undertaken? How much construction has already been done? Whether the construction activities are still continuing? PP is directed to stop the construction activities with immediate effect and should not undertake any kind of construction until prior EC under EIA Notification 2006 is accorded..... (viii) PP should submit the above information latest by 15.12.13. The case will be considered thereafter....."
- 4) PP vide letter dated nil received in SEIAA office on 23.08.14 has submitted the information regarding construction activities.
- 5) Vide letter no. 86 dtd.21.08.14 from Secretary SEAC & let. No. 95 dtd. 01.09.14 from MS Secretary MPPCB has informed that credible action has been initiated by MPPCB against the PP for the violation committed by them and has requested to send the original file for consideration in SEAC mtg.
- 6) The case file and the information submitted by PP (letter dtd 23.08.14) have been forwarded (let. Dtd. 02.09.14) to SEAC for necessary action.
- 7) The post facto approval is accorded by the authority.

14. **Case No. 1687/2013:** Prior Environmental Clearance for Proposed Residential Township Project "Balaji Skyz" at Khasra No. 74/2, 74/3, 76, 78, 79/4 Village Pipliyakumar, Tehsil & Distt. Indore (MP) Total Land Area 17,435.38 sq.m. Total Built up Area 30,438.87 Sq.m. by M/s Shikhar Housing Development Pvt. Ltd., through Director, M/s Pawan Agrawal, 248/4/1, Pipliyaumar, Indore (M.P.) 453001.

- 1) The case was considered in 151st SEIAA meeting dated 22.10.13. **It is a case of violation of EIA Notification, 2006**, as per Gol, MoEF, office memorandum dated 12.12.12 & 27.06.13.

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

- 2) A letter was sent to Principal Secretary Housing and Environment, GoMP dtd. 22.11.13 for initiating credible legal action against PP under EPA Act.
- 3) PP vide letter dated 22.11.13 was asked to submit "... (vii) why the construction activities have been undertaken? How much construction has already been done? Whether the construction activities are still continuing? PP is directed to stop the construction activities with immediate effect and should not undertake any kind of construction until prior EC under EIA Notification 2006 is accorded..... (viii) PP should submit the above information latest by 15.12.13. The case will be considered thereafter...."
- 4) PP vide letter dated 23.08.14 received in SEIAA office on 26.08.14 has submitted the information regarding construction activities.
- 5) Vide letter no. 85 dtd.20.08.14 from Secretary SEAC & let. No. 95 dtd. 01.09.14 from MS Secretary MPPCB has informed that credible action has been initiated by MPPCB against the PP for the violation committed by them and has requested to send the original file for consideration in SEAC mtg
- 6) The case file and the information submitted by PP (letter dtd 23.08.14) have been forwarded (let. Dtd. 02.09.14) to SEAC for necessary action.
- 7) The post facto approval is accorded by the authority.

D. POLICY DECISIONS

a. Cases forwarded by MoEF- Registration

- i. It was noted that the MoEF has forwarded following 4 proposals of different categories (other than mining), which were submitted by PPs to MoEF, Gol for seeking prior EC. After constitution of MP-SEIAA, Government of India, MoEF has forwarded following proposals (in hard-copy) to MP SEIAA for further necessary action.

List of Proposals of different categories (other than mining)

S.No.	Project details	Vide letter
1.	F. No. 21-30/2014-IA.III –M/s Nav Uday Educational & Charitable Society Park Nav Uday Hospital & Medical College, Gwalior	L. Nos. F. 19-108/2012IAIII, Govt. of India and Climate Change dated 13.08.2014
2.	F. No. 21-32/2014-IA.III – M/s Ritnand Balved Education Foundation (Amity University)	
3.	F. No. 21-34/2014-IA.III- M/s Industrial Infrastructure Development Corporation, Gwalior, MP	
4.	Revival and Mil development plan by M/s Nepa Mil, Nepa Nagar, District Burhanpur, MP	J-11011/95/2014-IAII (1) dated 14.08.2014

- ii. The issue regarding registration of above proposals as mentioned in above list S.No. 1-3 received in hard-copy contain information in Form-1 along with some attachments, but all desired information to be attached for registration of the case under category-B, are not available with the submitted documents. Whereas in case of S.No. 4 the case was considered earlier in category "A" and ToR were issued by Gol, MoEF. But, since now the project comes under category 'B' MoEF has

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S. Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 158th Meeting of SEIAA dated 04.09.2014

forwarded this case to MPSEIAA for necessary action. **It is decided that:-**

1. Now, the online registration of project proposals has become mandatory in MP SEIAA from 14.08.2014 and this is available on our website viz. www.mpseiaa.nic.in. In context of this as per decision in 156th SEIAA meeting dated 21.08.2014 it was decided that all the applicants of above cases should be informed to submit their application through online, for registration of the case.
2. In case of S. No. 4 Revival and Mil development plan by M/s Nepa Mil, Nepa Nagar, District Burhanpur, MP PP should be asked to submit application through online for registration of the case. However, as the ToR has been issued by MoEF, Gol this case file should also be forwarded to SEAC after online registration of the case. The copy of this letter should be endorsed to MoEF for information.

The copy of this letter should be endorsed to MoEF for information.

As a policy decision the same procedure will be followed in the cases received from MoEF, Gol in future also.


b. Case in which ToR has been issued by MoEF


Revival and Mil development plan by M/s Nepa Mil, Nepa Nagar, District Burhanpur, MP.


Further one more case vide letter no. J-11011/94/2014-IA-II (1) dated 14.08.2014 which was submitted by PPs to MoEF, Gol for seeking prior EC under category A. ToR has been accorded by the Ministry on 14.08.2014 to M/s Nepa Mil. However after examination and clarification given by PP the foresaid proposal found to be Category B, hence MoEF has forwarded this proposal (in hard-copy) to MP SEIAA for further necessary action.

Now, the online registration of project proposals has become mandatory in MP SEIAA from 14.08.2014 and this is available on our website viz. www.mpseiaa.nic.in. In context of this as per decision in 156th SEIAA meeting dated 21.08.2014, it was decided that since the above case is now categorized as B category PP should be informed to submit their application through online for registration.

Meeting ended with a vote of thanks to the Chair


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman