

1.0 Opening Remarks of the Chairman

The Chairman welcomed all the members of the Committee (**Annexure-1**) and thereafter agenda items were taken up for deliberations. The list of participants present during meeting is annexed as **Annexure-2**.

2.0 Consideration of the Projects

Following issues were discussed and decided:-

- A. 07 proposals (for TOR / EIA deliberations) were invited. Out of these proposals only 04 proposals were presented before the committee.
- B. It is decided to hold the 45th & 46th meetings on 27th & 28th January 2010 respectively.

EIA- Deliberations:

1. 251/2008

Balasure Alloys Ltd. Balgopalpur- Balasure (Orissa) Pin-756 020 Jarah-Mohgaon Manganese Ore Mines - 11.766 Ha.Capa. - 2000 MTA at Village-Jarahmohgaon, Tehsil-Katangi, Distt.- Balaghat (M.P.) EIA Presentation - TOR letter issued vide letter no. 97 dated 11/02/2009. Date of receipt of EIA 27/08/09

Neither the PP nor his representative was present to help in understanding the location base documents etc. nor did to explain discrepancy / gap if find any during the deliberation. Hence committee decided to call the PP in next meeting.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

2. 69/2008

Shri Vinod Kumar Shrivastava, Burhagar, Jabalpur (M.P) Kurro Laterite Mine of Khasra No. 531, Village Kurro, Tehsil Sihora, Mining Lease Area 7.30 Ha., Capa.- 45000 MT/Y. EIA Presentation - TOR letter issued vide letter no.337 dated 07/08/08, Date of receipt of EIA 22/10/09

Neither the PP nor his representative was present to help in understanding the location base documents etc. nor did to explain discrepancy / gap if find any during the deliberation. Hence committee decided to call the PP in next meeting.

3. 231/2008

Smt. Ratna Mishra C/o M/s CIMMCO Gulab Rai Building, Opposite Nagar Nigam Katni (M.P) Limestone mine 5.89 Ha 5000 TPA at Rajwara, Tehsil- Vijay Raghogarh Katni (M.P) EIA Presentation. TOR letter issued vide letter no. 75 dated 11/02/09. Date of receipt of EIA 05/12/09

This being a mining project with lease area between 50 ha to 5 ha is listed at S.N. 1(a) of schedule under 'B' Category of EIA Notification, 2006 and is to be appraised by SEAC.

TOR was issued vide letter dated 11/02/09. The applicant presented the salient features of the project EIA / EMP and the public hearing issues were dealt in detail. It was reported that the mine is existing but not operating. Method of mining is Open cast and manual. The nearest habitat is village Rajwara about 1.0 Km from the project boundary. Railway track is about 1.5 Km from the lease area boundary. The mining shall not intersect the GW table. Water requirement for the project is 10 KLD which shall be met from mine water and hand pump. PP has submitted NOC from forest department dated 19/05/2006, which reveals that the distance of forest from lease boundary is more than 250 mts.

After deliberation, committee has asked for following submission from the PP:

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

- NOC from 'Gram Sabha' and 'paanch sala' record from Patwari.
- Declaration from consultant.
- All chemical analyses report from approved laboratory in original format. The chemical analyses should incorporate method of analyses, instruments used and the details of standards used. The date and time of sampling should also be mentioned in the report. Air quality monitoring from approved lab has to be furnished.
- Written commitment for fulfillment of the public hearing issues to be submitted.
- Plan with commitment for plantation in 33% of project area within lease period to be submitted. Map showing green belt to be submitted.

4. 468/2009

M/s Divya Dev. Developers Pvt.Ltd. 205, Apollo Arcade,1/2,Old Palasia, Distt. -Indore-(M.P.)
Apollo DB City, Township Project at Village-Nipania, Distt.-Indore (M.P.) – Query Presentation

Building and Construction projects with area ≥ 20000 sq.mtrs and $< 1,50,000$ sq.mtrs. of built-up area are covered under the Schedule of EIA Notification 2006 in category B,8(a). Therefore are required to be appraised by the SEAC. This is a Township Project with Commercial complex / Hotel. During presentation it was reported by the PP that total plot area is 48,578 sqm. and built-up area is 1,39,916 sqm. The project consists of High-rise buildings with maximum height of 45 mts. Hotel and commercial complex is proposed with ground coverage of 2933 sqm. Total water requirement is 962 m³/day which includes fresh-water 528 m³ / day and recycled-water 434 m³/day. Total waste-water generation is 631 m³/day. STP with capacity to treat 700 KLD of waste-water is proposed. 03 DG set of total capacity 760 KVA will be provided for power back-up. Total municipal solid waste is reported to be 2.3 T/day. MSW is proposed to be managed by authorized agency. Total green area is reported to be 30 %. *Papers submitted by the PP* - copies of Ownership documents, diversion order, TNCP approved development plan, building permission from Gram

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

**MINUTES OF 44th MEETING OF STATE EXPERT APPRAISAL
COMMITTEE HELD ON 23rd December, 2009**

4

Panchayat and Affidavit for use of fly-ash bricks, waste material in road construction; follow the ECBC norms, provision of first-aid etc. at site. PP has also submitted a copy of application made to CGWA for abstraction of ground water; the permission is yet to be released.

The case was presented before the SEAC in the 40th meeting dated 25/11/09, whereby the committee has asked the PP to submit reply on various queries and explain the same through presentation. Query reply presentation was made before the committee in this meeting on following issues:

- Location of STP is proposed underground, this is not in line with the conditions laid down in the approved plan of Town & Country Planning Department. From operation point of view also, the underground STP pose number of problems such as evacuation of the generated gaseous pressure, maintaining the gravity flow, overall maintenance of the STP, hence location of STP has to be explored above the ground.
- Design of STP does not match with the claimed quality of the treated waste-water. The matter has to be re-examined and revised proposal has to be furnished.
- Municipal Solid Waste (MSW) is reported to be managed by the authorized agencies; appropriate agreement with such agency has to be furnished.
- Proposed site is reported to fall under Class –III Seismic Zone, accordingly the details of the preventive measures has to be submitted.
- Data reveals that the existing Noise Level in the region is high; hence details of the measures so as to maintain the noise level to be furnished.
- Number and locations of the proposed tube-wells on the revised lay out has to be submitted.
- Revised lay-out as discussed during presentation has to be submitted.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

- Submitted land-use diversion order reveals that it is for residential use only whereas the project includes commercial use also; clarification in this regard has to be furnished.
- Quality of treated waste-water from Hotel may be compared with the revised standards.
- Source of water for construction and operational phases along with the requisite permission / commitment from the concerned authorities.
- Green belt has to be 33% of the total area. Map showing green belt to be submitted.

After deliberations committee has decided to recommend the case for grant of prior EC with following special conditions:

- Proponent shall obtain the permission for withdrawal of ground water from competent authority.
- Green area shall be developed in at least 33% of the total plot area.
- PP shall explore the possibility of using solar energy where ever possible.
- It was reported that proposed site is out side the Municipal Corporation limit, hence collection, segregation, storage and transportation of municipal solid waste shall be the responsibility of the project proponent.
- Project proponent shall also ensure smooth & uninterrupted operation and maintenance of STP and treated effluent has to be reused within the premises.
- Dual pipe line has to be laid down for flushing, horticulture and other recycling points.

5. 227/2008

Sh. R.K. Jain, M/s R.K. Minerals Corporation, Sawarkar Ward, Nai Basti Katni, Distt.-Katni, (M.P) Lime & Clay mine 15.04 hect, Village - Inotapatkul, Tehsil- Banda, Distt. Sagar (M.P).
EIA Presentation. TOR letter issued vide letter no. 73 dated 11/02/09. Date of receipt of EIA 05/12/09

Neither the PP nor his representative was present to help in understanding the location base documents etc. nor did to explain discrepancy / gap if find any during the deliberation. Hence committee decided to call the PP in next meeting.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

6. 127/2008

Sh. Anu Kohli, C/o Avtar Hotel, Near telephone Exchange, Sausar, Dist Chhindwara. Gwari Wadona Manganese Ore Mine, Village Gwariwadhona, tehsil sausar, Dist Chhindwara Mining Lease Area 8.776Ha, 2100 T/A EIA Presentation.

Case has been recommended for grant of EC to SEIAA in 32nd meeting of SEAC dated 23/07/2009 for mining area 8.77 Ha and production capacity 2100 MTA. Additional TOR was issued to the PP vide letter dated 09/11/09 in which PP was to submit: Impacts due to enhanced capacity, changes in the pollution load due to enhanced production and the control measures and map depiction of micro-level existing land-use in 2 Km radius around the lease area. The above has been submitted by the PP with request for grant of EC for the enhanced capacity of 5264 TPA, as per the approved mining plan. After deliberation committee observed that the owner is going to enhance production by about 2.5 times and the Public Hearing was conducted without declaring the facts, hence PP was asked to conduct the Public Hearing disclosing the fact about enhanced production. Any issue raised in the public hearing has to be addressed in the EMP with commitment. The case was deferred till submission of the above.

7. 122/2008 M/s Balaji Stone Lime company, Surendra Kumar Agarwal, Partner S.S. Balagi limestone company, Lalpur, Burhar, Distt-Shahdol. Lime stone mine at Village-Jhinna, Tehsil- Amarpatan Distt. Satna (M.P.) Mining lease area 9.5 Ha. 15000 MT/Y EIA Presentation.

The case was scheduled for the 42nd meeting dated 21/12/09, on request of PP and with permission of Hon'able Chairman the case was considered for deliberation in this meeting.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

**MINUTES OF 44th MEETING OF STATE EXPERT APPRAISAL
COMMITTEE HELD ON 23rd December, 2009**

7

This being a mining project with lease area between 50 ha to 5 ha is listed at S.N. 1(a) of schedule under 'B' Category of EIA Notification, 2006 and is to be appraised by SEAC. TOR was issued vide letter dated 02/09/08. The applicant presented the salient features of the project EIA / EMP and the public hearing issues were dealt in detail. It was reported that the mine is existing but not operating. Method of mining is Open cast and manual. The nearest habitat is village Lodbad about 1.25 Km from the project boundary. Nearest river is Surpan river at about 2.0 KM and a local nalla is around 0.1 Km from the project site. The mining shall not intersect the GW table.

After deliberation, committee has sought following information and details from the PP:

- Mining Plan duly approved by the IBM to be submitted.
- NOC from 'Gram Sabha' .
- Declaration from the PP and the consultant regarding use of authentic data / facts /figures in the EIA /EMP to be furnished.
- All chemical analyses report from approved laboratory in original format. The chemical analyses should incorporate method of analyses, instruments used and the details of standards used. The date and time of sampling should also be mentioned in the report. Air quality monitoring from approved lab has to be furnished.
- Written commitment for fulfillment of the public hearing issues to be submitted.
- Use of Solar energy for utilities has to be explored and implemented.
- Plan with commitment for plantation in 33% of project area within lease period to be submitted. Map showing green belt to be submitted.
- Impact study on river and local nalla due to OB has to be conducted and submitted.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

Discussion on the query reply:

Discussion on the query reply:

1. 420/2009

Shri Rajendra Gangil, GM, M/s GRL Real Estate (P) Ltd. D-2 Silver State, University Road Distt. Gwalior (M.P) *Housing Project Comprising of 437 residential Unit, 01 School and 01 Shopping Complex, Total Built-up Area-81920.55 Sqm, Land area- 6.292 Ha. in Village- Dongarpur, Distt. Gwalior (M.P).*

Housing Project Comprising of 437 residential Unit, 01 School and 01 Shopping Complex, Total Built-up Area-81920.55 Sqm, Land area- 6.292 Ha. in Village- Dongarpur, Distt. Gwalior (M.P). Townships and Area Development projects, covering an area ≥ 50 ha and or built up area $\geq 1,50,000$ sq .mtrs are enlisted at B, 8(b) of the Schedule of EIA Notification-2006 and hence are to be appraised by SEAC. PP has submitted application in form 1 and form1 (A) along with the conceptual plan for grant of EC for the project. Presentation was made on 24/07/09 in 32nd meeting. Following queries were raised by the members:

1. PP shall take NOC from Central ground water Board for withdrawal of water.
2. Criteria for consumption of water requirement to be calculated and reported.
3. NOC from MPEB for fulfillment of required electricity to be submitted.
4. Diversion of land from competent authority to be produced.
5. Plantation area to be clearly marked on layout plan which shall be at least 33% of total area. Detail budget allocation, species to be planted should be shown in the layout plan as per scale.
6. Basis on which quantity of waste generated has been assessed to be submitted.
7. The location of Sewage Treatment Plant is not shown in layout plan. Whether open or

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

closed, above or under ground, details of sludge generated and its management regarding disposal etc has to be submitted. Measures taken for control of odour nuisance have also, to be provided.

8. Quantity of total municipal solid waste its storage, segregation facilities and disposal should be furnished.

9. Rainwater harvesting details to be submitted.

10. Provisions for solar energy tapping to be provided.

11. Commitment to be furnished for compliance of ECBC guidelines for energy conservation has to be submitted.

12. Ambient Air Quality of the Area & ground water monitoring report from the approved lab shall be furnished.

PP has submitted the reply to the above queries after examining the reply committee has decided to recommend the case for grant of prior EC with following special conditions:

- Green area shall be developed in at least 33% of the total plot area.
- PP shall explore the possibility of using solar energy where ever possible.
- Collection, segregation, storage and transportation of municipal solid waste shall be the responsibility of the project proponent.
- Project proponent shall also ensure smooth & uninterrupted operation and maintenance of STP and treated effluent has to be reused within the premises.
- Dual pipe line has to be laid down for flushing, horticulture and other recycling points.

2. 291/2009

M/s Shri Marutaye Balaji Steels Ltd. 5,Bentinck Street,Kolkata-700 001 Hadbadpur Limestone Mine at Vill.- Hadbadpur, Teh-Raghurajnagar Distt.- Satna,(M.P.) Area-18.935 Ha. Cap-1,00,000 TPA, EIA Presentation was made on 25/11/09 in 40th meeting. Following queries were raised by the members:

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

- NOC from 'Gram Panchayat'.
- Written commitment for fulfillment of the CSR plan with budgetary provision to be submitted.
- Plan with commitment for plantation in 33% of project area within lease period to be submitted, along with the documents pertaining to purchase of extra land in the vicinity of mining area.
- Affidavit stating safe and controlled blasting has to be submitted in view of the safety of the residents of nearby villages.
- Route of transportation of mineral from the site has to be shown along-with the measures taken to minimize the fugitive emissions likely to increase from the transportation.

PP has submitted the reply with supporting documents for the above queries except the route of transportation of mineral from site to the railway siding, distance from residential area and measures taken to minimize the fugitive emissions likely to increase from the transportation have not been addressed properly hence committee decided to ask for the same from PP.

3. 47/2008

Shri Vinod Agarwal, 7/26, Civil Lines, Tilak Ward, Mandla (M.P) -481 661 Dolomite Mines in Village Kakaiya of Bichhiya Tehsil Distt. - Mandla (Area- 6.81 Ha. Lessee Vinod Agarwal, Mandla) Capacity: 17000 MT/Year. EIA Presentation was made on 25/11/09 in 40th meeting whereby following queries were raised by the members:

- NOC from 'Gram Panchayat'.
- NOC from forest department (East Mandla) certifying the distance of proposed site from the boundaries of buffer zone and core zone of Kanha National Park
- Declaration from consultant
- Written commitment for fulfillment of the CSR plan with budgetary provision to be submitted.
- Written commitment for the measures (hood on the screen of crusher, transfer chute at drop points and other measures) as suggested by the Local Administration & MPPCB during the PH has to be submitted.
- It was reported during the meeting that work regarding construction of a Chabutra and repairs of road has already been initiated by the PP, status of the same as of now has to be submitted.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

**MINUTES OF 44th MEETING OF STATE EXPERT APPRAISAL
COMMITTEE HELD ON 23rd December, 2009**

11

- Affidavit stating safe and controlled blasting has to be submitted in view of the safety of the residents of nearby villages.
- Route of transportation of mineral from the site has to be shown along-with the measures taken to minimize the fugitive emissions likely to increase from the transportation.
- Plantation scheme, map showing green belt in at least 33% of the total mine area to be submitted.

PP has submitted the reply to the above queries after examining the reply committee has decided to recommend the case for grant of prior EC with following special conditions:

- Green area shall be developed in at least 33% of the total mining area during the lease period as per the proposal submitted.
- PP shall explore the possibility of using solar energy where ever possible.
- Commitments towards CSR have to be followed strictly.
- Commitment for the measures (hood on the screen of crusher, transfer chute at drop points and other measures) as suggested by the Local Administration & MPPCB during the Public Hearing has to be followed strictly.
- Regular health checkup record of the mine workers has to be maintained at site.

4. 175/2008

M/s Raghuvir Ferro Alloy Pvt.Ltd., Works: 103-113,130 to 137 Sector-C, Industrial Area - Urla, Distt.- Raipur (C.G.) - 492 003 Jagantola Manganese Ore Mine (8.11Ha.)Capa:1000 TPA at Vill: Jagantola, Tehsil.- Baihar, Distt.-Balaghat (M.P.) TOR letter issued vide letter no. 648 dated 12/09/08. EIA Presentation.

EIA presentation was made in the 34th meeting dated 22/08/09, whereby following queries were raised by the members:

1. Information with supporting documents pertaining to the issue raised in public hearing, permission from Gram Panchayat for lying pipe line for the proposed transport of mine water from mine-pits to the old-pits near village Jagantola
2. To submit a written commitment for safe blasting.

PP has submitted the reply to the above queries after examining the reply committee has decided to recommend the case for grant of prior EC with following special conditions:

- Green area shall be developed in at least 33% of the total mining area during the lease

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

- period as per the proposal submitted.
- PP shall explore the possibility of using solar energy where ever possible.
 - Commitments towards CSR have to be followed strictly.
 - Regular health checkup record of the mine workers has to be maintained at site.

5. 264/2009 Shri Arvind Pratap Singh, Behind Hanuman Toria Chhatarpur

(M.P) Pyrophyllite & Diaspore Mine at Village- Nandgaikala, Tehsil- Chhatarpur Distt.- Chhatarpur (M.P) Area- 6.602 Ha, Cap- 10,000 MT/Year EIA Presentation was made on 24/10/09 in 39th meeting.

It was revealed from public hearing documents that the site is located near a higher secondary school and residential area. Many of the local people have opposed the project in PH.

Main objections in the public hearing were - risk from blasting, increase in air pollution etc. PP's reply for the above objections was not appropriate. Committee decided to defer the case for next meeting for decision on the matter. Meanwhile PP was asked to submit point-wise clarification to all the objections along with supporting documents.

Point-wise clarifications to all the objections along with supporting documents have been submitted by the PP, Committee earlier has recommended for site visit before the presentation of EIA.

It was decided to visit the site during 11th-13th January 2010 by two members before calling the proponent for EIA deliberations.

6. 248/2008

M/s Satguru Cement (P) Ltd. 102, Golden Tower, 94/47, Sneh Nagar Main Road Indore
Expansion of prod. Capacity from 30,000 TPA to 95,000 TPA & production of clinkers 1, 50,000 MTPA.

EIA for the case was presented before the committee in the meeting dated 24/10/09 whereby PP was asked to submit reply to the queries along with the supporting documents. After examining the reply in 41st meeting dated 26/11/09 committee further asked the PP to clarify following issues:

- Registration from industry Deptt. For the production of clinker.
- Micro level features in 5 Km radius in map.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

**MINUTES OF 44th MEETING OF STATE EXPERT APPRAISAL
COMMITTEE HELD ON 23rd December, 2009**

13

- Central Pollution Control Board has classified the cement plants as mini & large scale on the basis of production (less than 200 TPD & 200 TPD and more respectively). On expansion the cement plant under consideration will fall under large / medium category and will have to be prescribed the emission standards accordingly i.e. 50 mg / NM³ in accordance to the guidelines of CREP charter. PP has to assure the compliance of above emission standard and submit the detail of technology to achieve the same.

After examining the reply submitted by the PP committee following view:

- Production of clinkers has not been considered by the committee as Industries department has registered the industry only for the production of Cement (95,000 TPA).
- Commitment has been submitted by the PP for maintaining the emissions in the prescribed limits (Particulate matter 50mg/Nm³) but has failed to give the details of the technology especially for the kiln thus PP was asked to ensure installation of efficient air pollution control equipment so as to achieve the emission limits as prescribed in the Gazette Notification GSR No. 46 (E) dated 03/02/2006, before establishment, accordingly proposal has to be submitted.

7. 43/2008

M/s Bright Star Infrastructure (P) Ltd. Township at Jatkhedi Hoshangabad Road, Bhopal

The case was recommended by SEAC earlier and was sent back by SEIAA for reconsideration on following ground:

Letter of commitment for supply of required quantity of water – from Municipal Corporation Bhopal was to be submitted by the PP.

Requisite letter from Municipal Corporation has been submitted by the PP. After examining the reply submitted by the PP committee decided to recommend the case for grant of prior EC subject the following special conditions:

- Green area shall be developed in at least 33% of the total plot area.
- PP shall explore the possibility of using solar energy where ever possible.
- Collection, segregation, storage and transportation of municipal solid waste shall be the responsibility of the project proponent.
- Project proponent shall also ensure smooth & uninterrupted operation and maintenance of STP and treated effluent has to be reused within the premises.
- Dual pipe line has to be laid down for flushing, horticulture and other recycling

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

points.

9. 27/2008

M.P. Lime Works, 2497 Napier Town, Jabalpur Mining lease area 10.60 Ha, Mining of Dolomite 6707 tonnes Seoni, Distt. Jabalpur (M.P)

The case was recommended by SEAC earlier and was sent back by SEIAA for reconsideration on following ground:

NOC from forest department was not submitted.

PP has submitted NOC from forest department was old (1997) hence was asked to submit the new NOC. PP has submitted that NOC from forest is given at the time of grant or renewal of lease hence the new NOC shall be issued only at the time of renewal which is due in 2017. The site as per NOC is 3 Km away from the forest boundary, thus committee decided to recommend the case for grant of prior EC subject the following special conditions:

- Green area shall be developed in at least 33% of the total mining area during the lease period as per the proposal submitted.
- PP shall explore the possibility of using solar energy where ever possible.
- Commitments towards CSR have to be followed strictly.
- Regular health checkup record of the mine workers has to be maintained at site.

10. 98/2008

Smt. Indra Devi Garg, Legal Heir of Late Shri Giriraj Garg , Balaji Handloom, Saraswati Shishu Mandir ke Samne, P.O. & Distt.-Morena (M.P.) Bankuri Red Ochre Mine - 12.0 Ha. Capa. - 5000 TPA at Village- Bankuri, Tehsil-Karahal, Distt.-Shoerpur (M.P.)- TOR was issued vide letter dated - 07/08/08.

It was brought to the notice of the committee that supplementary agreement has not been executed in name of the legal heir in 37th meeting dated 22/10/09. Thus, committee decided to keep the case pending till submission of the requisite documents. Hence PP along with his consultant or competent person may be called upon only after complete submission.

The requisite document has been submitted. Thus committee decided to call the PP for EIA deliberation in the next meeting.

11. 148/2008

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

**MINUTES OF 44th MEETING OF STATE EXPERT APPRAISAL
COMMITTEE HELD ON 23rd December, 2009**

15

M/s Lupin Limited 198-202, New Industrial Area No.-2, Mandideep Distt.-Raisen(M.P.) Proposed capacity enhancement and additional new Products at M/s Lupin Ltd., 198-202, New Industrial Area No.-2, Mandideep, Raisen.

SEIAA – Query

The case was recommended by the SEAC in the 36th meeting dated 23/09/09. SEIAA send the case back to SEAC to ensure and put it along with their recommendation that the safety measures suggested by project proponent are sufficient to address the health hazard. Further it will not pose any health hazard to the people within and out side the plant.

PP has submitted the details of the safety measures for examination. On examination of the submitted details it reveals that the industry is taking appropriate measures to handle all sorts of possible risks. Thus the case may be considered for grant of conditional prior EC.

12. 91/2008

M/s Mohta Cement (P) Ltd. Samyak Tower 16/3 Old Plasia Indore (M.P)

EC has been granted to the industry for enhancement of production from 30 TPD to 300 TPD by SEIAA. PP has now submitted a request to:

1. Relax the emission limits from 50mg/Nm³ to 250 mg/Nm³ in accordance to the MoEF giving this limit other similar VSK cement units.
2. Change in the title from ‘**enhancement of production from 30TPD to 300 TPD**’ to ‘**enhancement of production from 9000 TPA to 90,000 TPA**’.

Comments: No relaxation in the emission limits can be considered, as the unit has been considered as Medium/Large scale from production and pollution point of view. PP has to follow limits prescribed in the Gazette Notification GSR No. 46 (E) dated 03/02/2006.

13. 477/2009

Shri Nimish Arora , Director M/s Aarone Developers (P) Ltd. 6th Floor, Office Tower

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

**MINUTES OF 44th MEETING OF STATE EXPERT APPRAISAL
COMMITTEE HELD ON 23rd December, 2009**

16

Select City Walk, A-3 District Center Saket N. Delhi - 110017. 'County Walk' Area

Development Project at village Zalariya, Plot area- 80.811 Ha, District Indore

The case was presented in the 40th Meeting dated 25/11/09 whereby following queries were raised by the committee:

- Vermi-composting proposal has to be reviewed as it is an activity which requires skilled workers and a high level of care. Further in this regard detail scheme along with the agreement with the operators of this facility has to be submitted.
- Design of STP does not match with the claimed quality of the treated waste-water. The matter has to be re-examined and revised proposal has to be furnished.
- Land ownership documents and the diversion orders to be submitted.
- Approval of maps from the Gram Panchayat with building permission to be submitted.
- Calculation pertaining to the rain water harvesting to be re-examined submitted.
- Green area up to 33% of the total project area has to be ensured. Map showing green belt to be submitted.
- Revised lay-out plan with location of STP, water harvesting pit, MSW storage / management has to be submitted.

PP has submitted the reply to the above queries after examining the reply committee has decided to recommend the case for grant of prior EC with following special conditions:

- Green area shall be developed in at least 33% of the total plot area.
- PP shall explore the possibility of using solar energy where ever possible.
- Collection, segregation, storage and transportation of municipal solid waste shall be the responsibility of the project proponent.
- Project proponent shall also ensure smooth & uninterrupted operation and maintenance of STP and treated effluent has to be reused within the premises.
- Dual pipe line has to be laid down for flushing, horticulture and other recycling points.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

14. 157/2008

Shri Rakesh Sharma, Nagpur M.H, Dolomite mine 5.639 hact. Vill: Malegaon, The: Saunsar, Distt. Chhindwara M.P.

SEIAA while scrutinizing the documents submitted by the project proponent found that in the Forest Deptt. NOC the distance of mining lease area from the forest boundary has not been mentioned.

PP has submitted the reply to the above queries after examining the reply committee has decided to recommend the case for grant of prior EC with following special conditions:

- Green area shall be developed in at least 33% of the total mining area during the lease period as per the proposal submitted.
- PP shall explore the possibility of using solar energy where ever possible.
- Commitments towards CSR have to be followed strictly.
- Regular health checkup record of the mine workers has to be maintained at site.

15. 128/2008

M/s SNS Minerals Limited,PO-Maihar, Dist.- Satna Project: Tamoria Limestone & Dolomite Mines, Village –Tamoria, Tehsil- Maihar, Dist- Satna. Mining Lease Area-42.567 Ha. , 20000 T/A

EIA presentation was made in 41st meeting dated 26/11/09 following queries were raised by the SEAC:

- Written commitment for fulfillment of the CSR plan with budgetary provision to be submitted.
- Declaration from consultant and PP.
- Affidavit stating safe and controlled blasting has to be submitted in view of the safety of the residents of nearby villages.
- Route of transportation of mineral from the site has to be shown along-with the measures taken to minimize the fugitive emissions likely to increase from the transportation.
- Location of crusher and measures taken to prevent the fugitive emission to be furnished.

PP has submitted the reply to the above queries after examining the reply committee has decided to recommend the case for grant of prior EC with following special conditions:

- Green area shall be developed in at least 33% of the total mining area during the lease

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

- period as per the proposal submitted.
- PP shall explore the possibility of using solar energy where ever possible.
 - Commitments towards CSR have to be followed strictly.
 - Regular health checkup record of the mine workers has to be maintained at site.

16. 151/2008

Smt. Sangeeta Sharma, Nagpur M.H, Manganese ore mine 7.114 hact. at VillPalaspani, Teh: souncer, Distt Chhindwara M.P.

(i) Forest Deptt. NOC.

(ii) Shri Shekh Nabi S/o Shri Shekh Mangal has claimed that he is the owner of the land. The above issue may also be clarified from the revenue records.

PP has submitted that NOC from forest department has already been submitted earlier but distance from forest boundary has not been metioned. Regarding the point no.2 the matter has already been examined in earlier meetings. However PP has also submitted a copy of 'Paanch Sala' record for the year 2008-09 which reveals that the land is under the ownership of Smt. Sangeeta Sharma. In view of PPs' submission, committee has decided to ask the PP for submission of revised NOC from forest department metioning the distance of forest boundary from lease area boundary.

17. 256/2008

Shri Pooranmal Anjana At & Post Neemuch Tehsil & District Neemuch (M.P) Soniyana Laterite Mine, Survey No. 12/1 (Part) – Area- 10 Ha, capa- 51975 T/Y,

The case was received from MoEF. TOR for EIA / EMP was approved by the MoEF but copy of TOR is not available in the file. PP also has not submitted EIA report as yet. Committee after examining the case decided to write to MoEF for a copy of TOR and also to PP for submission of EIA.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

18. 257/2008

Shri Shreelal Anjana, Anajna Complex Tagore Marg Tehsil & District Neemuch (M.P) Soniyana Laterite Mine, Area- 10 Ha, Proposal for capacity enhancement from 25000T/Y to 50169 T/Y.

The case was received from MoEF. TOR for EIA / EMP was approved by the MoEF but copy of TOR is not available in the file. PP also has not submitted EIA report as yet. Committee after examining the case decided to write to MoEF for a copy of TOR and also to PP for submission of EIA.

Meeting ended with thanks to the chair.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(A.P. Shrivastava)
Invitee Member

(S.R. Shukla)
Member SEAC

(R.K. Jain)
Secretary SEAC