

1.0 Opening Remarks of the Chairman

The Chairman welcomed all the members of the Committee (**Annexure-1**) and thereafter agenda items were taken up for deliberations. The list of participants present during meeting is annexed as **Annexure-2**.

2.0 Consideration of the Projects

07 proposals (for TOR / EIA deliberations) were invited. Out of these proposals only 03 proposals were presented before the committee. It is decided to hold the 54th meeting on 28th April 2010.

EIA Deliberations:

1. Case no. 160/2008 M/s Kamtanath Stone Crusher Udhyog, Prop. Nathuram Jatav, Village-Dang, Tehsil-Gohad, ---Distt. –Bhind (M.P.) For – EIAPresentation Project: Stone Quarry Lease, Village-Dang, tehsil-gohad, ---Dist. Bhind Mining Lease Area-42.63 Ha. Prod. 20,000 TPA.

This being a mining project with lease area between 50 ha to 5 ha is listed at S.N. 1(a) of schedule under ‘B’ Category of EIA Notification, 2006 and is to be appraised by SEAC.

This being a mining project with lease area between 50 ha to 5 ha is listed at S.N. 1(a) of schedule under ‘B’ Category of EIA Notification, 2006 and is to be appraised by SEAC.

TOR was issued vide letter dated 02/09/2008. The applicant presented the salient features of the project EIA / EMP and the public hearing issues were dealt in detail. It was reported that it is an existing mine but presently closed. Method of mining is Open cast and semi-mechanized. It was reported that blasting shall be conducted as per the mining scheme. It was reported that a mobile crusher shall be installed in the

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(S.R. Shukla)
Member SEAC

(A.P. Srivastava)
Invitee Member

(R.K. Jain)
Secretary SEAC

lease area. The nearest habitat is village Dilip Singh Ka Pura about 600 meters from the project boundary. River Vaisali is reported to be at about 2.5 Km from the project boundary. Ultimate depth of mine is 6 meters up to 90 mRL and shall not intersect the GW table.

PP has submitted NOC from forest department which reveals that the forest boundary from the proposed site is about 20 Km from the forest boundary.

After deliberations committee has decided to recommend the case for issue of prior EC, with following special conditions:

- Safe blasting operations shall be carried out at least 400 meters away from any feature (habitat, temple etc.)
- Crusher operations shall be carried out with all preventive measures for controlling air / noise pollution and at least 400 meters away from any feature.
- Green area shall be developed in at least 33% of the total mining area during the lease period as per the proposal submitted. This should include a 9 meters broad green strip along the boundary of the lease area.
- PP shall explore the possibility of using solar energy where ever possible.
- Commitments towards CSR have to be followed strictly.
- Construction of premises of the temple located in the lease area along with appropriate approach road for the villagers has to be taken up immediately as per the commitment.
- Regular health checkup record of the mine workers has to be maintained at site.
- PP has to strictly follow the directions / guidelines issued by MoEF, CPCB and other Govt. Agencies from time to time.
- The dump height shall not exceed 30 meters with a slope angle of 37.5° and after

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(S.R. Shukla)
Member SEAC

(A.P. Srivastava)
Invitee Member

(R.K. Jain)
Secretary SEAC

every 10 meters terracing shall be done.

- Appropriate bio-logical and technical stabilization shall be carried out for OB.

2. Case No. 543/2010 Mr. Umesh Linani, Director M/s Lifestyle Infratech Ovt. Limited 55,Shanti Niketan,Near Bombay Hospital Indore (M.P.) For Building Construction High rise residential group housing Khasara no.71/1(part),71/2,104,105,106/1, 106/2,107,108,109/1,109/2,110,111,112/1, 112/2,128(part) at village- Nipania, Tehsil & Distt. Indore

Neither the PP nor his representative was present to help in understanding the documents etc. nor did to explain discrepancy / gap if find any during the deliberation. Hence committee decided to call the PP in next meeting.

3. Case no.473/2009- M/s Jaideep Ispat & Alloys Pvt. Ltd. (Unit-II)103, Laxmi Tower,1st Floor 576, M.G.Road - Indore(M.P.) For - EIAPresentation Unit of Rolling Mill & Induction furnace at Industrial Area-Pithampur, Distt.-Dhar.

Neither the PP nor his representative was present to help in understanding the documents etc. nor did to explain discrepancy / gap if find any during the deliberation. However PP has submitted a request to postpone the hearing for next meeting. Hence committee has agreed to call the PP in next meeting.

4. Case no. 161/2008 - M/s Kamtgiri Stone Crusher Udhyog, Prop. Brijkishore Sharma, Village-Dang, Tehsil-Gohad, ---Dist. Bhind (M.P.) For - EIAPresentation Project: Stone Quarry Lease, Village-Dang, tehsil-gohad, Dist. Bhind Mining Lease Area-43 Ha. Prod. 20,000 TPA.

This being a mining project with lease area between 50 ha to 5 ha is listed at S.N. 1(a) of schedule under 'B' Category of EIA Notification, 2006 and is to be

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(S.R. Shukla)
Member SEAC

(A.P. Srivastava)
Invitee Member

(R.K. Jain)
Secretary SEAC

appraised by SEAC.

TOR was issued vide letter dated 02/09/2008. The applicant presented the salient features of the project EIA / EMP and the public hearing issues were dealt in detail. It was reported that it is an existing mine but presently closed. Method of mining is Open cast and semi-mechanized. It was reported that blasting shall be conducted as per the mining scheme. It was reported that a mobile crusher shall be installed in the lease area. The nearest habitat is village Dang about 800 meters from the project boundary. Ultimate depth of mine is 15 meters bgl and shall not intersect the GW table.

PP has submitted NOC from forest department which reveals that the forest boundary from the proposed site is about 20 Km from the forest boundary.

After deliberations committee has decided to recommend the case for issue of prior EC, with following special conditions:

- Safe blasting operations shall be carried out at least 400 meters away from any feature (habitat, temple etc.)
- Crusher operations shall be carried out with all preventive measures for controlling air / noise pollution and at least 400 meters away from any feature.
- Green area shall be developed in at least 33% of the total mining area during the lease period as per the proposal submitted. This should include a 9 meters broad green strip along the boundary of the lease area.
- PP shall explore the possibility of using solar energy where ever possible.
- Commitments towards CSR have to be followed strictly.
- Regular health checkup record of the mine workers has to be maintained at site.
- PP has to strictly follow the directions / guidelines issued by MoEF, CPCB and

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(S.R. Shukla)
Member SEAC

(A.P. Srivastava)
Invitee Member

(R.K. Jain)
Secretary SEAC

other Govt. Agencies from time to time.

- The dump height shall not exceed 30 meters with a slope angle of 37.5° and after every 10 meters terracing shall be done.
- Appropriate bio-logical and technical stabilization shall be carried out for OB.

5. Case no. 516/2010 M/s Samdariya (P) Ltd. Coporate Office- Hotel Samdariya Inn Russen Chowk Jabalpur (M.P) Building Construction Construction of Shopping Mall with Multiplex at Civic Center at Khasra no. 13,14/1, ¾, Jaiprakash Narayan Ward Scheme No. 18 Jabalpur (M.P). T. Plot area- 3827.05 Sqm, T. Built up area- 21483.405 Sqm.

Building and Construction projects with area ≥ 20000 sq.mtrs and $< 1,50,000$ sq.mtrs. of built-up area are covered under the Schedule of EIA Notification 2006 in category B at S.N. 8(a). Therefore are required to be appraised by the SEAC.

Submissions and the presentation made by the PP and his consultant reveals following:

Location of the project	Khasra no. 13,14/1, ¾, Jaiprakash Narayan Ward Scheme No. 18 Jabalpur (M.P).
Total plot area-	3827.05 Sqm,
Total built-up area	21483.405 Sqm
Facilities	Shopping Mall with Multiplex
Cost of the Project	Rs 5800 Lac
Total Water requirement	Construction phase- 50 KLD Operational phase- 105 KLD
Source of water	Ground water through bore-wells
Quantity of effluent	114 KLD
Power requirement	2000 KVA
Back-up power facility	2 DG sets of 1010 KVA
Plantation proposed	35 %
STP- under ground	120 m ³ /day

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(S.R. Shukla)
Member SEAC

(A.P. Srivastava)
Invitee Member

(R.K. Jain)
Secretary SEAC

MSW-	1.3 MT/day – shall be disposed by the Municipal Corporation – agreement submitted.
Parking proposed	6591 Sqm. for 188 vehicles.

Copies of Permissions submitted by the PP- High-rise building permission, approved layout, permission from CGWA for abstraction of 120 KLD ground water.

After deliberation, committee has sought following information and details from the PP:

- Cross-section of the basement showing STP details including storage facility for the treated water has to be submitted.
- Detailed plantation scheme for with provision of plantation of Amaltas, Kachnar, Mango, Neem and ornamental / fruit bearing trees to be submitted. The plantation has to be taken up immediately so as to complete the committed plantation in 35% of the total area.

6. Case no. 515/2010 – M/s Sanjay Shrivastava, B-5, vaishalinagar, Near Doctor Chhapra, Distt. Damoh (M.P) For ToR Sagodikala Limestone Mine, at Village- Sagodikala, Tehsil- Jaber, Distt. Damoh, Area – 6.768 Ha, Khasra no. 189/1, 192/1 Capacity- Not mentioned.

Neither the PP nor his representative was present to help in understanding the documents etc. nor did to explain discrepancy / gap if find any during the deliberation. However PP has submitted a request to postpone the hearing for next meeting. Hence committee has agreed to call the PP in next meeting.

7. Case no. 517/2010 Shri Manvendra Singh, Village & PO – Ghuraia Distt.- Jhansi (U.P) For ToR Silpatpura Granite Quarry Area- 6.75 Ha Capacity- 8000 T/Year, at village- Silpatpura, Tehsil- Laundi, Distt. Chhatarpur (M.P),

PP has submitted a request to postpone the hearing for meeting scheduled for 28th April 2010. Hence committee has accepted the request subject to availability of time.

Meeting ended with thanks to the chair.

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(S.R. Shukla)
Member SEAC

(A.P. Srivastava)
Invitee Member

(R.K. Jain)
Secretary SEAC

(S. C. Jain)
Chairman SEAC

(V. Subramanian)
Member SEAC

(K.K. Goswami)
Member SEAC

(S.R. Shukla)
Member SEAC

(A.P. Srivastava)
Invitee Member

(R.K. Jain)
Secretary SEAC