

Minutes of the 172nd Meeting of SEIAA dated 08.01.2015

The 172nd meeting of the State Level Environment Impact Assessment Authority was convened on 08 January 2015 at 11.30 AM at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- | | | |
|---|-----------------------------|------------------|
| 1 | Shri H.S. Verma | Member |
| 2 | Shri Ajatshatru Shrivastava | Member Secretary |

A. Following cases were considered on the basis of the receipt of the additional information :-

S No	Case No.	No. & date of SEIAA meeting in which add. Information was asked
Other than mining cases		
1.	775/2012	161 st SEIAA meeting dtd 16.09.14
2.	1625/2013	163 rd SEIAA meeting dtd 24.09.14
3.	1684/2013	165 th SEIAA meeting dtd 10.10.14
4.	1704/2013	166 th SEIAA meeting dtd 13.10.14
5.	1737/2013	159 th SEIAA meeting dtd 11.09.14
6.	1165/2013	158 th SEIAA meeting dtd 04.09.14
7.	1688/2013	163 rd SEIAA meeting dtd 24.09.14
8.	512/2010	160 th SEIAA meeting dtd 12.09.14
9.	1741/2013	159 th SEIAA meeting dtd. 11.09.14
10.	1119/2013	165 th SEIAA meeting dtd 10.10.14
11.	730/2012	165 th SEIAA meeting dtd 10.10.14
Mining Cases		
12.	931/2012	133 rd SEIAA meeting dtd. 24.05.2013
13.	1393/2013	130th SEAC meeting dtd. 07.05.2013
14.	1645/2013	132 nd SEAC meeting dtd. 14.05.2013
15.	1107/2013	127th SEIAA meeting dtd. 22.04.2013
16.	847/2012	126th SEAC meeting dtd. 17.04.2013
17.	1311/2013	126th SEAC meeting dtd. 17.04.2013
18.	1275/2013	126th SEAC meeting dtd. 17.04.2013
19.	855/212	125th SEAC meeting dtd. 09.04.2013
20.	1534/2013	132 nd SEAC meeting dtd. 14.05.2013
21.	1216/2013	143rd SEAC meeting dtd. 29.10.2013
22.	1695/2013	136th SEAC meeting dtd. 23.07.2013
23.	1300/2013	164th SEIAA meeting dtd. 26.09.2014
24.	1430/2013	164th SEIAA meeting dtd. 26.09.2014
25.	1280/2013	164th SEIAA meeting dtd. 26.09.2014
26.	869/2013	164th SEIAA meeting dtd. 26.09.2014
27.	1143/2013	121st SEAC meeting dtd. 28.02.2013
28.	813/2012	165th SEIAA meeting dtd. 10.10.2014
29.	796/2012	165th SEIAA meeting dtd. 10.10.2014
30.	1292/2013	165th SEIAA meeting dtd. 10.10.2014
31.	802/2012	165th SEIAA meeting dtd. 10.10.2014
32.	1390/2013	165th SEIAA meeting dtd. 10.10.2014
33.	763/2012	165th SEIAA meeting dtd. 10.10.2014
34.	812/2013	165th SEIAA meeting dtd. 10.10.2014
35.	1659/2013	166th SEIAA meeting dtd. 12.10.2014
36.	1599/2013	167th SEIAA meeting dtd. 19.10.2014
37.	1543/2013	167th SEIAA meeting dtd. 19.10.2014
38.	1761/2014	168th SEIAA meeting dtd. 25.10.2014

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

1. **Case No. 775/2012** Prior Environmental Clearance for Proposed Residential Complex (Group Housing) " Royal Amar Greens" at Khasra No. 37/1/2, 38/1, 38/2, 39/1/1, 39/1/2, 39/1/3, 39/2 village - Niranjanpur, Indore (M.P.), total land area is 20,350 sq.m.(2.035 ha) and total built up area 45,159.98 sq m by M/s Man Developments through Director Shri Umesh Lilani G-9, Man Heritage, 6/2 South, Tukoganj, Indore, Distt. – Indore (M.P.)


- (1) The case was discussed in 161st SEIAA meeting dtd 16.09.2014 and it is recorded that "(1).... (2).... (3) in response to above query, reply submitted by PP (vide letter dtd 22.10.13 & 31.07.14 received in SEIAA office on 31.10.13 & 01.08.14 respectively) was examined in depth and it is noted that :-

- (i) PP has submitted copy of letter no. 691 dtd 21.06.11 issued by Indore Municipal Corporation regarding deposition of development fee in which it is clearly mentioned that the amount of Rs. 2189660.00 is for Narmada Capital renewal fee.
- (ii) It is noted that a letter vide no. 1231 dtd 24.07.13 was sent to Commissioner Nagar Nigam, Indore and again a DO letter no. 1740 dtd 03.10.13. The reply of these letters is still awaited.
- (4) The Authority decided that a reminder letter should be sent to Commissioner Nagar Nigam, Indore to provide clear status / NOC / consent regarding the information asked vide letters dtd 24.07.13 and 03.10.13. A copy of this letter should be endorsed to PP."


- (2) In response to above query, reply submitted by PP (vide letter dtd 31.10.14 received in SEIAA office on 12.11.14) was examined in depth and it is noted that :-

- (i). PP has submitted some additional receipts of fee deposited in Nagar Nigam, Indore. The Authority is of the view that **these receipts cannot be considered as NOC for water supply**. Reply of letter dtd 24.07.13, 03.10.13 & 15.10.14 from Commissioner Nagar Nigam Indore is still awaited. **It is decided that a DO letter should be written to Collector, Indore to look into the matter for providing clear permission for water supply specifying the quantity required by PP, NOC for discharge of extra treated waste water and NOC for disposal of MSW. A copy of this letter should be endorsed to Commissioner Nagar Nigam, Indore and PP.**
- (ii). As per the MPBVR 2012 rule no. 84 Appendix I- I Table clause 1 (3) the car parking is to be provided @ 1 ECS per 100 sqm of built up area hence required car parking is 319 ECS. PP has proposed (vide letter dtd 31.07.14) to provide parking for 349 ECS and is **satisfactory**.
- (iii). The maximum height of the building is 18 m (P + 6 Floors). As per minutes of 127th SEIAA meeting dtd 22.04.13 the conditions regarding road width is revisited and **it is decided that PP should provide road width 12.00 m and above, front MOS 7.50 m, and side/rear MOS 6.00 m as per MPBVR, 2012 Rule 42 (1) Table-4 S. No. 1 for building having height up to 18 m.**
- (iv). PP has proposed green / open area of 9480.67 sq.m (46.58%). **It is decided that PP should submit detailed landscape plan with number of trees and species to be planted.**

- (3) The above information should be submitted by PP latest by **28.02.2015**.



(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member



(Waseem Akhtar)
Chairman

2. **Case No. 1625/2013** Prior Environmental Clearance for proposed Residential Project "Sagar Land Mark" at Khasra No.91/2, 112/1/2, 113/2, 114/2, 116/2, 124/2/1, 125 (KH), 124/2/3, 125 (KH), Village Damkheda, Tehsil Huzur, Distt. Bhopal (MP) Total Land Area – 15840 Sq.mt. (1.584 Ha) Total Built up Area – 31617.51 Sq.mt. by M/s Agrawal Construction through Partner Shri Sanjeev Agarwal, Sagar Plaza – 250, Zone – II, M.P. Nagar, Bhopal (M.P.) 462011

- (1) The case was discussed in SEIAA meetings 149th dtd 26.09.13 and 163rd dtd 24.09.2014 and it is recorded that " (1).....(2) In response to above query, reply submitted by PP (vide letter dtd 22.10.13 received in SEIAA office on 22.10.13) was examined in depth and it is noted that: -
- (i) PP has submitted copy of letter dtd 17.10.13 from Nagar Nigam, office (Zone-14), Bhopal regarding 203 KLD water supply from Narmada Project and is **satisfactory**.
 - (ii) PP has submitted copy of letter dtd 21.10.13 from Health Officer, Nagar Nigam, Bhopal regarding disposal of 98 KLD extra treated waste water outlet in the Ayodhya bypass proposed sewer line at PP's cost. **It is decided that PP should submit the present status of proposed sewer line along with waste water disposal plan and final discharge point until the completion of proposed sewer line.**
 - (iii) PP has submitted copy of letter dtd 21.10.13 from Health Officer, Nagar Nigam, Bhopal regarding disposal of MSW and is satisfactory. **It is decided that PP should ensure that the disposal of MSW is integrated with Nagar Nigam, Bhopal.**
 - (iv) **The Authority decided that PP should submit bigger size copy of following maps :-**
 - a) **Layout plan approved by Town & Country Planning clearly showing the entrance, road width, parking green area etc.**
 - b) **Detailed landscape plan/ plantation plan.**
 - c) **Fire fighting provisions and map showing road width and fire tender movement plan as per MPBVR 2012 and NBC code 2005, Chapter-IV.**
- (3) **It is decided that a letter should be sent to PP to submit the above information latest by 30.11.2014."**
- (2) In response to above query, reply submitted by PP (vide letter dtd 11.11.14 received in SEIAA office on 14.11.2014) was examined in depth and it is noted that :-
- (i) PP has submitted treated water disposal plan and has proposed the disposal of 98 KLD extra treated waste water from STP into nearby Nala. PP has submitted letter dtd 06.04.2013 from Health Officer, Municipal Corporation, Bhopal for disposal of MSW and sewage disposal. **It is decided that PP should :-**
 - a. **Ensure the linkage with Municipal sewer line for disposal of extra treated waste water as soon as the Ayodhya bypass sewer line is completed.**
 - b. **Ensure the linkage with Nagar Nigam, Bhopal for disposal of MSW.**
- (3) PP has submitted bigger size layout plan approved by T & CP showing the entrance, road width, parking and green area etc and is **satisfactory**.
- (4) Fire fighting provisions proposed by PP includes underground Water Storage Tank, Fire Hydrant, Automatic Fire Detection and Alarm System, Hose Reel, Sprinkler Pump, Jockey Pump etc as per NBC, 2005, Chapter-IV. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam,**


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member



(Waseem Akhtar)
Chairman

Bhopal) incorporating all the fire fighting measure recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.


- (5) PP has proposed rain water harvesting through percolation wells.
- (6) PP has submitted plantation plan and has proposed green / open area 4482.09 sq.m (28.30%). The authority decided that plantation should be done in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area apart from parks proposed in the landscape plan. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with. The specie should include trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc. Every effort should be made to protect the existing trees on the plot.
- (7) It is decided to accept the recommendations of 136th SEAC meeting dtd 23.07.13 with 04 special conditions and accord prior Environmental Clearance under EIA Notification 2006 to the proposed Building Construction Project "Sagar Land Mark" at Khasra No. 91/2, 112/1/2, 113/2, 114/2, 116/2, 124/2/1, 125(KH), 124/2/3, 125 (KH), Village Damkheda, Tehsil Huzur, Distt. Bhopal (MP) Total Land Area 15840 Sq.mt. (1.584 Ha) Total Built up Area 31617.51 Sq.mt. by M/s Agrawal Construction through Partner Shri Sanjeev Agarwal, Sagar Plaza 250, Zone II, M.P. Nagar, Bhopal (M.P.) 462011 subject to all specific conditions imposed by SEIAA in its meetings

3. **Case No. 1684/2013** Prior Environmental Clearance for proposed Building Construction Project "Maple Woods" at Khasra No.41/1,41/2,43,56,57,58,59,60, 61/2 & 92, Village Pipliyakumar, Tehsil & Distt. Indore (MP), Plot Area 63410 sq.m., Built up Area 147128.75 Sqmt. by Chugh Reality Pvt. Ltd., Chugh Infrastructure Pvt. Ltd. & Developers Siddhi Vinayak Developers through Proprietor Mr. Kailash Raghuwanshi, FF-29,30, Shekhar Villa, 06, Scheme No. 54, Vijay Nagar, Indore (MP)452010; Env. Consultant: Kadam Environmental Consultants.

- (1) The case was discussed in 165th SEIAA meeting dtd 10.10.2014 and it is recorded that "(1) (2).... (3) The case was discussed in depth and it is noted that :-
 - (i). It is case of violation and vide letter no. 95/PS-MS/MPPCB dtd 01.09.14 MS, MPPCB has informed that the credible action has been initiated by MP Pollution Control Board against the PP for the violation committed by them.
 - (ii). PP has submitted Khasra Panchsala 2008-2009. It is decided that PP should submit notarized copy of latest Khasra Panchsala or any other document for land ownership.
 - (iii). The water supply source is Municipal water supply. During operation phase the total water requirement is 1027 KLD, recycled water 387.2 KLD, waste water generation is 810.9 KLD and capacity of STP is 1000 KLD. PP has submitted copy of Nagar Nigam, Niti Nirdharan Proposal for water supply. It is decided that PP should submit firm commitment from Nagar Nigam, Indore, specifying the quantity of fresh water supply. There should be no extraction of ground water.


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

- (iv). PP has proposed 417 KLD extra treated waste water disposal in Municipal sewer line. **It is decided that PP should link discharge of extra treated waste water with Municipal sewer line and should submit clear NOC from Nagar Nigam, Indore.**
- (v). Municipal Solid Waste (MSW) generated (2.5 tonnes per day) is proposed to be segregated into biodegradable and non-biodegradable components and collected in separate colored bins. To minimize littering and odors, waste will be stored in well designed containers/bins that will be located at strategic locations to minimize disturbance in traffic flow. **It is decided that Disposal of MSW should be linked with Nagar Nigam Indore and PP should submit clear NOC from Nagar Nigam for the disposal of MSW.**

(vi). (vii) (x)...

- (4) PP should submit the above information latest by **30.12.2014**. **A copy of the letter should be endorsed to Commissioner Nagar Nigam, Indore."**

(2) In response to above query, reply submitted by PP (vide letter dtd 14.11.14 received in SEIAA office on 14.11.14) was examined in depth and it is noted that :-


- (i) PP has submitted Khasra Panchsala 2014-2015 the land ownership is in the name of Chugh Infrastructure Pvt. Ltd. through Director Mohanlal.
- (ii) PP has submitted letter dtd 30.10.14 from Nagar Palika Nigam, Indore regarding water supply, disposal of extra treated waste water in municipal sewer line and disposal of MSW. **It is decided that :-**
- a. **The NOC for water supply given by Municipal Corporation is not clear hence a DO letter should be sent to Collector, Indore for necessary instruction to Nagar Nigam to give firm commitment for municipal supply of 639.5 KLD fresh water to PP.**
- b. **Regarding disposal of waste water PP should submit details of final discharge point and mode of disposal until the Municipal sewer line is laid in the area.**
- c. **The NOC for disposal of MSW is satisfactory.**

(2) PP should submit the above information latest by **28.02.2015**.


4. Case No. 1704/2013: Prior Environmental Clearance for proposed Residential & Commercial Development Project at Plot No. 27, Yashwant Niwas Road, Tehsil & District Indore MP. Total Plot area 12626 sq.mt., built up area 62,262.67 sqmt. by M/s Saicharan Properties Ltd., Mr. Sanjay Daga Authorized Signatory, 101, Kalpataru Synergy, Opp. Grand Hyatt, Santacruz, East Mumbai 400055

(1) The case was discussed in SEIAA meeting 152nd dtd 26.10.2013 162nd SEIAA meeting dtd 17.09.2014 and 166th dtd 13.10.14 and it is recorded that " (1) As per decision in the 162nd SEIAA meeting dtd. 17.09.2014 the Proponent and his consultant made a power point presentation which was found to be **satisfactory**.


(2) PP was asked to submit a clear NOC for water supply from Municipal Corporation, Indore. "


(Ajatshatru Shrivastava)
Member Secretary


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman


- (2) In response to above query, reply submitted by PP (vide letter dtd 30.12.14 received in SEIAA office on 30.12.2014) was examined in depth and it is noted that :-
- (i) PP has submitted let. No. 8403 dtd. 26.12.14 from Executive Engineer, PHED, Div.2 Nagar Palika Nigam, Indore regarding supply of 90 KLD of fresh water to the PP and is **satisfactory**. It is decided that:-
 - a) The entire demand of fresh water should be met through Municipal Supply and there should be no extraction of ground water.
 - b) PP should ensure the linkage with Municipal sewer line for disposal of 44 KLD extra treated waste water.
 - c) The segregation of bio-degradable and non biodegradable should be ensured. The disposal of MSW should be linked with Municipal Corporation, Indore.
 - (3) It is decided to accept the **recommendations of 140th SEAC meeting dtd 30.08.13 with 04 special conditions and accord prior Environmental Clearance under EIA Notification 2006** to the proposed Residential & Commercial Development Project at Plot No. 27, Yashwant Niwas Road, Tehsil & District Indore MP. Total Plot area 12626 sq.mt., built up area 62,262.67 sqmt. by M/s Saicharan Properties Ltd., Mr. Sanjay Daga Authorized Signatory, 101, Kalpataru Synergy, Opp. Grand Hyatt, Santacruz, East Mumbai 400055 subject to **all specific conditions imposed by SEIAA in its meetings.**
5. **Case No. 1737/2013** Prior Environmental Clearance for proposed plotted development at Village Semra Khasra No. 141, 142/1, 215/1, Village -Hinotia Kachchiyan Khasra No. 35, 36-94/37/2ka, 41/2/2, 42/1/2ka, 47, 44 and 45-46/1, Tehsil Huzur, Distt. Bhopal (M.P.) Total Land Area 97518.90 Sq.Mt., Plotted development with permissible Built Up Area – 81928.47 sq m. say 82000.00 sqmt.; Proposed Built up Area – 19680 Sqmt by M/s Koshalya Devi Builders and Developers through partner Shri Balwant Singh, 51, Premier House, Zone – II, M.P. Nagar, Bhopal (M.P.) 462011 (Developers), Owner of land: Shri Narendra Singh And Shri Santosh Singh.
- (1) The case was discussed in 159th SEIAA meeting dtd 11.09.2014 and it is recorded that "(1).....(2)..... (3) The case was discussed in depth and it is noted that :-
- (i). The case was discussed in 145th SEAC meeting dtd 07.11.2013 and it is recorded that "It was informed by the project proponent that the construction activity has already been started without obtaining prior EC. Thus, this is a clear case of violation of EIA Notification. Committee decided to return the case to SEIAA for taking necessary credible action and if need be, issue of directions for immediate suspension of construction at existing level, in light of the MoEF O.M. no J-110131/41/2006 – IA- II (I) dated 12/12/2012 and dated 27/06/2013."
 - (ii). The Authority is of the view that it is undisputed that violation of EIA Notification 2006 has taken place. **It is decided that :-**
 - A. As per MoEF, GoI, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012 and OM dtd 27.06.2013 PP should submit :-


(Ajatshatru Shrivastava)
Member Secretary


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

- a. The date of starting the construction, details as to why the construction activities have been undertaken. How much construction has already been done? Whether the construction activities are still continuing? PP is directed to stop the construction activities with immediate effect and should not undertake any kind of construction/development until prior EC under EIA Notification 2006 is accorded. **PP should submit the information latest by 30.10.14.**
- b. The Proponent should submit the matter relating to the violation to the Board of Directors of its Company or to the Managing Committee / CEO of the Society, Trust, partnership / individually owned concern for consideration of its environment related policy / plan of action as also a **written commitment in the form of a formal resolution to be submitted within 60 days** to MP-SEIAA to ensure that violations will not be repeated. **It is decided that in the meantime, the project will be delisted.** In the eventuality of not having any response from the project proponent within the prescribed limit of 60 days, it will be presumed that it is no longer interested in pursuing the project further and the project file will be closed, where after the procedure will have to be initiated de novo by project proponent.
- (iii). A letter should be sent to Principal Secretary, GoMP UD & E Department, giving the details of violation to take action as per office memorandum of MoEF, Gol J-11013/41/2006 IA II (I)dt. 27.06.13 & 12.12.12 (Para 5 (ii)) "to initiate credible action on the violation by invoking powers under section 19 of the Environment (Protection) Act, 1986 for taking necessary legal action under section 15 of the Act for the period for which the violation has taken place and evidence provided to MoEF of the credible action taken." The details of legal action taken by the Principal Secretary, GoMP UD & E Department should be made available to the Authority by 15.12.14. A copy of letter be endorsed to PP.
- (iv). The details of project proponent, a copy of commitment and Resolution passed in the meeting of the Board of Directors of M/s Koshalya Devi Builders and Developers through partner Shri Balwant Singh should be put on the website of MPSEIAA for information of all stake holders."
- (2) In response to above query, reply submitted by PP (vide letter dtd 10.11.14 received in SEIAA office on 11.11.2014) was examined in depth and it is noted that :-
- (i) PP has submitted that after obtaining the permission from Municipal Corporation dtd 02.09.2009, the construction was started. Presently constructed area of unfinished houses is 7600 sqmt.
- (ii) PP has submitted that a written commitment in the form of resolution passed by Board of Directors shall be submitted and that the violation shall not be repeated in future. However, till date written resolution has not been submitted by PP in SEIAA office.
- (iii) As per the decision in 159th SEIAA meeting letter (no. 1277 dtd 13.10.14) was sent to PS, UD & E Deptt. with CC to MPPCB to initiate credible legal action on the violation by PP.
- (3) The Authority decided that :-
- a. A letter should be sent to MS, MPPCB to submit the details regarding legal action against PP. A copy of letter should be endorsed to PP.


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

- b. PP should submit written commitment in the form of resolution passed by the Board of Directors as per MoEF, Gol OM dtd 12.12.12.
- (4) The above information should be submitted by PP in SEIAA office latest by 28.02.2015.
6. **Case No. 1165/2013** Prior Environmental Clearance for proposed project "Spring Valley Dew" at Khasra No. 19, 20, 22, 29, 38, 317, 316(Part) 31, 32, 34, 35, 36,37, 41 at Village Katara, Bhopal (MP) Total Land Area — 36000.00 Sq m. or 3.60 ha (8.9 Acre) Total Built 49924 sq.m. by Asnani Builders and Developers Pvt. Ltd through Shri Deepesh Asnani Director, Block – A, Second Floor, Mansarowar Complex, (Near M.P. Nagar–BPL) Bhopal (M.P.) – 460211 email: deepesh@asnanibuilder.com
- (1) The case was discussed in 158th SEIAA meeting dtd 04.09.2014 and it is recorded that "(1)...(2)... (3)...(4) The case was discussed in depth and it is noted that :-
- i. **PP has not submitted** notarized copy of land diversion order and latest Khasra Panchsala regarding land ownership.
 - ii. The total water requirement is 450 KLD and fresh water requirement is 351 KLD. The total recycled water 160 KLD. The source of water supply is Ground water. **It is decided that PP should submit a clear NOC from CGWA for extraction of 351 KLD of ground water.**
 - iii. The total waste water generation is 400 KLD. PP has provided sewage treatment plant of 400 KLD. The total treated waste water is 305 KLD. Out of this 100 KLD will be recycled in flushing, 50 KLD Horticulture & 10 KLD DG cooling, while remaining extra treated waste water is 145 KLD which is proposed to be disposed in the drainage. **PP has submitted NOC issued from Gram Panchayat Rapadiya Distt. Bhopal dtd.26.08.13 regarding discharge of extra treated waste water.**
 - iv. Approximately 2200 kg/day of Municipal Solid waste shall be generated. This is proposed to be managed by bins of three colors (green, blue and dark grey) separate for biodegradable and non biodegradable. Storage and Segregated Waste will be transported to the municipal land fill site for treatment and disposal. **It is decided that the disposal of MSW should be linked with Municipal Corporation, Bhopal and PP should submit NOC from BMC for disposal of MSW.**
 - v. The maximum height of the building is 18 m. PP has provided road width 12 m; Front MOS 7.5 m and side/rear MOS 6.0 m. **It is decided that the width of the road and side & rear MOS should be as per MPBVR 2012 rule no. 42 table 1.**
 - vi. (vii)(viii)
 - ix. Out of the total land area 36000 sqmt. an area of 3042 sq.m (8.4%) is proposed to be developed as green area. However, SEAC has recommended that "At least 30% of the total area shall be covered under green". **It is decided that PP should submit landscape plan showing the area of plantation, species to be planted and distance between the trees."**
- (2) In response to above query, reply submitted by PP (vide letter dtd nil received in SEIAA office on 09.12.14) was examined in depth and it is noted that :-
- (i) PP has submitted Khasra Panchsala 2012-2013, copy of diversion order and joint venture agreement dtd 14.03.2013 between land owners and developers.
 - (ii) PP has not submitted clear NOC from CGWA for extraction of 351 KLD of ground water. **It is decided that a letter should be sent to**

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

Director, CGWA to submit his view regarding the status of ground water abstraction to PP. Copy of the letter should be endorsed to PP.

- (iii) The extra treated waste water (145 KLD) is proposed to be disposed in the drainage. **It is decided that PP should submit details of final discharge point and mode of disposal of extra treated waste water.**
- (iv) Fire fighting provisions proposed by PP includes hydrants, water storage tanks sprinkler system, flow switches, pumps, test walls, drain pipes etc as per NBC, 2005, Chapter-IV. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measure recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (v) PP has proposed open car parking in area of 4524.54 sqmt. for 174 ECS and stilt parking in 11901.28 sqmt. for 397 ECS, total 571 ECS and is **satisfactory.**
- (vi) Out of the total area 36000 sqmt. an area of 3042 sqmt. (8.4%) is proposed to be developed as green area. As per decision in 158th SEIAA meeting the landscape plan submitted by PP is inadequate. **It is decided that PP should submit the detailed landscape plan including species to be planted, number of trees, the green area statement as per the recommendation of SEAC with at least 30% of green area.**

- (3) **The above information should be submitted in SEIAA office latest by 28.02.2015.**

7. **Case No. 1688/2013** Prior Environmental Clearance for proposed "CAPETOWN HEIGHTS" Project at Survey No. 672/1, 672/2, 673/2/1/2, 674/1/2, 673/2/1/1, 673/2/1/3, 674/1/3, 671 Village Amaudha, Near Blooms Academy, Tehsil Raghuraj Nagar, Distt. Satna, (MP) Total Land Area 15130.0 sq.mt., Total Built up Area 30,224.99 sq.mt. (Residential 23137.81 sq.mt. + Commercial 7087.19 sq.mt.) by M/s Land mark Developers (Smt. Madhu Agrawal & Smt. Kamlesh Agrawal Land Owners & Partners), Blooms Academy Campus, Panna Road, Satna (MP) 485001. Env't. Consultant (**In situ Envirocare, M.P. Nagar, Bhopal**)

- (1) The case was discussed in SEIAA meeting 155th dtd 08.08.2014 and 163rd dtd 24.09.2014 and it is recorded that "(1)....(2) In response to above query, reply submitted by PP (vide letter dtd 27.08.14 received in SEIAA office on 30.08.14) was examined in depth and it is noted that :-

- (i) PP has submitted letter dtd. 27.08.14 from Executive Engineer, Nagar Nigam, Satna stating that the water supply of 133.5 KLD will be made based on the availability of water and demand. **It is decided that the above letter is very general and PP should submit a clear NOC for water supply from Nagar Nigam, Satna. Copy of this letter should be endorsed to Commissioner Nagar, Nigam, Satna.**

- (ii) (vii).....



(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member



(Waseem Akhtar)
Chairman

- (3). *A letter should be sent to PP to submit above information pt. no. (i) latest by 30.11.2014."*
- (2) In response to above query, reply submitted by PP (vide letter dtd 09.12.14 received in SEIAA office on 09.12.14) was examined in depth and it is noted that :-
- (i) PP has not submitted clear NOC for water supply from Nagar Nigam Satna. **It is decided that PP should submit clear NOC for water supply.**
- (ii) Regarding landscape plan submitted by PP it is noted that all around the periphery single row of trees is provided. **It is decided that PP should ensure plantation in two rows as per decision in 163rd SEIAA meeting dtd 24.09.14.**
- (3) **PP should submit the above information latest by 28.02.2015.**
8. **Case No. 512/2010**, Prior Environmental Clearance for Hospital & Medical College in an area of 25 acres (10.130 ha) (total 26 Khasras) at village Inayatpur, Tehsil Huzur, Bhopal by M/s Advance Medical Science & Education Society, 136, N.H.5, Railway Road, NIT, Faridabad, U.P.
- (1) The case was discussed in SEIAA meetings 97th dtd. 20.06.12, 110th dtd 16.10.12, 117th dtd 22.01.13, 134th dtd 28.05.13, 143rd dtd 16.08.13 and 160th dtd 12.09.14 and it is recorded that "... (1) (2) In response to above query, reply submitted by PP (vide letter dtd 26.09.13 received in SEIAA office on 26.09.13 & letter dtd nil received in SEIAA office on 22.08.14) and letter no. 95 dtd 01.09.14 from MPPCB were examined in depth and it is noted that :-
- (i) *The credible action has been initiated by MPPCB against Project Proponent for the violation committed by them in the Court of CJM, Bhopal dtd 20.08.14 under section 15 of EPA 1986.*
- (ii) *A complaint has been forwarded vide letter dtd 25.03.14 and 05.09.14 from Hon'ble MLA Shri Arif Akeel which was forwarded to Collector, Bhopal and Member Secretary, MPPCB vide letter no. 2145 dtd 29.03.14 for necessary action.*
- (3) **The Authority decided that :-**
- (i) *A letter should be sent to MPPCB to submit the reply of letter dtd 29.03.14 supported by the site visit report giving the present status and details of the construction activities being undertaken till date along with a copy of photographs latest by 15.11.2014.*
- (ii) *Copy of complaint dtd 05.09.14 should be sent to Director Town & Country Planning Deptt. and Labour Commissioner, Bhopal for necessary action.*
- (iii) *A copy of the above letters should also be endorsed to PP."*
- (2) In response to above query, reply submitted by Director Town & Country Planning Deptt. and Labour Commissioner, Bhopal (vide letter dtd 05.11.14 & 21.11.14 respectively) were examined in depth and it is noted that :-
- (i) Director Town & Country Planning has forwarded the complaint to Dy. Commissioner Labour for necessary action while the Dy. Commissioner Labour has forwarded the complaint to Commissioner, Welfare, MP Labour Welfare Board, Bhopal. **The Authority decided that a letter along with copy of complaint (dtd 05.09.14) from Hon'ble MLA, North Zone should be sent to:-**

a. **SDM, Bhopal regarding demarcation of the land.**

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

b. Commissioner, Welfare regarding the कर्मकार शुल्क.

c. Copy of the above letter should be endorsed to PP to submit notarized copy of documents regarding demarcation of the land and documents regarding कर्मकार शुल्क from concerned Competent Authority.

(3) PP should submit the above information latest by 31.03.2015.

9. **Case No. 1741/2013**, Prior Environmental Clearance for "Swastik Paras Enclave" Group Housing Project at Khasra No. 147, Village Jatkhedi, Tehsil Huzur, Distt. Bhopal (MP) Total Plot Area 24200.00 m², Built up Area 44369.85 m² by M/s Shri Adinath Developers through partner Shri Vinay Rai Modi, FF-1, Metro Plaza Bitten Market, Bhopal, M.P. – 462016

(1) The case was discussed in 159th SEIAA meeting dtd 11.09.2014 and it is recorded that "(1)... (2)... (3) The case was discussed in depth and it is noted that :-

(i). PP has submitted Notarized copy of T & CP Permission, Khasra Panchsala 2012-13 and diversion order.

(ii). The total water requirement during operation phase is 430 KLD, recycled water 160.2KLD. The water supply source is ground water. PP has not submitted NOC for extraction of ground water from CGWA. **It is decided that there should be no extraction of ground water. PP should ensure fresh water supply of 270 KLD from Municipal Corporation Bhopal and submit clear NOC from Nagar Nigam, Bhopal regarding water supply.**

(iii). The waste water generation is 331KLD and capacity of STP is 400 KLD. The total treated waste water is 265 KLD. **It is decided that PP should link discharge of 105 KLD extra treated waste water with Municipal sewer line and submit clear NOC from Nagar Nigam, Bhopal regarding waste water discharge.**

(iv). Municipal Solid Waste (MSW) generated (1607 kg / day) is proposed to be bins of three colors (green, blue and dark grey) separate for biodegradable and non biodegradable proposed at the strategic locations within the site and disposed of by Govt. approved agency. PP has not submitted NOC for disposal of solid waste. **It is decided that the disposal of MSW should be integrated with Municipal Corporation and PP should submit clear NOC from Nagar Nigam, Bhopal for disposal of MSW in their trenching ground / landfill site.**

(v). (ix).....

(4) **It is decided that a letter should be sent to PP to submit the above information latest by 15.11.2014."**

(2) In response to above query, reply submitted by PP (vide letter dtd nil received in SEIAA office on 22.12.14) was examined in depth and it is noted that :-

(i) The NOC for water supply, issued by Municipal Corporation, Bhopal vide letter dtd 07.11.2013 is old and it is mentioned that water supply distribution project for Bhopal city is under execution. **It is decided that a DO letter should be sent to Commissioner Nagar Nigam, Bhopal for the present status of the water supply project and issue firm commitment for 430 KLD water supply to PP. A copy of this letter should be endorsed to PP.**

(ii) The NOC for disposal of extra treated waste water letter issued by Health Officer, Municipal Corporation, Bhopal (vide letter dtd 04.12.2013) is old. **It is decided that PP should submit the**

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

details of final discharge and present status of municipal sewer line at the project site. PP should also submit details of discharge point and mode of disposal of extra treated (105 KLD) waste water until the Municipal sewer line is laid in the area.

- (iii) The NOC for disposal of MSW issued by Health Officer, Municipal Corporation, Bhopal vide letter 04.12.2013 is old. **It is decided that PP should submit clear NOC specifying the quantity of MSW and final disposal site.**

(3) **PP should submit the above information latest by 15.03.2015.**

10. Case No. 1119/2013 Prior Environmental Clearance for proposed Building Construction Project "Coral Reefs", at Khasra no. 342,343,344,345, 346, 348/1, 350/2, 356/2 & 357/1 Village Pigdamber, Tehsil Mhow, Distt. Indore, MP, Plot Area 20850.00 Sq.M., Built up Area 37062.13 sq.m. by M/s Divyesh Properties & Builders Pvt. Ltd through Director, Mr. Mahendra Jain, 123, Bansi Trade Centre, M.G. Road, Indore, M.P. Env. Consultant: ENV Developmental Assistance System (I) Pvt. Ltd. Lucknow)

(1) The case was discussed in 165th SEIAA meeting dtd 10.10.2014 and it is recorded that "(1)... (2) (3) The case was discussed in depth and it is noted that :-

- (i). *As per the site inspection report of Sub-Committee of SEAC dtd 01-02 March 2013 and it is recorded that "..... PP has constructed first phase of the project comprising of total built up area around 16268 sqmt..... The inspection has revealed that he has not started any construction work in second phase. The case appears to be in order and may be considered by SEAC."*
- (ii). *PP has submitted land ownership documents Khasra Panchsala 2011-2012 and land diversion documents.*
- (iii). *The water supply source is Municipal water supply. During operation phase the total water requirement is 175 KLD (fresh water 125 KLD + recycled water 50 KLD), waste water generation is 134 KLD and capacity of STP is 150 KLD. **It is decided that PP should submit firm commitment from Nagar Nigam, Indore, specifying the quantity of fresh water supply.** There should no extraction of ground water (SEAC recommendation).*
- (iv). *The treated waste water is 114 KLD out of which 50 KLD will be recycled and remaining 64 KLD is proposed to be used for irrigation in adjoining agricultural fields. **It is decided that PP should ensure zero discharge from the proposed project.***
- (v). *Municipal Solid Waste (MSW) generated 983 kg/day per day + 15 kg horticulture waste + 0.15 kg/ day E-Waste is proposed to be segregated into biodegradable and non-biodegradable components and collected in separate colored bins. Central solid waste storage facility will be provided at the site. **It is decided that Disposal of MSW should be linked with Nagar Nigam Indore and PP should submit clear NOC from Nagar Nigam for the disposal of MSW.***

(vi).(x).....

(4) *PP should submit the above information latest by 30.12.2014. A copy of the letter should be endorsed to Commissioner Nagar Nigam, Indore."*

(2) In response to above query, reply submitted by PP (vide letter dtd 30.12.2014 received in SEIAA office on 01.01.2015) was examined in depth and it is noted that :-

- (i) PP has submitted that the Project site (village Pigdamber) is located outside the Indore Municipal Corporation area and has applied to CGWA



(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member



(Waseem Akhtar)
Chairman


for abstraction of ground water for water supply. It is decided that the decision of 165th SEIAA meeting (point no. (3) (iii)) is revisited and PP should submit clear NOC from CGWA for abstraction of 125 KLD fresh water.

- (ii) Regarding disposal of extra treated waste water in the nearby fields for irrigation PP should submit the details of the drainage and agriculture fields in which the treated waste water is proposed to be disposed along with written commitment from the field owner.
- (iii) PP has submitted letter (dtd 22.08.2014) from Gram Panchyat Pigdamber for disposal of MSW and is **satisfactory**.


(3) PP should submit the above information latest by 15.03.2015.

11. **Case No. 730/2012** Prior Environmental Clearance Group housing project at Talavali Chanda (Gram & Moja), Distt. Indore, (M.P.) Total Plot Area - 199222.618 m², Built Up Area -206937.46 m² Shri Tarun Kathuria, Director, M/s A.R. Infrastructure Private Ltd. 15, UGF, Indra Prakash Building, 21, Barakhamba Road, New Delhi – 110001

- (1) The case was discussed in 165th SEIAA meeting dtd 10.10.2014 and it is recorded that " (1)..... (7) The case was discussed in depth and the Authority is of the view that it is undisputed that violation of EIA Notification 2006 has taken place. **It is decided that as per MoEF, Gol, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012 and OM dtd 27.06.2013 PP should submit:-**
 - (i) *The date of starting the construction, details as to why the construction activities have been undertaken. How much construction has already been done? Whether the construction activities are still continuing? PP is directed to **stop the construction activities with immediate effect** and should not undertake any kind of construction/development until prior EC under EIA Notification 2006 is accorded.*
 - (ii) *The Proponent should submit the matter relating to the violation to the Board of Directors of its Company or to the Managing Committee / CEO of the Society, Trust, partnership / individually owned concern for consideration of its environment related policy / plan of action as also a written commitment in the form of a formal resolution to be submitted within 60 days to MP-SEIAA to ensure that violations will not be repeated. **It is decided that in the meantime, the project will be delisted. In the eventuality of not having any response from the project proponent within the prescribed limit of 60 days, it will be presumed that it is no longer interested in pursuing the project further and the project file will be closed, where after the procedure will have to be initiated de novo by project proponent.***
 - (iii) *A letter should be sent to Principal Secretary, GoMP UD & E Department, giving the details of violation to take action as per office memorandum of MoEF, Gol J-110131/41/2006 IA II (I)dt. 27.06.13 & 12.12.12 (Para 5 (ii)) **"to initiate credible action on the violation by invoking powers under section 19 of the Environment (Protection) Act, 1986 for taking necessary legal action under section 15 of the Act for the period for which the violation has taken place and evidence provided to MoEF of the credible action taken."** The details of legal action taken by the Principal Secretary, GoMP UD & E Department should be made available to the Authority by 31.12.14. A copy of letter be endorsed to PP.*
 - (iv) *The details of project proponent, **a copy of commitment and Resolution passed in the meeting of the Board of Directors of M/s A.R. Infrastructure Private Ltd. should be put on the website of MPSEIAA for information of all stake holders.***


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

- (v) *As recorded in 148th SEAC meeting dtd 25.08.14 "the project plan is being modified". PP should submit the revised application to MP-SEIAA after the credible action has been initiated against him."*

- (2) In response to above query, reply submitted by PP (vide letter dtd 23.12.2014 received in SEIAA office on 03.01.2015) was examined in depth and it is noted that :-
- (i) PP has submitted that out of total built up area 244196.49 sqmt already 41444.60 sqmt (16.67%) has been constructed. PP has stopped the construction activities on the site.
 - (ii) PP has submitted copy of resolution passed by the Board of Directors of M/s A.R. Infrastructure Private Ltd. in their meeting dtd 01.08.13 at Delhi regarding violation of EIA Notification 2006.
 - (iii) PP has submitted copy of letter dtd 01.11.13 address to MS, MPPCB for initiating credible action as per MoEF, Gol OM dtd 12.12.12 regarding violation.
 - (iv) PP has submitted revised Form-1, Form-1A & Conceptual Plan.
- (3) **The Authority decided that the revised Form-1, Form-1A & concept plan submitted by PP should be forwarded to SEAC after credible action has been initiated against PP. A letter should be sent to PP for information. A reminder should be sent to MS, MPPCB, Bhopal for initiating credible action.**

12. Case No. 931/2012- Prior Environmental Clearance for **Stone Mine** in an area of 2.00 ha for production capacity 4000 cum/year at Khasra No. 1582, Village Bamore, Tehsil Badarwas, District Shivpuri, MP by Shri Raghavendra Singh Tomar S/o Shri Pratap Singh Tomar, Sector-4, Vinay Nagar, Gwalior, MP.


- (1) After detailed discussions and perusal of the query response of **133rd SEIAA meeting dated 24.05.2013** and recommendations of **124th SEAC meeting dtd. 13.03.2013**, it was found through Google Map view (as per coordinates submitted by PP) that some mining projects are already existing in the nearby area of the proposed mining site. In this context it was decided to write to SEAC for conducting a site visit to assess the cumulative impact of the existing & proposed mining projects on nearby Human Settlement, Water Body, State Highway/National Highway and Forest area.

- (2) **The information should be made available at the earliest. Copy of the letter should be endorsed to PP also.**


13. Case No. 1393/13 - Prior Environmental Clearance for **Stone Boulder Quarry in an area of 2.00 ha.** for production capacity 5,500 cum/year (as approved mine plan) at Khasra No. 119 at **Village Pipaldehla, Tehsil Jhabua, District Jhabua,** MP by Shri Dinesh Bambhania S/o Shri Manjibhai Bambhania r/o 10 Shiv Nagar, Anjar, District Kutch (Gujrat)-370110.

- (1) After detailed discussion and perusal of the recommendations of **130th SEAC meeting dtd. 07.05.2013**, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.


- (i) PP shall not start mining activity before execution of lease agreement.


(Ajatshatru Shrivastava)
Member Secretary


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone Boulder Quarry** (Opencast manual method) **in an area of 2.00 ha.** for production capacity 5,500 cum/year (as approved mine plan) at Khasra No. 119 at **Village Pipaldehla, Tehsil Jhabua, District Jhabua, MP** for the **period of 10 years** by Shri Dinesh Bambhania S/o Shri Manjibhai Bambhania r/o 10 Shiv Nagar, Anjar, District Kutch (Gujrat)-370110.
- 14. Case No. 1645/2013 - Prior Environmental Clearance for Stone Quarry** in an area of 2.00 ha. for production capacity 8,000 cum/year at Khasra no. 3/1 at Village-Dodiyamina, Tehsil-Malhargarh, District-Mandsaur (M.P) by Shri Surendra S/o Ruplal Kumawat, Owner Janta Colony, Mandsour (M.P) -458001.
- (1) After detailed discussions and perusal of the recommendations of **132th SEAC meeting dtd. 14.05.2013** it was found through Google Map view (as per coordinates submitted by PP) that some mining projects are already existing in the nearby area of the proposed mining site. In this context it was decided to write to SEAC for conducting a site visit to assess the cumulative impact of the existing & proposed mining projects on nearby Human Settlement, Water Body, State Highway/National Highway and Forest area.
- (2) **The information should be made available at the earliest. Copy of the letter should be endorsed to PP also.**
- 15. Case No. 1107/13 - Prior Environmental Clearance for Sand Quarry in an area of 3.237 ha.** for production capacity 14,998.5 cum/year (as per approved mine plan) at Khasra No. 56/1, 56/2, 61/1, 61/2 at **Village Pitamali, Tehsil Maheshwar, District Khargone, MP** by Shri Sanjeet Parmar S/o Shri Shankarlal Parmar R/o 26, Narmada Nagar, Badwah, District Khargone (MP)-451115.
- (1) After detailed discussion and perusal of the query response of 127th SEIAA meeting dated 22.04.13 and recommendations of 118th SEAC meeting dtd. 01.02.13, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 3.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Sand Quarry** (manual method) **in an area of 3.237 ha.** for production capacity 14,998.5 cum/year (as per approved mine plan) at Khasra No. 56/1, 56/2, 61/1, 61/2 at **Village Pitamali, Tehsil Maheshwar, District Khargone, MP** for the **period of 02 years** by Shri Sanjeet Parmar S/o Shri Shankarlal Parmar R/o 26, Narmada Nagar, Badwah, District Khargone (MP)-451115.


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

16. **Case No. 847/2012-** Prior Environmental Clearance for **Stone/Boulder Quarry** in an area of 2.0 ha production capacity 1,500 cum / year at Khasra No. 671, Village Khadkod, Tehsil Burhanpur, District Burhanpur by Shri Narendra Mahajan S/o Shri Prakash Mahajan , L.B. 71 New Indira Colony Burhanpur District Burhanpur (MP)-450331.

(1) After detailed discussions and perusal of the recommendations of **126th SEAC meeting dtd. 17.04.2013**, it was found through Google Map view (as per coordinates submitted by PP) that some mining projects are already existing in the nearby area and settlement is also visible at the distance of 300 m. from the proposed mining site. In this context it was decided to write to SEAC for conducting a site visit to assess the cumulative impact of the existing & proposed mining projects on nearby Human Settlement, Water Body, State Highway/National Highway and Forest area.

(2) **The information should be made available at the earliest. Copy of the letter should be endorsed to PP also.**

17. **Case No. 1311/13 -** Prior Environmental Clearance for **Stone Boulder Quarry in an area of 1.438 ha.** for production capacity 9,970 cum/year (as approved mine plan) at Khasra No. 552, 553/3 at **Village Kapsi, Tehsil Kukshi, District Dhar, MP** by Shri Bhagwan Singh Thakur S/o Shri Kishore Singh Thakur R/o Village Kapsipura, Tehsil Kukshi, District Dhar (MP)-454331.

(1) After detailed discussion and perusal of the recommendations of **126th SEAC meeting dtd. 10.04.2013**, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

(i) PP shall not start mining activity before execution of lease agreement.

(ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.


(2) Hence, Prior Environmental Clearance is granted for **Stone Boulder Quarry** (Opencast manual method) **in an area of 1.438 ha.** for production capacity 9,970 cum/year (as approved mine plan) at Khasra No. 552, 553/3 at **Village Kapsi, Tehsil Kukshi, District Dhar, MP** for the **period of 10 years** by Shri Bhagwan Singh Thakur S/o Shri Kishore Singh Thakur R/o Village Kapsipura, Tehsil Kukshi, District Dhar (MP)-454331.

18. **Case No. 1275/13 -** Prior Environmental Clearance for **Metal Stone Quarry in an area of 2.00 ha.** for production capacity 1,800 cum/year (as Form-1) at Khasra No. 851/9/1 at **Village Pathara, Tehsil Jatara, District Tikamgarh, MP** by Shri Shivaji Sahu S/o Shri Chote Lal Sahu R/o Near Government Hospital, Tehsil Jatara, District Tikamgarh (MP).


(1) After detailed discussion and perusal of the recommendations of **126th SEAC meeting dtd. 10.04.2013**, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

(i) PP shall not start mining activity before execution of lease agreement.

(ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman


- (2) Hence, Prior Environmental Clearance is granted for **Metal Stone Quarry** (Opencast manual method) **in an area of 2.00 ha.** for production capacity 1,800 cum/year (as Form-1) at Khasra No. 851/9/1 at **Village Pathara, Tehsil Jatara, District Tikamgarh, MP** for the **period of 10 years** by Shri Shivaji Sahu S/o Shri Chote Lal Sahu R/o Near Government Hospital, Tehsil Jatara, District Tikamgarh (MP).
19. **Case No. 855/12** - Prior Environmental Clearance for **Stone Quarry in an area of 4.991 ha.** for production capacity 28,000 cum/year (as SEAC recommendation) at Khasra No. 375, 377, 378, 168, 167, 162, 163, 164, 165, 101, 102, 105, 106/1 at **Village Sumeda, Tehsil Huzoor, District Rewa, MP** by M/s Tathagat Stone Pvt. Ltd. through Director, Shri Pankaj Singh, Village Sumeda, P.O. Bihar, Tehsil Huzoor, District Rewa (MP)-486450.
- (1) After detailed discussion and perusal of the recommendations of 125th SEAC meeting dtd. 09.04.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone Quarry** (Opencast manual method) **in an area of 4.991 ha.** for production capacity 28,000 cum/year (as SEAC recommendation) at Khasra No. 375, 377, 378, 168, 167, 162, 163, 164, 165, 101, 102, 105, 106/1 at **Village Sumeda, Tehsil Huzoor, District Rewa, MP** for the **period of 10 years** by M/s Tathagat Stone Pvt. Ltd. through Director, Shri Pankaj Singh, Village Sumeda, P.O. Bihar, Tehsil Huzoor, District Rewa (MP)-486450.
20. **Case No. 1534/2013** - Prior Environmental Clearance for **Stone/Boulder Quarry** in an area of 0.39 ha. for production capacity 7500 cum/year (**as per approved Mine Plan**) at Khasra Nos. 618, 619, 620 at **Village-Sarsoda, Tehsil-Sonkatchh, Distt.-Dewas (MP)** by Shri Harish Akodiya S/o Shri Mohanlal Akodiya, 81, Samratpuri, Balgarh Road, Dewas (M.P)-455111.
- (1) After detailed discussion and perusal of the recommendations of 132nd SEAC meeting dtd. 14.05.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone /Boulder Quarry (Opencast Semi Mechanized Mining Method)** in an area of 0.39 ha. for production capacity 7500 cum/year (**as per approved Mine Plan**) at Khasra No 618, 619, 620 at **Village-Sarsoda, Tehsil-Sonkatchh, Distt.-Dewas (M.P)** for the **period of 10 years (as per SEAC recommendation)** by Shri Harish Akodiya S/o Shri Mohanlal Akodiya, 81, Samratpuri, Balgarh Road, Dewas (M.P)-455111.

(Ajatshatru Shrivastava)
Member Secretary


(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

21. **Case No. 1216/2013** - Prior Environmental Clearance for **Stone /Boulder Quarry** in an area of 1.0 ha. **(as per approved Mine Plan)** for production capacity 7,000 cum/year **(as per approved Mine Plan)** at Khasra No 03 at **Village-Kheda, Tehsil-Shajapur, District- Shajapur (M.P)** by Shri Mohammad Jameel S/o Shri Mohammad Shafique, 15/169 Lalpura, Ward No. 15, Shajapur (M.P)-465001.
- (1) After detailed discussion and perusal of the recommendations of 143rd SEAC meeting dtd. 29.10.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone /Boulder Quarry (Opencast Semi Mechanized Method)** in an area of 1.00 ha. **(as per approved Mine Plan)** for production capacity 7,000 cum/year **(as per approved Mine Plan)** at Khasra No 03 at Village-Kheda, Tehsil-Shajapur, District- Shajapur (M.P) for **the period of 10 years** (as per SEAC recommendation) by Shri Mohammad Jameel S/o Shri Mohammad Shafique, 15/169 Lalpura, Ward No. 15, Shajapur (M.P)-465001.
22. **Case No. 1695/2013** - Prior Environmental Clearance for **Stone (Boulder) Quarry** in an area of 2.00 ha. for production capacity 30,000 cum/year at Khasra no. 179 at Village-Bichhua, Tehsil-Kundam, District-Jabalpur (M.P) by M/s Rakesh Kumar Rai Boulder Mine (Prop. Shri Rakesh Kumar Rai) Popular Hardware, Ranjhi Bazar, Main Road Jabalpur (M.P) -482003.
- (1) After detailed discussions and perusal of the recommendations of 136th SEAC meeting dtd. 23.07.2013, it was noted that Latitude and Longitude are not mentioned in the mine plan. It was decided to ask from the PP to provide the information regarding real Latitude and Longitude of the proposed mining site.
23. **Case No. 1300/2013** - Prior Environmental Clearance for **Stone /Boulder Quarry** in an area of 1.0 ha. for production capacity 8,000 cum/year **(as per SEAC recommendation)** at Khasra No 395 at **Village-Dungaria, Tehsil-Bahoriband, District- Katni (M.P)** by Shri Gyanendra Singh S/o Shri Munshiram, Vill-Dungaria, Teh-Bahoriband, Dist-Katni (M.P)-483440.
- (1) After detailed discussion and perusal of the query response of 164th SEIAA meeting dtd. 26.09.2014 and recommendations of 125th SEAC meeting dtd. 09.04.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone /Boulder Quarry (Opencast Manual /Semi Mechanized Method)** in an area of 1.0 ha. for production capacity 8,000 cum/year **(as per SEAC recommendation)** at Khasra No 395 at **Village-Dungaria, Tehsil-Bahoriband, District-Katni (M.P)** for **the period of 10 years** (as per SEAC recommendation) by Shri Gyanendra Singh S/o Shri Munshiram, Vill-Dungaria, Teh-Bahoriband, Dist-Katni (M.P)-483440.


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

24. **Case No. 1430/2013** - Prior Environmental Clearance for **Stone Mine** in an area of 1.0 ha. for production capacity 5,000 cum/year at Khasra No. 171/1 at Village-Lakhnauti, Tehsil-Jaisinghnagar, Distt.-Shahdol (MP) by Shri Shailendra Mishra, Vill-Kurba, Post-Kurba, The-Jaisinghnagar, Dist-Shahdol (M.P)-484771.
- (1) After detailed discussions and perusal of the query response of 164th SEIAA meeting dtd. 26.09.2014 and recommendations of 130th SEAC meeting dtd. 07.05.2013, it was noted that only cover page of the revised Mining Plan is approved by Regional Head, D(G&M), Rewa. **In this context it was decided to ask PP to take approval of the competent authority on each page of the revised Mining Plan and submit copy of the same to SEIAA at the earliest.**
25. **Case No. 1280/2013** - Prior Environmental Clearance for **Stone /Boulder Quarry** in an area of 1.0 ha. for production capacity 8000 cum/year (**as per SEAC recommendation**) at Khasra No 237/1 at **Village-Hirapur, Tehsil-Shahgarh, District-Sagar (M.P)** by Shri Rajesh Kumar Asati S/o Shri Chandrabhushan Asati, Vill-Hirapur, Teh-Shahgarh, Dist-Sagar (M.P)-470339.
- (1) After detailed discussion and perusal of the query response of 164th SEIAA meeting dtd. 26.09.2014 and recommendations of 125th SEAC meeting dtd. 09.04.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone /Boulder Quarry (Opencast Manual /Semi Mechanized Method)** in an area of 1.0 ha. for production capacity 8,000 cum/year (**as per SEAC recommendation**) at Khasra No 237/1 at **Village-Hirapur, Tehsil-Shahgarh, District-Sagar (M.P)** for the period of 10 years (**as per SEAC recommendation**) by Shri Rajesh Kumar Asati S/o Shri Chandrabhushan Asati, Vill-Hirapur, Teh-Shahgarh, Dist-Sagar (M.P)-470339.
26. **Case No. 869/12** - Prior Environmental Clearance for **Stone Boulder Quarry in an area of 2.00 ha.** for production capacity 3000 cum/year (as per Form-1 & SEAC recommendation) at Khasra No. 477 at **Village Chichali, Tehsil Kasrawad, District Khargone, MP** by Shri Rajesh Jaiswal S/o Shri Mangilal Jaiswal R/o Village Bhondia, Tehsil Kasrawad, District Khargone (MP)-451660.
- (1) After detailed discussion and perusal of the query response of 164th SEIAA meeting dated 26.09.2014 and recommendations of 125th SEAC meeting dtd. 09.04.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.




(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member




(Waseem Akhtar)
Chairman

- (2) Hence, Prior Environmental Clearance is granted for **Stone Boulder Quarry** (Opencast manual method) **in an area of 2.00 ha.** for production capacity 3000 cum/year (as per Form-1 & SEAC recommendation) at Khasra No. 477 at **Village Chichali, Tehsil Kasrawad, District Khargone, MP** for the **period of 10 years** by Shri Rajesh Jaiswal S/o Shri Mangilal Jaiswal R/o Village Bhondia, Tehsil Kasrawad, District Khargone (MP)-451660.
27. **Case No. 1143/13 - Prior Environmental Clearance for Stone Boulder Quarry in an area of 0.80 ha.** for production capacity 8,274 cum/year (as per approved mine plan) at Khasra No. 35 at **Village Hirapur, Tehsil Shahgarh, District Sagar, MP** by Shri Rajesh Kumar Asati S/o Shri Chandrabhushan Asati r/o Village Hirapur, Tehsil Shahgarh, District Sagar (MP)-470339.
- (1) After detailed discussion and perusal of the recommendations of 121st SEAC meeting dtd. 28.02.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone Boulder Quarry** (Opencast manual method) **in an area of 0.80 ha.** for production capacity 8,274 cum/year (as per approved mine plan) at Khasra No. 35 at **Village Hirapur, Tehsil Shahgarh, District Sagar, MP** for the **period of 10 years** by Shri Rajesh Kumar Asati S/o Shri Chandrabhushan Asati r/o Village Hirapur, Tehsil Shahgarh, District Sagar (MP)-470339.
28. **Case No. 813/12 - Prior Environmental Clearance for Stone Boulder Quarry in an area of 4.00 ha.** for production capacity 25,000 cum/year (as per SEAC recommendation) at Khasra No. 363/1, 363/2, 361/1/2, 361/2, 362/1, 362/2 at **Village Chandbad, Tehsil Berasia, District Bhopal, MP** by Shri Komal Singh S/o Shri Bhikam Singh R/o A-161, Sidharth Lack City, Anand Nagar, District Bhopal (MP)-462021.
- (1) After detailed discussion and perusal of the query response of 165th SEIAA meeting dated 10.10.2014 and recommendations of 126th SEAC meeting dtd. 10.04.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone Boulder Quarry** (Opencast manual method) **in an area of 4.00 ha.** for production capacity 25,000 cum/year (as per SEAC recommendation) at Khasra No. 363/1, 363/2, 361/1/2, 361/2, 362/1, 362/2 at **Village Chandbad, Tehsil Berasia, District Bhopal, MP** for the **period of 10 years** by Shri Komal Singh S/o Shri Bhikam Singh R/o A-161, Sidharth Lack City, Anand Nagar, District Bhopal (MP)-462021.


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

29. **Case No. 796/2012** - Prior Environmental Clearance for **Stone/Boulder Quarry** in an area of 4.0 ha. for production capacity 170 cum/year at Khasra No. 05 at Village-Rmanna, Tehsil-Deori, Distt.-Sagar (MP) by Smt. Archana Sahu W/o Shri Subhash Sahu, Laxmi Ward, Deori, Teh-Deori, Dist-Sagar (M.P)-470226.

- (1) After detailed discussions and perusal of the query response of 165th SEIAA meeting dtd. 10.10.2014 and recommendations of 127th SEAC meeting dtd. 25.04.2013, it was noted that PP has applied for prior EC in Form-1 for production capacity of 170 cum/year and SEAC has also recommended 170 cum/year production capacity.
- (2) It was found that PP has submitted revised Form-1, approved Mine Plan and Collector letter dtd. 18.11.2014 for 39900 cum/year production capacity.

In context of above (2), it was decided to send the case file to SEAC for re-appraisal of the production capacity.

30. **Case No. 1292/2013** - Prior Environmental Clearance for **Stone /Boulder Quarry** in an area of 1.325 ha. **(as per approved Mine Plan)** for production capacity 3000 cum/year **(as per SEAC recommendation)** at Khasra No 177 at **Village-Piploda Dwarkadhish, Tehsil-Ujjain, District-Ujjain** (M.P) by Shri Devendra Singh S/o Shri Jaswant Singh, Lease Owner, Vill-Piploda Dwarkadhish, Teh-Ujjain, Dist-Ujjain (M.P)-456664.

- (1) After detailed discussion and perusal of the query response of 165th SEIAA meeting dtd. 10.10.2014 and recommendations of 126th SEAC meeting dtd. 10.04.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

- (2) Hence, Prior Environmental Clearance is granted for **Stone /Boulder Quarry (Opencast Manual Method)** in an area of 1.325 ha. **(as per approved Mine Plan)** for production capacity 3,000 cum/year **(as per SEAC recommendation)** at Khasra No 177 at **Village-Piploda Dwarkadhish, Tehsil-Ujjain, District-Ujjain** (M.P) for the period of 10 years **(as per SEAC recommendation)** by Shri Devendra Singh S/o Shri Jaswant Singh, Lease Owner, Vill-Piploda Dwarkadhish, Teh-Ujjain, Dist-Ujjain (M.P)-456664.

31. **Case No. 802/2012** - Prior Environmental Clearance for **Stone /Boulder Quarry** in an area of 4.0 ha. for production capacity 39900 cum/year **(as per approved Mine Plan & Collector letter)** at Khasra No 52 at **Village-Gorakhpur, Tehsil-Deori, District-Sagar** (M.P) by Shri Swapnil Sahu S/o Shri Shankar Lal Sahu, Laxmi Ward Deori, Teh-Deori, Dist-Sagar (M.P)-470226.

- (1) After detailed discussion and perusal of the query response of 165th SEIAA meeting dtd. 10.10.2014 and recommendations of 103rd SEAC meeting dtd. 12.09.2012, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.




(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member




(Waseem Akhtar)
Chairman

- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone /Boulder Quarry (Opencast Semi Mechanized Method)** in an area of 4.0 ha. for production capacity 39900 cum/year (as per approved Mine Plan & Collector letter) at Khasra No 52 at **Village-Gorakhpur, Tehsil-Deori, District-Sagar (M.P)** for the period of 10 years (as per SEAC recommendation) by Swapnil Sahu S/o Shri Shankar Lal Sahu, Laxmi Ward Deori, Teh-Deori, Dist-Sagar (M.P)-470226.
- 32. Case No. 1390/2013 - Prior Environmental Clearance for Stone /Boulder Quarry** in an area of 1.0 ha. for production capacity 3000 cum/year (as per SEAC recommendation) at Khasra Nos. 868/1, 874/1 at **Village-Dadar, Tehsil-Huzur, District-Rewa (M.P)** by Shri Mohd. Anas S/o Shri Mohd. Muslim Sonu, Ward No. 3, Nipania, Teh-Huzur, Dist-Rewa (M.P)-486001.
- (1) After detailed discussion and perusal of the query response of 165th SEIAA meeting dtd. 10.10.2014 and recommendations of 129th SEAC meeting dtd. 27.04.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone /Boulder Quarry (Manual Opencast Method)** in an area of 1.0 ha. for production capacity 3000 cum/year (as per SEAC recommendation) at Khasra No 868/1, 874/1 at **Village-Dadar, Tehsil-Huzur, District-Rewa (M.P)** for the period of 10 years (as per SEAC recommendation) by Shri Mohd. Anas S/o Shri Mohd. Muslim Sonu, Ward No. 3, Nipania, Teh-Huzur, Dist-Rewa (M.P)-486001.
- 33. Case No. 763/12 - Prior Environmental Clearance for Stone Quarry in an area of 0.656 ha.** for production capacity 1000 cum/year (as SEAC recommendation) at Khasra No. 144/9 at **Village Kermia, Tehsil Varla, District Barwani, MP** by M/s Vipul Ashok Lathi Stone Mine, Shri Vipul Ashok Lathi, Village Balwari, Tehsil Varla, District Barwani (MP)-451666.
- (1) After detailed discussion and perusal of the query response of 165th SEIAA meeting dated 10.10.2014 and recommendations of 130th SEAC meeting dtd. 07.05.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (3) Hence, Prior Environmental Clearance is granted for **Stone Quarry (Opencast semi mechanized method) in an area of 0.656 ha.** for production capacity 1000 cum/year (as SEAC recommendation) at Khasra No. 144/9 at **Village Kermia, Tehsil Varla, District Barwani, MP** for the period of 10 years by M/s Vipul Ashok Lathi Stone Mine, Shri Vipul Ashok Lathi, Village Balwari, Tehsil Varla, District Barwani (MP)-451666.



(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member



(Waseem Akhtar)
Chairman

Minutes of the 172nd Meeting of SEIAA dated 08.01.2015

- 34. Case No. 812/2013** - Prior Environmental Clearance for **Stone /Boulder Quarry** in an area of 1.30 ha. for production capacity 3000 cum/year (as per approved **Mine Plan**) at Khasra Nos. 2567, 2568 at **Village-Bilha, Tehsil-Gunoor, District-Panna (M.P)** by Shri Pushpraj Singh S/o Shri Abadh Raj Singh, Vill-Konder, Teh-Nagood, Dist-Satna (M.P)-485446.
- (1) After detailed discussion and perusal of the query response of 165th SEIAA meeting dtd. 10.10.2014 and recommendations of 126th SEAC meeting dtd. 10.04.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone /Boulder Quarry (Opencast Manual / Semi Mechanized Method)** in an area of 1.30 ha. for production capacity 3000 cum/year (as per approved **Mine Plan**) at Khasra Nos 2567, 2568 at **Village-Bilha, Tehsil-Gunoor, District-Panna (M.P)** for the **period of 5 years (as per Mine Plan)** by Shri Pushpraj Singh S/o Shri Abadh Raj Singh, Vill-Konder, Teh-Nagood, Dist-Satna (M.P)-485446.
- 35. Case No. 1659/13** - Prior Environmental Clearance for **Stone Boulder Quarry** in an area of 1.00 ha. for production capacity 6503 cum/year (as per approved mine plan) at Khasra No. 710/2 at **Village Makla, Tehsil Mahidpur, District Ujjain, MP** by Shri Bapulal Suryavanshi S/o Shri Madhuji Suryavanshi R/o Village Maklakheda, Tehsil Mahidpur, District Ujjain (MP)-456443.
- (1) After detailed discussion and perusal of the query response of 166th SEIAA meeting dated 12.10.2014 and recommendations of 135th SEAC meeting dtd. 04.06.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.
- (2) Hence, Prior Environmental Clearance is granted for **Stone Quarry (Opencast manual method) in an area of 1.00 ha.** for production capacity 6503 cum/year (as per approved mine plan) at Khasra No. 710/2 at **Village Makla, Tehsil Mahidpur, District Ujjain, MP** for the **period of 10 years** by Shri Bapulal Suryavanshi S/o Shri Madhuji Suryavanshi R/o Village Maklakheda, Tehsil Mahidpur, District Ujjain (MP)-456443.
- 36. Case No. 1599/2013** Prior Environmental Clearance for **Stone/Boulder Quarry** in an area of 1.50 ha production capacity 10,000 cum / year at Khasra No. 814/2, Village Bhilwadiya, Tehsil Shajapur, District Shajapur by Shri Rajendra Singh Pawar S/o Shri Bhanwar Singh Pawar R/o 10, Naiwada Shajapur (MP)-465001.
- (1) After detailed discussions and perusal of the query response of 167th SEIAA meeting dated 19.10.2014 and recommendations of 132th SEAC meeting dtd. 14.05.2013, it was noted through Google Map view that distance of National Highway is less than 100 mts. from the proposed mining site. **In context of this it was decided to reject the case and inform PP and all concerned accordingly.**


(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

37. **Case No. 1543/2013-** Prior Environmental Clearance for **Stone/Boulder Quarry** in an area of 1.50 ha production capacity 10,000 cum / year at Khasra No. 814/2, Village Bhiladiya, Tehsil Shajapur, District Shajapur by Shri Narendra Singh Rajawat S/o Shri Hjarilal Rajawat R/o Village Majhaniya, Tehsil & District Ujjain (MP)-465001.

- (1) After detailed discussions and perusal of the query response of **167th SEIAA meeting dated 19.10.2014** and recommendations of **132th SEAC meeting dtd. 14.05.2013**, it was noted through Google Map view that Rajpoot Mohalla is located in the vicinity of the proposed site. It was decided to ask from the Collector about the status of the actual distance of the Rajpoot Mohalla from the proposed mining site. **The information should be made available at the earliest.** The letter should be endorsed to the PP also.

38. **Case No. 1761/14 -** Prior Environmental Clearance for **Metal Stone Quarry** in an area of 1.44 ha. for production capacity 15,000 cum/year at Khasra No. 113, 114, 115 at **Village Gadriya, Tehsil Singrauli, District Singrauli, MP** by M/s Raj Stone Crusher, Shri Suresh Chanda Agrawal R/o Village Daga Bargawan, Tehsil Deosar, District Singrauli (MP)-486886.

- (1) After detailed discussion and perusal of the query response of 168th SEIAA meeting dated 25.10.2014 and recommendations of 151st SEAC meeting dtd. 27.09.2014, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

- (2) Hence, Prior Environmental Clearance is granted for **Metal Stone Quarry** (Opencast manual method) in an area of 1.44 ha. for production capacity 15,000 cum/year at Khasra No. 113, 114, 115 at **Village Gadriya, Tehsil Singrauli, District Singrauli, MP** for the **period of 10 years** by M/s Raj Stone Crusher, Shri Suresh Chanda Agrawal R/o Village Daga Bargawan, Tehsil Deosar, District Singrauli (MP)-486886.

Meeting ended with a vote of thanks to the Chair.



(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member



(Waseem Akhtar)
Chairman