

## Minutes of the 183<sup>rd</sup> Meeting of SEIAA dated 25.02.2015

The 183<sup>rd</sup> meeting of the State Level Environment Impact Assessment Authority was convened on 25 February 2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- |   |                             |                  |
|---|-----------------------------|------------------|
| 1 | Shri H.S. Verma             | Member           |
| 2 | Shri Ajatshatru Shrivastava | Member Secretary |

- A. Following cases received from SEAC have been considered and the details of the receipt of the recommendations & record from the office of SEAC is as follows:

S No	Case No.	No. & date of latest SEAC meeting in which case was recommended	Date of receipt of SEAC minutes in SEIAA	Date of receipt of records in SEIAA office
1.	1713/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015
2.	1832/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015
3.	2032/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015
4.	2033/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015
5.	2034/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015
6.	2191/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015
7.	2274/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015

- B. Following mining cases received from SEAC have been considered and the details of the receipt of the recommendations & record from the office of SEAC is as follows:

S No	Case No.	No. & date of latest SEAC meeting in which case was recommended	Date of receipt of SEAC minutes in SEIAA	Date of receipt of records in SEIAA office
8.	2196/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015
9.	2311/2014	168 <sup>th</sup> SEAC meeting dtd 11.01.15	05.02.2015	05.02.2015

- C. Following mining cases have been considered on the basis of the receipt of the additional information.

S No	Case No.	No. & date of SEIAA meeting in which add. information was asked
10.	1695/2013	172 <sup>nd</sup> SEIAA meeting dated 08.01.2015
11.	1543/2013	172 <sup>nd</sup> SEIAA meeting dated 08.01.2015

- D. Policy Decision regarding delisting of cases of Minor Minerals:-

1. **Case No. 1713/2014** Prior Environment Clearance for Proposed Bijuri Coal Beneficiation Lease Area – 19.102 Acre (8.1 ha.), Capacity – 0.9 MTPA Coal Washery at Khasra No. 82, 84, 85/1, 85/2, 104, 105/1, 105/2, 85/1 part of 105/1 part 79,93,99,92 Village – Mantola, Tehsil – Kotma, Distt. – Anuppur (M.P.) by M/s Sharda Maa Enterprises Pvt. Ltd., through Director Shri Vikesh Jain Kanchenjunga Building, UGF 1 & 2, 18 Barakhamba Road, New Delhi - 110001

- (1) The proposed project is Coal Washery at Village – Mantola, Tehsil – Kotma, Distt. Anuppur (M.P.). The project comprises of coal unloading, handling, crushing, screening, washing with water, dewatering and separation of fines from washed water and storing the clean coal and rejects. The project proponent is M/s Sharda Maa Enterprises Pvt. Ltd., through Director Shri Vikesh Jain.


(Ajatshatru Shrivastava)  
Member Secretary


(H.S. Verma)  
Member


(Waseem Akhtar)  
Chairman



- (2) There is no National park / Sanctuaries (DFO letter dtd. 07.03.13), Eco-sensitive areas, critically polluted areas and inter-State boundaries within 05 km around the proposed site.
- (3) The proposed capacity of coal beneficiation is 0.9 Million Ton Per Annum, the project is covered under 2 (a) category B of the EIA Notification issued by the Ministry of Environment & Forests vice S.O.1533 (E), dtd. September 14, 2006 and its amendments.
- (4) ToR was issued on 11.10.13 & PP has submitted EIA report on 01.12.14.
- (5) The case was discussed in SEAC meetings 140<sup>th</sup> dtd. 30.08.13 & 168<sup>th</sup> dtd 11.01.2015 and has recommended for grant of prior EC subject to 10 special conditions.
- (6) The case was discussed in depth and it is noted that :-
  - (i). The total land area of the project is 19.102 Acre (8.1 ha.), out of total 13 Khasras PP has submitted Khasra Panchsala (2011-12) for 12 Khasras (area 6.265 ha). **It is decided that PP should submit Khasra Panchsala for the remaining Khasra no. 92.**
  - (ii). Public Hearing was conducted in the Village Mantola, Tehsil; Kotma, District Annupur (M.P) on 21.08.2014 under Chairmanship of Shri M.C. Verma Add. Collector, Annupur District. It is noted that some issues raised in the PH regarding pollution of river Kewai which is source of water supply to Kotma habitation. **It is decided that a letter should be sent to Collector, Anuppur to give the distance of river Kewai and details of the water supply from it to Kotma town and other nearby habitations.**
  - (iii). It is noted that the total water requirement is 119 KLD and fresh water requirement is 96 KLD (washing circuit- 90KLD + domestic- 6.5 KLD). The source of water for the project will be Ground water for which PP has obtained Permission from CGWA on 27-11-2014. **It is decided that PP should submit the details of number of bore wells and yield of bore wells (trial/existing).**
  - (iv). The waste water generated from washing circuit and from Dust Suppression will be drained to the ETP and is proposed to be recycled 100%. Domestic waste water 5.0 KLD will be disposed of through septic tank followed by soak pit. **It is decided that PP should submit the water balance chart with details of water required, its absorption during the process, waste water generation, treated waste water, recycled water and extra treated waste water if any.**
  - (v). The coal washery will produce rejects and coal fines as byproduct. Both have significant calorific value and is proposed to be sold to power plant.
  - (vi). For air pollution control, PP has proposed to construct concrete roads, water sprinklers during coal unloading and stacking, closed conveyor belts, dry fog type dust suppression arrangements, enclosures/shirt boards in coal crushing and screening plants, Bag

  
(Ajatshatru Shrivastava)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



filters etc. Besides PP has proposed 15 m wide greenbelt for control of air pollutants & operating vehicles with PUC.

- (vii). PP has proposed firefighting measure including medium velocity spray portable fire extinguishers, fire alarm system, fire detection, heat detection, and alarm system to detect fire/heat/smoke in the vulnerable areas of the plant. **It is decided that PP should submit details of traffic movement plan, parking facilities, width of approach road along with estimated number of trucks, dumpers etc.**
- (viii). PP has proposed to provide rooftop rainwater harvesting system as well as PP has proposed to adopt 3 village ponds of surrounding area for rain water harvesting.
- (ix). Green area proposed by PP is about 2.67 ha which is approximately 33% of the total land area. A 15 m wide green belt will be developed all around the washery plant.
- (x). PP has included disaster management plan, fire fighting provisions in the EIA. **It is decided that PP should obtain approval of Competent Authority for fire fighting, Onsite & Offsite Disaster Management, Risk Management plan before commencing the operation of the unit.**

(7) **PP should submit the above information latest by 30.04.2015.**

2. **Case No. 1832/2014** Prior Environment Clearance for Proposed Trent Chemical Industries at Plot No. 184-A, Meghnagar Industrial Area, Village & Tehsil Meghnagar, District Jhabua, (M.P.) area 26230 sqmt. (2.623 ha) Production Capacity; (1). H-Acid 200 MT/Month (2). PNTOSA 200 MT/Month (3). Gama Acid 25 MT/Month (4). K- Acid 25 MT/Month (5). Metanilic Acid 50 MT/Month (6). DASDA 200 MT/Month and by products by M/s Trent Chemical Industries, Partner- Praful G Patel, N-78, Anoop Nagar, A. B. Road, Indore-(M.P.) 452008 Email: trentchemicals@hotmail.com

- (1) The proposed project is manufacturing of Synthetic Organic Chemicals (H acid and Intermediates) at Plot No. 184-A, Meghnagar Industrial Area, Village & Tehsil Meghnagar, District Jhabua (MP). The project proponent is M/s Trent Chemical Industries, Partner Shri Praful G Patel,
- (2) There is no National park / Sanctuaries, Eco-sensitive areas, critically polluted areas and inter-State boundaries within 05 km around the proposed site.
- (3) The project is Synthetic Organic Chemicals industry hence covered under 5 (f) category B of the Schedule of EIA Notification issued by the Ministry of Environment & Forests vice S.O.1533 (E) dtd.14.09.06 & its amendments.
- (4) ToR issued on 20.12.14 and EIA report submitted by PP on 26.12.14.
- (5) The case was discussed in SEAC meetings 154<sup>th</sup> dtd 10.11.14 & 168<sup>th</sup> dtd 11.01.15 and is recommended for grant of prior EC subject to 08 special conditions.
- (6) **The Authority decided that PP should be called for presentation on 02.03.2015.**


  
(Ajatshatru Shrivastava)  
Member Secretary


  
(H.S. Verma)  
Member


  
(Waseem Akhtar)  
Chairman



3. **Case No. 2032/2014** Environmental Clearance for proposed residential project Scheme No. 165 of Indore Development Authority at Village & Tehsil-Rau, District-Indore (MP) Total Plot Area 13.977 Ha., by Shri B.N. Tripathi, Project Director, Indore Development Authority, Indore (MP) -462016 ; Env. Consultant- Greenciindia Consulting Pvt. Ltd. Ghaziabad (U.P.).
- (1) The application was submitted by PP in SEIAA office vide letter no. 1969 dtd 31.10.2014 received on 07.11.2014.
  - (2) The case was registered and forwarded to SEAC for appraisal (letter no. 2007/SEIAA/2014) on 17.11.2014.
  - (3) The case was discussed in 168<sup>th</sup> SEAC mtg. dtd. 11.01.15 and it is recorded that *"The case was earlier deferred as most of the members did not receive the documents pertaining to the project. The case was again presented by the PP and his consultant. Scrutiny of the case reveals that the plan has been completely changed from the original proposal submitted to SEIAA and the presentation was prepared as per the changed plan, hence PP was asked to submit the changed plan to SEIAA. PP requested to consider the project after complete submission has been made to SEIAA. Committee agreed to consider the case after receipt of re-submitted documents from SEIAA."*
  - (4) The case was discussed and it is noted that the plan has been completely changed from the original proposal submitted to SEIAA. **The Authority decided to delist the case and PP should apply afresh. PP, SEAC and all concerned should be informed accordingly.**
4. **Case No. 2033/2014** Environmental Clearance for proposed residential project Scheme No. - 175 of Indore Development Authority at Village-Nipania, Kanadia, Tigaria Rao & Bicholi Hapsi, Tehsil & District-Indore (MP) Total Plot Area - 475.379 Ha., ( Net Planning Area- 389.338 Ha. ), by Shri B.N. Tripathi, Project Director, Indore Development Authority, Indore (MP)-462016 Building Construction. Env. Consultant- Greenciindia Consulting Pvt. Ltd. Ghaziabad (U.P.).
- (1) The application was submitted by PP in SEIAA office vide letter no. 1968 dtd 31.10.2014 received on 07.11.2014.
  - (2) The case was registered and forwarded to SEAC for appraisal (letter no. 2009/SEIAA/2014) on 17.11.2014.
  - (3) The case was again discussed in 168<sup>th</sup> SEAC mtg. dtd. 11.01.15 and it is recorded that *"The case was earlier deferred as most of the members did not receive the documents pertaining to the project. The case was again presented by the PP and his consultant. Scrutiny of the case reveals that the plan has been completely changed from the original proposal submitted to SEIAA and the presentation was prepared as per the changed plan, hence PP was asked to submit the changed plan to SEIAA. PP requested to consider the project after complete submission has been made to SEIAA. Committee agreed to consider the case after receipt of re-submitted documents from SEIAA."*
  - (4) The case was discussed and it is noted that the plan has been completely changed from the original proposal submitted to SEIAA. **The Authority decided to delist the case and PP should apply afresh. PP, SEAC and all concerned should be informed accordingly.**


  
(Ajatshatru Shrivastava)  
Member Secretary


  
(H.S. Verma)  
Member


  
(Waseem Akhtar)  
Chairman



5. **Case No. 2034/2014** Environmental Clearance for proposed Scheme No. - 136 of Indore Development Authority at Village-Niranjanpur & Kabirkhedi, Tehsil & District-Indore (MP) Total Plot Area - 92.237 Ha., Building Construction., by Shri B.N. Tripathi, Project Director, Indore Development Authority, Indore (MP)-462016 Building Construction. Env. Consultant- Greenciindia Consulting Pvt. Ltd. Ghaziabad (U.P.)
- (1) The application was submitted by PP in SEIAA office vide letter no. 1970 dtd 31.10.2014 received on 07.11.2014.
  - (2) The case was registered and forwarded to SEAC for appraisal (letter no. 2011/SEIAA/2014) on 17.11.2014.
  - (3) The case was again discussed in 168<sup>th</sup> SEAC mtg. dtd. 11.01.15 and it is recorded that *"The case was earlier deferred as most of the members did not receive the documents pertaining to the project. The case was again presented by the PP and his consultant. Scrutiny of the case reveals that the plan has been completely changed from the original proposal submitted to SEIAA and the presentation was prepared as per the changed plan, hence PP was asked to submit the changed plan to SEIAA. PP requested to consider the project after complete submission has been made to SEIAA. Committee agreed to consider the case after receipt of re-submitted documents from SEIAA."*
  - (4) The case was discussed and it is noted that the plan has been completely changed from the original proposal submitted to SEIAA. **The Authority decided to delist the case and PP should apply afresh. PP, SEAC and all concerned should be informed accordingly.**
6. **Case No. 2191/2014** Prior Environmental Clearance for proposed Housing project "The Atheneum" Khasra No. 85/2/10, 86/1/2/1, 86/1/2/2, 86/1/3, 86/2/2, 85/2/15, 85/2/16, 85/2/17, 85/2/18, 86/1/4/1, 86/1/4/2, 86/2/4, 86/2/1, 85/2/12, 85/2/14, 86/2/3, 85/2/13/1, 86/1/1/1, 86/1/1/2 at Village Bawadiya Kalan, Tehsil-Huzur, District- Bhopal (M.P.); total land area-24170.00 Sq.m. (2.417 ha); Built up area 26241 sqmt. by M/s Priyadarshini Unique Construction, Partner Mr. Pradeep Sharma, S-4, Shri Ramesh Tower, 10 No. Market, Bhopal-462016
- (1) The proposed project is Multi Unit Residential Project "The Atheneum" at Village Bawadiya Kalan, Tehsil-Huzur, District- Bhopal (M.P.). The project includes construction of 3 Blocks / Towers (G +9) having 72 Flats, 07-LIG Units, 10 EWS & Duplexes-36, Entertainment Centre & Community Hall, & Shops. The Proponent is Shri Pradeep Sharma, Partners, S-4, Shri Ramesh Tower, 10 No. Market, Bhopal-462016
  - (2) As per the T & CP Bhopal (vide letter 1682 dtd. 03/10/2013) the total land area is 24170.00 Sq.m. (2.417 ha) at Village Bawadiya Kalan, Tehsil-Huzur, District- Bhopal, (M.P.). The total built up area proposed by PP is 26241 sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.
  - (3) The case was discussed in 168<sup>th</sup> SEAC meeting dtd 11.01.2015 and recommended the project for grant of prior EC subject to 08 special conditions.

  
(Ajatshatru Shrivastava)  
Member Secretary


  
(H. S. Verma)  
Member


  
(Waseem Akhtar)  
Chairman




(4) The case was examined in depth and it is noted that :-

- (i). PP has submitted notarized copy of Khasra Panchsala 2013-14, according to which land (2.417 ha) is in the name of Smt. Rajkumari, Baby Bai, Santram Melwani, Mamta Melwani, Smt. Suri Bai, Rajesh Kumar. PP has submitted joint venture agreement dtd. 18.12.13 between M/s Priyadarshani Unique Construction and land owners.
- (ii). The total water requirement is 96 KLD and fresh water requirement is 56 KLD. The total recycled water 40 KLD (flushing 28 KLD + Horticulture 12 KLD). The source of water supply is Bhopal Municipal Corporation. PP has applied (dtd.18.07.14) to Commissioner Nagar Nigam Bhopal to supply of 60 KLD water. **It is decided that PP should submit clear NOC from Nagar Nigam for supply of fresh water.**
- (iii). It is noted that the distance of Kaliyasot river is approximately 100 m from the site and the distance of canal is 10 m from the site. **It is decided that a letter should be sent to Executive Engineer, Water Resources Deptt., Bhopal for their opinion regarding the impacts due to proximity of the river & canal.**
- (iv). The total waste water generation is 75.5 KLD. PP has provided sewage treatment plant of 100 KLD. The total treated waste water is 68 KLD, Out of this 28 KLD will be recycled in flushing, 12 KLD horticulture while remaining extra treated waste water is 28KLD which is proposed to discharge into municipal sewer line. PP has submitted letter dtd 28.11.14 from BMC regarding disposal of extra treated waste water in Municipal sewer line. **It is decided that PP should ensure that the discharge of extra treated waste water is linked with municipal sewer line. PP should provide filter press and sludge drying beds for STP sludge.**
- (v). Approximately 0.263 TPD of Municipal Solid waste shall be generated. The generated waste shall be segregated at source and all waste including sludge from STP will be disposed off at trenching ground of corporation. For disposal of solid waste PP has submitted letter dtd. 28.11.14 issued from Bhopal Municipal Corporation. **It is decided that PP should ensure linkage with Bhopal Municipal Corporation for disposal of MSW. PP should provide compactors for MSW.**
- (vi). The maximum height of the building is 30 m. PP has provided road width 18 m; Front MOS 12 m and side / rear MOS 7.5 m. **It is decided that PP should ensure road width (24m & above), Front MOS 12 m; side & rear MOS 7.5 m as per MPBVR 2012 rule no. 42 (1) table 4 S. No. 3.**
- (vii). PP has proposed to provide entire building with a centralized fire suppression system comprising over head water storage tanks, dedicated fire pumps on terrace, hose reels, wet riser, yard hydrants and sprinkler system as per National Building code. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal)**

  
(Ajatshatru Shrivastava)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.

- (viii). PP has proposed a network of percolation wells for artificial recharge of ground water. After the completion of the project and rainwater harvesting structures, there will be total ground water recharge would be 16716.52 m<sup>3</sup>/annum. **It is decided that PP should submit the details of rain water harvesting provisions and plan.**
- (ix). The total power requirement is 805 KVA. PP has also proposed power back up of 90 KVA (2 D.G. sets 45 KVA each). **It is decided that PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.**
- (x). As per Rule no. 84 Table 1.3 of MPBVR 2012 the required car parking is 76 ECS for Residential @ 1 ECS per 100 sqmt. built up area; for shops 17 ECS @ 1 ECS per 50 sqmt. built up area i.e. total 93 ECS PP has proposed car parking for 93 ECS (Basement – 1514.06 sqm for 43 ECS, Podium - 1514.06 sqm for 50 ECS) and for Duplex 36 ECS. **It is decided that PP should ensure car parking space as per MPBVR 2012.**
- (xi). Out of the total land area 24170.00 sqm, PP has proposed 192234 sqm as open space. **It is decided that PP should submit detailed plantation plan including trees in two rows all along the periphery of the project area, avenue plantation on the road sides with one tree per 100 sqmt. of the plot area open spaces and parks along with total green area, number of trees and species to be planted.**

(5) **PP should submit the above information latest by 30.04.2015.**

7. **Case No. 2274/2014** Prior Environmental Clearance for proposed Housing project "New MLA Flats", at Foothills of Vidhan Sabha Bhawan, Bhopal Tehsil Huzur, District Bhopal (MP); total land area 88,405 sqm., Built up area (FAR + Non FAR) 44,172.16 sqm. by Mr. Neeraj Pande, Controller of Building, Vidhan Sabha CPA, E-5, Arera Colony, Bhopal (MP)-462004

- (1) The proposed project is Multi Unit Residential Project "New MLA Flats" at Foothills of Vidhan Sabha Bhawan, Bhopal, Tehsil-Huzur, District-Bhopal (M.P.). The project includes Residential Block (A to E-106 units), Amenities Block, Club house, Multipurpose halls, PWD Quarters. The Proponent is Mr. Neeraj Pande, Controller of Building, Vidhan Sabha CPA, E-5, Arera Colony, Bhopal (MP)-462004.
- (2) As per the application submitted to T & CP vide letter dtd 23.02.15, the total land area is 88,405 sqm. The total built up area proposed by PP is 44172.16 sqm (FAR + Non FAR). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20000 sqmt. & 150000 sqm and plot area is less than 50 ha.


(Ajatshatru Shrivastava)  
Member Secretary


(H.S.Verma)  
Member


(Waseem Akhtar)  
Chairman



- (3) The case was discussed in SEAC meetings 168<sup>th</sup> dtd 11.01.2015 and is recommended for grant of prior EC subject to 07 special conditions.
- (4) The case was discussed in depth and it is noted that :-
- (i). As per the Khasra Panchsala (2013-14) the project land is Govt. land.
  - (ii). The total water requirement is 231 KLD and fresh water requirement is 111 KLD. The total recycled water is 118 KLD. The source of water supply (193420 liters per day) is Bhopal Municipal Corporation (letter dtd.17.10.14). **It is decided that the entire demand of fresh water (111 KLD) should be made from Municipal supply and there should be no extraction of ground water.**
  - (iii). The total waste water generation is 131 KLD. PP has provided sewage treatment plant of 157 KLD. The total treated waste water is 118 KLD. PP has proposed 100% recycling of treated waste water (47 KLD in flushing + 71 KLD for landscaping). **It is decided that PP should submit details of mode of disposal of extra treated waste water if any along with NOC from Nagar Nigam, Bhopal for its discharge in the Municipal sewer line.**
  - (iv). Approximately 460 kg/day of Municipal Solid Waste generated shall be segregated at source and its final disposal including sludge from STP is proposed at trenching ground of Bhopal Municipal Corporation. **It is decided that the disposal of MSW should be integrated with Bhopal Municipal Corporation and PP should submit NOC from Nagar Nigam, Bhopal for disposal of MSW.**
  - (v). The maximum height of the building is 24 m. PP has provided internal roads 7.5 m front MOS 12 m and side / rear MOS 8.0 m. **It is decided that PP should ensure road width, MOS and Open spaces as per MPBVR 2012 rule no. 42 (1) table 4 S. No. 2.**
  - (vi). PP has proposed to provide fire water tanks, fire hydrant network, wet riser system, internal hydrants, hose cabinet with hose reel, portable fire extinguisher as per National Building code 2005. **It is decided that PP should submit fire fighting tender movement plan.**
  - (vii). The proposed FAR is 29192.34 sqmt. As per MPBVR 2012 (rule no. 84) the requirement of car parking is 292 ECS. PP has proposed to provide total parking for 365 ECS (Stilt 4000 sqmt. sufficient for 136 ECS and open parking 3900 sqmt sufficient for 156 ECS and 25% additional parking for 73 ECS). **It is decided that PP should ensure car parking as per Rule no. 84 Table 1.3 of MPBVR 2012.**
  - (viii). PP has proposed roof top rainwater harvesting system with 02 nos. of recharging pits for ground water recharge and is **satisfactory**.
  - (ix). The total power requirement is 1437 KW. PP has also proposed power back up of 500 KVA (2 D.G. sets 250 KVA each). **It is decided that PP should submit the details of energy conservation provisions.**
  - (x). Out of the total land area 88405.00 sq.m, an area of 40507.84 sq.m. (52.45%) is proposed to be developed as green area. The project

  
(Ajatshatru Shrivastava)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



envisages cutting down of 1149 trees (612 पेड़ 0 से 30 सेंटीमीटर गोलाई एवं 537 पेड़ 30 सेंटीमीटर से अधिक गोलाई) for the development of New MLA Flats. PP vide letter no. 2647 dtd 05.11.2014 has submitted application to Nagar Nigam, Bhopal for cutting of 1149 trees. For compensation of tree cutting PP has proposed to plant 4800 trees as follows :-

S. No.	Location	No. of trees
1.	Vidhan Sabha Parisar- Pakshi Vihar	800
2.	Arera Exchange – Arera Hills	1000
3.	Old Jail Parisar to Vindhy Koti	1000
4.	74 Bungalow area	1000
5.	Char Imli area	1000
	<b>Total</b>	<b>4800</b>

The authority decided that:-

- i. PP should ensure plantation as proposed in 52.45% of the total plot area.
  - ii. Plantation techniques and selection of species should be done keeping in view in the sloping terrain of the plot area.
  - iii. Plantation should be done in two rows all along the periphery of the project area, recreational activity area and avenue plantation along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees (nos. 1000) of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc along with ornamental varieties.
  - iv. Every effort should be made to protect maximum number of the existing trees on the plot.
  - v. PP should obtain NOC from Competent Authority for tree cutting before starting any construction activity and ensure compensatory plantation accordingly.
  - vi. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with.
- (5) It is noted that application no. 56 of 2013 (CZ) was taken by Hon'ble National Green Tribunal, Central Zone, Bhopal at its on motion V/s State of MP & others and has passed order dtd 12.02.15. **It is decided that all the directions issued by Hon'ble Supreme Court of India / National Green Tribunal / any other Court / Ministry of Environment, Forest & Climate Change, New Delhi from time to time shall be applicable.**
- (6) PP should submit the above information latest by 30.04.2015.


(Ajatshatru Shrivastava)  
Member Secretary


(H.S.Verma)  
Member


(Waseem Akhtar)  
Chairman



8. **Case No. 2196/2014** Prior Environmental Clearance for **Sandstone (Farshy Patter) Mine** in an area of 3.950 ha. for production capacity 30,000 cum/year at Khasra Nos. 210, 212, 214 at Village-Sunnd, Tehsil-Raisen, Dist-Raisen (MP) by Shri Bhupendra Singh Rao, GM, M/s Mine Corp India Pvt. Ltd., 14-A, Globus City, Kolar Road, Chuna Bhatti, Bhopal (MP)-462016.
- (1) After detailed discussions and perusal of the recommendations of 168<sup>th</sup> SEAC meeting dtd. 11.01.2015, it was noted through Google Map view (as per coordinates submitted by PP) that some mining projects are already existing in the nearby area of the proposed mining site. Further, it was also observed that as per the report of Mining Officer the cumulative area of the proposed mining project and other existing mines within 500m periphery is exceeding 25 ha. In this context, it was decided to write to the Collector, Raisen for providing a certified site map indicating **location & area** of the proposed mining site and other existing mines within 500m periphery of the proposed mine. **Copy of the letter should be endorsed to PP also.**
9. **Case No. 2311/2014**, Prior Environmental Clearance for **Sandstone (Farshy Patthar) Quarry** in an area of 3.0 ha for Production Capacity of 46,358 cum/year at Khasra no. 214 at **Village Sunnd, Tehsil Raisen, District Raisen, M. P.** by M/s Mine Corp India Pvt. Ltd. Shri Bhupendra Singh Rao (GM), R/o 14- A Globus City, Kolar Road, Chuna Bhatti, Bhopal, M. P. – 462016.
- (1) After detailed discussions and perusal of the recommendations of 168<sup>th</sup> SEAC meeting dtd. 11.01.2015, it was noted through Google Map view (as per coordinates submitted by PP) that some mining projects are already existing in the nearby area of the proposed mining site. Further, it was also observed that as per the report of Mining Officer the cumulative area of the proposed mining project and other existing mines within 500m periphery is exceeding 25 ha. In this context, it was decided to write to the Collector, Raisen for providing a certified site map indicating **location & area** of the proposed mining site and other existing mines within 500m periphery of the proposed mine. **Copy of the letter should be endorsed to PP also.**
10. **Case No. 1695/2013**, Prior Environmental Clearance for **Stone/ Boulder Mine** in an area of 2.00 ha for Production Capacity of 10290 cum/ year at Khasra no. 179 at **Village Bichhua, Tehsil Kundam, District Jabalpur, M. P.** by M/s Rakesh Kumar Rai Boulder Mine , Prop. Shri Rakesh Kumar Rai, Popular Hardware, Ranjhi Bazar, Main Road, Jabalpur, M. P. – 482003.
- (1) After detailed discussion and perusal of the query response of 172<sup>nd</sup> SEIAA meeting dated 08.01.2015 and recommendations of 136<sup>th</sup> SEAC meeting dtd. 23.07.2014, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.

  
(Ajatshatru Shrivastava)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Stone/ Boulder Mine** (opencast manual/semi mechanized method) in an area of 2.00 ha. for production capacity 10290 cum/year at Khasra No. 179 at **Village Bichhua, Tehsil Kundam, District Jabalpur MP** for the lease period by M/s Rakesh Kumar Rai Boulder Mine, Prop. Shri Rakesh Kumar Rai, Popular Hardware, Ranjhi Bazar, Main Road, Jabalpur, M. P. – 482003.

- 11. Case No. 1543/2013**, Prior Environmental Clearance for **Stone/ Boulder Mine** in an area of 1.50 ha for Production Capacity of 5,400 cum/ year at Khasra no. 814/2 at **Village Bhilwadiya, Tehsil Shajapur, District Shajapur, M. P.** by Shri Rajendra Singh Rajawat, S/o Shri Hajarilal Rajawat, Village Majhaniya, Tehsil Shajapur, District Shajapur, M. P. – 465001.

- (1) After detailed discussion and perusal of the query response of 172<sup>nd</sup> SEIAA meeting dated 08.01.2015 and recommendations of 132<sup>nd</sup> SEAC meeting dtd. 14.05.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.  
(ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Stone/ Boulder Mine** (Opencast manual /semi mechanized method) in an area of 1.50 ha. for production capacity 5,400 cum/year at Khasra No. 814/2 at **Village Bhilwadiya, Tehsil Shajapur, District Shajapur, MP** for the lease period by Shri Rajendra Singh Rajawat, S/o Shri Hajarilal Rajawat, Village Majhaniya, Tehsil Shajapur, District Shajapur, M. P. – 465001.

**D. Policy Decision regarding delisting of cases of Minor Minerals:-**


It has been observed that the many cases of Minor Minerals having lease area less than 5 ha., which were recommended by the earlier SEAC, are pending for want of information since long back. It was noted that there are two type of cases viz. :

- (i) Cases belonging to temporary permit/auction.  
(ii) Cases of leases having lease period of 5 to 10 years.


It was found in the record that as per the decision of 1<sup>st</sup> review meeting of present SEIAA dated 15.07.2014, 154<sup>th</sup> SEIAA meeting dated 26.07.2014 & 167<sup>th</sup> SEIAA meeting dated 16.10.2014 information pertaining to lease status/approved Mining Plan/EMP prepared by RQP/status of other mines within 500 m. periphery were sought from the PPs as per EIA Notification 09.09.13 & OM dtd 24.12.2013.

It was noted that most of the PPs have not submitted above desired information within the given time period. **In context of this it was decided that the cases, wherein desired information has not been received till 25.02.2015, have to be delisted. It was also decided that PPs and all concerned should be informed accordingly.**

*Meeting ended with a vote of thanks to the Chair.*

  
(Ajatshatru Shrivastava)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman