The 185th meeting of the State Level Environment Impact Assessment Authority was convened on 27 February 2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

1 Shri H.S. Verma

2 Shri Ajatshatru Shrivastava

Member Member Secretary

A. Following cases received from SEAC / query response have been considered :-

Case No.
Other than mining
497/2010
721/2012
1685/2013
2274/2014
Mining
694/2012
669/2012

- Case No. 497/2010, Prior Environmental Clearance for High-rise multi storied residential project Khasra No.84/3/4K, 84/3/4Kha, 89/1, 89/2, 90,91/2/2, 91/2/1, at village-Bicholi Mardana, Indore-MP, total land area 26660 sqmt. (2.666 ha) and built up area after expansion 38038.12 sqmt. (existing 17200 sqmt) by M/s Milan Realities through Shri Ashish Modi, Director 2006 Oasis Trade centre, 20/22, Yeshwant Niwas Road, Indore-MP
 - (1) The case was discussed in SEAC meetings 45th dtd. 27.01.10, 49th dtd 23.10.10, 76th dtd 07.01.11, 84th dtd 09.11.11, 167th dtd 10.01.15 and recommended for grant of prior EC subject to 37 special conditions.
 - (2) The case was discussed in SEIAA meetings 33rd dtd 10.05.10, 52nd dtd 08.03.11, 64th dtd 04.08.11, 80th dtd 19.01.12, 98th dtd 05.07.12, 110th dtd 16.10.12, 143rd dtd 16.08.13, 157th 26.08.2014, 169th dtd 28.10.2014 and 181st dtd 19.02.2015 it is recorded that "(1) ... (2) SEAC Considered the case in 167th mtg.10.01.15 & it is recorded "....... After deliberations and scrutiny of the case, committee concluded that case was appraised by SEAC and no construction was revealed by the SEAC at that point of time thus, based on the merits and submissions the case was recommended for grant of EC without any comments on existing construction. However, now PP has completed a part of the proposed construction after obtaining due permissions from concerned authorities and green certification from IGBC, it may be considered as an expansion of the existing project."
 - (3) The Authority decided that PP should be called for presentation on 27.02.2015."
 - (3) After the deliberations case was discussed in depth and it is noted that :-
 - Project has achieved precertification from Indian Green Building Council (IGBC) under the IGBC Green Homes Rating in May 2011.
 - (ii) The built up area of phase-1 approx.17200 sq mt. has been completed as per the permissions granted by the concerned Gram Panchayat and the M.P. Pollution Control Board. The remaining portion comprising about 20838.12 m² of built-up area is yet to be taken up as

(Ajatshatru Shrivastava)
Member Secretary
185th SEIAA Meeting did. 27.02.2015

(H.S.Verma) Member

(Waseem Akhtar) Chairman Page 1 of 9

- Phase-2. (Expansion Plan). SEAC has recommended considering as an expansion of the existing project.
- (iii) The total water requirement is 621 KLD. The fresh water requirement is 214 KLD and recycled water is 407 KLD. PP has submitted NOC from CGWA for 121 m³/day (letter no. 21-4 (72)/NCR/CGWA/2010 dtd 14.05.10). PP has submitted Municipal Corporation, Indore letter dtd 22.10.14 for remaining water supply of 5.00 lakh liter / day which is not clear. It is decided that PP should submit clear NOC from Nagar Nigam, Indore for supply of fresh water (5.00 lakh liter / day).
- (iv) The total waste water generation is 478 KLD. PP has provided sewage treatment plant of 478 KLD. The total treated waste water is 407 KLD. PP has proposed 100% recycling of treated waste water (250 KLD in flushing + 157 KLD for gardening & road wetting). It is decided that PP should ensure zero discharge and the discharge of extra treated waste water (if any) should be linked with municipal sewer line.
- (v) Approximately 1100 kg/day of Municipal Solid waste shall be generated which is proposed to be segregated at source with twin bin waste collection system green color for bio degradable waste and blue bin for non bio-degradable waste. PP has also proposed door to door collection of waste, sale of recyclable waste to recycler and composting of bio-degradable organic waste for horticulture uses. It is decided that PP should provide compactors for MSW and ensure linkage with Indore Municipal Corporation for final disposal of MSW.
- (vi) PP has proposed to provide roof top rain water harvesting through recharging pits (4 nos) for artificial recharge of ground water.
- (vii) The maximum height of building is 24 m. The front width is 30 m, Front MOS 12 m and side and rear MOS 6 m & 9 m. PP should ensure road width and open spaces as per MP Bhumi Vikas Niyam 2012 rule 42 (1) for building up to 24 m height.
- (viii) PP has proposed to provide fire fighting provisions including fire water storage tank (underground & over head), fire pump, hydrant system, wet risers as per NBC 2005. It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
- (ix) The total power requirement is 1716 KVA. PP has also proposed power backup 1 D.G. sets capacity 250 KVA. The source of power supply is MP Electricity Board. It is decided that PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.

(Ajatshatru Shrivastava) Member Secretary 185* SEIAA Meeting dtd. 27.02.2015 (H.S.Verma) Member

(Waseem Akhtar) Chairman Page 2 of 9

- (x) The proposed built up area is 38038.12 sqm (after expansion). As per MPBVR 2012 (rule no. 84) the requirement of car parking is 380 ECS. PP has proposed to provide total parking for 380 ECS (Stilt 6002.5 sqmt for 200 ECS and basement 6310 sqmt. for 180 ECS). It is decided that PP should ensure car parking as per Rule no. 84 (1) of MPBVR 2012.
- (xi) PP has proposed an area of 4885 sq.m. (18.32%) (existing 1900 sqmt & for expansion 2985 sqmt.) to be developed as green area. The authority decided that:
 - i. PP should ensure plantation in 25% of the total plot area.
 - ii. Plantation should be done in two rows all along the periphery of the project area, recreational activity area and avenue plantation along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc along with ornamental varieties.
 - Every effort should be made to protect the existing trees on the plot.
 - iv. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Indore) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with.
- (4) PP should submit the above information above point no. (3) (iii) latest by 30.05.2015.
- Case no. 721/2012, Prior Environmental Clearance for Commercial Complex Project at Khasra No. 538,539,540,541,542, 543/2, 547, village Bairagarh Chichli Kolar Road, Bhopal (MP) Plot area 35,100 sqm (3.51 ha), Built up area - 83,651 sqmt by M/s Khaneja Properties Pvt. Ltd., through Mr. Ashok Kashyap (Sr. General Manager) 56-58,Community Centre, East of Kailash, New Delhi-110065
 - The case was discussed in 181st SEIAA meeting dtd 19.02.2015 it is recorded that
 - The case was discussed in 98th SEAC meeting dtd 23.07.12. The committee recommended the case for grant of prior subject to 26 special conditions.
 - (2) The case was discussed in SEIAA meetings 105th dtd 12.09.12, 114th dtd 06.12.12, 125th dtd 09.04.13, 135th dtd 04.06.13, 143rd dtd 16.08.13, 145th dtd 31.08.13, 161st dtd 16.09.14.
 - (3) The case was discussed in depth and it is noted that : -
 - The construction work has been started by PP (105th SEIAA meeting). PP was asked to submit details of construction under taken (125th SEIAA meeting)
 - A letter was sent to MS, MPPCB to direct RO to make a site visit and ascertain quantum of construction activities.
 - (iii) The site visit report submitted by RO, MPPCB was discussed in 161st SEIAA meeting and decision was taken for credible action as per MoEF, Gol OM dtd 12.12.12.
 - (4) MPPCB vide letter no. 435/Tech. dtd 19.01.15 received in SEIAA office 24.01.15 has informed that the case has been filed against PP under section 15 & 16 EP Act 1986 on 18.12.14 for the project commercial complex at village Bairgarh Chichli, Kolar Road, Bhopal.

(Ajatshatru Shrivastava)
Member Secretary
185" SEIAA Meeting dtd. 27,02,2015

(H.S.Verma) Member

(Waseem Akhtar) Chairman Page 3 of 9

- (5) As per the request of the PP the presentation is rescheduled on 27.02.2015."
- (2) After deliberations by PP the case was discussed in depth and it is noted that:-
 - (i) The proposed project is for construction of commercial complex at Bairgarh Chichli, Kolar Road, Bhopal plot area 3.51 ha; built up area 83651 sqmt.
 - (ii) The land ownership, T & CP approval, water demand were discussed in earlier meeting and found satisfactory.
 - (iii) The total water requirement is 607 KLD. The fresh water requirement is 411 KLD. PP has submitted letter from Nagar Palika Parishad Kolar dtd 04.12.10 regarding water supply. It is decided that PP should ensure that the entire water demand is met through municipal supply and there is no extraction of ground water.
 - (xii) The total waste water generation is 415 KLD. PP has provided sewage treatment plant of 500 KLD. The total treated waste water is 374 KLD. PP has proposed 100% recycling of treated waste water (145 KLD in flushing + 77 KLD in horticulture + 38 KLD in D.G. cooling + 114 KLD HVAC Cooling for gardening & road wetting). It is decided that PP should ensure zero discharge and the discharge of extra treated waste water (if any) should be linked with municipal sewer line.
 - (xiii) Approximately 3834 kg / day of Municipal Solid waste and STP sludge (about 40.6 kg per day) shall be generated. The MSW is proposed to be segregated at source with three color bin green, blue and dark grey. PP has also proposed composting of bio-degradable organic waste for horticulture uses, sale of recyclable waste to recycler. It is decided that PP should provide compactors for MSW and ensure linkage with Bhopal Municipal Corporation for final disposal of MSW.
 - (xiv) PP has proposed to provide fire fighting provisions including fire hydrant, water storage tanks, fire extinguisher, automatic fire extinguishers system, wet riser system and hose reel etc. as per NBC 2005. It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
 - (xv) The maximum height of building is 28 m. The front width is 45 m, Front MOS 15 m and side and rear MOS 6 m. PP should ensure road width and open spaces as per MP Bhumi Vikas Niyam 2012 rule 42 (1) for building up to 30 m height.
 - (xvi) PP has proposed that Rain water harvesting will be done for rooftop areas through recharging pits (12 nos) for artificial recharge of ground water.

AF

(Ajatshatru Shrivastava)
Member Secretary

185° SEIAA Meeting dtd. 27 02 2015

(H.S.Verma) Member

(Waseem Akhtar) Chairman

Page 4 of 9

- (ix) The total power requirement is 4715 KVA. PP has also proposed power back up 4 D.G. sets capacity 3 x 2000 KVA and 1 x 1000 KVA capacity. The source of power supply is MP Electricity Board. It is decided that PP should ensure installation of photovoltaic cells (solar panels) for lighting in common areas, LED light fixtures and energy efficient equipments.
- (x) The proposed built up area (FAR) is 41625.00 sqm. As per MPBVR 2012 (rule no. 84) the requirement of car parking is 925 ECS. PP has proposed to provide total parking for 925 ECS (Basement-1; 20753.1 sqmt. for 593 ECS; Basement-2; 10389.93 sqmt for 296 ECS & surface 901.57 sqmt. for 36 ECS). It is decided that PP should ensure car parking as per Rule no. 84 (1) of MPBVR 2012.
- (xi) PP has proposed an area of 12460.50 sqmt (35%) to be developed as green area. The authority decided that:
 - i. PP should ensure plantation in 35% of the total plot area.
 - ii. Plantation should be done in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc along with ornamental varieties.
 - iii. The number of trees in the open Bazar area should be increased so as to increase the canopy.
 - Plantation should also be done in the second floor in front of the food court.
 - Every effort should be made to protect the existing trees on the plot.
 - vi. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Indore) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with.
- (3) It is decided to accept the recommendations of 98th SEAC meeting dtd 23.07.12 with 26 special conditions and accord Environmental Clearance to Commercial Complex Project at Khasra No. 538, 539, 540, 541, 542, 543/2, 547, village Bairagarh Chichli Kolar Road, Bhopal (MP) Plot area 35,100 sqm (3.51 ha), Built up area 83,651 sqmt by M/s Khaneja Properties Pvt. Ltd., through Mr. Ashok Kashyap (Sr. General Manager) 56-58,Community Centre, East of Kailash, New Delhi-110065 subject to all specific conditions imposed by SEIAA in its meetings and following additional conditions:-
 - As evident from the presentation rusting has taken place in the the existing structure hence PP should check and ensure the structure stability.
 - ii. PP should ensure the safety of labours during construction phase.

(Ajatshatru Shrivastava)
Member Secretary
185* SEIAA Meeting dtd. 27 02 2015

(H.S.Verma) Member

(Waseem Akhtar) Chairman

Page 5 of 9

- During operation phase PP should provide play area and creche for the children of working women.
- iv. Plantation in two rows should also be taken up between the mall and the proposed residential area so as to create a buffer zone.
- 3. Case no. 1685/2013, Prior Environmental Clearance for proposed Building Construction Project Residential Township project "Regal Town" at Khasra No. 306,307/1/2,311/1ka,311/1kha,312,150/5/2ka,309/3/2kha, Village- Khajurikalan, Tehsil Huzur, District Bhopal (MP).Total land area 27,860 sq.m (2.7860 ha) Built-up Area 49,678.50 sq.m. by M/s K.L. Sharma, Proprietor Mr. K.L.Sharma,157,C-Sector, Indrapuri, Bhopal (M.P) email: regal.homes@gmail.com.
 - (1) The case was discussed in 171st SEIAA mtg. dtd. 17.12.14 and recorded that......
 - (1) The proposed project is building construction "Regal Town" at Khasra No. 306, 307/1/2, 311/1ka, 311/1kha, 312, 150/5/2ka, 309/3/2kha, Village- Khajurikalan, Tehsil Huzur, District Bhopal (M.P.) with total built up area 49,678.50 sq.m. and total land area is 27,860 sq.m (2.7860 ha) (T & CP, Bhopal vide letter 653 dtd 09.04.10). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha. The project involves construction of flats 557 units; commercial (convenient shopping center) shops & club house and maximum height of the building is 18 m (G + 6).
 - (2) The case was discussed in SEAC meetings 137th dtd 24.07.13, 149th dtd 05.09.2014 and 156th dtd.12.11.14 and the project is recommended for grant of Post facto EC subject to 06 special conditions.
 - (3) The case was discussed in depth and it is noted that :-
 - (i) It is a violation case and PP has constructed 49678.50 sqmt. area (PP letter dtd nil received in SEIAA on 23.08.14). Vide letter no. 3176 dtd 21.08.14 RO, Bhopal MPPCB has informed that credible action as per MoEF, Gol Office Memorandum dtd 12.12.12 and 27.06.13 has been initiated against PP for Regal Town Project.
 - (ii) The photocopy of landownership documents (Khasra Panchsala; 2006-2007) submitted by the PP are not clear. It is decided that PP should submit clear copy of latest Khasra Panchsala.
 - (iii). The water supply source is Municipal water supply. During operation phase the total water requirement is 382 KLD (fresh water 230.55 KLD). PP has not submitted NOC from Nagar Nigam Bhopal regarding water supply. It is decided that PP should submit clear NOC from Nagar Nigam, Bhopal for municipal water supply.
 - (iv) The total waste water generation is 289 KLD. PP has provided sewage treatment plant of 350 KLD. Total treated waste water is 274 KLD, out of this 145 KLD will be recycled in flushing while remaining extra treated waste water (129KLD) is proposed to be disposed sewer line. PP has not submitted NOC from Nagar Nigam Bhopal regarding discharge of extra treated waste water. It is decided that PP should link discharge of extra treated waste water with Municipal sewer line and should submit clear NOC from Nagar Nigam, Bhopal.
 - (v). Approximately 1152.75 kg/day (1.1 ton/day) of Municipal Solid waste shall be generated. The solid wastes generated will be segregated into biodegradable and non-biodegradable components and collected in separate bins of suitable storage capacity (approximately 5000 liters storage capacity) and will be disposed through BMC. The recyclable wastes comprising paper, plastic, glass etc., will be sold to prospective buyers. PP has not submitted NOC from Nagar Nigam Bhopal regarding disposal of solid waste. It is decided that Disposal of MSW should be linked with Nagar Nigam Bhopal and PP should submit clear NOC for the same.

(Ajatshahu Shrivastava)
Member Secretary

185° SEJAA Meeting did. 27 02 2015

(H.S.Verma) Member

(Waseem Akhtar) Chairman Page 5 of 9

- (vi). As per MPBVR 2012 rule no. 42 Table-4, S.No. 1 for buildings height up to 18 m the required road width is 12 m & above, front MOS 7.5 m and side / rear MOS 6.00 m. The road width is 24 m, Front MOS 12 m and side / rear MOS 6.0 m and is satisfactory.
- (vii). Fire fighting provisions proposed by PP includes underground Static Water Storage Tank, Terrace Tank, Automatic Sprinkler System, Pump capacity for underground water storage tank - One electric and one diesel pump, and one electric pump, Other equipments- Fire Extinguishers, Hose Reel, Wet Riser, Yard Hydrant, Manually Operated Electric Fire Alarm Systems and Automatic Detection and Alarm System. It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measure recommended in National Building Code part - IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
- (viii). PP has proposed to provide roof top rain water harvesting through recharging pits (7 nos) for artificial recharge of ground water.
- (ix). The project consists of 557 units and also the commercial segment against which only 397 ECS car parking has been provided. It is decided that PP should explore the possibilities of provision for short fall in parking facility.
- (x). PP has proposed plantation in an area of 2697.44 sq. m (10%). PP should submit landscape plan with number of trees and species planted.
- (xi). It is decided that PP should submit completion plan / drawings approved by Nagar Nigam with details of possibility of providing additional green area and parking space.
- (xii) PP should submit the above information latest by 10.02.2015. A copy of the letter should be endorsed to Commissioner Nagar Nigam, Bhopal.
- (2) After detailed discussions and perusal of the query response of 171st SEIAA meeting dated 17.12.2014 submitted by PP on 12.02.15 & 18.02.15 received in SEIAA office on 12.02.15 & 18.02.15, it was decided to call PP/Consultant for presentation on 02.03.2015.
- 4. Case No. 2274/2014 Prior Environmental Clearance proposed Housing project "New MLA Flats", Foothills Vidhan Sabha at Tehsil Huzur, District Bhopal (MP), total land area 88,405 Sqm., Built up area (FAR + Non FAR) 44,172.16 Sqm. by Mr. Neeraj Pande, Controller of Building, Vidhan Sabha CPA, E-5, Arera Colony, Bhopal (MP)-462004
 - (1) The case was discussed in 183rd SEIAA meeting dtd 25.02.15 and it is recorded that "(1).....(4)....(i)....(ii)......(iii)......
 - (iii) The total waste water generation is 131 KLD. PP has provided sewage treatment plant of 157 KLD. The total treated waste water is 118 KLD. PP has proposed 100% recycling of treated waste water (47 KLD in flushing + 71 KLD for landscaping). It is decided that PP should submit details of mode of disposal of extra treated waste water if any along with NOC from Nagar Nigam, Bhopal for its discharge in the Municipal sewer line.
 - (iv). Approximately 460 kg/day of Municipal Solid waste shall be generated. The generated waste shall be segregated at source and all waste including sludge from STP will be disposed off at trenching ground of corporation. It is decided that the disposal of MSW should be integrated with Bhopal Municipal Corporation and PP should submit NOC from Nagar Nigam, Bhopal for disposal of MSW.
 - (v). The maximum height of the building is 24 m. PP has provided front MOS 12 m and side / rear MOS 8.0 m. It is decided that PP should ensure road width, MOS and open spaces as per MPBVR 2012 rule no. 42 table 1.

(Ajatshatru Shrivastava)
Member Secretary
185" SEIAA Meeting dtd, 27.02.2015

(H.S.Verma) Member

(Waseem Akhtar) Chairman

Page 7 of 9

- (vi). PP has proposed to provide centrally fire water tank, fire hydrant network, wet riser system, internal hydrant, hose cabinet with hose reel, portable fire extinguisher as per National Building code 2005. It is decided that PP should submit fire fighting tender movement plan.
- (vii) The proposed FAR is 9192.34 sqmt. PP has proposed to provide total parking for 292 ECS (Stilt 4000 sqmt, sufficient for 136 ECS and open parking 3900 sqmt sufficient for 156 ECS) and 25% additional parking for 73 ECS. It is decided that PP should ensure car parking as per Rule no. 84 Table 1.3 of MPBVR 2012.
- (viii). PP has proposed roof top rainwater harvesting system with 02 nos. of recharging pits for ground water recharge and is satisfactory.
- (ix). The total power requirement is 1437 KW. PP has also proposed power back up of 500 KVA (2 D.G. sets 250 KVA each). It is decided that PP should submit the details of energy conservation provisions.
- (x)
- (5) PP should submit the above information latest by 30.04.2015."
- (2) In response to above query, reply submitted by PP on 27.02.15 was examined and it is noted that :-
 - (i) PP has submitted letter (no. 1260 dtd 26.02.15) from Nagar Nigam, Bhopal regarding discharge of treated waste water in municipal sewer line and disposal of MSW. It is decided that:
 - a. PP should ensure that the discharge of extra treated waste water (if any) is linked with municipal sewer line.
 - PP should ensure linkage with Bhopal Municipal Corporation for disposal of MSW.
 - (ii) PP has submitted letter (no. 167 dtd 27.02.15) from Nagar Nigam, Bhopal regarding fire fighting along with details of fire fighting system and layout. It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code part IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
 - (iii) For energy saving PP has proposed to provide LED light fixtures, solar energy for common area and corridor lighting, solar hot water system, 5 star rated energy efficient electrical equipments VFD system lift etc. It is decided that PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.
- (3) It is decided to accept the recommendations of 168th SEAC meeting dtd 11.01.2015 with 07 special conditions and accord prior Environmental Clearance to proposed Housing project "New MLA Flats", Foothills Vidhan Sabha at Tehsil Huzur, District Bhopal (MP), total land area 88,405 Sqm., Built up area (FAR + Non FAR) 44,172.16 Sqm. by Mr. Neeraj Pande, Controller of Building, Vidhan Sabha CPA, E-5, Arera Colony, Bhopal (MP)-462004 subject to all specific conditions imposed by SEIAA in its meetings.

(Ajatshath Shrivastava)
Member Secretary
185" SEIAA Meeting dtd. 27.02.2015

(H.S.Verma) Member

(Waseem Akhtar) Chairman

Page 8 of 9

- Case No. 694/2012- Prior Environmental Clearance for Duara Metal Stone Quarry in an area of 13.04 ha. for production capacity 2,50,000 cum/year at Khasra No. 176 Part, at Village-Duara, Teh-Sihnawal, Dist-Sidhi (MP) by M/s Vaibhavaa Infratech Pvt. Ltd., Shri Rakesh Kumar Tiwari, Director, 91, Paras Magistric, Trilanga, Bhopal (M.P.)-462039.
 - (1) After detailed discussions and perusal of the recommendations of 167th SEAC meeting dtd. 10.01.2015, it was found from record that PP has not submitted approved Mining Plan and information about the distance of Interstate boundary from mining site.

In context of above, it was decided to ask from PP to submit approved mining plan and provide information about the distance of Interstate boundary from mining site duly certified by EE, PWD / Tehsildar.

- Case No. 669/2012, Prior Environmental Clearance for Limestone mine in an area of 45.888 ha for production capacity of 5.0 lac TPA at Village Bhatiya, Tehsil Maihar, Distt. Satna, M. P. by M/s KJS Cement Ltd., Shri Pawan Kumar Ahluwalia (M.D.), Near Railway Crossing, NH-7, Maihar District Satna (MP) – 485771.
 - (1) After detailed discussions, perusal of the recommendations of 167th SEAC meeting dtd. 10.01.2015 and Google Map view (as per coordinates submitted by PP) it was noted that the habitation and national highway are very close to the proposed mining site. It was also noted that in the proceeding and statement of issues of public hearing adverse comments of participants were found.

It was recorded in the statement that a school building is in close proximity of the mining site hence, adverse impact of Mining activity is likely on the health of students. It was also noted that people have informed that some cracks have been developed in the walls of their houses.

In context of above, it was decided to return the technical file to SEAC to review the case in the light of adverse comments raised by the people participated in public hearing and provide their comments specifically. The information should be made available at the earliest. Copy of the letter should be endorsed to PP also.

Meeting ended with a vote of thanks to the Chair.

S. High

(Ajatshatru Shrivastava) Member Secretary 185° SEIAA Meeting dtd. 27 02 2015 (H.S.Verma) Member

(Waseem Akhtar) Chairman