

Minutes of the 188th Meeting of SEIAA dated 18.03.2015

The 188th meeting of the State Level Environment Impact Assessment Authority was convened on 18 March 2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- | | | |
|---|-----------------------------|------------------|
| 1 | Shri H.S. Verma | Member |
| 2 | Shri Ajatshatru Shrivastava | Member Secretary |


A. Following cases received from SEAC / query response have been considered :-


S No	Case No.	Category	Query response/SEAC
I. Other than mining			
1.	512/2011	8 (a)	Query response
2.	1537/2013	8 (a)	Query response
3.	1661/2013	8 (a)	Query response
4.	1684/2013	8 (a)	Query response
5.	1832/2014	5 (f)	Query response
II. Mining			
6.	2005/2014	1 (a) B2	Query response
7.	1793/2014	1 (a) B2	Query response
8.	1559/2013	1 (a) B2	Query response
9.	862/2012	1 (a) B2	Query response
10.	1988/2014	1 (a) B2	Query response
11.	1904/2014	1 (a) B2	Query response
12.	852/2012	1 (a) B2	Query response
13.	1182/2013	1 (a) B2	Query response
14.	1526/2013	1 (a) B2	Query response
15.	1558/2013	1 (a) B2	Query response
16.	1198/2013	1 (a) B2	Query response
17.	1274/2013	1 (a) B2	Query response
18.	1764/2014	1 (a) B2	Query response
19.	1978/2014	1 (a) B2	Query response
20.	605/2012	1 (a)	Query response
21.	2124/2014	1 (a) B2	SEAC
22.	2125/2014	1 (a) B2	SEAC
23.	2126/2014	1 (a) B2	SEAC
24.	2138/2014	1 (a) B2	SEAC
25.	2140/2014	1 (a) B2	SEAC
26.	2141/2014	1 (a) B2	SEAC


1. **Case No. 512/2010:** Prior Environmental Clearance for Hospital & Medical College for Advance Medical Science and Education Society at village Inayatpur, Tehsil Huzur, Bhopal (M.P) Land area 25 acres (10.130 ha) (total 26 Khasras) Built-up area 99694.0 sqmt. by M/s Advance Medical Science & Education Society through Dr.N.K.Sharma (Vice-President)136,N.H.5,Railway Road,NIT,Faridabad, UP email:sharmanursinghome@yahoo.mail.com Env't. Consultant: Creative Enviro Services

(1) The case was discussed in 172nd SEIAA meeting dtd 08.01.2015 and it is recorded that "(1) (2) In response to above query, reply submitted by Director Town & Country Planning Deptt. and Labour Commissioner, Bhopal (vide letter dtd 05.11.14 & 21.11.14 respectively) were examined in depth and it is noted that :-

(i) Director Town & Country Planning has forwarded the complaint to Dy. Commissioner Labour for necessary action while the Dy. Commissioner Labour has forwarded the complaint to Commissioner, Welfare, MP Labour Welfare Board, Bhopal. The


 (Ajatshatru Shrivastava)
 Member Secretary


 (H.S. Verma)
 Member


 (Waseem Akhtar)
 Chairman

Authority decided that a letter along with copy of complaint (dtd 05.09.14) from Hon'ble MLA, North Zone should be sent to:-

- a. SDM, Bhopal regarding demarcation of the land.
- b. Commissioner, Welfare regarding the कर्मकार शुल्क.
- c. Copy of the above letter should be endorsed to PP to submit notarized copy of documents regarding demarcation of the land and documents regarding कर्मकार शुल्क from concerned Competent Authority.

(3) PP should submit the above information latest by 31.03.2015."

(2) In response to above query, reply submitted by PP vide letter dtd 29.01.15 received in SEIAA office on 02.02.15 was discussed in depth and it is noted that :-

- (i) It is noted that PP has submitted copy of order (22.03.11) endorse by SDM, Tehsil Huzur, Bhopal along with a copy Aks (अक्स) Map and a copy of receipt for Rs. 2,00,000/- only from Madhya Pradesh Bhavan and Anya Sanirman Karmkaar Kalyan Mandal, Bhopal.
- (ii) The proposed project is for construction of Medical & Nursing college with 750 beds hospital at village Inayatpur, Tehsil Huzur, Bhopal (M.P) plot area 25 acres (10.130 ha) ; built up area 99694.0 sq. m.
- (iii) The land ownership, T & CP approval, water demand were discussed in earlier meetings and found **satisfactory**.
- (iv) The total water requirement is 554 KLD. The fresh water requirement is 364 KLD & recycled water is 190 KLD. PP has submitted NOC from CGWA for 309 m³/day (letter no. 21-4 (123)/NCR/CGWA/2011-4091 dtd 10.07.2012) and letter from Nagar Palika Parishad Kolar dtd 02.01.13 regarding water 60 KLD water supply. **It is decided that PP should ensure that the entire water demand is met through municipal supply and once the municipal water supply is implemented in the project area there should be no extraction of ground water.**
- (v) The total waste water generation is 497 KLD. PP has provided sewage treatment plant of 500 KLD. The total treated waste water is 423 KLD. PP has proposed 190 KLD recycle & remaining 233 KLD is proposed to be disposed off in sewer line. PP has submitted letter from Nagar Palika Parishad Kolar dtd 24.09.13 regarding disposal of extra treated waste water. **It is decided that :-**
 - a) PP should ensure 100% recycling of treated waste water until the municipal sewer line is laid in the project area.
 - b) No waste water (treated / untreated) should be discharged in the Nalla flowing through the site.
 - c) As per commitment (vide letter dtd 04.04.2012-query response of 87th SEAC meeting dtd 07.01.12) PP should make peripheral bund on both banks of Nalla at distance of 30 ft. and space left should be developed as green belt.
 - d) A small culvert for crossing the above Nalla should be made.

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

- (iv) Approximately 2323 kg/day of Municipal Solid waste shall be generated and is proposed to be segregated separately at source. PP has submitted letter from Nagar Palika Parishad Kolar dtd 24.09.13 regarding disposal of solid waste. **It is decided that the disposal of MSW should be integrated with Bhopal Municipal Corporation.**


Bio Medical waste approximately 188 kg/day will be generated. PP has proposed to dispose the bio-medical waste through common disposal facility i.e. Bhopal incinerator (P) limited at Govindpura, Bhopal (MP). PP has submitted letter dtd 06.01.2012 from Bhopal Incinerators. **It is decided that PP should ensure the disposal of Bio-Medical Waste as per the Bio Medical Waste (Handling & Management) Rules 1998 and its amendments.**

- (v) The maximum height of the building is 18 m. PP has provided road width 45 m; Front MOS 15 m and side / rear MOS 6.0 m. **It is decided that PP should ensure road width and open spaces as per MP Bhumi Vikas Niyam 2012 rule 42 (1) for building up to 18 m height.**
- (vi) PP has proposed to provide fire fighting provisions including fire hydrant, water storage tanks, automatic fire alarm system, hydrant, sprinkler, jockey pumps, fire extinguisher, automatic fire extinguishers system, wet riser system and hose reel etc. as per NBC 2005. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (vii) PP has proposed rain water harvesting through rooftop areas and recharging pits for artificial recharge of ground water.
- (viii) The total power requirement is 250 KVA. PP has also proposed power back up 2 D.G. sets capacity 2 x 125 KVA capacity. The source of power supply is MP Electricity Board. **It is decided that PP should ensure installation of photovoltaic cells (solar panels) for lighting in common areas, LED light fixtures and energy efficient equipments.**
- (ix) The proposed built up area is 99694.00 sq.m. As per MPBVR 2012 (rule no. 84) the requirement of car parking is 760 ECS (574 for institute + 186 residential) PP has proposed to provide total car parking of 484 ECS (open) + 25% of the open space for parking. **It is decided that PP should ensure car parking as per Rule no. 84 (1) Table Clause 1 (3) S. No. 3 of MPBVR 2012.**
- (x) PP has proposed an area of 30000 sqmt (30%) to be developed as green area. **The authority decided that:-**

- i. PP should ensure plantation in 30% of the total plot area.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- ii. Plantation should be done in three rows all along the periphery of the project area, both sides of the Nalla, avenue plantation along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc along with ornamental varieties.
 - iii. Every effort should be made to protect the existing trees on the plot.
 - iv. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with.
- (3) The Authority decided to accept the recommendations of 95th SEAC meeting dtd 08.05.2012 with 42 special conditions and accord **Environmental Clearance** to Hospital & Medical College for Advance Medical Science and Education Society at village Inayatpur, Tehsil Huzur, Bhopal (M.P) Land area -25 acres (10.130 ha) (total 26 Khasras) Built-up area- 99694.0 sq. m. by M/s Advance Medical Science & Education Society through Dr. N.K. Sharma (Vice-President) 136, N.H.5, Railway Road, NIT, Faridabad, U.P. **subject to all specific conditions imposed by SEIAA in its meetings.**
2. **Case No. 1537/2013** Prior Environmental Clearance for Proposed Residential Project "Vasantkunj" at Survey No. 102,103,104,106/1,106/2,107,108/1,108/2, 111(09 Khasra) (Patwari Halka No. 81), Village Ramaua, Tehsil Gwalior, Distt. Gwalior (MP) Total Land Area 52,200 sq.m, Total Built Up Area – 62250 sq.m by M/s Healthy Business Pvt. Limited through Director-Shri Manak Shankar, 205, Global Apartment, City Center, Gwalior (M.P.) Tel. No. 0751-4004492, Email: manakshankar@gmail.com
- (1) The case was discussed in 140th SEIAA meeting dtd 04.07.2013 and it is recorded that "
- (1) The proposed project is of construction of residential building at Khasra No.- 102, 103, 104,106/1,106/2, 107, 108/1, 108/2, 111(09 Khasra) (Patwari Halka No. 81) Village- Ramaua, Tehsil Gwalior, Distt. Gwalior (MP). The proponent is M/s Healthy Business Pvt. Ltd. through Director Shri Manak Shankar, 205, Global Apartment, City Center, Gwalior (MP). The project includes construction of building of 12- Block (Number of Flats : 899, Club House : 01,) School : 01.etc.
 - (2) As per the approved layout map of T & CP (case No. M-1187 dtd.03.08.12) The total land area is (5.22 ha) 52,200 sq.m at Khasra No.- 102, 103, 104,106/1,106/2, 107, 108/1, 108/2, 111 Village- Ramaua, Tehsil - Gwalior, Distt.- Gwalior (M.P.) The total built-up area proposed by PP is 62250 sq.m (Form - I). The project comes under 8 (a) category B of schedule of EIA Notification, 2006 because total construction is between 20000 sq. m & 150000.0 sq. m. and total land area is less than 50 ha.
 - (3) The case was discussed in SEAC meetings 132nd dtd.14.05.13 and recommended for grant of prior EC subject to 05 special conditions.
 - (4) The case was examined in depth and it is noted that :-
 - (i). PP has not submitted T & CP Approval letter and Khasra Panchsala 2012-13 is not readable. It is decided that PP should submit notarized copy of T & CP approval letter, latest (2012-2013) Khasra Panchsala for the survey nos. included in the project (102, 103, 104,106/1,106/2, 107, 108/1, 108/2, 111(09 Khasra).

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

- (ii). The total water requirement is 609 KLD & net Fresh water requirement is 406 KLD & 203 KLD recycled water. SEAC in its 132nd meeting dtd.14.05.13 has recommended that the net fresh water demand for the project should not exceed 406 KLD. PP has applied for water supply NOC and has submitted letter from AE water supply Sub-Div., Murar addressed to Commissioner Nagar Nigam Gwalior (let. No. 71 dtd. 30.01.13) for water supply. **It is decided that PP should submit NOC for 406 KLD water supply from Nagar Nigam, Gwalior and there should be no extraction of ground water.**
- (iii). The total waste water generation is 548 KLD. PP has provided sewage treatment plant of 600KLD capacity for treatment of waste water. The 203 KLD of treated waste water is proposed to be recycled for flushing. **It is decided that PP should submit water balance giving clear details of treated waste water, extra treated water, how much of the waste water will be discharged out of the campus and where will it be finally discharged ? PP should submit NOC from Gwalior Municipal Corporation for discharge of waste water.**
- (iv). The maximum height of the building is 18 m. **It is decided that the internal roads and open space etc. within the campus should be according to MP Bhumi Vikas Niyam, 2012.**
- (v). Approximately 2502.0 kg/day of Municipal Solid waste will be generated. PP has submitted a copy of Consent letter from Commissioner Nagar Palika Nigam Gwalior (let no. 11/2013/7/6/ dtd. 04.02.13) for disposal of solid waste in their landfill site with condition that PP will ensure collection and transportation of garbage to landfill site as per MSW rules 2000 and PP will bear the cost **and is satisfactory.**
- (vi). The fire fighting measure proposed by PP include overhead storage tank as per NBC 2005, fire hydrant system, Hydrant pumps, sprinkler pumps, hand held fire extinguishers wet risers, hose reel automatic alarm system. PP has submitted a copy of letter (dtd 27.12.2012) from Nagar Nigam, Gwalior regarding fire station distance (8.5 k.m.). **It is decided that PP should submit fire fighting NOC from Nagar Nigam, Gwalior.**
- (vii). PP has proposed basement parking area of 6514.89 sqmt. (Sufficient for 186 ECS) and 5153.63 sqmt. open area (sufficient for 206 ECS) total 392 ECS. **It is decided that PP should provide Parking for 522.0 ECS (@ 52200 sq. m built up area / 100) as per MPBVR 2012 Rule 84(i) appendix of I- 1 Clause 1.3.**
- (5) It is decided that PP should submit the above information latest by 31.08.13."

(2) The case was discussed in depth and it is noted that :-

- a. PP has not submitted the above information till date.
- b. A complaint from Shri Praveen Singh Parihar (dtd 26.02.2015) has been received in SEIAA on 03.03.2015 regarding the construction activities being under taken PP. A letter has been sent to Member Secretary, MS-MPPCB to direct the concerned RO for site visit and submit the report

(3) It is decided that :-

- a. Since PP has not submitted the information for more than six months hence the case is delisted as per MoEF & CC, Gol Office Memorandum dtd 30.10.12. PP and all concerned should be informed accordingly.
- b. If the violation of EIA Notification 2006 is reported by MPPCB, PP shall be liable to credible action as per MoEF & CC, Gol Office Memorandum dtd 12.12.2012 & 27.06.2013.



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

3. **Case No. 1661/2013** Prior Environmental Clearance for proposed Building Construction Project "The Empress", Khasra No. 58/2 and 58/3/2, Opp Ashirwad Villa, Village Nipania, Tehsil & Distt. Indore (MP) Plot Area 9470 M², Built up Area 21177.76 M² by M/s Arms Real Estate Developers Pvt. Ltd., Raj Bisen, Director Arms Manor, 9 FF, Scheme No.- 54, Vijay Nagar, Indore (MP) 452010.

- (1) The case was discussed in 175th SEIAA meeting dtd 13.01.2015 and it is recorded that "(1)..... (2) In response to above query, SEAC discussed the matter in 158th SEAC meeting dtd 28.11.14 and PP has also submitted reply (vide letter dtd 14.11.14 & nil received in SEIAA office on 14.11.14 & 08.12.14. The case was examined in depth and it is noted that:- (i).....

The Authority decided that as per SEAC the case may be considered for total built up area 42010.94 sqmt. on plot area 9470 sqmt.

(ii) PP has submitted letter dtd 30.10.14 from Nagar Palika Nigam, Indore regarding water supply, disposal of extra treated waste water in municipal sewer line and disposal of MSW. It is decided that :-

a. **The NOC for water supply given by Municipal Corporation is not clear hence a DO letter should be sent to Collector, Indore for necessary instructions to Nagar Nigam, Indore to give firm commitment for municipal supply of 115.65 KLD fresh water to PP. A copy of this letter should be endorsed to Commissioner Nagar Nigam, Indore and PP.**

b. **Regarding disposal of waste water PP should submit details of final discharge, point mode of disposal until the Municipal sewer line is laid in the area and layout plan showing nearest municipal sewer line connection.**

c. **PP should ensure linkage with Nagar Nigam Indore for disposal of MSW.**

(iii)..... (ix).....

- (3) **The above information should be submitted by PP latest by 31.03.2015."**


- (2) In response to above query, reply submitted by PP vide letter dtd nil received in SEIAA office on 12.03.15 was examined in depth and it is noted that :-


(i) PP has again submitted the same letter (dtd 30.10.14) issued by Nagar Nigam, Indore regarding water supply, disposal of extra treated waste water and disposal of MSW. It is noted that as per 175th SEIAA meeting dtd 13.01.2015 a DO letter (no. 3695 dtd 28.02.2015) has been sent to Collector, Indore for necessary instruction to Commissioner Nagar Nigam, Indore to give firm commitment for Municipal supply of 115.65 KLD fresh water to PP. **It is decided that as per earlier decision PP should submit clear NOC for water supply and disposal of extra treated waste water from Nagar Nigam, Indore.**


- (3) **PP should submit the above information latest by 30.06.2015.**

4. **Case No. 1684/2013** Prior Environmental Clearance for proposed Building Construction Project "Maple Woods" at Khasra No.41/1,41/2,43,56,57,58,59,60, 61/2 & 92, Village Pipliyakumar, Tehsil & Distt. Indore (MP), Plot Area 63410 sq.m., Built up Area 147128.75 Sqmt. by Chugh Reality Pvt.Ltd., Chugh Infrastructure Pvt. Ltd. & Developers Siddhi Vinayak Developers through Proprietor Mr. Kailash Raghuwanshi, FF-29,30, Shekhar Villa, 06, Scheme No. 54, Vijay Nagar, Indore (MP)452010; Env. Consultant: Kadam Environmental Consultants.

- (1) The case was discussed in 172nd SEIAA meeting dtd 08.01.2015 and it is recorded that "(1).....(2). In response to above query, reply submitted by PP (vide


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

letter dtd 14.11.14 received in SEIAA office on 14.11.14) was examined in depth and it is noted that :-

- (i) PP has submitted Khasra Panchsala 2014-2015 the land ownership is in the name of Chugh Infrastructure Pvt. Ltd. through Director Mohanlal.
- (ii) PP has submitted letter dtd 30.10.14 from Nagar Palika Nigam, Indore regarding water supply, disposal of extra treated waste water in municipal sewer line and disposal of MSW. It is decided that :-

- a. The NOC for water supply given by Municipal Corporation is not clear hence a DO letter should be sent to Collector, Indore for necessary instruction to Nagar Nigam to give firm commitment for municipal supply of 639.5 KLD fresh water to PP.
- b. Regarding disposal of waste water PP should submit details of final discharge point and mode of disposal until the Municipal sewer line is laid in the area.
- c. The NOC for disposal of MSW is satisfactory.

(3) PP should submit the above information latest by 28.02.2015."

- (2) In response to above query, reply submitted by PP vide letter dtd nil received in SEIAA office on 12.03.15 was examined in depth and it is noted that :-

- (i) PP has again submitted the same letter (dtd 30.10.14) issued by Nagar Nigam, Indore regarding water supply, disposal of extra treated waste water and disposal of MSW. It is noted that as per 172th SEIAA meeting dtd 08.01.2015 a DO letter (no. 3695 dtd 28.02.2015) has been sent to Collector, Indore for necessary instruction to Commissioner Nagar Nigam, Indore to give firm commitment for Municipal supply of 639.5 KLD fresh water to PP. It is decided that as per earlier decision PP should submit clear NOC for water supply and disposal of extra treated waste water from Nagar Nigam, Indore.

(4) PP should submit the above information latest by 30.06.2015.

5. **Case No. 1832/2014** Prior Environment Clearance for Proposed Trent Chemical Industries at Plot No. 184-A, Meghnagar Industrial Area, Village & Tehsil Meghnagar, District Jhabua, (M.P.) area 26230 sqmt. (2.623 ha) Production Capacity; (1). H-Acid 200 MT/Month (2). PNTOSA 200 MT/Month (3). Gama Acid 25 MT/Month (4). K- Acid 25 MT/Month (5). Metanilic Acid 50 MT/Month (6). DASDA 200 MT/Month and by products by Trent Chemical Industries, Partner- Praful G Patel, N-78, Anoop Nagar, A. B. Road, Indore-(M.P.) 452008 Email: trentchemicals@hotmail.com

- (1) The case was discussed in 186th SEIAA meeting dtd 02.03.2015 and it is recorded that "(1)"(2) After deliberations and the case was discussed in depth and it is noted that it is noted that :-

- (i) PP has proposed production of synthetic organic chemicals Production Capacity; (1). H-Acid 200 MT/Month (2). PNTOSA 200 MT/Month (3). Gama Acid 25 MT/Month (4). K- Acid 25 MT/Month (5). Metanilic Acid 50 MT/Month (6). DASDA 200 MT/Month and by products: 7) Sodium Sulphate 840 MT/month, 8) Gypsum 2986MT/month, 9) Liquid Sodium Bisulfate 403 MT/month, 10) Dilute Nitric acid/Nitrite Solution 195 MT/Month 11) Ammonia Solution 91MT/Month. PP should submit list of

(Ajatsharu Shrivastava)
Member Secretary

(H.S. Verma)
Member

(Waseem Akhtar)
Chairman

Minutes of the 188th Meeting of SEIAA dated 18.03.2015

raw materials with quantity to be stored, quantity used in the process and storage facility at a time.

(ii) (iii)....

(iv) It is noted that the total water requirement is 543 KLD (Fresh water - 398KLD + Recycled - 145 KLD for cooling and gardening). The source of water for the project is MPAKVN (1.00 Lakh liters / day) and Ground water. PP has submitted receipt (dtd. 04.03.14) for water connection from AKVN. **It is decided that PP should submit clear NOC for supply of fresh water from AKVN/CGWA.**

(v)

(vi) No. of Hazardous waste shall be generated from the process. The details of source of Hazardous waste generation & their proposed disposal are as follows :

Type of Waste/Category	Quantity per T/ YEAR	Source	Method of Collection	Treatment / Disposal
Gypsum from Process 26.10	15816	Process	6 inch RCC impervious Layer along with leachate collection and testing system designed as per CPCB guideline "for storage and disposal to landfill of hazardous waste"	Sale to authorized Cement Factory
Gypsum Sludge from ZLD 34.3	20016	ZLD	do	Sale to authorized Cement Factory
ZLD waste sludge 34.3	1800	ZLD	do	To TSDF Pithampur
Iron sludge Solid waste 26.1	9636	Process	do	Sale to authorized Cement Factory
Glauber Salt 26.2	10080	ZLD	Collection in HDPE Liner bags with Liner bags	Disposal by 80% Re use in H-acid plant 20% left quantity sell to buyers.
Fly ash	720	Boiler	Collect in specially designed silo and pack in HDPE bags	Sell to cement industries and road construction company also use for road levelling
Carbon Waste 35.3	5.0	Solvent Recovery System in H Acid Plant	Collect in HDPE bags	To authorized solid disposal site (Pithampur TSDF site)
Used oil 5.1	0.50	Plant equipments	-	Authorized recycler Register
Discarded Containers / Linters 33.30	10000 HDPE bags 1000 nos. drum	From RM	-	Sold to recycler after Decontamination

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

PP has submitted a MoU signed with Cement Company for sale of fly-ash, gypsum and iron sludge & provisional membership of CTSDf, Pithampur. It is decided that PP should submit:

- a) The gypsum & sodium sulphate are defined as by-product as well as waste PP should clarify the same and should submit the details of final disposal in both the option.
- b) Approval from competent authority for health & safety measure, Onsite & offsite disaster management, and risk management plan.
- c) Details of leachate collection system.
- d) Details of maximum storage facility at the factory site for hazardous and Inflammable substances.

(vii) (ix).....

(3) PP should submit the above information latest by 30.05.2015."

(2) In response to above query, reply submitted by PP vide letter dtd 05.03.2015 received in SEIAA office on 05.03.15 was examined in depth and it is noted that :-

- (i) That PP has submitted list of raw materials with details of maximum storage, storage facilities and consumption etc.
- (ii) PP has submitted copy of letter no. 2193 dtd 03.03.2015 from AKVN, Indore for water supply of 5.00 lacs liter per day.
- (iii) Regarding hazardous waste or by products PP has submitted:-
 - a. MOU letter for purchase / lift the gypsum, fly ash from different companies at Ahemdabad and Meghnagar, District Jhabua, MP. PP has also submitted copy of letter (dtd 02.04.14) from Ramkey Enterprises Envior Engineers regarding membership of TSDF.
 - b. Details of leachate collection system, HDPE liners, hazardous waste generation and storage etc.

(3) It is decided that :-

- a. PP should ensure disposal of hazardous waste/ by products regularly through sale or in TSDF site and there should be no dumping of these materials in the premises/outside.
- b. PP should provide RCC layer and double layered HDPE lining for primary and secondary leachate collection.
- c. PP should obtain NOC /approval from competent authority for health & safety measure, Onsite & Offsite disaster management, Risk management plan and Fire fighting before commencing the operation of the unit.

(4) It is decided to accept the recommendations of 168th SEAC meeting dtd 11.01.2015 with 08 special conditions and accord Environmental Clearance to Proposed Trent Chemical Industries at Plot No. 184-A, Meghnagar Industrial Area, Village & Tehsil Meghnagar, District Jhabua, (M.P.) area 26230 sqmt. (2.623 ha) Production Capacity; (1). H-Acid 200 MT/Month (2). PNTOSA 200 MT/Month (3). Gama Acid 25 MT/Month (4). K- Acid 25 MT/Month (5). Metanilic Acid 50 MT/Month (6). DASDA

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

200 MT/Month and by products by Trent Chemical Industries, Partner- Praful G Patel, N-78, Anoop Nagar, A. B. Road, Indore-(M.P.) **subject to all specific conditions imposed by SEIAA in its meetings.**

6. **Case No. 2005/2014** Prior Environmental Clearance for **Stone Quarry** in an area of 2.00 ha. for production capacity of 25,000 cum/year at Khasra no. 1162/1 at Village Palsud, Tehsil Rajpur, Distt Barwani (M.P) by Shri Krishna Gole S/o Shri Manohar Gole R/o Silawad Road, Palsud, tehsil Rajpur, District - Barwani (M.P)-451447.

- (1) After detailed discussions and perusal of the query response of 178th SEIAA meeting dated 05.02.2015 and recommendations of 164th SEAC meeting dtd. 07.01.2015, it was noted that PP has submitted the query reply of the issue raised in the 178th SEIAA meeting dated 05.02.2015 but on viewing the Google Map (as per coordinates) a permanent structure in close proximity of the road is visible.

In context of this it was decided to ask from the Mining Officer to clarify that what is that permanent structure. The information should be made available at the earliest. **Copy of the letter should be endorsed to PP also.**

7. **Case No. 1793/2014** - Prior Environmental Clearance for **Stone & Murum Quarry** in an area of 2.00 ha. for production capacity of Stone 14,400 cum/year & Murum 2,888 cum/year at Khasra no. 424 at Village - Pasawada, Tehsil - Sardarpur, District - Dhar (M.P) by Smt. Neeta Garg W/o Shri Rajesh Garg R/o 35 Shalini Marg, Sardarpur, District - Dhar (M.P)-454111.

- (1) After detailed discussions and perusal of the query response of 178th SEIAA meeting dated 05.02.2015 and recommendations of 164th SEAC meeting dtd. 07.01.2015, it was decided to grant Environmental Clearance with slight modifications of the conditions imposed by SEAC :

- (i). PP shall not start mining activity before execution of lease agreement.
- (ii). The average depth of the pit shall not exceed 6.0 m. at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Stone & Murum Quarry** (opencast/ semi mechanized Method) in an area of 2.00 ha. for production capacity Stone 14,400 cum/year & Murum 2,888 cum/year at Khasra no. 424 at Village - Pasawada, Tehsil - Sardarpur, District - Dhar (M.P) **for the lease period** by Smt. Neeta Garg W/o Shri Rajesh Garg R/o 35 Shalini Marg, Sardarpur, District - Dhar (M.P)-454111.

8. **Case No. 1559/2013-** Prior Environmental Clearance for **Stone/Boulder Quarry** in an area of 0.810 ha production capacity 5,000 cum / year (**as per approved mine plan**) at Khasra No. 92, Village Manegaon (Bargi), Tehsil Jabalpur, District Jabalpur by Shri Vivek Agrawal S/o Shri Vishu Bhagwan Agrawal, 999 Amanpur Madan Mahal Jabalpur District Jabalpur (MP)-482001.

- (1) After detailed discussions and perusal of the query response of 173rd SEIAA meeting dated 09.01.2015 and recommendations of 132th SEAC meeting dtd. 14.05.2013, it was decided to grant Environmental Clearance with slight modifications of the conditions imposed by SEAC:

- (i). PP shall not start mining activity before execution of lease agreement.

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

- (ii). The average depth of the pit shall not exceed 6.0 m. at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Stone Quarry** (opencast/ semi mechanized Method) in an area of 0.810 ha production capacity 5,000 cum / year **(as per approved mine plan)** at Khasra No. 92, Village Manegaon (Bargi), Tehsil Jabalpur, District Jabalpur (M.P) **for the lease period** by Shri Vivek Agrawal S/o Shri Vishu Bhagwan Agrawal, 999 Amanpur Madan Mahal Jabalpur District Jabalpur (MP)-482001.

9. **Case No. 862/2012** - Prior Environmental Clearance for **Stone/Boulder Quarry** in an area of 2.0 ha. for production capacity 12500 cum/year (as per SEAC recommendation) at Khasra No. 1013 at **Village-Sehore, Tehsil-Sehore, District-Sehore** (MP) by Shri Hanif Qureshi S/o Shri Hajiusman Qureshi, Old Bus Stand, Ganj, Sehore, Dist-Sehore (M.P)-466001.

- (1) After detailed discussions and perusal of the query response of 173 SEIAA meeting dtd.9.1.2015 and recommendations of 143 SEAC meeting dtd. 29.10.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
(ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.


Hence, Prior Environmental Clearance is granted for **Stone/Boulder Quarry (Opencast Manual/Semi-Mechanized Method)** in an area of 2.0 ha. for production capacity 12500 cum/year (as per SEAC recommendation) at Khasra No. 1013 at **Village-Sehore, Tehsil-Sehore, District-Sehore** (M.P.) **for the lease period** by Shri Hanif Qureshi S/o Shri Hajiusman Qureshi, Old Bus Stand, Ganj, Sehore, Dist-Sehore (M.P)-466001.


10. **Case No. 1988/2014** - Prior Environmental Clearance for **Sitapar Metal Stone Quarry** in an area of 1.507 ha. for production capacity 10,000 cum/year (as per SEAC recommendation) at Khasra No. 148/1 at **Village- Sitapar, Tehsil-Chorai Dist-Chhindwara** (M.P) by Shri Sunil Kumar Jain S/o Shri Abhay Kumar Jain, Main Road, Chorai, District-Chhindwara (MP)-480115.


- (1) After detailed discussions and perusal of the query response of 177th SEIAA meeting dtd.4.2.2015 and recommendations of 163th SEAC meeting dtd. 24.12.2014, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
(ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Sitapar Metal Stone Quarry (Opencast Semi-Mechanized Method)** in an area of 1.507 ha. for production capacity 10,000 cum/year (as per SEAC recommendation) at Khasra No. 148/1 at **Village- Sitapar, Tehsil-Chorai Dist-Chhindwara** (M.P.) **for the lease period** by Shri Sunil Kumar Jain S/o Shri Abhay Kumar Jain, Main Road, Chorai, District-Chhindwara (MP)-480115.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

11. **Case No. 1904/2014** - Prior Environmental Clearance for **Tituriya Metal Stone Quarry** in an area of 2.0 ha. for production capacity 8550 cum/year at Khasra No. 439/1 at **Village-Tituriya, Tehsil-Ashta, Distt.-Sehore** (MP) by Shri Ramprasad Verma S/o Gangaram Verma, Vill-Bhofod, Teh-Ashta, Dist-Sehore (MP)-466116.

(1) After detailed discussions and perusal of the query response of 176th SEIAA meeting dtd.2.2.2015 and recommendations of 160th SEAC meeting dtd. 21.12.2014, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Tituriya Metal Stone Quarry (Opencast Semi-Mechanized Method)** in an area of 2.0 ha. for production capacity 8550 cum/year at Khasra No. 439/1 at **Village- Tituriya, Tehsil-Ashta, Distt.-Sehore (M.P.)** for the **lease period** by Shri Ramprasad Verma S/o Shri Gangaram Verma, Vill-Bhofod, Teh-Ashta, Dist-Sehore (M.P.)-466116.

12. **Case No. 852/2012** - Prior Environmental Clearance for **Stone/Boulder Quarry** in an area of 2.0 ha. for production capacity 12500 cum/year (as per SEAC recommendation) at Khasra No. 1013 at **Village-Sehore, Tehsil-Sehore, District-Sehore** (MP) by Smt. Roli Gupta W/o Shri Pankaj Gupta, Ganga Ashram, Sehore, Dist-Sehore (M.P.)-466001.

(1) After detailed discussions and perusal of the query response of 173 SEIAA meeting dtd.9.1.2015 and recommendations of 143 SEAC meeting dtd. 29.10.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Stone/Boulder Quarry (Manual/Semi-Mechanized Method)** in an area of 2.0 ha. for production capacity 12500 cum/year (as per SEAC recommendation) at Khasra No. 1013 at **Village-Sehore, Tehsil-Sehore, District-Sehore (M.P.)** for the **lease period** by Smt. Roli Gupta W/o Shri Pankaj Gupta, Ganga Ashram, Sehore, Dist-Sehore (M.P.)-466001.

13. **Case No.1182/2013** - Prior Environmental Clearance for **Stone Mine** in an area of 0.62 ha. for production capacity 1200 cum/year at Khasra No. 236/1 at **Village-Singarsati, Tehsil - Dindori, District - Dindori** (MP) by Shri Santosh Kumar Panriya, Village Singarsati, Post. Lalpur, Tehsil - Dindori, District - Dindori (M.P.).

(1) After detailed discussions and perusal of recommendations of 124 SEAC meeting dtd.13.3.2013 and it was found from record that PP has not submitted Mining Plan duly approved by the competent authority, Environmental Management Plan (EMP) Prepared by RQP and information of other mines within 500m periphery of this mine. **In this context it was decided to ask from PP to submit these documents /information. Copy**

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

of the Letter should be endorsed to the Director (Geology & Mining) and District Mining Officer also.

14. **Case No.1526/2013** - Prior Environmental Clearance for **Sand Quarry** in an area of 4.0 ha. for production capacity 20,000 cum/year at Khasra No. 332 at **Village-- Kamti Tehsil – Bankhedi, District – Hoshangabad** (MP) by M/s Vishal Nirmiti Pvt. Ltd. Shri Jayant Rakhunde, Manager, Pipariya - Gadarwara Road, **Bankhedi, District – Hoshangabad** (M.P.) 461990.

(1) After detailed discussions and perusal of recommendation of 132 SEAC meeting dtd.14.5.2013 it was found from record that the Mining Plan submitted by PP is not duly approved by the competent authority. ***In this context it was decided to ask from PP to submit copy of the Mining Plan duly approved by the competent authority. Copy of the Letter should be endorsed to Director (Geology & Mining) also.***

15. **Case No.1558/2013** - Prior Environmental Clearance for **Stone Mine** in an area of 2.0 ha. for production capacity 10,000 cum/year at Khasra No. 838 Min – 1 at **Village– Thikariya, Tehsil – Nalkheda, District – Shajapur** (MP) by Shri Mahendra Singh S/o Shri Ishwar Singh, Village – Gondalmau, Tehsil – Nalkheda, Distt. – Shajapur (M.P.).

(1) After detailed discussions and perusal of recommendation of 132nd SEAC meeting dtd.14.5.2013, it was found from record that PP has not provided information about other mines within 500m periphery of this mining site. ***In this context it was decided to ask from the Mining Officer to provide information about nos. & area of other mines within 500m periphery of this mine. Copy of the Letter should be endorsed to PP also.***

16. **Case No. 1198/2013** - Prior Environmental Clearance for **Stone Mine** in an area of 1.20 ha. for production capacity 2500 cum/year (as per SEAC recommendation) at Khasra No. 188/1 at **Village- Uchakheda, Tehsil - Udaypura, District - Raisen** (MP) by Shri Mahendra Gangoliya, Narmada Colony, Main Road Deori, Tehsil- Udaypura, Distt. – Raisen (M.P.) 464774.

(1) After detailed discussion and perusal of the recommendations of 128 SEAC meeting dtd. 26.4.2013, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Stone Mine (Opencast Semi-Mechanized Method)** in an area of 1.20 ha. for production capacity 2500 cum/year (as per SEAC recommendation) at Khasra No. 188/1 at **Village- Uchakheda, Tehsil - Udaypura, District - Raisen** (M.P.) for the **lease period** by Shri Mahendra Gangoliya, Narmada Colony, Main Road Deori, Tehsil- Udaypura, Distt. – Raisen (M.P.) 464774.



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

17. **Case No. 1274/2013** - Prior Environmental Clearance for **Stone Quarry** in an area of 2.00 ha. for production capacity 4320 cum/year (as per SEAC recommendation) at Khasra No. 750 at **Village- Palewana, Tehsil-Malhargarh, Dist-Mandsaur (M.P.)** by Shri Vipin Aggrwal, Sudama Nagar, Gali No. 2, Ramtekri, Mandsaur Distt.-Mandsaur (M.P.).

- (1) After detailed discussions and perusal of the query response of 174 SEIAA meeting dtd.12.1.2015 and recommendations of 158 SEAC meeting dtd. 28.11.2014, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Stone Quarry (Opencast Manual & Mechanized Method)** in an area of 2.00 ha. for production capacity 4320 cum/year (as per SEAC recommendation) at Khasra No. 750 at **Village- Palewana, Tehsil-Malhargarh, Dist-Mandsaur (M.P.)** for the lease period by Shri Vipin Aggrwal, Sudama Nagar, Gali No. 2, Ramtekri, Mandsaur Distt.-Mandsaur (M.P.).

18. **Case No. 1764/2014** - Prior Environmental Clearance for **Pathari Stone Quarry** in an area of 4.00 ha. for production capacity 1,60,000 cum/year at Khasra No. 409 at **Village-Pathari Tehsil-Orachha, Dist-Tikamgarh (M.P.)** by Shri Virendra Singh S/o Shri Tej Singh, Village-Ghisoli, Tehsil & Distt.-Jhansi (U.P.)-284401.

- (1) After detailed discussions and perusal of the query response of 174th SEIAA meeting dtd.12.1.2015 and recommendations of 158th SEAC meeting dtd. 28.11.2014, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.


- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.


Hence, Prior Environmental Clearance is granted for **Pathari Stone Quarry (Opencast Manual /Semi- Mechanized Method)** in an area of 4.00 ha. for production capacity 1,60,000 cum/year at Khasra No. 409 at **Village- Pathari Tehsil-Orachha, Dist-Tikamgarh (M.P.)** for the lease period by Virendra Singh S/o Tej Singh, Village-Ghisoli, Tehsil & Distt.-Jhansi (U.P.)-284401.


19. **Case No. 1978/2013** - Prior Environmental Clearance for **Borlay Stone Quarry** in an area of 1.0 ha. for production capacity 10,000 cum/year at Khasra No. 431/1 at **Village- Borlay, Tehsil-Barwani, Dist-Barwani (M.P.)** by Shri Radheshyam Patidar S/o Shri Shankar Lal Patidar, Village-Borley, Tehsil-Barwani, District-Barwani (MP)-451551.

- (1) After detailed discussion and perusal of the query response of 177 SEIAA meeting dtd.4.2.2015 and recommendations of 163 SEAC meeting dtd. 24.12.2014, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Borlay Stone Quarry (Opencast Semi-Mechanized Method)** in an area of 1.00 ha. for production capacity 10,000 cum/year at Khasra No. 431/1 at **Village- Borlay, Tehsil-Barwani, Dist-Barwani (M.P.)** for the lease period by Shri Radheshyam Patidar S/o Shri Shankar Lal Patidar, Village-Borley, Tehsil-Barwani, District-Barwani (MP)-451551.

20. Case no. 605/2010 : Prior Environmental Clearance for Lime stone mine in an area 12.93 ha. for production capacity of 1,64,763 TPA at (New) khasra nos.187,188, 208, 207, 210, 219, 211, 212, 214, 215 at village Ametha, Teh-Vijayraghogarh, Distt-Katni-M.P by M/s Ramchandra, Badri Prasad Gaur, Hanumanganj, Distt-Katni (MP)-483501.

- (1) After detailed discussions and perusal of the query response of 155th SEIAA meeting dated 08.08.2014 and **recommendation of 143rd SEAC meeting dtd. 29-10-2013**. Based on the submission of documents and presentation made by the PP, It was decided to grant Prior EC to the Project.
- (2) It was noted that the inter-state boundary, National Park/Sanctuary are not located within 10 Km. radius. Hence, the **General Condition is not attracted**.
- (3) The proposed plantation program was examined and it was found that **7600** trees would be planted in an area of **5.5 ha** at the end of lease period. The plantation program was found satisfactory.
- (4) It was found that as per Mining Plan (vide L.No. MP/Katni/Limestone/M.Sch-63/2012-13 Katni dtd 14.02.2013) the expected life of mine is 16 years.
- (5) It was noted that the Public Hearing was held on 04.04.2013 at mining site under the Chairmanship of ADM, Katni. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.

Hence, Prior Environmental Clearance is granted for Limestone mine (Open cast other than fully mechanized method) in an area of 12.93 ha for production capacity of 1,64,763 TPA at (New) khasra nos.187,188, 208, 207, 210, 219, 211, 212, 214, 215 for the lease period at village Ametha, Teh-Vijayraghogarh, Distt-Katni-M.P. by M/s Ramchandra, Badri Prasad Gaur, Hanumanganj, Distt-Katni (MP)-483501.

21. Case No. 2124/2014 - Prior Environmental Clearance for **Byawra Patthar Murrum Quarry** in an area of 2.0 ha. for production capacity 57,000 cum/year at Khasra No. 622/1 at **Village - Byawra, Tehsil & Distt Ujjain (M.P)** by Shri Indrish S/o Abdul Razzak, Iqbal Manzil, Dewas Road, Nagjhiri, Ujjain (MP)-456001.

- (1) After detailed discussion and perusal of the recommendations of 170th SEAC meeting dtd. 28.1.2015, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Byawra Patthar Murrum Quarry (Opencast Manual /Semi-Mechanized Method)** in an area of 2.0 ha. for production capacity 57,000 cum/year at Khasra No. 622/1 at **Village - Byawra, Tehsil-Ujjain, District-Ujjain (M.P.)** for the lease period by Shri Indrish S/o Shri Abdul Razzak, Iqbal Manzil, Dewas Road, Nagjhiri, Ujjain (MP)-456001.

22. Case No. 2125 /2014, Prior Environmental Clearance for **Basalt Stone & Murram Quarry** in an area of 1.00 ha for Production Capacity of Basalt Stone 6821 cum/ year & Murram 1364 cum/ year at Khasra no. 156/1 Part at **Village Bodani, Tehsil Ujjain, District Ujjain, M. P.** by Shri Idrish S/o Shri Abdul Razzak , Iqbal Manzil, Dewas Road Nagjhiri, District Ujjain M. P- 456001.

- (1) After detailed discussion and perusal of the recommendations of **170th SEAC meeting dtd. 28.1.2015**, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0m at the end of lease period.


Hence, Prior Environmental Clearance is granted for **Basalt Stone & Murram Quarry (Opencast Manual /Semi Mechanized Method)** in an area of 1.00 ha. for production capacity of Basalt Stone 6821 cum/ year & Murram 1364 cum/ year at Khasra no. 156/1 Part at **Village- Bodani, Tehsil Ujjain, District Ujjain (M.P.)** for the lease period by Shri Idrish S/o Shri Abdul Razzak , Iqbal Manzil, Dewas Road Nagjhiri, District Ujjain M. P- 456001.


23. Case No.2126/2014 - Prior Environmental Clearance for **Basalt Stone Quarry** in an area of 2.00 ha. for production capacity 5400 cum/year at Khasra Nos. 17/2,18/1/1 ga at **Village- Talunkhurd, Tehsil-Barwani, District- Barwani (MP)** by Shri Sanjay Sharma, Village-Talunkhurd, Tehsil-Barwani, District-Barwani (MP).


- (1) After detailed discussions and perusal of the recommendations of 170 SEAC meeting dtd. 28.01.2015, it was noted through Google Map view (as per coordinates submitted by PP) that there is a nalla in vicinity of the mining site. ***In this context it was decided to ask from the Mining Officer about actual distance of the nalla from the mining site. Copy of the Letter should be endorsed to PP also.***

24. Case No. 2138/2014 - Prior Environmental Clearance for **Basalt Stone Quarry** in an area of 1.282 ha. for production capacity 5400 cum/year (as per SEAC recommendation) at Khasra Nos.685/1,685/2,686/1,686/2, 687/1, 687/2 at **Village Jarwahi, Tehsil-Budhar, Distt Shahdol (M.P)** by Shri Premchandra Mishra, Prop. M/s Mishra Stone Crusher, Budhar, Tehsil-Budhar, Distt Shahdol (MP).

- (1) After detailed discussion and perusal of the recommendations of 170th SEAC meeting dtd. 28.1.2015, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Basalt Stone Quarry (Opencast Semi – Mechanized Method)** in an area of 1.282 ha. for production capacity 5400 cum/year (as per SEAC recommendation) at Khasra Nos. 685/1, 685/2, 686/1, 686/2, 687/1, 687/2 at **Village- Jarwahi, Tehsil-Budhar, District-Shahdol (M.P.)** for the lease period by Shri Premchandra Mishra, Prop. M/s Mishra Stone Crusher, Budhar, Tehsil-Budhar, District-Shahdol (MP).

25. **Case No. 2140/2014** - Prior Environmental Clearance for **Chakodiya Stone Mine** in an area of 2.00 ha. for production capacity 9,000 cum/year at Khasra No. 43/1 at **Village- Chakodiya, Tehsil-Jaitpur, District-Shahdol (M.P)** by Shri Gopal Shivhare, Proprietor, M/s Pragati Minerals, Post-Karchul, Tehsil-Jaitpur, Dist-Shahdol (MP)-484669.

- (1) After detailed discussion and perusal of the recommendations of 170th SEAC meeting dtd. 28.1.2015, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
 - (i) PP shall not start mining activity before execution of lease agreement.
 - (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Chakodiya Stone Mine (Opencast Manual/Semi – Mechanized Method)** in an area of 2.00 ha. for production capacity 9,000 cum/year at Khasra No. 43/1 at **Village- Chakodiya, Tehsil-Jaitpur, District-Shahdol (M.P.)** for the lease period by Shri Gopal Shivhare, Proprietor, M/s Pragati Minerals, Post-Karchul, Tehsil-Jaitpur, Dist-Shahdol (MP)-484669.

26. **Case No. 2141/2014**, Prior Environmental Clearance for **Metal Stone Quarry** in an area of 4.00 ha for Production Capacity of 53378 cum/ year at Khasra no. 119 at **Village Lahera, Tehsil Chhatarpur, District Chhatarpur, M. P.** by Shri Alok Saxena, Res – Jawahar Road, Naugaon, Distt. Chhatarpur (M.P) - 471201.

- (1) After detailed discussions and perusal of the recommendations of 170th SEAC meeting dtd. 28.01.2015, it was noted from the record that in the information given by Tehsildar (**Appendix -1**) there is no human settlement within 500m, while in Google Map view (as per coordinates) a settlement is visible at the distance of about 285 m.

In context of this it was decided to ask from mining officer to clarify the exact status of the situation and distance of the settlement from the site. **The information should be made available at the earliest. Copy of the letter should be endorsed to PP also.**

Meeting ended with a vote of thanks to the Chair.



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman