

Minutes of the 192nd Meeting of SEIAA dated 13.04.2015

The 192nd meeting of the State Level Environment Impact Assessment Authority was convened on 13 April 2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-


- | | | |
|---|-----------------------------|------------------|
| 1 | Shri H.S. Verma | Member |
| 2 | Shri Ajatshatru Shrivastava | Member Secretary |


- A. Following cases received from SEAC recommended / SEIAA query response have been considered :-


S No	Case No.	Category	SEIAA query response /SEAC recommended
a. Other than Mining			
1.	1741/2013	8 (a)	172 nd SEIAA meeting dtd 08.01.2015
2.	665/2012	8 (b)	184 th SEIAA meeting dtd. 26.02.2015
3.	1685/2013	8 (a)	186 th SEIAA meeting dtd. 02.03.2015
4.	774/2012	8 (a)	161 st SEIAA meeting dtd 16.09.2014
5.	1688/2013	8 (a)	172 nd SEIAA meeting dtd 08.01.2015
6.	1736/2013	8 (a)	174 th SEIAA meeting dtd 12.01.2015
7.	1805/2014	8 (a)	175 th SEIAA meeting dtd 13.01.2015
8.	818/2012	8 (a)	175 th SEIAA meeting dtd 13.01.2015
b. Mining			
9.	1898/2014	1 (a) B2	176 th SEIAA meeting dtd. 02.02.2015
10.	1932/2014	1 (a) B2	176 th SEIAA meeting dtd. 02.02.2015
11.	1850/2014	1 (a) B2	177 th SEIAA meeting dtd. 04.02.2015
12.	2022/2015	1 (a) B2	179 th SEIAA meeting dtd. 04.02.2015
13.	2045/2014	1 (a) B2	172 nd SEAC meeting dtd. 22.02.2015
14.	2060/2014	1 (a) B2	172 nd SEAC meeting dtd. 22.02.2015
15.	1867/2014	1 (a) B2	172 nd SEAC meeting dtd. 22.02.2015
16.	1883/2014	1 (a) B2	172 nd SEAC meeting dtd. 22.02.2015
17.	2044/2014	1 (a) B2	172 nd SEAC meeting dtd. 22.02.2015
18.	1882/2014	1 (a) B2	172 nd SEAC meeting dtd. 22.02.2015
19.	2195/2014	1 (a) B2	172 nd SEAC meeting dtd. 22.02.2015

1. **Case No. 1741/2013**, Prior Environmental Clearance for "Swastik Paras Enclave" Group Housing Project at Khasra No. 147, Village Jatkhedi, Tehsil Huzur, Distt. Bhopal (MP) Total Plot Area 24200.00 m², Built up Area 44369.85 m² by M/s Shri Adinath Developers through partner Shri Vinay Rai Modi, FF-1, Metro Plaza Bitten Market, Bhopal, M.P. – 462016

- (1) The case was discussed in 172nd SEIAA meeting dtd 08.01.2015 and it is recorded that "(1).... (2).... In response to above query, reply submitted by PP (vide letter dtd nil received in SEIAA office on 22.12.14) was examined in depth and it is noted that :-
- (i) The NOC for water supply, issued by Municipal Corporation, Bhopal vide letter dtd 07.11.2013 is old and it is mentioned that water supply distribution project for Bhopal city is under execution. It is decided that a DO letter should be sent to Commissioner Nagar Nigam, Bhopal for the present status of the water supply project and issue firm commitment for 430 KLD water supply to PP. A copy of this letter should be endorsed to PP.
 - (ii) The NOC for disposal of extra treated waste water letter issued by Health Officer, Municipal Corporation, Bhopal (vide letter dtd 04.12.2013) is old. It is decided that PP should submit the details of final discharge and present status of municipal sewer line at the project site. PP should also submit details of discharge point


 (Ajatshatru Shrivastava)
 Member Secretary


 (H.S. Verma)
 Member


 (Waseem Akhtar)
 Chairman


Minutes of the 192nd Meeting of SEIAA dated 13.04.2015


and mode of disposal of extra treated (105 KLD) waste water until the Municipal sewer line is laid in the area.


- (iii) *The NOC for disposal of MSW issued by Health Officer, Municipal Corporation, Bhopal vide letter 04.12.2013 is old. It is decided that PP should submit clear NOC specifying the quantity of MSW and final disposal site.*
- (3) *PP should submit the above information latest by 15.03.2015."*
- (2) In response to above query, reply submitted by PP vide letter dtd 31.03.15 received in SEIAA office on 31.03.15 and BMC letter dtd 02.03.15 received in SEIAA 11.03.15 was discussed in depth and it is noted that :-
 - (i). Chief Engineer (In-Charge), Municipal Corporation, Bhopal has given letter dtd. 02.03.15 regarding water supply from Narmada Project. **It is decided that the entire demand of fresh water (270 KLD) should be made from Municipal supply and there should be no extraction of ground water.**
 - (ii). PP has submitted letter no. 590 dtd. 25.02.15 from Bhopal Municipal Corporation regarding disposal of extra treated waste water. **It is decided that PP should ensure that the discharge of extra treated waste water (105 KLD) is linked with municipal sewer line.**
 - (iii). PP has submitted letter no. 591 dtd. 25.02.15 from Bhopal Municipal Corporation regarding disposal of MSW. **It is decided that PP should provide compactors for MSW and ensure linkage with Bhopal Municipal Corporation for final disposal of MSW.**
 - (iv). It is also noted that the total power requirement is 2435 KVA. PP has also proposed power back up of 400 KVA (2 D.G. sets 200 KVA each). **It is decided that PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.**
- (3) It is decided to accept the recommendations of 146th SEAC meeting dtd 08.11.2013 with 08 special conditions and accord prior Environmental Clearance to proposed Group Housing Project "Swastik Paras Enclave" at Khasra No. 147, Village Jatkhedi, Tehsil Huzur, Distt. Bhopal (MP) Total Plct Area 24200.00 m², Built up Area 44369.85 m² by M/s Shri Adinath Developers through partner Shri Vinay Rai Modi, FF-1, Metro Plaza Bitten Market, Bhopal, M.P. **subject to all specific conditions imposed by SEIAA in its meetings.**

2. Case No. 665/2012 Prior Environmental Clearance for proposed SADA Special Area Development Authority, 12, city centre, Gwalior (M.P.) Township project total land area 805 ha at Village- Sojna, Tighra, Kaitha, Kulaith, Teh & Distt. Gwalior-M.P. by N.C.R. Special Area Development Authority (Counter Magnet) through Dr. M.P. Patel (CEO) 12, city centre, Gwalior (MP)-474001

- (1) The case was discussed in 184th SEIAA meeting dtd. 26.02.2015 and it is recorded that "(1)..... (2) The case was discussed in depth and it is noted that :-
 - (i). *The Counter Magnet Project is being implemented by Govt. of MP through constitution of a Special Area Development Authority (SADA). The jurisdiction of SADA covers an area of 30,000 ha (6500 ha government property, approximately 9000 ha private land and over 14500 ha reserved forest). Regarding land allocation PP has submitted Collector, Gwalior order no. 16958 dtd 31.08.2001 for grant of permanent lease to*


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

Minutes of the 192nd Meeting of SEIAA dated 13.04.2015

Gwalior Development Authority for development of SADA, Counter Magnet for 2283.249 ha. The present project involves development of only 805 ha (saleable area).

The breakup of the land reveals that 151 ha area is allocated to Mantri City Project. It is noted that vide letter dtd 05.01.13 MP-SEIAA has issued prior environmental clearance to Mantri City project (Case No. 611/2010) for 29.04 ha area.

It is noted that there are number of reserved forest within the study area of 10 km such as Thar, Kulaith, Raipur, Ochpur, Jinsi, Ajapur. Thar Reserved Forest (RF 19 & parts of RF 20) lies within the proposed project area. This patch is non continuous degraded forest. The Ghatigoan, Sonchirya Bird sanctuary is located on the south boundary of the site approximately 250 m from the SADA boundary. **It is decided that PP should submit requisite forest/wild life NOCs / clearances from the Competent Authorities.**

- (ii). The total water requirement is 38 MLD and fresh water requirement is 20 MLD. The total recycled water is 18 MLD. The source of water supply is Tighra Reservoir (after treatment). Sank river is perennial river of Gwalior region on which Tighra and Pillowa dams are already constructed. Water supply will be augmented from Sank River by providing check dams (3 nos). Water treatment plant of 20 MLD is provided. PP has submitted copy of agreement (dtd 13.08.2004) signed with Water Resource Department, GoMP for supply of water (26.6 MLD) from the Reservoir. **It is decided that the entire demand of fresh water should be met through the Reservoir / river and there should be no extraction of ground water.**
- (iii). The total waste water generation is 24 MLD. PP has provided sewage treatment plant of 30 MLD. The total treated waste water is 22 MLD. PP has proposed recycling of 18 MLD of treated waste water (8 MLD flushing + 5 MLD horticulture + 2 MLD DG cooling + 1 MLD HVAC cooling + 2 MLD other uses) and the remaining 4 MLD is proposed to be used for irrigation purposes / agriculture fields. **It is decided that PP should submit the details of mode and place of final disposal of extra treated waste water.**
- (iv). Approximately 101 MT/day Municipal Solid waste, Horticulture waste -9MT/day, STP Sludge-3 MT/day and e-waste-88 kg/day shall be generated which is proposed to be segregated at source in accordance with MSW (M&H) Rules, 2000 and its amendments. The MSW collection will be done in bins of three colors (green, blue and dark grey) separate for biodegradable and non biodegradable. Biodegradable wastes will be subject to Bio-composting/Vermi- composting and Recyclable waste will be sorted and handover to recyclers (paper, plastic & glass etc). Inert waste will subject to landfill or reutilized into brick paving block.
- Hazardous wastes will be stored and will be given to authorized vendor & and disposed as per Hazardous Waste (Management, Handling & Transboundary Movement) Rules 2008.
- E-waste will be collected and stored in the premises only and will be disposed in accordance with the E- waste guidelines dated March 2011.
- The Bio-medical wastes shall be collected separately and handed over to authorized vendor.
- It is decided that PP should submit details of final disposal site for MSW.**
- (v). The maximum height of the building is 12 m. PP has proposed to provided 6 lane main arterial roads (60 m ROW), 4 lane sub-arterial roads (45 m ROW), Collector & Distributor roads (24 m ROW) access roads (12 m ROW). **It is decided that PP should ensure road width; MOS and Open spaces as per MPBVR 2012/Gwalior (West) Counter Magnet Development Plan.**
- (vi). PP has proposed to provide fire fighting provisions as per the requirements of National Building Code 2005 Part IV and has proposed to provide fire hydrant, sprinkler system, portable fire extinguisher, firm alarm system, hose reel etc. **It is decided that PP should ensure that all fire fighting measures are physically in place as per the National Building Code part - IV point no. 3.4.6.1. PP should obtain fire NCC from the Competent Authority before occupancy of the buildings. PP should**

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

submit the distance of nearest fire station and the provision of fire station within the SADA area (if any).

- (vii). *The total built up area of the project is not defined yet. It is decided that PP should ensure parking facilities as per the Gwalior (West) Counter Magnet Development Plan and MPBVR 2012 as applicable.*
- (viii). *PP has proposed rooftop rain water harvesting through percolation wells for artificial recharge of ground water. It is decided that PP should ensure the rain water harvesting.*
- (ix). *The total power requirement is 86 MW. PP has also proposed power back up D.G. sets at different locations for emergency. The source of power supply is MP Electricity Board. It is decided that PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and installation of energy efficient equipments.*
- (x). *PP has submitted landscape plan an area of 596.5 acres i.e. 30% of the total area is proposed to be developed as green area along the all arterial and sub-arterial roads, community spaces, parks, nurseries etc. and has proposed to plant approximately 54000 trees (@1 tree per 100 sqmt. of the open and green area). The authority decided that:-*
 - i. *The authority decided that PP should ensure plantation in 596.5 acres (30%) of the total plot area.*
 - ii. *Plantation should be done in three rows all along the roads community spaces, parks, periphery of the township / residential/commercial/ institutional / recreational areas etc with one tree per 100 sq. m. of the total area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar, Palash etc along with ornamental varieties.*
 - iii. *Every effort should be made to protect the existing trees in the project area.*
 - iv. *The occupancy certificate to the building should be issued only when the provisions of the rule no. 67 MPBVR 2012 have been complied with.*

(2) PP should submit the above information point no. (2) (v) latest by 30.05.2015."

- (2) In response to above query, reply submitted by PP (vide letter dtd 31.03.15 received in SEIAA office on 31.03.15)
 - (i). PP has submitted Disaster Management Plan including fire fighting measures.
 - (ii). PP has submitted Energy Conservation Plan & details of impacts due to bypass road passing through SADA Township along with map showing important features & internal roads in the proposed site.
- (3) It is noted that information pertaining to other queries raised in 184th SEIAA meeting have not been submitted. **It is decided that PP should submit the above information latest by 30.06.2015.**

3. **Case no. 1685/2013**, Prior Environmental Clearance for proposed Building Construction Project Residential Township project "Regal Town" at Khasra No. 306, 307/1/2, 311/1ka, 311/1kha, 312, 150/5/2ka, 309/3/2kha, Village Khajurikalan, Tehsil Huzur, District – Bhopal (MP). Total land area 27,860 sq.m (2.7860 ha) Built-up Area 49,678.50 sq.m. by M/s K. L. Sharma, Proprietor Mr. K. L. Sharma, 157, C-Sector, Indrapuri, Bhopal (M.P) email: regal.homes@gmail.com.

- (1) The case was discussed in 186th SEIAA mtg. dtd. 02.03.15 and recorded that "(1).....(2).After deliberations and query reply submitted by PP on 12.02.15 & 18.02.15 received in SEIAA office on 12.02.15 & 18.02.15 it is noted that :-

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman


Minutes of the 192nd Meeting of SEIAA dated 13.04.2015


- (i) PP has submitted copy of Khasra Panchsala (2009-10, 2010-11, 2011-12, 2012-13 & 2014-15 however PP has not submitted the Khasra no. 306 mentioned in Form-I & T& CP permission. **It is decided that PP should submit the notarized copy of Khasra Panchsala for Khasra No. 306 as above.**
- (ii) PP has submitted copy of deposit receipt (dtd. 13.02.15) for Bulk connection for Narmada water supply. **It is decided that the project is almost completed PP should submit clear NOC from Bhopal Municipal Corporation for supply of fresh water.**
- (iii) Regarding discharge of extra treated waste water PP has submitted letter (dtd. 06.02.15) from Nagar Nigam Bhopal in which it is mentioned that DPR preparation of sewerage system is under process. After approval and implementation of the scheme the treated waste water may be linked to the Municipal sewer line. **It is decided that PP should submit the present status of disposal of treated waste water in the project area and status of sewer disposal /line in the area. PP should also submit details of the extra treated water being used at different sites by them.**
- (iv) PP has submitted letter (dtd. 06.02.15) from Nagar Nigam Bhopal regarding disposal of solid waste. **It is decided that PP should ensure linkage with Bhopal Municipal Corporation for disposal of MSW. PP should submit details of present practices being adopted for disposal of solid waste.**
- (v) PP has proposed parking for only 323 ECS. **It is decided that PP should increase the parking area in the proposed health centre area & submit the details of parking area along with drawing/plan for the same.**
- (vi) PP has submitted Landscape plan with single row plantation in which the green belt area is not mentioned. **It is decided that PP should submit plan for additional green area with double row plantation including health centre area with total green belt area, no. of trees & species (Indigenous species) along with photographs of the existing gardens in the project site.**
- (vii) PP has proposed to provide roof top rain water harvesting through recharging pits (7 nos) for artificial recharge of ground water. **It is decided that PP should submit the details of Rain water harvesting implemented in the site.**
- (viii) **It is decided that PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.**


(2) PP should submit the above information latest by 30.05.2015."

(2) In response to above query, reply submitted by PP (vide letter dtd 31.03.15 received in SEIAA on 31.03.15) was examine in depth and it is noted that :-

- (i) PP has submitted Rin Pustika for Khasra no. 306 instead of Khasra Panchsala for the same. **It is decided that PP should submit the notarized copy of Khasra Panchsala for Khasra No. 306.**
- (ii) PP has submitted Bhopal Municipal Corporation letter dtd. 18.03.15 regarding fresh water supply. **It is decided that the entire demand of fresh water should be met from Municipal supply and there should be no extraction of ground water.**
- (iii) PP has submitted only photographs of existing dual plumbing system and not submitted the mode of disposal of extra treated waste water. **It is decided that PP should submit the present status of disposal of treated waste water in the project area and status of sewer disposal /line in the area.**
- (iv) PP has submitted photographs of existing disposal of solid waste. **It is decided that PP should provide compactors for MSW and**


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

ensure linkage with Bhopal Municipal Corporation for final disposal of MSW.


- (v) PP has submitted existing details of rain water harvesting structures. **It is decided that PP should ensure rain water harvesting through recharge pits (7 Nos.)**
- (vi) The total power requirement is 1900 KVA. PP has also proposed power back up 6 D.G. sets capacity 30 x 3 + 45 x 3 KVA capacity. The source of power supply is MP Electricity Board. **It is decided that PP should ensure installation of photovoltaic cells (solar panels) for lighting in common areas, LED light fixtures and energy efficient equipments.**
- (vii) PP has submitted Parking plan for 425 numbers of ECS however, the details of parking area is not submitted. **It is decided that PP should submit the detail of area provided for parking of 425 ECS.**
- (viii) PP has submitted landscape plan with no. of trees (1024) including health centre area. PP has also submitted Photographs of green area. PP has proposed an area of total 3678.98 sqmt. (2697.44 sq.m. + 981.54 sqmt additional plantation) to be developed as green area. **The authority decided that:-**
 - i. PP should ensure plantation in 3678.98 sqmt area of the total plot area with total number of 1024 trees.
 - ii. Plantation should be done in two rows all along the periphery of the project area, recreational activity area, health centre area and avenue plantation along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc along with ornamental varieties.
 - iii. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with.


(3) PP should submit the above information latest by 30.06.2015.


4. **Case No. 774/2012**, Prior Environmental Clearance for Housing Project "Ras Town" at Khasra No. 20/8, 20/9, 20/10, 23/5, 23/6, Village Talawani Chanda, Tehsil & District Indore, MP total land area 36430 sqmt. (3.643 ha) total built up area 40349.88 sqmt. by M/s Shri Sai Buildinfra Pvt. Ltd., Indore 302-303, Sangam House, 14-B, Palasia, A. B. Road, Indore, MP.

(1) The case was discussed in 161st SEIAA meeting dtd 16.09.2014 it is recorded that "(1).....(2) In response to above query, reply submitted by PP (vide letter dtd 27.09.2013 received in SEIAA office on 28.09.13) was examined in depth and it is noted that :-

- (i) PP has submitted a copy of letter from Nagar Nigam, Indore dtd 02.09.13 regarding water supply, disposal of extra treated waste water and municipal solid.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

Minutes of the 192nd Meeting of SEIAA dated 13.04.2015


- (ii) *The Authority is the view that the above letter issued by Nagar Nigam, Indore is very general. It is decided that a letter should be sent to Nagar Nigam, Indore to give clear NOC /consent for water supply, disposal extra treated waste water and municipal solid. A copy of this letter should be endorsed to PP."*
- (2) In response to above query, reply submitted by PP (vide letter dtd 31.03.15 received in SEIAA on 04.04.15) was examine in depth and it is noted that :-
- (i) PP has stated that till date they have not received clear NOC for municipal water supply from Municipal Corporation, Indore and has requested to provide another one month time for the submission of the required NOCs and consents along with all relevant documents. **The request of PP is accepted and it is decided that PP should submit the above information latest by 30.05.2015. A copy of this letter should be endorsed to Commissioner, Nagar Nigam, Indore.**
5. **Case No. 1688/2013** Prior Environmental Clearance for proposed "CAPETOWN HEIGHTS" Project at Survey No. 672/1, 672/2, 673/2/1/2, 674/1/2, 673/2/1/1, 673/2/1/3, 674/1/3, 671 Village Amaudha, Near Blooms Academy, Tehsil Raghuraj Nagar, Distt. Satna, (MP) Total Land Area 15130.0 sq.mt., Total Built up Area 30,224.99 sq.mt. (Residential 23137.81 sq.mt. + Commercial 7087.19 sq.mt.) by M/s Land mark Developers (Smt. Madhu Agrawal & Smt. Kamlesh Agrawal Land Owners & Partners), Blooms Academy Campus, Panna Road, Satna (MP) 485001. Env't. Consultant (In situ Envirocare, M.P. Nagar, Bhopal)
- (1) The case was discussed in SEIAA meeting 172nd dtd 08.01.15 and it is recorded that "(1).....(2). In response to above query, reply submitted by PP (vide letter dtd 09.12.14 received in SEIAA office on 09.12.14) was examined in depth and it is noted that :-
- (i) *PP has not submitted clear NOC for water supply from Nagar Nigam Satna. It is decided that PP should submit clear NOC for water supply.*
- (ii) *Regarding landscape plan submitted by PP it is noted that all around the periphery single row of trees is provided. It is decided that PP should ensure plantation in two rows as per decision in 163rd SEIAA meeting dtd 24.09.14.*
- (3) **PP should submit the above information latest by 28.02.2015."**
- (2) In response to above query, reply submitted by PP (vide letter dtd 31.03.15 received in SEIAA on 04.04.15) was examine in depth and it is noted that :-
- (i) PP has stated that till date they have not received clear NOC for municipal water supply from Municipal Corporation, Satna and has requested to provide another ten days time for the submission of the required NOCs along with all relevant documents. **It is decided that PP should submit the above information latest by 15.05.2015. A copy of this letter should be endorsed to Commissioner, Nagar Nigam, Satna.**



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

6. **Case No.1736/2013** Prior Environmental Clearance for proposed "S S INFINITUS" Residential Project at Khasra No. 312/1, 315/2/1(P), 286/2/4 (P), 315/2/2(P), 285/2/3(P), 286/2/2(P), 312/2, 286/2/3(P), 312/3, 286/2/1(P), 315/2/3 (P), 312/4, 289/7, 312/5, 315/1/2(P), 277/1(P), 314/2, 314/3, 313/2, 309/1, 309/2, 314/4, 315/1/1(P), 313/1 (P), 314/1, 284/2, 308/1, 308/2, 316/1, 316/2, 277/3 (P), Village Lasudiyamori, Tehsil & Distt. Indore (MP) Total Land Area 145656.53 sqmt (14.56 ha) (net planning area i.e. excluding area under future planning and road), Built up Area 66593.26 Sqm. by M/s S.S. Nirman Pvt. Ltd. (Developer) through Director & Land owner Shri Lakhan Yadav MR-11, Ring Road, Near Bombay Hospital, Indore (M.P.) - 452010

(1) The case was discussed in 174th SEIAA meeting dtd 12.01.2015 and it is recorded that "(1)..... (2) In response to above query, reply submitted by PP (vide letter dtd 16.12.14 received in SEIAA office on 17.12.14 and presentation on 12.01.15) was examined in depth and it is noted that :-

(i) PP clarified that the total land area as per approval of T & CP 191660 sqmt. Out of this area 2016.47 sqmt. will be utilize under Master Plan road widening and 43987 sqmt. area has been kept for future planning (commercial purpose). Hence, the net planning area for the project is 145656.53 sqmt. (14.565 ha) for which the case shall be considered for prior EC. **It is decided that PP should submit breakup of area details under the proposed project excluding the future planning area.**

(ii) PP has submitted that an application has been submitted to Commissioner Nagar Nigam, Indore (vide letter dtd 07.10.13), for permission for supply of 379 KLD fresh water, for disposal of 135.5 KLD of extra treated waste water in the nearby Municipal sewer line and disposal of 1.87 TPD MSW. PP submitted that village Lasudiyamori has been notified in the limits of Municipal Corporation, Indore. **It is decided that PP should submit clear NOC from Municipal Corporation, Indore for fresh water supply, disposal of extra treated water and MSW. PP should also submit layout plan showing nearest municipal sewer line connection.**

(iii) PP has submitted that the maximum height is 12 m and has submitted layout showing road width as per MPBVR 2012 rule no. 38.

(3) PP has submitted landscape layout showing plantation and green area 17441 sqmt. (11.98% of the net planning area). In the landscape plan it is observed that the peripheral plantation is in single row. **It is decided that plantation should be done in double row and as per the condition in 159th SEIAA meeting 11.09.14 (point no. 3 (vii)).**

(4) PP should submit the above information latest by 15.03.2015."

(3) In response to above query, reply submitted by PP (vide letter dtd 31.03.15 received in SEIAA office on 04.04.15) was examine in depth and it is noted that :-

(i) PP has submitted breakup of area details under the proposed project excluding the future planning area. **It is noted that the breakup of plot area is as follows :-**

a. Total plot area	191660.00 sqmt
b. Area under road widening	2016.47 sqmt.
c. Area under future planning	43987.00 sqmt.
d. Net planning area	145656.53 sqmt.

Out of net planning area 17441.00 sqmt.(11.98%) is for gardens. **It is decided that the EC for the proposed project should be considered for 145656.53 sqmt. (net planning area) i.e. excluding the area under future planning. Any expansion**


activity in future shall require prior EC as per provision of EIA Notification 2006 & its amendments.


- (ii) PP has submitted layout plan showing nearest municipal sewer line (distance 800 m from the proposed site). **It is decided that PP should ensure linkage with municipal sewer line for disposal of extra treated waste water.**
- (iii) PP has stated that till date they have not received clear NOC for municipal water supply, disposal of MSW and extra treated waste water from Municipal Corporation, Indore and has requested to provide another one month time for the submission of the required NOCs and consents along with all relevant documents. **The request of PP is accepted and it is decided that PP should submit the above information latest by 30.05.2015. A copy of this letter should be endorsed to Commissioner, Nagar Nigam, Indore.**


7. **Case No. 1805/2014** Prior Environmental Clearance for "Sterling Globe Grand" at village Bawadiakala, Opp. Hanuman Nagar, Jatkheri Road, Near Hoshangabad Road, Tehsil Huzur, Distt. Bhopal, total plot area 12600 sqmt. and built up area 26886.34 sqmt. (2.688 ha) by M/s Sterling Globe Builders through partner Shri Sanjeev Sabherwal, Opp. Hanuman Nagar, Jatkheri Road, Near Hoshangabad Road, Tehsil Huzur, Distt. Bhopal (M.P.)

(1) The case was discussed in 175th SEIAA meeting dtd 13.01.2015 and it is recorded that

- (1) *The proposed project "Sterling Globe Grand" is building construction project at village Bawadiakala, Opp. Hanuman Nagar, Jatkheri Road, Near Hoshangabad Road, Tehsil Huzur, Distt. Bhopal. The project involves the construction of residential Buildings (Flats 224 + EWS 19). The Proponent is M/s Sterling Globe Builders through partner Shri Sanjeev Sabherwal, Opp. Hanuman Nagar, Jatkheri Road, Near Hoshangabad Road, Tehsil Huzur, Distt. Bhopal (M.P.)*
- (2) *As per the approval of T & CP, Bhopal (vide letter 674/LP130+283/29(3) /Na.Gra.Ni./2013 dated 02.04.2013) the total land area 1.260 ha (12600 sq.m.) is approved for the project. The total built-up area proposed by PP is 26886.34 sq mt. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.*
- (3) *The case was discussed in 158th SEAC meeting dtd. 28.11.14 recommended the project for grant of prior EC subject with 08 special conditions.*
- (4) *The case was examined in depth and it is noted that :-*
 - (i). *PP has submitted notarized copy of Khasra Panchsala 2014-15, according to which 0.716 ha is in the name of Devesh Shukla. PP has submitted partnership deed dtd 01.11.11. It is decided that PP should submit the latest Khasra Panchsala for the total land area (1.260 ha) of the project.*
 - (ii). *The total water requirement is 185 KLD, Fresh water 107 KLD, recycled water 78 KLD. PP has submitted copy of application dtd 31.12.12 submitted to Nagar Nigam, Bhopal for bulk connection. It is decided that PP should submit clear NOC from Nagar Nigam for supply of 107 KLD fresh water.*
 - (iii). *The waste water generation is 144 KLD and capacity of STP is 145 KLD, treated waste water is 131 KLD out of which 78 KLD shall be recycled (53 KLD flushing + 25 KLD horticulture) and the extra treated waste water is 53 KLD. As per 158th dtd. 28.11.14 SEAC meeting PP has applied on 19.04.14 to Nagar Nigam, Bhopal for disposal of extra treated waste water. It is decided that PP should submit details of final discharge point, mode of disposal of extra treated waste water and layout*


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

plan showing nearest municipal sewer line connection along with clear NOC from Nagar Nigam, Bhopal for discharge of extra treated waste water in the Municipal sewer line.

- (iv). Approximately 0.481 TPD of Municipal Solid waste shall be generated which is proposed to be segregated at source in accordance with MSW (M&H) Rules, 2000. The MSW collection centre will be at the gate of the campus where three covered bins of green white and black color will be placed for collection from the campus and for final transportation for disposal. As per 158th dtd. 28.11.14 SEAC meeting PP has applied on 19.04.14 to Nagar Nigam, Bhopal for disposal of MSW. **It is decided that the disposal of MSW should be integrated with Bhopal Municipal Corporation and PP should submit clear NOC from Nagar Nigam, Bhopal for disposal of MSW.**
- (v). The maximum height of the building is 21 m. PP has proposed to provide 24 m road width, Front MOS 9.0 m and side / rear MOS 6.0 m and **is satisfactory.**
- (vi). PP has proposed to provide fire fighting provisions including riser system, hydrant system, Sprinklers System, manual Fire Alarm System, water tanks as per NBC 2005. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code part - IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (vii). PP has proposed that Rain water harvesting will be done for rooftop areas through percolation wells. A network of percolation wells has been proposed for artificial recharge of ground water.
- (viii). PP has proposed parking for total 214 ECS (podium 4300.00 sq.mt for 143 ECS + Basement 2517.00 sqmt. for 71 ECS). **It is decided that PP should ensure car parking space as per the MPBVR 2012 rule no. 84 Appendix I- 1 clause 1 (3).**
- (ix). PP has proposed an area of 2346.88 sq.m. (23.19%) for landscape green area. **The authority decided that :-**
- Plantation should be done in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area.**
 - The open space, play ground and parks proposed in the landscape plan should not be part of plantation area.**
 - The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with.**
 - PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc. Every effort should be made to protect the existing trees on the plot.**
- (5) **The above information should be submitted by PP latest by 31.03.2015."**
- (2) In response to above query, reply submitted by PP (vide letter dtd 31.03.15 received in SEIAA on 04.04.15) was examine in depth and it is noted that :-
- PP has stated that till date they have not received clear NOC for municipal water supply, MSW disposal and extra treated waste water from Municipal Corporation, Bhopal and has requested to provide another one month time for the submission of the required NOCs and consents along with all relevant documents. **The request of PP is accepted and it is decided that PP should submit the above information latest by 30.05.2015. A copy of this letter should be endorsed to Commissioner, Nagar Nigam, Bhopal.**

8. **Case No. 818/2012** Prior Environmental Clearance for Proposed Residential Project "Alpine Greenage" at Khasra No. 529 (Old No. 47/1/2/1), 530 (Old No. 47/1/1) Village Gehukheda, Tehsil Huzur, Distt. Bhopal (MP), Total Land Area 34,400.00 Sq.m. (3.44 ha), Total Built-up Area 27334.22 Sq.m. by M/s Himanshu Infrastructure Pvt. Ltd. through Mr. Mahesh Manwani, Director, A-2, IInd Floor, Above Metro Shoes, Ravishankar Market, Bhopal (MP)

- (1) The case was discussed in 175th SEIAA meeting dtd 13.01.2015 and it is recorded that

- (1) The proposed project "Alpine Greenage" is building construction project at Village Gehukheda, Tehsil Huzur, Distt. Bhopal (MP). The project involves the construction of residential Buildings (Flat 84+168+192= 444 + EWS Flats 40 nos.). The Proponent is Mr. Mahesh Manwani, Director, of M/s Himanshu Infrastructure Pvt. Ltd. A-2, IInd Floor, Above Metro Shoes, Ravishankar Market, Bhopal (M.P.)
- (2) As per the approval of T & CP, Bhopal (vide letter 381/LP43/29/Na.Gra.Ni./ 2009 dated 07.05.2010) out of 3.44 ha plot area 2.024 ha (20240.0 sq.m.) is approved for the project. The total built-up area proposed by PP is 27334.22 sq mt. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.
- (3) The case was discussed in SEAC meetings 104th dtd.30.09.12 & 158th dtd. 28.11.14 and project is recommended for grant of prior EC subject to 08 special conditions.
- (4) The case was examined in depth and it is noted that :-
 - (i). PP has submitted notarized copy of Khasra Panchsala 2011-12 for Khasra No. 529/1/2, 530 the land is in the name of M/s Himanshu Infrastructure Pvt. Ltd through Director Shri Mahesh Manwani. PP has not submitted the diversion order for Khasra no. 530. It is noted that in T & CP has given approval for 2.024 ha (20240.0 sq.m.) out 3.44 ha plot area. PP has submitted the Khasra Panchsala (2011-2012) for land area 0.923 ha however in Form-I he has applied for the area 34,400.0 sq.m.(3.44 ha). **It is decided that PP should clarify the discrepancy and submit the latest Khasra Panchsala and diversion order for the total land area of the project.**
 - (ii). The total water requirement is 314 KLD, Fresh water 184 KLD, recycled water 130 KLD. As per 158th dtd. 28.11.14 SEAC meeting PP has applied to CGWA for ground water abstraction. **It is decided that PP should submit clear NOC from CGWA for abstraction of 184 KLD ground water.**
 - (iii). The waste water generation is 234.13 KLD and capacity of STP is 235 KLD, treated waste water is 212 KLD out of which 130 KLD shall be recycled (92 KLD flushing + 38 KLD landscaping) and the extra treated waste water is 82 KLD. **It is decided that PP should submit details of final discharge point and mode of disposal of extra treated waste water.**
 - (iv). Approximately 0.8243 TPD of Municipal Solid waste shall be generated which is proposed to be segregated at source in accordance with MSW (M&H) Rules, 2000. The MSW collection centre will be at the back gate of the campus where three covered bins of green white and black color will be placed for collection from the campus and for final transportation for disposal. As per 158th dtd. 28.11.14 SEAC meeting PP has applied to Nagar Nigam, Bhopal for disposal of MSW. **It is decided that the disposal of MSW should be integrated with Bhopal Municipal Corporation and PP should submit clear NOC from Nagar Nigam, Bhopal for disposal of MSW.**
 - (v). The maximum height of the building is 18 m. PP has proposed to provide 24 m road width, Front MOS 12.0 m and side / rear MOS 6.0 m and **is satisfactory.**
 - (vi). PP has proposed to provide fire fighting provisions including Wet risers/down riser, Fire Alarm System, Automatic Sprinklers System and portable fire extinguishers as per NBC 2005. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building**

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.

- (vii). PP has proposed that Rain water harvesting will be done for rooftop areas through percolation wells. A network of percolation wells has been proposed for artificial recharge of ground water.
- (viii). PP has proposed parking for total 389 ECS (Stilt 4323.02 sq.mt for 145 ECS + Open 6084.256 sqmt. for 244 ECS). **It is decided that PP should ensure car parking space as per the MPBVR 2012 rule no. 84 Appendix I- 1 clause 1 (3).**
- (ix). PP has proposed an area of 3042.12 sq.m. (19.0%) for landscape green area. **The authority decided that PP should submit clear detailed plantation plan including trees in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area, open spaces and parks along with number of trees and species to be planted.**
- (5) **The above information should be submitted by PP latest by 31.03.2015."**
- (2) In response to above query, reply submitted by PP (vide letter dtd 31.03.15 received in SEIAA on 04.04.15) was examine in depth and it is noted that :-
 - (i) PP has stated that till date they have not received NOC from CGWA and other consents from Municipal Corporation, Bhopal and has requested to provide another one month time for the submission of the required NOCs and consents along with all relevant documents. **The request of PP is accepted and it is decided that PP should submit the above information latest by 30.05.2015. A copy of this letter should be endorsed to Commissioner, Nagar Nigam, Bhopal.**

9. Case No. 1898/2014: Prior Environmental Clearance for Umakant Metal Stone Quarry at Village-Thanvari, Tehsil - Seoni, District-Seoni (MP) Lease Area – 3.700 ha., Production Capacity – 10,260 cum / year at Khasra no. 284/2 by Shri Umakant Rai, Rajput Colony, Tehsil –Seoni, District-Seoni (MP) - 480661.

- (1) After detailed discussion and perusal of the recommendations of 160th SEAC meeting dtd. 21.12.2014 and query response of 176th MPSEIAA meeting dtd. 02.02.2015, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
 - (i) PP shall not start mining activity before execution of lease agreement.
 - (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance is granted for Umakant Metal Stone Quarry in an area of 3.700 ha. for production capacity 10,260 cum /year at Khasra No. 284/2 at **Village-Thanvari, Tehsil Seoni, Distt. Seoni (MP) for the lease period** by M/s Shri Umakant Rai, Rajput Colony, Tehsil & District-Seoni (MP) - 480661.

10. Case No. 1932/2014 Prior Environmental Clearance for Basalt Stone Quarry at Village - Jamuniya, Tehsil & District Jabalpur(MP), Lease Area –1.00 ha., Production Capacity – 18,000 cum /Year at Khasra No.-294 by Mr. Jeeshan Khan R/o, 30,Kamath Ward Gadarwara, District-Narsinghpur, (M.P.) – 487551.

- (1) After detailed discussions and perusal of the recommendations of 161th SEAC meeting dtd. 22.12.2014 and query response received from Regional Officer, Regional Office, MPPCB, Jabalpur (vide their letter no. 15 dtd 07.04.2015) of 176th MPSEIAA meeting dtd. 02.02.2015. It was found that a total number of 3 mines are located within 500 mtrs. of the proposed mining



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

Minutes of the 192nd Meeting of SEIAA dated 13.04.2015

site. However, the Deputy Director, Office of the Collector (Mining Section), Jabalpur vide their letter no. 1677 dtd 06.09.14 has provided the information that there are 5 number of mines are located within 500 mtrs of the proposed mining site.

In this context, it was decided to ask from the Mining Officer to provide actual number of mines located within the 500 mtrs of the proposed mining site. Copy of the letter should be endorsed to PP also.

11. **Case No. 1850/2014:** Prior Environmental Clearance for River Sand Quarry Lease Area – 10.00 ha. at Khasra No. – 119, at Village-Morasa, Tehsil-Alirajpur, District-Alirajpur (M.P.) Production Capacity: – 7623 cum / year by Smt. Jyoti Thakur W/o Pramod Ji Thakur, Vill-Morasa, Tehsil & District-Alirajpur (M.P.)

(1) After detailed discussion and perusal of the recommendations of 162nd SEAC meeting dtd. 23.12.2014 and query response of 177th MPSEIAA meeting dtd. 04.02.2015, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

(i) PP shall not start mining activity before execution of lease agreement.

(ii) The average depth of the pit shall not exceed 3.0 m or water level whichever is less at the end of lease period.

Hence, Prior Environmental Clearance is granted for River Sand Quarry in an area of 10.00 ha. for production capacity 7623 cum/year at Khasra No. 119 at **Village-Morasa, Tehsil-Alirajpur, District-Alirajpur (M.P.) for the lease period** by Smt. Jyoti Thakur W/o Pramod Ji Thakur, Vill-Morasa, Tehsil & District-Alirajpur (M.P.)


12. **Case No. 2022/2014** Prior Environmental Clearance for Palasia Stone Quarry at Village- Palasia, Tehsil - Anjad District - Barwani (MP), Lease Area –2.00 ha., Capacity – 40,000 cum/year at Khasra No.- 22/1, 24 by Shri Sanjay Patidar S/o Shri Shobharam Patidar, Village & Tehsil-Anjad, Barwani (MP)-451556


(1) After detailed discussions and perusal of the recommendations of 165th SEAC meeting dtd. 08.01.2015 query response of 179th MPSEIAA meeting dtd. 04.02.2015, it was noted through Google Map view (as per coordinates submitted by PP) that there is a habitation in vicinity of the mining site near NH - 34. The Mining Officer, Barwani in their letter no. 219 dtd 23.03.2015 has not mentioned about the settlements near NH – 34.


In this context, it was decided to ask from the Mining Officer to provide actual coordinates of this mining site and exact distance of the habitation in vicinity of the mining site near NH - 34. Copy of the letter should be endorsed to PP also.

13. **Case No. 2045/2014** - Prior Environmental Clearance for **Metal Stone Quarry** in an area of 3.00 ha. for production capacity 20580 cum/year at Khasra No. 753 at **Village- Kheda, Tehsil Dhar, Dist. Dhar, (MP)** by Shri Ramnarayan Mukati S/o Shri Bhawar Singh Mukati, Village Kheda, Tehsil Dhar, District Dhar (MP) 454001.

(1) After detailed discussions and perusal of the recommendations of 172nd SEAC meeting dtd. 22.02.2015, it was noted through Google Map view (as per coordinates submitted by PP) that there is a habitation in vicinity (at distance of 279 mtr in Google image) from the proposed mining site.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

In this context, it was decided to ask from the Mining Officer to provide exact distance of the habitation from the proposed mining site. Copy of the letter should be endorsed to PP also.

14. **Case No. 2060/2014**, Prior Environmental Clearance for **Basalt Stone Quarry** in an area of 2.00 ha for production capacity of Basalt Stone – 18839 cu.mt. /yr, Murrum 2512 cu.mt./yr (as per the recommended by SEAC) at Khasra No. 97, Village – Lodhipura, Tehsil- Dharampuri, Dist. - Dhar by Shri Mehruddin Khan, M/s Chirag Construction Company, 933, Main Road, Balsamund, Tehsil-Kasrawad, District-Khargone (MP)-451228.

- (1) After detailed discussion and perusal of the recommendations of 172nd SEAC meeting dtd. 22.02.2015, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.
- (i) PP shall not start mining activity before execution of lease agreement.
 - (ii) The average depth of the pit shall not exceed 6.0 m at the end of lease period.

Hence, Prior Environmental Clearance for **Basalt Stone Quarry** (opencast manual /semi-mechanized method) in an area of 2.00 ha for production capacity of Basalt Stone 18839 cu.mt. /yr, Murrum 2512 cu.mt. /yr (as per the recommended by SEAC) at Khasra No. 97, Village – Lodhipura, Tehsil- Dharampuri, Dist. - Dhar by Shri Mehruddin Khan, M/s Chirag Construction Company, 933, Main Road, Balsamund, Tehsil-Kasrawad, District-Khargone (MP)-451228.

15. **Case No. 1867/2014** - Prior Environmental Clearance for **Ainthakheri Stone Boulder Stone Quarry** in an area of 13.74 ha. for production capacity 82758 cum/year (as per Mining Plan), Khasra No. 217 at Village - Ainthakhera, Tehsil – Jabalpur & Dist - Jabalpur, (M.P) by Shri Abhinay Singh Thakur S/o Shri Ramjiyawan Singh, Rampur, District-Jabalpur (MP)


- (1) After detailed discussions and perusal of the recommendations of 172nd SEAC meeting dtd. 22.2.2015, it was noted through Google Map view (as per coordinates submitted by PP) that there is a habitation at 150 m (approx.) from the proposed mining site and it is also reported by the Tehsildar (Rural), Jabalpur (vide letter no 464 dt 18.02.2014).


Keeping in view the adverse environmental impacts of the proposed mining activity on the surroundings, **it was decided to reject the case. The PP and all concerned should be informed accordingly.**


16. **Case No. 1883/2014** Prior Environmental Clearance for **Stone Boulder Quarry** in an area of 3.960 ha for Production Capacity of 4100 cum/ year at Khasra no. 212 at **Village Hathkhoh, Tehsil Deori, Distt. Sagar, MP** by Shri Nand Kishore Patel S/o Shri Babu Lal Patel R/o Village Hathkhoh, Tehsil Derol, Distt, Sagar(MP) 470001.

- (1) After detailed discussions and perusal of the recommendations of 172nd SEAC meeting dtd. 22.02.2015, it was noted through Google Map view (as per coordinates submitted by PP) that the proposed site is already located in the mined out area and it is also close to National Highway.

In context of above it was decided to ask from the Mining Officer to clarify whether the proposed case is new or has been submitted for renewal and also to inform about actual distance of National Highway from the proposed


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

site. The information should be made available at the earliest. Copy of the letter should be endorsed to PP also.

17. **Case No. 2044/2014** - Prior Environmental Clearance for **Stone Quarry** in an area of 1.554 ha. for production capacity of 10,000 cum/year at Khasra no. 185/1 at Village – Diyapipar, Tehsil – Gohparu, District - Shahdol (M.P) by Shri Mohammad Sarwar S/o Shri Ramjan Mohammad R/o Post Gohparu, Tehsil Gohparu, District - Shahdol (M.P)-484771.

(1) After detailed discussions and perusal of the recommendations of 172nd SEAC meeting dtd. 22.02.2015, it was decided to grant Environmental Clearance with slight modifications of the conditions imposed by SEAC:

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0 m. at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Stone Quarry** (opencast manual/ semi mechanized Method) in an area of 1.554 ha. for production capacity of 10,000 cum/year at Khasra no. 185/1 at Village – Diyapipar, Tehsil – Gohparu, District - Shahdol (M.P) for the lease period by Shri Mohammad Sarwar S/o Shri Ramjan Mohammad R/o Post Gohparu, Tehsil Gohparu, District - Shahdol (M.P)-484771.

18. **Case No.1882/2014** Prior Environmental Clearance for **Basalt Stone Quarry** in an area of 1.90 ha (as per Collector Office, Ratlam letter dtd. 06.09.2013) for production capacity 5700 cum/year at Khasra No. 1 at **Village Sarwani Khurd, Tehsil & Distt Ratlam (MP)** by Shri Kailash Kumawat, 120, Karmadi Road, Ratlam (MP).

(1) After detailed discussion and perusal of the recommendations of 172 SEAC meeting dtd. 22.2.2015, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0m at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Basalt Stone Quarry (Opencast Semi-Mechanized Method)** in an area of 1.90 ha. (as per Collector Office, Ratlam letter dtd. 06.09.2013) for production capacity 5700 cum/year at Khasra No. 1 at **Village-Sarwani Khurd, Tehsil-Ratlam, District-Ratlam (M.P.)** for the lease period by Shri Kailash Kumawat, 120, Karmadi Road, Ratlam (MP).


19. **Case No. 2195/2014** - Prior Environmental Clearance for **Basalt Stone Quarry** in an area of 1.0 ha. for production capacity 8550 cum/year at Khasra No. 52/4 at **Village-Aeri, Tehsil-Shyamgargh, District-Mandsore (MP)** by Shri Gordhan Kalra, Punjabi Colony, Tehsil-Shyamgargh, District-Mandsore (MP).

(1) After detailed discussions and perusal of the recommendations of 172nd SEAC meeting dtd. 22.02.2015 it was noted through Google Map view (as per coordinates submitted by PP) that the proposed mining site appears like a watershed area with Contour Bunding. **In this context, it was decided to seek information from Mining Officer and CEO, Zila Panchayat, Mandsore - whether the proposed mining site is a watershed area, if yes, then comment on the possible impact of the proposed mining activity on the watershed area. Copy of the letter should be endorsed to PP also.**


Meeting ended with a vote of thanks to the Chair.



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman