

The 202<sup>nd</sup> meeting of the State Level Environment Impact Assessment Authority was convened on 25 May 2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- |   |                             |                  |
|---|-----------------------------|------------------|
| 1 | Shri H.S. Verma             | Member           |
| 2 | Shri Ajatshatru Shrivastava | Member Secretary |

- A. Following Mining cases received from SEAC/SEIAA query response have been considered :-

S No	Case No.	Category	Query response/SEAC
1.	1851/2014	1 (a) B2	198th SEIAA meeting dtd. 11.05.2015
2.	1846/2014	1 (a) B2	198th SEIAA meeting dtd. 11.05.2015
3.	2196/2014	1 (a) B2	183rd SEIAA meeting dtd. 25.02.2015
4.	1763/2014	1 (a) B2	167rd SEIAA meeting dtd. 17.03.2015
5.	2163/2014	1 (a) B2	189th SEIAA meeting dtd. 23.03.2015
6.	619/2012	1 (a)	183 <sup>rd</sup> SEAC meeting dtd. 27.04.2015
7.	1068/2013	1 (a)	183 <sup>rd</sup> SEAC meeting dtd. 27.04.2015
8.	780/2012	1 (a)	183 <sup>rd</sup> SEAC meeting dtd. 27.04.2015
9.	671/2012	1 (a)	183 <sup>rd</sup> SEAC meeting dtd. 27.04.2015
10.	641/2012	1 (a)	183 <sup>rd</sup> SEAC meeting dtd. 27.04.2015

- B. Following other than mining cases received from SEAC have been considered:-

S No	Case No.	Category	Query response/SEAC
11.	1804/2014	8 (a)	183 <sup>rd</sup> SEAC meeting dtd 27.04.2015
12.	1676/2013	5(a), 5 (f) & 2(b)	183 <sup>rd</sup> SEAC meeting dtd 27.04.2015
13.	970/2012	5 (f)	183 <sup>rd</sup> SEAC meeting dtd 27.04.2015
14.	1731/2013	8 (a)	183 <sup>rd</sup> SEAC meeting dtd 27.04.2015

1. **Case No. 1851/2014** - Prior Environmental Clearance for Basalt Stone Quarry in an area of 1.500 ha for Production Capacity of 5000 cum/ year at Khasra no. 603 at Village Girdouda, Tehsil Neemuch, District Neemuch, M. P. by Smt Kamla Patidar W/o Shri Shanti Lal Patidar, 9 Hedgewar Bus stand Tehsil & District Neemuch (M.P) – 458441.

After detailed discussions and perusal of the query response of 198<sup>th</sup> SEIAA meeting dated 11.05.2015 and recommendations of 169<sup>th</sup> SEAC meeting dtd. 27.01.2015, PPs letter dated 21.05.2015, the site lies between a State Highway and National Highway with a huge warehousing complex and a water body. The geographical location is unsuitable for mining activity. **Hence the case is hereby rejected. PP & all concerned should be informed accordingly.**

2. **Case No. 1846/2014** - Prior Environmental Clearance for **Basalt Stone Quarry** (Opencast Semi Mechanized Method) in an area of 2.0 ha. for production capacity of 10,000 cum/year at Khasra No. 587 at Village – Girdouda, Tehsil - Neemuch, District - Neemuch (M.P) by Smt. Kamla Patidar, Vill-9, Hedgewar Bus Stand, Tehsil-Neemuch, Dist-Neemuch (M.P)-462011.

(Ajatshatru Shrivastava)  
Member Secretary

(H.S. Verma)  
Member

(Waseem Akhtar)  
Chairman



- (1) After detailed discussion and perusal of the query response of 198<sup>th</sup> SEIAA meeting dated 11.05.2015 and recommendations of 169<sup>th</sup> SEAC meeting dtd. 27.01.2015, it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC:

- i. PP shall not start mining activity before execution of lease agreement.
- ii. The average depth of the pit shall not exceed 6.0 m. at the end of lease period.

Hence, Prior Environmental Clearance is granted for **Basalt Stone Quarry** (Opencast Semi Mechanized Method) in an area of 2.0 ha. for production capacity of 10,000 cum/year at Khasra No. 587 at Village – Girdouda, Tehsil - Neemuch, District - Neemuch (M.P) **for the lease period** to Smt. Kamla Patidar, Vill-9, Hedgewar Bus Stand, Tehsil-Neemuch, Dist-Neemuch (M.P)-462011.

3. **Case No. 2196/2014** - Prior Environmental Clearance for Sandstone (Farshy Patter) Mine in an area of 3.950 ha. for production capacity 30,000 cum/year at Khasra Nos. 210, 212, 214 at Village-Sunnd, Tehsil-Raisen, Dist-Raisen (MP) by Shri Bhupendra Singh Rao, GM, M/s Mine Corp India Pvt. Ltd., 14-A, Globus City, Kolar Road, Chuna Bhatti, Bhopal (MP)-462016.

After detailed discussions and perusal of the query response **183<sup>rd</sup> SEIAA meeting dtd. 25.02.2015** and recommendations of **168<sup>th</sup> SEIAA meeting dtd. 11.01.2015**, PP should provide all the coordinates of the mining site duly verified by DFO/Mining Officer, Raisen. Copy to PP.

4. **Case No. 1763/2014**, Prior Environmental Clearance for **Stone Boulder Quarry** in an area of 2.428 ha for Production Capacity of 11400 cum/ year at Khasra no. 284 at **Village Kayadi, Tehsil Waraseoni, District Balaghat**, M. P. by Shri Anil Bakshi, Ward No. 24, Balaghat, District Balaghat (M.P) - 481331.

After detailed discussions and perusal of the query response **187<sup>rd</sup> SEIAA meeting dtd. 17.03.2015** and recommendations of 169<sup>th</sup> SEIAA meeting dtd. 27.01.2015, PP letter dated 13.05.2015, the site lies between two settlements and a canal. From the coordinates made available by PP one settlement is 140 m. and the other about 280 m., therefore due to close proximity to the human settlement and water body **the case is hereby rejected. PP & all concerned should be informed accordingly.**

5. **Case No. 2163/2014**, Prior Environmental Clearance for **Basalt Stone Quarry** in an area of 2.203 ha for Production Capacity of 4500 cum/ year at Khasra no. 1388 at **Village Shivni, Tehsil Indore, District Indore**, M. P. by Smt Prabha Baser W/o Shri Ashok Baser, 59 Sanchar Nagar Indore (M.P) - 452001.

- (2) After detailed discussion and perusal of the query response 189<sup>th</sup> SEIAA meeting dtd. 23.03.2015 and recommendations of 170<sup>th</sup> SEAC meeting dtd. 28.01.2015 it was decided to grant Prior Environmental Clearance with slight modifications in the conditions imposed by SEAC:

- iii. PP shall not start mining activity before execution of lease agreement.
- iv. The average depth of the pit shall not exceed 6.0 m. at the end of lease period.

(Ajatshatru Shrivastava)  
Member Secretary

202<sup>nd</sup> SEIAA Meeting dtd. 25.05.2015

(H.S. Verma)  
Member

(Waseem Akhtar)  
Chairman

Page 2 of 9



Hence, Prior Environmental Clearance is granted for **Basalt Stone Quarry** in an area of 2.203 ha for Production Capacity of 4500 cum/ year at Khasra no. 1388 at **Village Shivni, Tehsil Indore, District Indore (M.P) for the lease period** to Smt Prabha Baser W/o Shri Ashok Baser, 59 Sanchar Nagar Indore (M.P) - 452001.

6. **Case no. 619/2010**, Prior Environmental Clearance for Limestone mine in an area of 10.431 ha for production capacity of 1.00 lac TPA at Village Bhatia, Tehsil Maihar, District Satna by M/s KJS Cement Ltd., Shri Pawan Kumar Ahluwalia, MD, Village-Amilia, P.O. & Teh. - Maihar, Distt- Satna (M.P) Pin - 485771, Ph.No.-07674-292010, 292020, 292009, [E-Mail-info@kjscement.com](mailto:E-Mail-info@kjscement.com).

After detailed discussion, it was noted that PP requested for change in mining methodology vide L.No. KJS/EMD/EC/Bhatia 10.431/2014/135 dated 08.12.2013 and it was sent to SEAC for consideration. The SEAC minutes 183<sup>rd</sup> meeting dtd. 27.04.2015 has mentioned as following :-

- The EIA report for the project was discussed in the 83rd SEAC meeting dated 08/11/2011 whereby it was clearly mentioned that the proposed mining shall be carried out through Open-Cast & Fully Mechanized method.
- The case was finally recommended for grant of prior EC through its 93rd meeting dated 10/04/2012.

*In view of above it is clear that original proposal was for Open-Cast & Fully Mechanized method of mining and the same has never been changed by the PP in any of his submissions hence the requested amendment in the EC may be considered in the matter.*

It was decided to amend the methodology from opencast & manual to opencast & fully mechanized and informed PP and all concerned accordingly.

7. **Case No. 1068/2013**, Prior Environmental Clearance for Limestone mine in an area of 16.288 ha for expansion of production capacity from 50,000 MTPA to 4,00,000 MTPA at khasra nos. 39/2, 39/3, 39/4, 39/5 at Village Bhatura, Tehsil Maihar, District Satna, M. P. by Shri Jitendra Kumar Kushwaha, Adarsh Nagar Colony, P.O.& District Katni (MP) 483501, e-mail [jkkushwaha2012@gmail.com](mailto:jkkushwaha2012@gmail.com), Mobile - 09425153719.

After detailed discussion and perusal of the recommendations of 183<sup>rd</sup> SEAC meeting dtd. 27.04.2015 it was decided to call PP or his representative for presentation.

8. **Case No. 780/2012**, Prior Environmental Clearance for Granite Deposit mine in an area of 2.922 ha for production capacity 18,000 MTPA at khasra no 1480 at Village Labraha, Tehsil Chandla, District Chhatarpur, M. P. by M/s JataShanker Marbles Ltd, Shri B.K.Pandey, Reg Off. Ganesh Villa, House No. 153, Sector 46 NIT, Faridabad (Haryana) - 483501.121001 e-mail [bkpandey114@gmail.com](mailto:bkpandey114@gmail.com), Mobile - 09424662698.

After detailed discussion and perusal of the recommendations of 183<sup>rd</sup> SEAC meeting dtd. 27.04.2015 it was decided to call PP or his representative for presentation.

9. **Case No. 671/2012**, Prior Environmental Clearance for Bauxite, Laterite and Fire Clay Mines in an area of 27.02 ha. for expansion in production capacity from 1,25,000 MTPA to 7,00,000 MTPA, Khasra No. 423, 424, 425/1, 425/2, 426,

(Ajatshatru Shrivastava)  
Member Secretary

202<sup>nd</sup> SEIAA Meeting dtd. 25.05.2015

(H.S. Verma)  
Member

(Waseem Akhtar)  
Chairman  
Page 3 of 9



454/1, 454/2, 456, 457, 458, 459, 422, 455, 460, 467, 468, 469, 498, 500 & 509 at Village- Tikariya, Tehsil – Murwara, Distt. – Katni (M. P.) by Shri Shankarlal Vishwakarma S/o Shri Puranlal Vishwakarma, Jalpadevi Ward, Gautam Mohalla – Katni, Distt. – Katni (M.P.)

After detailed discussion and perusal of the recommendations of 183<sup>rd</sup> SEAC meeting dtd. 27.04.2015 it was decided to call PP or his representative for presentation.


10. **Case No. 641/2011**, Prior Environmental Clearance of manganese ore, Iron Ore & laterite for expansion of production capacity and addition of mineral ore & laterite along with manganese ore from 5000 MTPA (manganese ore) to 9,00,000 MTPA (manganese ore and Iron ore and laterite) in an area of 5.0 ha at khasra No. 199 at Village-Mansakra, Tehsil-Sihora, Distt-Jabalpur-M.P. by M/s Suryavansham Mining & Minerals Pvt. Ltd, Mr. Manish Nayak (Director) 67/2, Patrakar Colony, Indore –M.P.


After detailed discussion and perusal of the recommendations of 183<sup>rd</sup> SEAC meeting dtd. 27.04.2015 it was decided to call PP or his representative for presentation.


11. **Case No. 1804/2014** Prior Environmental Clearance proposed Residential project "Emerald Greens" at Khasra No. 477,483,481/2, 491/1, 491/2, 493, 494, 495, 501/1 Village – Khureri, Tehsil & Distt. Gwalior (M.P.). Total land area- 57050 sq.m.(5.705 ha) Built-up area- 64591.11 sq.m by M/s H.G. Infratech Pvt. Ltd., through Director, Shri Dhiraj Prakash Agrawal, Govind Bagh, Gandhi Road, Thatipur, R.K. Puri PO Gwalior, Distt- Gwalior (M.P.)- 474011.Email: hg.infratech@gmail.com

- v. The proposed project is building & construction Residential Project at Village- Khureri, Tehsil & Distt. – Gwalior (M.P.). The project includes Flats-419; Row houses -137 nos.; EWS- 49 nos.
- vi. As per the T & CP Gwalior (vide letter no. 215 dtd.24.01.13). The total land area is 44345.0 Sq.m. (4.43 ha). The total built up area proposed by PP is 64591.11 sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.
- vii. The case was discussed in SEAC meetings 153<sup>rd</sup> dtd. 21.10.14, 164<sup>th</sup> dtd. 07.01.15 and 183<sup>rd</sup> dtd. 27.04.15 and is recommended for grant of prior EC subject to 12 special conditions.
- viii. The Authority decided that PP should be called for presentation.

12. **Case no. 1676/2013** Prior Environmental Clearance for SSP/GSSP & Allied Blended Fertilizer Products, BRP & LABSA Plants; proposed production capacity SSP / GSSP 198000 TPA, Beneficiation of low grade phosphate 92000 TPA; Allied Blended Fertilizers 49500 TPA; LABSA 19800 TPA in area of 7.24 ha at plot no. 59-F, 61-A, 61-B, 61-C & 185 to 188; Meghnagar Industrial Estate, Village & Tehsil Meghnagar, District Jhabua, MP by Mr. Suraj Chhabria Executive Director, R C Fertilizers Pvt. Ltd. 181, A2, Maker Tower E, Cuffe Parade, Mumbai – 400005

  
(Ajatshatru Shrivastava)  
Member Secretary  
202<sup>nd</sup> SEIAA Meeting dtd. 25.05.2015

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman  
Page 4 of 9



- (1) The proposed project is manufacturing of Single Super Phosphate (SSP), Granulated Single Super Phosphate (GSSP), Allied Blended fertilizer products, Beneficiation Rock Phosphate (BRP) and Linear Alkyl Benzene Sulphonic Acid (LABSA) at Meghnagar Industrial Estate, District Jhabua, M.P. The project proponent is Mr. Suraj Chhabria Executive Director, R C Fertilizers Pvt. Ltd. Mumbai.
  - (2) There is no National park / Sanctuaries, Eco-sensitive areas, critically polluted areas and inter-State boundaries within 05 km of the proposed site. PP has submitted letter dtd 08.03.13 from DFO, Jhabua regarding National park / Sanctuaries, Eco-sensitive areas, and letter dtd 15.04.13 EE, PWD, Jhabua regarding inter-state boundary, hence, general conditions are not attracted.
  - (3) The project includes manufacturing of SSP and allied products, Synthetic Organic Chemicals industry, and Mineral beneficiation hence covered under 5(a), 5 (f) & 2(b) category B of the Schedule of EIA Notification issued by the Ministry of Environment & Forests vide S.O.1533 (E) dtd.14.09.06 & its amendments.
  - (4) The case was discussed in SEAC meetings 141<sup>st</sup> dtd. 10.09.13, 148<sup>th</sup> dtd.25.08.14 163<sup>rd</sup> dtd 24.12.14 & 183<sup>rd</sup> dtd 27.04.15 and is recommended for grant of prior EC subject to 05 special conditions.
  - (5) The Authority decided that PP should be called for presentation.
- 13. Case No. 970/2012** Prior Environmental Clearance for Capacity Enhancement of 22 nos of the existing products and production of 08 new products and solvent recovery; at existing Plot Nos. 198-202; area 230447 sqm, New Industrial Area No. 2, Mandideep, Distt. Raisen (MP) by M/s Lupin Ltd. through Mr. V.S. Satpute (Sr. Vice President & Site Head) Plot No.198-202, New Industrial Area No. 2, Mandideep, Distt.-Raisen (MP) 462046.
- (1) This is a case of expansion of existing Pharmaceutical Bulk Drugs plant and no construction of building is required for proposed expansion. The project is proposed in the existing premises of Lupin at Plot No. 198-202, New Industrial Area No. - 2, Mandideep, Distt. - Raisen (MP).
  - (2) The project is covered under 5 (f) category B of the Schedule of EIA Notification issued by the Ministry of Environment & Forests vide S.O.1533(E), dtd. September 14, 2006 and its amendments.
  - (3) The proposed unit is an existing unit. PP has obtained prior EC from MoEF, Gol vide letters dtd 29.04.1997 & 10.05.2006. MP-SEIAA has issued prior EC vide letter no. 145 dtd 28.05.2010 (case no. 148/2008) for 10 products. Presently PP has applied for enhancement of production capacity of 22 products and production of 8 new products as follows :-

S. No.	Product Name	Existing Capacity (MTA)	Additional Proposed (MTA)	Total (MTA)
1	Cephalexin	1000	--	1000
2	Cefadroxil	120	--	120
3	Cefaclor	120	180	300
4	Cefazoline Sodium	20	--	20
5	Cephadrine	10	--	10
6	Cefuroxime Axetil	20	30	50

(Ajatshatru Shrivastava)  
Member Secretary

(H.S.Verma)  
Member

(Waseem Akhtar)  
Chairman



7	Ceftriaxone Disodium	25	--	25
8	Cefotaxime Sodium	25	--	25
9	CeftazidimePentahydrate	25	--	25
10	Lisinopril	100	50	150
11	Benazepril	10	--	10
12	Cefdinir	24	26	50
13	CefiximeTrihydrate	15	--	15
14	CefpodoximeProxetil	12	8	20
15	Cefprozil Monohydrate	10	15	25
16	Cefipime	10	--	10
17	Ceftiofur Sodium	10	--	10
18	Perindopril	10	--	10
19	Trandolapril	5	--	5
20	Quinapril	20	--	20
21	Ramipril	15	--	15
22	Brimonidine Tartrate	--	1	1
23	Candesartan Cilexetil	--	1	1
24	Amlodipine Besylate	--	10	10
25	Donepezil Hcl	--	1	1
26	Tolterodine Tartrate	--	1	1
27	Rosuvastatin Calcium	--	8	8
28	Pitavastatin	--	1	1
29	CeftarolineFosamilMonoacetate	--	5	5
30	Pilot Plant (R&D and Trial Run Products)	1	9	10
By-product Generation				
31.	Recovered Solvent	7000	--	7000

PP has submitted copy of compliance report of existing environment clearances verified by the RO, MoEF and the same was discussed before the committee and found satisfactory.

- (4) The ToR were issued to PP by SEAC (vide letter no. 278/TOR (116)2013 dtd 11.03.2013) and EIA was submitted by PP (vide letter dtd 22.01.15).
- (5) The case was discussed in SEAC meeting 116th dtd 15.01.2016, 148th dtd 25.08.2014 & 183rd dtd 24.04.15 recommended for grant of prior EC subject to 04 special conditions.
- (6) There is no interstate boundary within 10 km and no National park, Sanctuary; Eco-sensitive areas Tiger Reserve as per Wildlife Protection Act 1972 and within 5 km of the project area hence General condition are not attracted.
- (7) The total land area of the project is 230447 sq.mt. PP has submitted notarized copy of allotment letters from MP Audyogik Kendra Vikas Nigam (Indore) Ltd. for plot nos. 198 to 202 vide dtd 28.10.1986, 09.03.1987, 09.03.1987, 30.05.1988 & 28.10.1986.

(Ajatshatru Shrivastava)  
Member Secretary

202<sup>nd</sup> SEIAA Meeting dtd. 25.05.2015

(H.S. Verma)  
Member

(Waseem Akhtar)  
Chairman

Page 6 of 9



- (8) The proposed unit is located in Industrial area hence in view of GoI, MoEF OM dtd 10.12.14 regarding public hearing the project is exempted from public hearing.
- (9) It is noted that the present water requirement is 1400 KLD. The proposed additional water requirement of 239 KLD as follows:

Particulars	Existing water requirement (KLD)	Additional Requirement (KLD)	After expansion total Water requirement(KLD)
Process	386	107	493
Utilities (boiler & cooling tower)	165	Recycled ater will used	133
Domestic & Gardening	160	15	175
<b>Fresh Water Requirement</b>	<b>711</b>	<b>90</b>	<b>801</b>
Recycled water consumption			
Utilities	440	90	530
Domestic	10	59	69
Recovered water	450	149	599
<b>Total Water Requirement</b>	<b>1161</b>	<b>239</b>	<b>1400</b>

The source of water supply is MPAKVN & Ground water. PP has submitted MPAKVN letter dtd 13.03.2014 for supply of 600 KLD water and CGWA letter dtd 03.11.2008 for withdrawal of 300 m<sup>3</sup> per day ground water. **It is decided that pp should ensure that the demand of fresh water should not exceed 801KLD.**

- (10) Total waste water generation is 630 KLD. PP has proposed 100% recycled water as follows:

Particulars	Existing (KLD)	Additional Proposed (KLD)	After expansion total Waste Water generation (KLD)
Process	351.6	98.4	450
Utilities (boiler & cooling tower)	42.6	25.4	68
Domestic	76.7	35.3	112
<b>Waste Water Generation</b>	<b>470.9</b>	<b>159.1</b>	<b>630</b>
Treatment through ETP	470.9	159.1	630
Treatment through ZLD	461	154	615
Recovered water for reuse	450	159.1	630

For waste water treatment facility PP has proposed two ETP I capacity of 100 KLD with two stage aeration system for low pollution effluent and ETP II capacity of 400 KLD with anaerobic system & two stage aeration system for high pollution effluent. **It is decided that PP should ensure:**

(Ajatshatru Shrivastava)  
Member Secretary

(H.S.Verma)  
Member

(Waseem Akhtar)  
Chairman



- a) Recycling of effluent through RO, MEE and ATFD for recovery of water and reuse for boiler and cooling tower. The Part of the treated effluent of ETP-I should be used for chemical preparation in ETP-II.
  - b) The waste water generated should be treated in the Effluent Treatment Plant and recycled in the Zero Liquid Discharge facility to recover water and there should be no discharge from the unit.
  - c) Proper piezometric holes for ground water sampling.
  - d) **Maximum solvent recovery during process.**
- (11) Hazardous Waste will be generated from used/spent oil, spent solvent, Process residues and waste, spent catalyst, spent carbon etc. Will be disposed by selling to registered recyclers or common TSDF. PP has submitted copy of letter from MPPCB dtd 11.07.11 regarding authorization under Hazardous Waste (Management, Handling and Transboundary Movement) Rules 2008 for a period of five years with effect from 13.12.2010. PP has also obtained membership of TSDF Ramky for disposal of hazardous waste. **It is decided that PP should ensure :**
- a) **Solid waste disposal and Hazardous Waste disposal as per the conditions of Authorization issued by MPPCB.**
  - b) **Disposal of hazardous waste linked with TSDF Ramky on regular practice.**
  - c) **Installation of decanters & spin flash dryer at site for ETP sludge and non hazardous waste.**
  - d) **The storage area has a proper and adequate secondary containment system, drain all along its periphery. The shed has provision of adequate storage capacity for the waste generated in the premises.**
  - e) **No open storage is done and the designated hazardous waste storage area has proper enclosures, including safety requirements.**
- (12) The air emission shall increase in ambient air quality (ground level concentration) w.r.t to PM10, Sox, NOx, Incremental GLC in microgram/m3: PM10 : 0.65 SO2 : 18 NOx : 10 .For air pollution control PP has provided Emission control systems (scrubbers, high efficient dust collector, cycle separator, solvent in close loop system, leak detection and repair system). **It is decided that the performance of air pollution control system should be regularly monitored and maintained. Regular stack monitoring & ambient air quality monitoring should be carried out as per the guidelines/norms of MPPCB/CPCB.**
- (13) Regarding firefighting measure PP has proposed that the plant will be well equipped with suitable numbers of fire fighting and personnel protective equipment. **It is decided that PP should obtain fire NOC from the competent authority.**
- (14) The rain water harvesting is proposed from the selected clean roof top of the plant area. **It is decided that PP should ensure rain water harvesting.**

(Ajatshatru Shrivastava)  
Member Secretary

202<sup>nd</sup> SEIAA Meeting dtd. 25.05.2015

(H.S.Verma)  
Member


(Waseem Akhtar)  
Chairman  
Page 8 of 9



- (15) PP has developed greenbelt in 7.65 ha (33% of total area) in the plant premises and has planted 22293 no. Of plants species in an around the plant site and also along the road side. **It is decided that PP should ensure plantation as proposed in 7.65 ha and it should be as per the CPCB guidelines.**
  - (16) PP has submitted copy of application (dtd. 02.03.13) for obtaining approval of On-site emergency plan. **It is decided that PP should obtained approval from competent authority for health & safety measure, Onsite & offsite disaster management, and risk management plan.**
  - (17) The Authority decided to accept the recommendations of 183<sup>rd</sup> SEAC meeting dtd. 27.04.15 **with 04 special conditions and accord Environmental Clearance** to Capacity Enhancement of 22 nos of the existing products and production of 08 new products and solvent recovery; at existing Plot Nos. 198-202; area 230447 sqm, New Industrial Area No. 2, Mandideep, Distt. Raisen (MP) by M/s Lupin Ltd. through Mr. V.S. Satpute (Sr. Vice President & Site Head) Plot No.198-202, New Industrial Area No. 2, Mandideep, Distt.-Raisen (MP) 462046 **subject to all specific conditions imposed by SEIAA in its meetings.**
- 14. Case No. 1731/2013, Prior Environmental Clearance for proposed "Residential Project "at Khasra No.343,344,345,353,354,363/1,363/2,366/1, 366/2,366/3, 367/1 367/2,369/1,369/2,part of 336,337/1,337/2,339/1,339/2,341, 342/1, 342/2, 347,350 351,352,355,356 & 357 Village Jinjhari (Maharana Pratap Ward), Teh. & Distt. Katni (MP), Total Land Area 10.51 ha., Total Built up Area 114628 Sqm by PLM Builders & Developers Pvt. Ltd. (Developers) through Shri Lalit Kumar Mittal, Director, 26, Commercial Complex, Housing Board Colony, Katni, (MP) 483504, e-mail lalit@mittal-group.com**
- (1) The case was discussed in 173<sup>rd</sup> SEIAA meeting dtd 09.01.15 & it is recorded that "(1) *Prior Environmental Clearance is accorded to the case in 159<sup>th</sup> SEIAA meeting dtd 11.09.2014 as per the recommendations of 145<sup>th</sup> SEAC meeting dtd 07.11.13 and EC letter issued vide no. 1561 dtd 28.10.14.*
  - (2) *PP vide letter dtd 26.11.14 received in SEIAA office on 04.12.14 has requested for amendment in conditions no. 13 under specific condition recommended by SEAC.*
  - (3) *The case was discussed in depth and it is decided to send a letter to SEAC along with the case file for their comments. A copy of letter should be endorsed to PP.*
- (2) In response to the above the case was discussed in 183<sup>rd</sup> SEAC meeting dtd 27.04.2015 & it is recorded that "*The project has been accorded prior EC subject to several conditions laid by SEAC / SEIAA. The matter has been refrrd by SEIAA with request of PP for exemption / amendment in the specific condition no. 13 of the EC. However, it was observed that the relevant letter of PP is not enclosed with the file hence in absence of requested amendment the matter could not be discussed. SEIAA may be requested to send the letter of PP in this context.*"
- It is decided that a letter should be sent to SEAC with attachment of PP letter dtd 26.11.2014 received in SEIAA on 04.12.2014.**

*Meeting ended with a vote of thanks to the Chair.*

  
(Ajatshatru Shrivastava)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman