

Minutes of the 253rd Meeting of SEIAA dated 29.10.2015

The 253rd meeting of the State Level Environment Impact Assessment Authority was convened on 29.10.2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. Shri Ajatshatru Shrivastava, Member Secretary SEIAA could not attend the meeting as he was on tour. The following member attended the meeting:-

1 Shri H.S. Verma

Member

- A. Following other than mining cases received from SEAC and additional information have been considered is as follows :-

S No	Case No.	Category	SEAC and additional information cases in SEIAA
1.	1880/2014	8 (b)	235 th SEIAA meeting dtd 08.09.2015
2	2491/2015	5 (f)	247 th SEIAA meeting dtd 07.10.2015
3.	2885/2015	8 (a)	247 th SEIAA meeting dtd 07.10.2015

- A. Following mining cases received from SEAC and additional information have been considered is as follows.

S No	Case No.	Category	SEAC and additional information cases in SEIAA
4	2651/2015	1(a) B2	230 th SEIAA meeting dtd. 27.05.2015
5	2533/2015	1(a) B2	218 th SEIAA meeting dtd. 14.07.2015
6.	1997/2014	1(a) B2	213 th SEIAA meeting dtd. 25.06.2015
7.	2680/2015	1(a) B2	236 th SEIAA meeting dtd. 11.09.2015
8.	2362/2015	1(a) B2	232 th SEIAA meeting dtd. 03.09.2015
9.	2400/2015	1(a) B2	198 th SEIAA meeting dtd. 11.05.2015
10.	1557/2013	1(a) B2	199 th SEIAA meeting dtd. 12.05.2015
11.	1278/2013	1(a) B2	199 th SEIAA meeting dtd. 12.05.2015
12.	498/2009	1(a)	216 th SEIAA meeting dtd. 07.07.2015
13.	2324/2015	1(a) B2	220 th SEIAA meeting dtd. 22.07.2015
14.	2668/2015	1(a) B2	243 th SEIAA meeting dtd. 28.09.2015
15.	2088/2014	1(a) B2	244 th SEIAA meeting dtd. 29.09.2015
16.	950/2012	1(a) B2	118 th SEIAA meeting dtd. 05.02.2013
17.	1427/2013	1(a) B2	209 th SEIAA meeting dtd. 17.06.2015
18.	2169/2014	1(a) B2	184 th SEAC meeting dtd. 28.04.2015
19.	2592/2015	1(a) B2	221 th SEIAA meeting dtd. 25.07.2015
20.	2289/2014	1(a) B2	204 th SEAC meeting dtd. 01.10.2015
21.	1989/2014	1(a) B2	204 th SEAC meeting dtd. 01.10.2015

1. **Case No.1880/2014** Prior Environment Clearance for approval of proposed Redevelopment of Habibganj Railway Station at Khasra no. 25, 3, 4, 20, 16, 21, 14, 15, 22, 291/15, 17, 18, 19, 306/19; Habibganj Suburb, Tehsil-Huzur, District-Bhopal (MP); Total Land Area 40.91 ha (Existing 29.6 ha station and Proposed 11.31 ha railway colony); Total Built up Area is 9,45,491.5 sq.m. (Existing: 5,44,837.5 sq.m, proposed: 4,00,654 sq.m. railway colony) by Shri S.P. Sharma, DGM (General), Indian Railway Station Development Corporation (IRSDC), 4th Floor, Palika Bhawan, Sector-13, R.K. Puram, New Delhi-110066. Phone No. 01124672718, E-mail: sp.sharma@irsdco.com Env. Consultant-ICT, Ltd, Delhi

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

- (1) The case was discussed in SEIAA meetings 231st dtd 02.09.2015 and 235th dtd 08.09.2015.
- (2) The proposed project pertains to re-development of Habibganj Railway Station located at Habibganj Suburb, Bhopal, Tehsil Huzur, Distt. Bhopal (M.P). Total land area in the project is 40.91 ha, out of which 29.6 ha shall be covered under the Railway Station re-development plan and 11.31 ha shall be covered under the residential development of Railway Colony. Total built-up area proposed in the project is 945491.5 sq.m. out of which 544837.5 sq.m. constructed area shall be developed under station re-development plan and rest 400654 m² built-up in the residential sector.
- (3) The project includes new constructions, renovations, redevelopment of the station buildings, platform surfaces, circulating area to better standards so as to serve the need of the passenger. It also includes complete designing, construction, financing, maintenance, generation and collection of revenues through identified passenger amenities, retail and such other commercial activities at the station.
- (4) The total land area is 40.91 ha at Habibganj Suburb, Tehsil-Huzur, District-Bhopal (MP). The total built-up area proposed by PP is 945491.5 sq.m. The project comes under 8 (b) category (B) of schedule of EIA Notification 2006 as the construction is more than 1,50,000 sq.mt.
- (5) The case was discussed in SEAC meetings 154th meeting dtd. 10.11.14, 188th dtd. 02.05.15 and 213rd dtd. 08.08.15 and is recommended for grant of prior EC subject to 03 special conditions.
- (6) The case was discussed in depth and it is noted :-
 - (i). The land required for redevelopment of existing station is already in possession of Indian Railways.
 - (ii). The existing water requirement is 1.1 MLD (0.85 MLD from Kolar Dam & 0.25 MLD existing bore wells). The total water requirement after redevelopment will be 10.18 MLD (station plot - 7.91 MLD + colony plot 2.27 MLD) and fresh water requirement is 5.5 MLD. The total recycled water 4.68MLD. The source of water supply is Bhopal Municipal Corporation. PP has submitted letter (dtd. 24.09.14) from Nagar Nigam Bhopal for supply of water (4.12 MLD from Kolar dam). **It is decided that the entire demand of fresh water for redevelopment project should be met through Nagar Nigam supply and existing 0.25 bore wells and in future there should be no extraction of ground water.**
 - (iii). The total treated waste water generation is 6.2 MLD (Sewage-5.9 MLD + Effluent-0.33 MLD from yard). PP has provided 03 nos of sewage treatment plant of 6.74 MLD (03 MLD for mandatory works + 2 MLD for commercial & residential in station+1.74 MLD for colony) for domestic generation & ETP 0.4 MLD for treatment of waste water generated from yard. After treatment 4.68 MLD recycled water will be used for flushing, HVAC, apron washing,


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman


carriage washing etc. by means of dual plumbing network. It is decided that :-

- a. PP should ensure zero discharge of waste water from the project site.
 - b. PP should ensure that the discharge of extra treated waste water (if any) is linked with the proposed municipal sewer line.
 - c. PP should ensure regular monitoring of treated waste water so as to confirm to the prescribed norms MPPCB/CPCB.
 - d. It is noted that there are two nos natural nallas passing through / near the site. These nallas originate from Charimli and Gautamnagar area in Bhopal city and travel a distance of 8 to 10 km from the site before joining Laharpur Reservoir. The Discharge of the existing nalla varies from 3.45 to 6.13 cumec. PP has proposed the Nalla to be trained, lined and covered enhancing its discharged capacity to 28.7 m³/s. It is decided that :-
 1. PP should ensure to create a green buffer on both sides (10 m each) of the Nallas within the project area.
- (iv). Approximately 23.37 TPD Municipal Solid waste (organic- 9.35 TPD + inorganic -14.02 TPD) shall be generated which is proposed to be segregated at source and collected in three coloured bins and disposed off at trenching site of BMC. Sludge from the STP will be used as manure at the site or landscaping and greenbelt development. PP has submitted letter dtd 03.01.15 from Nagar Nigam, Bhopal for disposal of MSW. **It is decided that PP should provide compactors for MSW and ensure linkage with Bhopal Municipal Corporation for final disposal of MSW.**
- (v). Bio Medical waste 0.003 TPD will be generated from the dispensary, which is proposed to be collected as per the Bio Medical waste handling and management rules and handed over to authorize agency. **It is decided that, Bio Medical Waste (Handling and management) rules should be followed strictly for the disposal of bio medical waste.**
- (vi). The Hazardous waste (10.48 TPA) shall be generated which is proposed to be supplied to MPPCB approved recyclers/oil re-processors. **It is decided that :-**
- a. PP should ensure handling, disposal and management of hazardous waste (if any) as per the related prescribed rules and obtain authorization from MPPCB regarding hazardous waste disposal.
 - b. PP should ensure disposal of hazardous waste (if any) regularly through sale or in TSDF site and there should be no dumping of these materials in the premises/outside.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman


- (vii). E-waste 7.3 TPA will be generated from the project site which is proposed to be handled according to E-Waste (Management and Handling) Rules, 2011 and supplied to MPPCB approved recyclers. **It is decided that, (Management and Handling) Rules, 2011 should be followed strictly for the disposal of E-waste.**
- (viii). PP has proposed to provide fire water tanks (3x0.2 ML), Sprinkler system, hydrant system, fire hose cabinet, Fire extinguishers, etc. Underground storage tank, and pump room of 1050 sq.m. for commercial and 472 sq.m. has been proposed for railway station. The fire protection system in the residential, colonies, commercial complexes, hotels etc would be provided as per NBC 2005. **It is decided that PP should ensure:-**
- a. To provide fire fighting provision as per National Building Code (2005) and MPBVR, 2012 and ensure that all the fire fighting measures are physically in place.
 - b. PP should obtain fire NOC form the Competent Authority.
 - c. To earmark the space within the project area for a dedicated fire station.
- (ix). PP has submitted roof top rain water harvesting system with 23 nos of recharging pits (14 for station plot and 09 for railway colony). **It is decided that PP should ensure rain water harvesting.**
- (x). PP has proposed roads right of way of 15m, 16m, 14m, 15.5m, 23m, 24.75m, 18.5m (including carriageway, footpath, median, plantation space) for internal one way and two way traffic movements. Separate entry and exit for Habibganj Railway Station & Railway Colony. **It is decided that PP should ensure road width; MOS and Open spaces as per MPBVR 2012.**
- (xi). PP has proposed 8111 ECS (Existing-3046 ECS for Railway Colony proposed: 5066 ECS for railway station). **It is decided that PP should ensure car parking as per norms in MPBVR 2012.**
- (xii). The total power requirement is 31.5 MVA and the source is Madhya Pradesh Power Corporation Limited. PP has proposed Provision of solar led street lighting has been proposed in parks, roads and parking areas. Use of energy efficient lighting equipment's, like lamps, luminaries and control devices. **It is decided that PP should ensure installation of photovoltaic cells (solar panels) for lighting in common areas, LED light fixtures and energy efficient equipments.**
- (xiii). PP has submitted a tree survey which reveals that 4378 trees are existing in the railway station (3538 trees) & colony plot (840 trees) which are proposed to be cut.
- (7) In response to 235th SEIAA meeting dtd 08.09.2015, query, reply submitted by PP (vide letter dtd 12.10.2015). PP was asked to submit a conservation



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

plan for protecting as many trees as possible. They have submitted a Conservation Plan wherein now they would conserve 596 trees (313 trees in the station plot and 226 trees in the colony plot). **It is decided that the PP should ensure further conservation of trees in the colony plot and for cutting of trees they would seek permission of the Competent Authority.**

- (8) The Authority decided to accept the recommendations of 213rd SEAC meeting dtd. 08.08.15 with 03 special conditions and accord Environmental Clearance to proposed Redevelopment of Habibganj Railway Station at Khasra no. 25, 3, 4, 20, 16, 21, 14, 15, 22, 291/15, 17, 18, 19, 306/19; Habibganj Suburb, Tehsil-Huzur, District- Bhopal (MP); Total Land Area 40.91 ha (Existing 29.6 ha station and Proposed 11.31 ha railway colony); Total Built up Area is 9,45,491.5 sq.m. (Existing: 5,44,837.5 sq.m; proposed: 4,00,654 sq.m. railway colony) by Shri S.P. Sharma, DGM (General), Indian Railway Station Development Corporation (IRSDC), 4th Floor, Palika Bhawan, Sector-13, R.K. Puram, New Delhi-110066 subject to all specific conditions imposed by SEIAA in its meetings.
2. **Case No. 2491/2015** Prior Environment Clearance for proposed Synthetic Organic Chemical manufacturing Unit of M/s Meghnagar Pharmachem Pvt. Ltd., Plot No. 98-A, AKVN, Meghnagar, Vill.- Meghnagar, Distt. – Jhabua (M.P.) Capacity- Dyes Intermediates @ 35 MT/Month by M/s Meghnagar Pharmachem Pvt. Ltd., Gangotri Farm & Nursery Compound Nandesari Chokdi, N.H. No. – 8, Vadodara (Guj.) – 391340
- (1) The case was discussed in SEAC meetings 191st dtd 07.05.2015, 204th dtd 04.07.2015 and 223rd dtd. 15.09.2015 and is recommended for grant of prior EC subject to 17 special conditions.
- (2) The case was considered in 247th SEIAA meeting dtd 07.10.2015 and PP called for a detailed presentation.
- (3) During presentation PP / Consultant were unable to explain relevant information regarding project and requested to provide next chance to make the presentation. **It is decided that PP may be called again for presentation.**
3. **Case No. 2885/2015** Prior Environment Clearance for proposed Residential Project "Godavari Heights" at Khasra No. – 83/1, 87-249/87 & 88, Village-Damkheda Kolar Road, Tehsil-Huzur, District-Bhopal (MP) Total Area of Project – 14320.00 sq.m., Total Built up area of Project- 25177.58 sqm. by Mr. Prashant Singhai, M/s Singhai Infra Projects, G-3, 4, Sanyukt Suresh Vihar, Chuna Bhatti, Bhopal (MP)-462016.
- (1) The proposed project is building & construction residential and commercial housing Project "Godavari Heights" at Khasra No. – 83/1, 87-249/87 & 88, Village-Damkheda Kolar Road, Tehsil-Huzur, District-Bhopal (MP). The project includes construction of 8 residential towers (216 residential blocs, 19 EWS and LIG 13) and one commercial towers.
- (2) As per the Town & Country Planning, Bhopal (vide letter no. 230 dtd 03.02.2014). The total land area is 1.432 ha. The total built up area


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

proposed by PP is 25177.58 sqm. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.m. & 1,50,000 sq.m. and plot area is less than 50 ha.

- (3) The case was discussed in SEAC meetings 203rd dtd 03.07.2015, 209th dtd 24.07.2015 and 223rd dtd 15.09.2015 and is recommended for grant of prior EC subject to 11 special conditions.
- (4) The case was considered in 247th SEIAA meeting dtd 07.10.2015 and PP called for a detailed presentation.
- (5) After deliberations by PP, the case was discussed in depth and **It is decided that PP should submit following information latest by 30.11.2015 :-**
 - (i) Water balance including waste water generation, STP capacity, recycled water and management of extra treated waste water (during monsoon and non-monsoon).
 - (ii) Clear NOC from Municipal Corporation, Bhopal specifying the quantity of fresh water required for the project.
 - (iii) Clear NOC from Nagar Nigam Bhopal and ensure linkage with municipal sewer line for disposal of waste water whenever municipal sewer line is laid in the project area.
 - (iv) The disposal of MSW should be linked with Municipal Corporation, Bhopal and PP should submit NOC from Bhopal Municipal Corporation for disposal of MSW.
 - (v) Revised car parking plan along with location map as per MPBVR 2012.
 - (vi) Detailed plantation plan including area, trees in two rows all along the periphery of the project area, avenue plantation on the road sides, open spaces and parks along with number of trees and species to be planted and budget for the same.

4. **Case No. 2651/2015** - Prior Environmental Clearance for **Stone Quarry** (Opencast manual / semi mechanized method) in an area of 2.780 ha. for production capacity of 10000 cum/year at Khasra no. 171, 175, 176 & 177 at Village Khirwa, Tehsil Chitrangi, District Singrauli (M.P) by M/s Shakti Enterprises, Prop. Shri Ram Avatar Sharma, Main Road Singrauli District Singrauli (M.P) – 486889.

After detailed discussion and perusal of query response of 230th SEIAA meeting dtd. 27.05.2015 and recommendation of 210th SEAC meeting dated 25.07.2015, It is not clear from the reply the depth which PP intends to excavate. From the surface plan the depth in the first year of operation has been indicated as starting from RL 360 an excavating upto RL 380 i.e. depth about 20 m., whereas in the mining plan (item 5.2) the RL indicated is 358 – 355 i.e. 3 m. only. PP should clarify through RQP his interpretation about the depth of quarrying. Copy Mining Officer, Singrauli and RO, DGM, Rewa.



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

5. **Case No 2533/2015** Prior Environmental Clearance for **Stone Quarry** (opencast manual/semi mechanized method) in an area 1.00 ha. for production capacity 20,000 cum/year at Khasra No 364 at Village-Padampur Kheriya, Teh-Murar, Dist-Gwalior (MP) by Smt. Anjana Kushwah W/o Shri J.S. Kushwah R/o B-27, Hari Om Colony, Tehsil Muruar, District Gwalior (MP)-474006.

(1) After detailed discussion and perusal of the query response of 218th SEIAA meeting dtd. 14.07.2015 & recommendation of 200th SEAC meeting dtd. 30.06.2015 it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 20 m. (as per SEAC recommendation) at the end of lease period and not beyond that.
- (iii) Since the depth is 20 m., Mine Safety Rules shall be invoked in this case. PP should obtain NOC from Director, Mine Safety before commencing the mining activity.

Hence, Prior Environmental Clearance is granted for **Stone Quarry** (opencast manual/semi mechanized method) in an area 1.00 ha. for production capacity 20,000 cum/year at Khasra No 364 at Village-Padampur Kheriya, Teh-Murar, Dist- Gwalior (MP) **for the lease period** to Smt. Anjana Kushwah W/o Shri J.S. Kushwah R/o B-27, Hari Om Colony, Tehsil Muruar, District Gwalior (MP)-474006.

6. **Case No. 1997/2014** Prior Environment Clearance for Stone Quarry in an area of 1.00 ha. for production capacity of 30000 cum/year at Khasra No. 928 at Village-Salon, Tehsil Bhandar, Distt Datia (MP), Shri Dharamveer Singh Sarawat S/o Shri Tape Singh, 182/2, Allahabad Bank Chauraha, Civil Lines, Jhansi (UP)-284001.

(1) After detailed discussion and perusal of the query response of 213th SEIAA meeting dtd. 25.06.2015 & recommendation of 164th SEAC meeting dtd. 07.01.2015 it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 6 m. (as per SEAC recommendation) at the end of lease period and not beyond that.

Hence, Prior Environmental Clearance is granted for Stone Quarry in an area of 1.00 ha. for production capacity of 30000 cum/year at Khasra No. 928 at Village-Salon, Tehsil Bhandar, Distt Datia (MP) **for the lease period** to Shri Dharamveer Singh Sarawat S/o Shri Tape Singh, 182/2, Allahabad Bank Chauraha, Civil Lines, Jhansi (UP)-284001.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

7. **Case No. 2680/2015** - Prior Environmental Clearance for **Boulder Quarry (Opencast manual /semi mechanized method)** in an area of 1.40 ha. for production capacity of 25000 cum/year (as per Mining Plan) at Khasra nos. 91/4, 92/1G/4 at Village-Ganesha, Tehsil-Rampur Baghelan, Distt.-Satna (M.P.) by Shri Prabhat Kumar Pathak, Sr. Manager, M/s Dilip Buildcon Ltd., Chuna Bhatti, Kolar Road, Bhopal (M.P.)-462016.

(1) After detailed discussion and perusal of the query response of 236th SEIAA meeting dtd. 11.09.2015 & recommendation of 214th SEAC meeting dtd. 20.08.2015 it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 12 m. at the end of lease period and not beyond that.
- (iii) Before commencing any mining activity, the demarcation should be done in the presence of Mining Officer, Revenue and WRD officials. No mining activity will be carried out in 100m distance from the existing canal.
- (iv) Since the depth is 12 m., Mine Safety Rules shall be invoked in this case. PP should obtain NOC from Director, Mine Safety before commencing the mining activity.

Hence, Prior Environmental Clearance is granted for **Boulder Quarry (Opencast manual /semi mechanized method)** in an area of 1.40 ha. for production capacity of 25000 cum/year (as per Mining Plan) at Khasra nos. 91/4, 92/1G/4 at Village-Ganesha, Tehsil-Rampur Baghelan, Distt.-Satna (MP) **for the lease period** to Shri Prabhat Kumar Pathak, Sr. Manager, M/s Dilip Buildcon Ltd., Chuna Bhatti, Kolar Road, Bhopal (M.P.)-462016.

8. **Case No. 2362/2015** - Prior Environmental Clearance for **Stone Quarry (Opencast manual/semi mechanized method)** in an area of 1.307 ha. for production capacity of 5000 cum/year at Khasra nos. 277/1, 277/4, 345/1, 347/1 at Village-Dadhi, Tehsil-Huzur, Distt.-Rewa (M.P.) by M/s Mehmaan Crushing Plant, Shri Nand Kishore Singh, Vill-Bara Saman, Dist-Rewa (MP)-486001.

After detailed discussion and perusal of the query response of 232th SEIAA meeting dtd. 03.09.2015 & recommendation of 213th SEAC meeting dtd. 08.08.2015, Mining Officer, Rewa has submitted the information regarding mining activity within 500 m. periphery. Earlier the Mining Officer has certified that only one mine of 1.0 acre is in existence, now he has certified in his letter dtd. 09.10.2015 that various other mines are in existence. This is a case of concealment of information and for which the erring officer should be held responsible for giving wrong information. D(G&M) should initiate action.

The information submitted by the Mining Officer is not clear regarding the mines actually operative within 500 m. radius. Some mines according to the information submitted, the lease deed has expired, Mining Officer, Rewa should submit factual information about the mining site latest by 30.11.2015. Copy to PP.


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

9. **Case No. 2400/2015** - Prior Environmental Clearance for Stone Quarry (Opencast Manual/ Semi Mechanized Method) in an area of 1.40 ha. for production capacity of 10000 cum/year at Khasra no. 146 at Village Paharirawat, Tehsil Indaragarh, District Datia (M.P) by Shri Uday Veer Singh Jatav S/o Shri Ramsiya Jatav, R/o Kamad Road, Indaragarh, District Datia (M.P) – 474006.

After detailed discussion and perusal of the query response of 198th SEIAA meeting dtd. 11.05.2015 & recommendation of 181th SEAC meeting dtd. 27.03.2015, the information submitted by the Tehsildar shows the human settlement as 100 m. From the google map, it is observed that the site is in close proximity to the bigger village and it shall be harmful for the health of the villagers. The case may be sent back to SEAC for re-appraisal. Copy to PP and Mining Officer, Datia.

10. **Case No. 1557/2013** Environment Clearance for approval of 01.00 Hectare Metal stone quarry at Vill.- Pichore, Tehsil-Dabra, Distt.-Gwalior (M.P.) at Khasra No. 654 for production capacity 10000 cum/year by Shri Rajendra Kumar Khateek, Village-Pchore, Tehsil-Dabra, District-Gwalior.

The case was discussed in 199th SEIAA meeting dtd. 12.05.2015 and delisted on account of non submission of information. PP vide letter dtd. 10.09.2015 has submitted the requisite information and therefore the case is hereby re-listed. This case may be sent to SEAC for due appraisal. Copy to PP and all concerned.

11. **Case No. 1278/2013** Environment Clearance for approval of 2.00 Hectare Stone Quarry at Vill.-Bilaua, Teh.-Gwalior, Distt.-Gwalior, (M.P.) at Khasra No. 3921 for capacity 1,00,000 cum/year by Shri Deepak Sharma, Dana Oil Naya Sarafa, Lashkar, Dist.-Gwalior.

The case was discussed in 199th SEIAA meeting dtd. 12.05.2015 and delisted on account of non submission of information. PP vide letter dtd. 14.10.2015 has submitted the requisite information and therefore the case is hereby re-listed. This case falls within the Billaia cluster area and may be sent to SEAC for due appraisal. Copy to PP and all concerned.

12. **Case No. 498/2009** Prior Environment Clearance for approval of Deori limestone, laterite, ochre & white clay mine 23.123 ha. at village Deori Taluka- Maihar, Distt-Satna-M.P. by Shri Lalit Sehgal Rewa Road, Maihar P O Satna M.P.

The case was discussed in 216th SEIAA meeting dtd. 07.07.2015, the information has been received and therefore PP is hereby invited for a detailed presentation.

13. **Case No. 2324/2014** - Prior Environmental Clearance for Farshi Patthar Quarry (Opencast Manual Method) in an area of 1.00 ha. for production capacity of 10000 cum/year at Khasra no. 40 at Village Jaitupura, Tehsil Pawai, District Panna (M.P) by Shri Kunj Bihari Pandey S/o Shri Krishan Mohan Pandey R/o Kathvariya, Tehsil Gunor, District Panna (M.P.)-488333.

- (1) After detailed discussion and perusal of the query response of 220th SEIAA meeting dtd. 22.07.2015 & recommendation of 199th SEAC meeting dtd. 21.06.2015 it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC



(H.S.Verma)
Member



(Waseem Akhtar)
Chairman

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 6 m. at the end of lease period and not beyond that.
- (iii) Before commencing any mining activity, the demarcation should be done in the presence of Mining Officer, Revenue and Forest officials leaving 250 m. from the forest boundary. No mining activity will be carried out in 250m distance from the forest boundary.

Hence, Prior Environmental Clearance is granted for Farshi Patther Quarry (Opencast Manual Method) in an area of 1.00 ha. for production capacity of 10000 cum/year at Khasra no. 40 at Village Jaitupura, Tehsil Pawai, District Panna (MP) **for the lease period** to Shri Kunj Bihari Pandey S/o Shri Krishan Mohan Pandey R/o Kathvariya, Tehsil Gunor, District Panna (M.P.)-488333.

14. **Case No. 2668/2015** Prior Environmental Clearance for **Stone Quarry** (opencast manual/semi mechanized method) in an area 4.00 ha. for production capacity 75,000 cum/year (as per SEAC recommendation) at Khasra No. 357 at Village-Ghoora, Teh-Rajnagar, Dist- Chhatarpur (MP) by M/s Khajuraho Stone (India) Pvt. Ltd., 6th Km., Sagar Road, Dhadari, P.O. & District Chhatarpur (MP)-471001.


(1) After detailed discussion and perusal of the query response of 243th SEIAA meeting dtd. 28.09.2015 & recommendation of 222th SEAC meeting dtd. 28.08.2015 it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 6 m. at the end of lease period and not beyond that.
- (iii) Before commencing any mining activity, the demarcation should be done in the presence of Mining Officer and Revenue officials leaving 100 m. from the water body. No mining activity will be carried out in 100m distance from the water body.
- (iv) Before taking up the mining activity PP has to obtain necessary clearance of NBWL/MoEF&CC.

Hence, Prior Environmental Clearance is granted for **Stone Quarry** (opencast manual/semi mechanized method) in an area 4.00 ha. for production capacity 75,000 cum/year (as per SEAC recommendation) at Khasra No. 357 at Village-Ghoora, Teh-Rajnagar, Dist- Chhatarpur (MP) **for the lease period** to M/s Khajuraho Stone (India) Pvt. Ltd., 6th Km., Sagar Road, Dhadari, P.O. & District Chhatarpur (MP)-471001.

15. **Case No. 2088/2014** - Prior Environmental Clearance for **Basalt Stone Quarry** (Opencast semi mechanized Method) in an area of 1.930 ha. for production capacity 34,200 cum/year at Khasra No. 26 at **Village-Khursi, Tehsil-Jabalpur, District-Jabalpur** (MP) by Shri Gulab Singh Baghel S/o Shri I.B. Singh Baghel, 244, Sanjeevani Nagar, Garha, District-Jabalpur (MP)-482001.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

After detailed discussion and perusal of the query response of 244th SEIAA meeting dtd. 29.09.2015 & recommendation of 171th SEAC meeting dtd. 29.01.2015, PP has provided latest coordinates duly verified by the Mining Officer which are different from the coordinates presented before the SEAC. The case may be sent back to SEAC for re-appraisal based on the new coordinates. Copy to PP and Mining Officer, Jabalpur.

16. **Case No. 950/2012**, Prior Environment Clearance for **Stone Quarry** (Opencast Manual/Semi-Mechanised) in an area of 1.50 area at Village - Dadar Sihudi, Tehsil - Dheemarkheda, Dist. - Katni (M.P.) by Pramod Kumar Patel, C/o Smt. Tara Patel, BabaTal Sehaora Road -Jabalpur, Tehsil - Sehora Distt.-Jabalpur (M.P.) - 483225.

After detailed discussion and perusal of the query response of 118th SEIAA meeting dtd. 05.02.2013, PP had been issued EC for two years ending 14.01.2015. Now he has requested for extension of EC for 10 years based on the lease renewal from 15.10.2011 to 14.10.2021. The case may be sent to SEAC for appraisal. Copy to PP and Mining Officer, Katni.

17. **Case No. 1427/2013**, Prior Environment Clearance for Stone Quarry (Opencast Manual/Semi-Mechanised) in an area of 1.89 ha at Khasra No. 1048/1, 1048/3 at Village - Bichpura, Tehsil - Barahi, Dist.- Katni (M.P.) by M/s Shri Ram Traders, Prop. Shri Leelaram Gupta, Doli Road, Barhi Distt. Katni (M.P.) - 483770.

The case was discussed in 209th SEIAA meeting dtd. 17.06.2015 and delisted on account of non submission of information. PP vide letter dtd. 23.09.2015 has submitted the requisite information and therefore the case is hereby re-listed. This case may be sent to SEAC for due appraisal. Copy to PP and all concerned.

18. **Case No. 2169/2014-** Shri Sanjeev Kumar Singh S/o Shri Kaushal Singh, Village Gahira, Post-Ghughra, Sidhi (MP)-486661 Metal Stone Quarry Lease Area - 2.65 ha., at Khasra No. - 395, Capacity - 18126 Cum/Year, Village-Parasi, Tehsil-Sarai, District-Singrauli (M.P.).

After detailed discussion and perusal of the recommendation of 184th SEAC meeting dtd. 28.04.2015

"Neither the Project Proponent (PP) nor his representative was present to explain the query which might be raised or to make any commitment which may be desired by the committee during the deliberation. Earlier also PP was absent when the case was placed in the 171st meeting. However, committee scrutinized the application and documents submitted by the PP in the meeting. Based on the scrutiny of the application it was decided to ask the PP to submit below mentioned information within a month's time, failure to which the case shall returned to SEIAA for delisting / rejection assuming that PP is not interested to continue with the project."

- Conceptual plans submitted are not clear.
- Information from DFO in the prescribed format to be furnished.
- Letter of Mining Department for in-principle allocation of mine is not available in the submitted documents.
- The evacuation of material from the mine is not clear the same needs to be explained.
- EMP activity-wise budget is not clear."

Based on the above recommendation the case is hereby delisted and would be liable for relisting on submission of complete information by the PP. Copy to all concerned.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

19. **Case No. 2592/2015** - Prior Environmental Clearance for Stone Boulder Quarry (Opencast Manual / Semi Mechanized Method) in an area of 1.00 ha. for production capacity of 13000 cum/year at Khasra no. 172 at Village Nadiya, Tehsil Kesli, District Sagar (M.P) by Shri Shrey Jain, S/o Shri Sharad Jain, H.No. 1204, State Bank Colony, Hathital, Jabalpur (M.P) - 482001, E.mail - eeshan.chaurasia@gmail.com, Phone - 9302233554.

After detailed discussion and perusal of the EC issued in 221th SEIAA meeting dtd. 25.07.2015 and representation submitted by the PP, the case may be sent to SEAC for appraisal based on the points submitted in the representation. Copy to PP.

20. **Case No. 2289/2014** - Prior Environmental Clearance for Sand Quarry (Opencast Method) in an area of 7.088 ha for production capacity 20,000 m³/year at Khasra no. 781 at Village - Sikandra Tehsil - Waraseoni, District- Balaghat (M.P) by M/s M.L.B Infrastructure Limited, Village - Lavada Tehsil - Lalbarra, District- Balaghat (M.P) 481001

After detailed discussion and perusal of the recommendation of 204th SEAC meeting dtd. 01.10.2015, the lease has expired on 24.09.2015 and therefore Collector, Balaghat may be asked the latest update on the renewal of lease period. Copy to PP and Mining Officer, Balaghat.

21. **Case No. 1989/2014** - Prior Environmental Clearance for Basalt Stone Quarry (Opencast/Semi Mechanized Method) in an area of 3.00 ha for Expansion in production capacity 2000 m³/year to 19950 m³/year at Khasra no. 563/1 at Village - Kanjrota Tehsil - Sardarpur, District- Dhar (M.P) by Shri Prakash Barfa S/o Shri Hiralal Barfa Village - Rajgargh Tehsil - Sardarpur, District- Dhar (MP)

After detailed discussion and perusal of the recommendation of 204th SEAC meeting dtd. 01.10.2015, from the google map it is observed that one coordinate falls within a nalla and other coordinates are also falling in close proximity to the nalla boundary. As per the MMR rules 1996 (as amended in 2013) the distance of 50 m. has to be left from the nalla. In that case if the 50 m. distance has to be kept then the production capacity will be reduced. SEAC may re-appraise the case. Copy to PP and Mining Officer, Dhar.

Meeting ended with a vote of thanks to the Chair.



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman