

Minutes of the 258th Meeting of SEIAA dated 18.11.2015

The 258th meeting of the State Level Environment Impact Assessment Authority was convened on 18.11.2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

1	Shri H.S. Verma	Member
2	Shri Ajatshatru Shrivastava	Member Secretary

- A. Following cases of other than mining query response and received from SEAC have been considered :-


S No	Case No.	Category	No. & date of latest SEAC/ SEIAA meeting
1.	2588/2015	8 (a)	256 th SEAC meeting dtd. 04.11.2015
2.	3026/2015	8 (a)	252 nd SEIAA meeting dtd 19.10.2015
3.	1830/2014	8 (b)	229 nd SEIAA meeting dtd 25.08.2015
4.	3227/2015	8 (a)	244 th SEIAA meeting dtd. 29.09.2015

- B. Following mining cases received from SEAC and additional information have been considered is as follows:-


S No	Case No.	Category	SEAC and additional information cases in SEIAA
5.	1629/2013	1(a) B2	223 rd SEIAA meeting dtd. 29.07.2015
6.	3314/2015	1(a) B2	247 th SEIAA meeting dtd. 07.10.2015
7.	2351/2015	1(a) B2	242 th SEIAA meeting dtd. 24.09.2015
8.	3072/2015	1(a) B2	226 th SEIAA meeting dtd. 12.08.2015
9.	3594/2015	1(a) B2	248 th SEIAA meeting dtd. 09.10.2015
10.	2771/2015	1(a) B2	210 th SEIAA meeting dtd. 22.06.2015
11.	2856/2015	1(a) B2	237 th SEIAA meeting dtd. 14.09.2015
12.	2326/2015	1(a) B2	237 th SEIAA meeting dtd. 14.09.2015
13.	3392/2015	1(a) B2	241 th SEIAA meeting dtd. 22.09.2015
14.	1437/2013	1(a)	146 th SEIAA meeting dtd. 12.09.2013
15.	1295/2013	1(a)	
16.	2791/2015	1(a) B2	210 th SEIAA meeting dtd. 22.06.2015
17.	2161/2015	1(a) B2	222 th SEIAA meeting dtd. 27.07.2015
18.	3155/2015	1(a) B2	247 th SEIAA meeting dtd. 07.10.2015
19.	937/2012	1(a) B2	220 th SEIAA meeting dtd. 22.07.2015
20.	1968/2014	1(a) B2	251 th SEIAA meeting dtd. 15.10.2015

1. **Case No. 2588/2015** Prior Environment Clearance for proposed residential project "Ahinsa Residency & Villas" at Village-Chhota Bangarda, Tehsil & District Indore (M.P.) Total Plot Area- 52502.04 sq.m., Total Built up Area- 67368.75 sq.m. by M/s Mars Durobuild Pvt. Ltd. through Mr. Rajesh Talati, Director, , 103, Chhota Bangarda, Near National Public School, Teh. & Distt. -Indore- 462006 (M.P.) Env. Consultant: Insitu Envirocare, Bhopal.


- (1) The case was discussed in SEAC meetings 196th dtd.02.06.2015, 204th dtd.04.07.2015, 223rd dtd. 15.09.15 & 230th dtd. 26.10.15 and is recommended for grant of prior EC subject to 11 special conditions.
- (2) The case was discussed in 256th SEIAA meeting dtd 04.11.2015, and invited for presentation.


 (Ajatshatru Shrivastava)
 Member Secretary



 (H.S. Verma)
 Member



 (Waseem Akhtar)
 Chairman

- (3) After deliberations by PP the case was discussed in depth & it is noted that:
- (i) The proposed project is building & construction residential project "Ahinsa Residency & Villas" at Village-Chhota Bangarda, Teh. & Distt. -Indore (M.P.). The project includes construction of multi unit residential (581 Nos.) building and duplexes (142), commercial shops (18 Nos.) / Educational units, EWS units (G+2), 20 units on each floor.
 - (ii) As per the T & CP Indore (vide let no 8201 dtd 28.11.2011). The total land area is 5.675 ha (56750.00 sq.m.) however the land is in possession with PP is 52502.04 sq.m. The total built up area proposed by PP is 67368.75 sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sqmt. & 1,50,000 sq mt. and plot area is less than 50 ha.
 - (iii) Regarding land documents PP has submitted Khasra panchsala (2005-06, 2009-2010, 2011-2012). As per khasra panchsal the land is the name of Smt. Kanchan Bai, Shri Durgesh Kumar, Shri Madanlal, Shri Mohanlal, Shri Rajesh Kumar, Shri Rakesh Kumar, Shri Dhagwan Das, Tushar Buildcon Pvt. Ltd. through director Shri Tushar. PP has also submitted Notarized copy of agreement between Mars buildcon and Mohanlal Khatod dtd 05.12.2012.
 - (iv) The total water requirement is 566 KLD and fresh water requirement is 348 KLD. The total recycled water 217 KLD (used for landscaping, flushing and miscellaneous purpose). The source of water supply Municipal Corporation, Indore.
 - (v) The total waste water generation is 473 KLD. PP has provided sewage treatment plants of 500 KLD. The total treated waste water is 426 KLD. Out of this 217 KLD proposed to be recycled (177 KLD Flushing + 40 KLD Horticulture and road washing.) and remaining 209 KLD proposed to discharge in municipal sewer line.
 - (vi) Approximately 1.58 TPD Municipal Solid waste shall be generated. The generated biodegradable and non biodegradable waste will be collected in three coloured bins at within campus and final disposal through Municipal Corporation Indore.
 - (vii) The maximum height of the building is 18 m. road width 18 m; Front MOS 12 m and side / rear 9.00 m & 7.50 m for multi unit and front MOS 12 m & side / rear 7.50 for duplex. As per MP Bhumi Vikas Niyam 2012 rule 42 (1) road width 12 m and above from MOS 7.50 m & side / rear 6.0 m for building up to 18 m height.
 - (viii) PP has proposed to provide underground water storage tank, water sprinklers, Fire Fighting Extinguishers, fire fighting pumps etc. as NBC 2005.
 - (ix) PP has submitted roof top rain water harvesting system for ground water recharging and has proposed 06 no of recharging pits.


(Ajatshatru Shrivastava)
Member Secretary


258th SEIAA Meeting dtd. 18.11.2015


(H.S. Verma)
Member



(Waseem Akhtar)
Chairman


Page 2 of 15

- (x) The total power requirement is 2958.588 KVA. The source of electricity is Madhya Pradesh Electricity Board. PP has proposed 02 nos of DG sets with total capacity of 420 KVA (1x320KVA, 1x100 KVA).
 - (xi) PP has proposed to provide 501 ECS (356 ECS for multi unit & 142 for duplexes) as per query reply of 204th SEAC meeting dtd 04.07.2015.
 - (xii) PP has proposed 5884.35 sq. m. with 1500 sq.m. extra landscape area to be developed as green area.
 - (xiii) PP has proposed EMP budget provision 55.5 lacs.
- (4) **It is decided that PP should submit the following information latest by 15.12.2015 :-**
- (i) PP should submit latest Khasra Panchsala and clarify the legal status of the joint venture.
 - (ii) PP should submit clear NOC from Municipal Corporation, Indore for water supply, disposal of Municipal solid waste and disposal of extra treated waste water.
 - (iii) PP has proposed STP of 500 KLD. Considering the floating population PP should increased the capacity of STP to at least 525 KLD as it is not sufficient for the treatment of waste water. PP should also create storage facility of extra treated waste water at least for 48 hours.
 - (iv) PP should make the provision of close space with proper chamber for disposal of solid waste to Municipal Corporation, Indore.
 - (v) PP should submit the proper fire fighting plan by showing fire fighting appliances.
 - (vi) PP should submit car parking plan with increasing the number of ECS including EWS by considering floating population and also specify the location of parking i.e. stilt / open / basement.
 - (vii) PP should plant at least 550 indigenous tree species such as Neem, Amaltas, Kadam, Karanj etc and submit green area development plan showing one row periphery around the plotted area and two rows around the multi unit / flatted area. PP should also develop both side plantation on the connecting road of EWS and open area of EWS.
 - (viii) PP should submit the revised EMP budget by increasing budget for landscaping, STP and solid waste management.


(Ajatshatru Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

Page 3 of 15

2. **Case No. 3026/2015** Prior Environment Clearance for proposed residential project "Alark Residency" at Khasra No.- 418, 420, 421, 423, 427 Vill.-Badwai, Tehsil Huzur, District Bhopal (M.P.) Total Land Area- - 4.530 Acre, Total Built up Area- 25221.516 Sq.mt. by M/s Alark Builders & Developers through Partner Shri Sachin Agrawal, 48, Ramanand Nagar, Lalghati, Bhopal (M.P.)-462038.


- (1) The case was discussed in SEAC meetings 206th dated 21.07.15, 207th dated 22.07.15 and 223rd dtd. 15.09.15 and is recommended for grant of prior EC subject to 11 special conditions.
- (2) The case was discussed in SEIAA meetings 247th dtd 07.10.2015 and 252nd dtd 19.10.2015. **As per 252nd meeting PP should submit following information latest by 30.11.2015 :-**
 - (i) Remaining Khasra Panchsala for which he has applied.
 - (ii) Management of waste water during rainy season.
 - (iii) Location of MSW collection point with three coloured bin system.
 - (iv) Design for energy conservation.
 - (v) Provision of 60,000 liter capacity tank for fire fighting.
 - (vi) Commitment of CSR plan.
 - (vii) Revised landscape plan by showing two rows plantation along the periphery, plantation along 12 m road site.
- (3) In response to above query, reply submitted by PP (vide letter dtd 30.10.2015 received in SEIAA office on 31.10.2015) was discussed in depth and it is noted that:-
 - (i) PP submitted notarized copy of remaining Khasra Panchsala 2014-2015.
 - (ii) PP has proposed extra treated waste water will be used for construction activates of the other project and also provide treated waste water to another builders for construction work.
 - (iii) PP has submitted Location Map of MSW collection point with three coloured bin system.
 - (iv) PP has submitted energy conservation plan including use of solar energy LED lighting. Reflective glass will be used for window to allow sun light in the building.
 - (v) PP has proposed three tanks of 20,000 liter capacity tank for fire fighting.
 - (vi) PP has proposed to develop and maintain plantation on the government road from highway to project site as per to voluntary CSR and also submitted that the project is not covered under CSR as per Company Act.
 - (vii) PP has submitted revised landscaping plan and proposed out of total plot area (4.52 acres) an area of 2206.98 sq.m. would be developed as green belt by planting 230 nos. of sapling trees including two rows all along the periphery of the project area.



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

- (4) The Authority decided to accept the recommendations of 223rd SEAC meeting dtd. 15.09.15 with 11 special conditions and accord Prior Environment Clearance for proposed residential project "Alark Residency" at Khasra No.- 418, 420, 421, 423, 427 Vill.-Badwai, Teh.-Huzur, District-Bhopal (M.P.) Total Land Area- - 4.530 Acre, Total Built up Area- 25221.516 Sq.mt. by M/s Alark Builders & Developers through Partner Shri Sachin Agrawal, 48, Ramanand Nagar, Lalghati, Bhopal (M.P.) subject to **following all specific conditions imposed by SEIAA :-**

- (i) The entire demand of fresh water should be met from municipal supply and there should be no extraction of ground water.
- (ii) Waste water disposal/management:
 - (a) PP shall construct underground water tank of capacity equivalent to 15 days storage of 77 KLD extra treated water. The stored water shall be used or provide to community level as per requirement for horticulture, construction purposes etc.
 - (b) When the municipal sewer line is laid in the project area, PP should ensure linkage with municipal sewer line for disposal of extra treated waste water.
- (iii) Municipal Solid Waste:
 - (c) Provide compactors for MSW
 - (d) Ensure three bin system for seggerated collection of waste.
 - (e) Ensure linkage with Municipal Corporation for final disposal of MSW.
- (iv) PP should ensure the rain water harvesting. In addition PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
- (v) PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.
- (vi) PP should ensure the car parking for 372 ECS as proposed.
- (vii) PP should ensure road width, MOS and Open spaces as per MPBVR 2012 rule 42 (1) for buildings up to 18 m height.
- (viii) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
- (ix) Green belt.
 - (a) PP should ensure to plant at least 500 numbers of trees in two rows all along the periphery and open area of the project area, along the roads of the plot area.

(Ajatshatru Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

Page 5 of 15

- (b) PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc along with ornamental varieties.
- (c) Every effort should be made to protect the existing trees on the plot.


3. **Case No. 1830/2014** Application for Prior EC for proposed Residential, Commercial, Public & Semipublic Development Scheme Aerocity Phase-I at Village-Pipalner, Gondermau, Bisankhedi & Badwai, Tehsil- Huzur, District-Bhopal (M.P.) Total land area 217.649 ha by Shri R.P. Dubey, Executive Engineer- 07, Bhopal Development Authority, Pragati Bhawan, Press Complex, M.P. Nagar, Zone-I, Bhopal (MP)-462011, Phone No. 0755-2701836 / 9406565263, E-mail :- info@bda.org.in Env. Consultant M/s Sawen Consultancy Services Pvt. Ltd., Lucknow


(1) The case was discussed in SEAC meetings 154th meeting dtd. 10.11.14, 191 dtd. 07.05.15 and 200th dtd. 30.06.15 and is recommended for grant of prior EC subject to 04 special conditions.


(2) The case was discussed in SEIAA meetings 218th dtd 14.07.2015, 226th dtd 12.08.2015 and 229th dtd 25.08.2015. **As per 229th meeting PP should submit following information latest by 15.10.2015:-**

- (i). *The status of land that has been acquired for the project along with related documents.*
- (ii). *Details of surplus treated waste water management along with firm commitments from the users.*
- (iii). *Detailed parking plan as per the requirements of MPBVR, 2012.*
- (iv). *Detailed parking plan for common facilities, community centers, commercial / business centers, education institutions, play grounds, hospitals etc. as per the requirements of MPBVR, 2012.*
- (v). *PP should submit detailed plantation plan including trees in two rows all along the periphery of the project area, along the Nallas, commercial complex, educational institutes, service area community spaces, play ground, hospitals, avenue plantation on the road sides etc. along with area, number of trees and species to be planted and budget for the same.*
- (vi). *PP should submit details of existing trees at the proposed site and their conservation plan.*
- (vii). *PP should submit plan for use of topsoil.*
- (viii). *PP should provide large open spaces for community activities, open grounds, play grounds etc and submit the details accordingly.*
- (ix). *Detailed CSR plan (activity wise and costing) for:-*
 - a. *Water supply, sanitation, waste water treatment facilities envisaged for the villages of Pipalner, Gondermau, Bisankhedi & Badwai coming under the project area.*
 - b. *Survey based vocational training for skill up-gradation of the villagers for their employment.*


(3) In response to above query, reply submitted by PP (vide letter dtd 09.10.2015 & 05.11.2015 received in SEIAA office on 09.10.15 & 05.11.15 respectively) was discussed in depth and it is noted that:-


(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

- (i) PP has submitted land documents Khasra Panchsala 2014-2015 and land acquisition process documents.
- (ii) PP has submitted surplus treated waste water from proposed project will be utilized in the horticulture and arboriculture works on the approached road of Raja Bhoj Airport by Bhopal Development Authority. PP has submitted work order dtd 14.05.2015 issued to M/s Enviortech, Thatipur, Gwalior, MP. **It is decided that PP ensure to provide facility within the project area to supply of extra treated waste water to community level.**
- (iii) PP has proposed 8329 ECS (residential plots 6424 ECS + 1905 ECS for commercial and public semi public). **It is decided that PP should also create parking space in mix land use area of the project.**
- (iv) PP has submitted revised landscape plan with 34% (73.99 ha) of the total plot area including trees in two rows all along the periphery of the project area, along the Nallas, commercial complex, educational institutes, service area community spaces, play ground, hospitals, avenue plantation on the road sides etc. along with details of existing trees at the proposed site and their conservation plan. **It is decided that PP should ensure :-**
 - (a) **Plantation in 34% of the total plot area and plant tree saplings at least 3 years old.**
 - (b) **Plantation should be done in two rows all along the periphery of the project area, along, avenue plantation along the roads of the plot area.**
 - (c) **plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc along with ornamental varieties.**
 - (d) **Every effort should be made to protect the existing trees on the plot.**
- (v) Regarding use of topsoil PP has submitted during plotting and infrastructure facilities development approximately 250000 cu.m. of soil (except top soil) will be excavated / cut. PP has proposed the filling soil requirement in the projects areas for development of zonal / service roads is 5,00,000.00 cu.m. Hence the total excavated soil will be used for backfilling and level maintenance. PP has also submitted lay out plan indicating open spaces for community activities, open grounds, play grounds etc. **It is decided that PP should ensure the use of total excavated soil for backfilling and level maintenance as proposed.**
- (vi) PP has submitted CSR plan by providing Water supply, sanitation, waste water treatment facilities, Municipal solid waste disposal facilities, employment, solar street lighting etc. for the villages of Pipalner, Gondermau, Bisankhedi & Badwai coming under the project area with budgetary provision of RS. 400 lacs. **It is decided that PP should ensure and submit in SEIAA the implementation Plan of CSR**


(Ajatshatru Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman


Page 7 of 15


activities in consultation with the Gram Panchayat of the respective villages.


The Authority decided to accept the recommendations of 200th SEAC meeting dtd. dtd. 30.06.15 with 04 special conditions and accord Prior Environment Clearance for proposed Residential, Commercial, Public & Semipublic Development Scheme Aerocity Phase-I at Village-Pipalner, Gondermau, Bisankhedi & Badwai, Tehsil- Huzur, District- Bhopal (M.P.) Total land area 217.649 ha by Shri R.P. Dubey, Executive Engineer- 07, Bhopal Development Authority, Pragati Bhawan, Press Complex, M.P. Nagar, Zone-I, Bhopal (MP) subject to **all specific conditions imposed by SEIAA.**

4. **Case No. 3227/2015** Prior Environmental clearance for proposed "DB Pride" Residential Township Project at Khasra No. 36/1/3, 36/1/1, 37/2/1, 39/3, 22/3/2/1, 38/2/1, 43, 22/3/1/1, 22/3/1/2, 38/1/1, Village Talawali Chanda, Tehsil & District Indore (MP); Total Plot Area 75060.00 sq.m. (7.5060 ha), Net Plot Area - 54941.00 sq.m.; Built Up Area 71897.20 sq.m. by M/s. D.B. Infrastructures Pvt. Ltd. through Mr. Praveen Shrivastava, Business Head, 117, 1st Floor, Shagun Archade, Vijay Nagar, Indore (MP) 452010 E-mail praveen.s@dbcity.in Telephone No. 8720009200

- (1) The case was discussed in SEAC meetings 206th dtd. 21.07.15, 213th 08.08.2015 & 221st dtd 27.08.2015 and is recommended for grant of prior EC subject to 08 special conditions.
- (2) The case was discussed in SEIAA meetings 241st dtd 22.09.2015, and 244th dtd 29.08.2015. **As per 244th meeting PP should submit following information latest by 15.11.2015:-**
 - (a) Ground water yield and location of bore wells.
 - (b) Future planning of the Municipal Corporation, Indore regarding water supply in proposed area to minimize dependence of ground water.
 - (c) Future planning of the Municipal Corporation, Indore regarding sewer line laying in the proposed area.
 - (d) NOC from Nagar Nigam Indore for disposal of extra treated waste water.
 - (e) Management of extra treated waste water during rainy season.
 - (f) NOC from Nagar Nigam Indore Municipal Corporation for disposal of solid waste.
 - (g) Management and disposal of STP sludge.
 - (h) PP should submit the revised EMP budget including rain water harvesting
- (3) In response to above query, reply submitted by PP (vide letter dtd 10.11.2015 received in SEIAA office on 13.11.15) was discussed in depth and it is noted that:-
 - (i). PP submitted ground water yield and location of bore wells. PP has also submitted NOC (dtd. 10.11.15) from Municipal Corporation Indore for water supply. it is decided that **the entire demand of fresh water should be met through Nagar Nigam supply and existing bore wells and in future there should be no extraction of ground water once the Nagar Nigam water supply is commissioned.**


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (ii). PP has submitted NOC (dtd. 10.11.15) from Municipal Corporation Indore for disposal of extra treated waste water in municipal sewer line. **It is decided that when the municipal sewer line is laid in the project area, PP should ensure linkage with municipal sewer line for disposal of extra treated waste water.**
- (iii). Regarding the management & disposal of STP sludge PP has submitted Bio-degradable waste will be processed in organic waste convertor and produced compost will be used as manure for green area. STP sludge also will be used for horticulture purpose as manure. PP has also proposed close room with concrete floor for solid waste storage and final disposal through Indore Municipal Corporation. PP has submitted NOC (dtd. 15.10.15) from Municipal Corporation Indore for disposal of solid waste. **It is decided that:**
 - a. Provide compactors for MSW
 - b. Ensure three bin system for segregated collection of waste.
 - c. Ensure linkage with Municipal Corporation for final disposal of MSW.
- (iv). PP has submitted revised EMP budget by including rain water harvesting.

The Authority decided to accept the recommendations of 221st SEAC meeting dtd. 27.08.2015 with 08 special conditions and accord Prior Environment Clearance for proposed "DB Pride" Residential Township Project at Khasra No. 36/1/3, 36/1/1, 37/2/1, 39/3, 22/3/2/1, 38/2/1, 43, 22/3/1/1, 22/3/1/2, 38/1/1, Village Talawali Chanda, Tehsil & District Indore (MP); Total Plot Area 75060.00 sq.m. (7.5060 ha), Net Plot Area - 54941.00 sq.m.; Built Up Area 71897.20 sq.m. by M/s. D.B. Infrastructures Pvt. Ltd. through Mr. Praveen Shrivastava, Business Head, 117, 1st Floor, Shagun Archade, Vijay Nagar, Indore (MP) 452010 subject to **all specific conditions imposed by SEIAA.**

5. **Case No. 1629/2013**, Environmental Clearance for Metal Stone Quarry in an area of 1.00 ha. for production capacity 19200 MT/year at Khasra No. 2650 at Village Mahewa, Dist Panna (M.P) by M/s Khare Minerals, Vill. & Post - Mahewa, Dist.-Panna

After detailed discussion and perusal of the recommendations of 133rd SEAC meeting dtd.15.05.2013 and query response to 223rd SEIAA meeting dtd. 29.07.2015, PP has submitted the Mining Plan duly approved by the competent authority and other information. The case was delisted in the 223rd SEIAA meeting dtd. 29.07.2015 and the case was recommended in the 133rd SEAC meeting dtd. 15.05.2013 for Prior EC. Since the complete information has now been received, the case is therefore relisted. Case file may be sent to SEAC for re-appraisal. Copy to PP and all concerned.



(Ajatshatra Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

Page 9 of 15

6. **Case No. 3314/2015:** Prior Environmental Clearance for **Flag Stone Quarry (opencast manual method)** in an area of 1.00 ha. for production capacity of 720 cum/year at Khasra no. 49 at Village –Padri, Tehsil-Patera, Distt-Damoh (M.P.) by Shri Santosh Kumar Rai R/o Village-Korasa, Tehsil & Distt. Damoh (MP)-470661.

After detailed discussion and perusal of the recommendations of 224th SEAC meeting dtd.16.09.2015 and query response to 247th SEIAA meeting dtd. 07.10.2015, PP has submitted the Revised Mining Plan duly approved by the competent authority and other information. The case was delisted in the 247th SEIAA meeting dtd. 07.10.2015 on the recommendation in the 224th SEAC meeting dtd. 16.09.2015. Since the complete information has now been received, the case is therefore relisted. Case file may be sent to SEAC for re-appraisal. Copy to PP and all concerned.

7. **Case No. 2351/2015:** Prior Environmental Clearance for **Basalt Stone Quarry (Opencast semi mechanized method)** in an area 2.50 ha. for production capacity 5,000 cum/year at Khasra No 07 at Village-Khejrabaag, Teh-Sagar, Dist- Sagar (MP) by Shri Yogendra Singh S/o Shri Raghuvir Singh R/o Bhagwaanganj, District Sagar (MP)-470001.

After detailed discussion and perusal of the recommendations of 222nd SEAC meeting dtd.28.08.2015 and query response to 242th SEIAA meeting dtd. 24.09.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 6 m. at the end of lease period and not beyond that.
- (iii) Before commencing the mining activity, site demarcation should be done leaving 100m. from the National Highway and 10 m. from the village road as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Sagar.


Hence, Prior Environmental Clearance is granted for **Basalt Stone Quarry (Opencast semi mechanized method)** in an area 2.50 ha. for production capacity 5,000 cum/year at Khasra No 07 at Village-Khejrabaag, Teh-Sagar, Dist- Sagar (MP) **for the lease period to Shri Yogendra Singh S/o Shri Raghuvir Singh R/o Bhagwaanganj, District Sagar (MP)-470001.**


8. **Case No. 3072/2015** - Prior Environmental Clearance for **Sand Quarry (Opencast Manual Method)** in an area of 5.00 ha. for production capacity of 50000 cum/year (as per SEAC recommendation) at Khasra no. 1510 at Village Dhangawan, Tehsil Gohparu, District Shahdol (M.P) by Shri Arvind Jain, R/o - Katni, District Katni (M.P) - 483501, E.mail – abhishek_nigam48500@yahoo.co.in Phone - 7869563108.

After detailed discussion and perusal of the recommendations of 205th SEAC meeting dtd.20.07.2015 and query response to 226th SEIAA meeting dtd.


(Ajatshatru Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

12.08.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 3.0 m or water level whichever is less.
- (iii) The final decision of Hon'ble NGT (CZ) Bhopal and Hon'ble NGT Principal Bench, New Delhi in OA No. 49/2015 (Amarkant Mishra Vs State of MP & others), shall be obligatory on the part of PP.
- (iv) Before commencing the mining activity, site demarcation should be done leaving 150m. from the road bridge as a "no mining zone". The demarcation should be done by the Revenue and PWD Officials in the presence of Mining Officer, Shahdol.

Hence, Prior Environmental Clearance is granted for **Sand Quarry** (Opencast Manual Method) in an area of 5.00 ha. for production capacity of 50000 cum/year (as per SEAC recommendation) at Khasra no. 1510 at Village Dhangawan, Tehsil Gohparu, District Shahdol (MP) **for the lease period to** Shri Arvind Jain, R/o - Katni, District Katni (M.P) - 483501, E.mail - abhishek_nigam48500@yahoo.co.in, Phone - 7869563108.

9. **Case No. 3594/2015:** Prior Environmental Clearance for **Stone Quarry (Opencast Semi – Mechanized Method)** in an area of 1.619 ha. for production capacity of 16800 m³/year at Khasra no. 349 at Village – Bartola, Tehsil - Pusprajgarh, District- Anuppur (M.P.) by M/s Rewa Stone Crusher, Prop. Shri Gaya Parasad Agrawal, Vill. Amarkantak Tehsil - Pusprajgarh, District- Anuppur (MP) – 484334.


After detailed discussion and perusal of the recommendations of 226th SEAC meeting dtd.18.09.2015 and query response to 248th SEIAA meeting dtd. 09.10.2015, PP has submitted the Revised Mining Plan duly approved by the competent authority. The case was delisted in the 248th SEIAA meeting dtd. 09.10.2015 on the recommendation in the 226th SEAC meeting dtd. 18.09.2015. Since the complete information has now been received, the case is therefore relisted. Case file may be sent to SEAC for re-appraisal. Copy to PP and all concerned.


10. **Case No. 2771/2015** Prior Environmental Clearance for **Sand Quarry** (Opencast/ manual Method) in an area of 8.869 ha for production capacity of 1,60,000 Cum/Year at Khasra No. 1014 at Village - Rampayali, Teh - Waraseoni, Dist - Balaghat (MP) By Shri Laxman Singh Rajput S/o Shri Chotu Singh Rajput, R/o Rudra Colony, Hoshangabad, Distt - Hoshangabad (MP) – 481001.

After detailed discussion and perusal of the recommendations of 193th SEAC meeting dtd.09.05.2015 and query response to 210th SEIAA meeting dtd. 22.06.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (ii) The average depth of the pit shall not exceed 3.0 m or water level whichever is less.
- (iii) The final decision of Hon'ble NGT (CZ) Bhopal and Hon'ble NGT Principal Bench, New Delhi in OA No. 49/2015 (Amkant Mishra Vs State of MP & others), shall be obligatory on the part of PP.
- (iv) Before commencing the mining activity, site demarcation should be done leaving 200m. from the road bridge as a "no mining zone". The demarcation should be done by the Revenue and PWD Officials in the presence of Mining Officer, Balaghat.

Hence, Prior Environmental Clearance is granted for **Sand Quarry** (Opencast/manual Method) in an area of 8.869 ha for production capacity of 1,60,000 Cum/Year at Khasra No. 1014 at Village - Rampayali, Teh - Waraseoni, Dist - Balaghat (MP) **for the lease period to Shri Laxman Singh Rajput S/o Shri Chotu Singh Rajput, R/o Rudra Colony, Hoshangabad, Distt - Hoshangabad (MP) - 481001.**

11. **Case No. 2856/2015** Prior Environmental Clearance for **Basalt Stone Quarry** (Opencast /semi mechanized Method) in an area of 2.00 ha. for production capacity 11400 m3/year at Khasra No. 112/1, 117 at Village - Bandol, Tehsil-Seoni District - Seoni (M.P) by Shri Lokesh Rajpoot S/o Late Shri K S Rajpoot, R/o Barapathar, Near SP Bungalow, District - Seoni (M.P)- 480882.

After detailed discussion and perusal of the recommendations of 215th SEAC meeting dtd.21.08.2015 and query response to 237th SEIAA meeting dtd. 14.09.2015, from the coordinates provided by the PP, the mining site is just 30 m. from the pakka road and in close proximity to the river on the other side, which appears to be unsuitable for mining. The case may be sent back to SEAC for re-appraisal. Copy to PP and Mining Officer, Seoni.

12. **Case No. 2326/2014** Prior Environmental Clearance for **Stone Quarry** (Opencast /semi mechanized Method) in an area of 2.50 ha. for production capacity 7500 m3/year to 45000 m3/year at Khasra No. 286/3 & 285/782 at Village - Badgonda, Tehsil-Mahw, District - Indore (M.P) by Shri Pawan Mishra S/o Shri Narayan Mishra Vill. Badgonda, Tehsil - Mahw District - Indore (M.P) - 453441.


After detailed discussion and perusal of the recommendations of 214th SEAC meeting dtd.20.08.2015 and query response to 237th SEIAA meeting dtd. 14.09.2015, from the coordinates provided by the PP, the mining site is just 30 m. from the State Highway and a water body in close proximity, which appears to be unsuitable for mining. The case may be sent back to SEAC for re-appraisal. Copy to PP and Mining Officer, Indore.


13. **Case No.- 3392/2015** Prior Environment Clearance for **Metal Stone Quarry** (Opencast/semi-mechanized Method) in an area of 1.500 ha. for production capacity of 11,400 cum/year at Khasra no. 49/2, 50/1, 50/2, at Village-Banki, Tehsil-Seoni, District-Seoni (MP) by Shri Nitin Rai S/o Late Shri Karunashankar Rai, R/o Barapathar, District-Seoni - (MP) - 480882.

After detailed discussion and perusal of the recommendations of 221st SEAC meeting dtd.27.08.2015 and query response to 241th SEIAA meeting dtd.


(Ajatshatru Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

Page 12 of 15

22.09.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 6 m. at the end of lease period and not beyond that.
- (iii) Before commencing the mining activity, site demarcation should be done leaving 10m. from the village road and 50 m. from the edge of the nalla as a "no mining zone". Fencing parallel to the village road should be done by the PP. The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Seoni.

Hence, Prior Environmental Clearance is granted for **Metal Stone Quarry** (Opencast/semi mechanized method) in an area of 1.500 ha. for production capacity of 11,400 cum/year at Khasra no. 49/2, 50/1, 50/2, at Village-Banki, Tehsil-Seoni, District-Seoni (MP) **for the lease period to** Shri Nitin Rai S/o Late Shri Karunashankar Rai, R/o Barapatthar, District-Seoni - (MP) - 480882.

14. **Case no 1437/2013** Prior Environmental Clearance for **Manganese Ore Deposit Mine** in an area of of 4.20 hectare for production capacity of 5000 MTPA in village Miragpur Tehsil Khairlanji Distt. Balaghat (M. P.) Shri Rajendra Deshmukh, Village Miragpur, Tehsil Khairlanji, Distt. Balaghat (M.P).

PP has made a representation that the case which was delisted as per the decision taken in 146th SEIAA meeting dtd. 12.09.13, wherein it was reported as:-


"In view of MoEF, GoI EIA Notification S. O. 2731 (E) dtd 09.09.2013 it is decided that the 4 cases of major mineral with lease area less than 5 ha mentioned at S. No. 7 to 10 of the above table be delisted. It is also decided that other cases registered under this category will also be delisted"

PP has submitted that in the light of the MoEF&CC Notification No. 2601 (A) dtd. 07.10.2014 their case may be relisted and ToR be issued. After detail discussions, it was decided that the case be relisted and returned to SEAC for appraisal of the case. Copy to PP and all concerned.


15. **Case no 1295/2013** Prior Environment Clearance for approval of **Marble Mine** in an area of 7.580 ha. at Village Chhapra, Tehsil-Bahoriband, District Katni (M.P.) M/S Shivshakti Marble, Gurunanak Ward, Barhi Road, P.O. & Distt. Katni, State - Madhya Pradesh.


PP has made a representation for extension of ToR in line with the provision of EIA Notification 2006. The representation and case file should be sent to SEAC for their recommendation. Copy to PP.

16. **Case No. 2791/2015** Prior Environmental Clearance for **Sand Quarry** (Opencast mining Method) in an area of 12.416 ha. for production capacity of 2,28,000 m³/year at khasra no 255 (P) at Village - Katangtola, Tehsil-Waraseoni, District-Balaghat (MP) By Shri Sameer Shukla, R/o Ward No. 10, Bhatara Road, Balaghat District-Balaghat (MP) - 481001.


(Ajatshatru Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

Page 13 of 15

After detailed discussion and perusal of the recommendations of 193th SEAC meeting dtd.09.05.2015 and query response to 210th SEIAA meeting dtd. 22.06.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 2.0 m or water level whichever is less.
- (iii) The final decision of Hon'ble NGT (CZ) Bhopal and Hon'ble NGT Principal Bench, New Delhi in OA No. 49/2015 (Amarkant Mishra Vs State of MP & others), shall be obligatory on the part of PP.

Hence, Prior Environmental Clearance is granted for **Sand Quarry** (Opencast mining Method) in an area of 12.416 ha. for production capacity of 2,28,000 m³/year at khasra no 255 (P) at Village-Katangtola, Tehsil-Waraseoni, District-Balaghat (MP) **for the lease period to** Shri Sameer Shukla, R/o Ward No. 10, Bhatara Road, Balaghat District - Balaghat (MP) - 481001.

17. **Case No.- 2161/2014** Prior Environment Clearance for **Basalt Stone Quarry** (Opencast/semi-mechanized Method) in an area of 2.00 ha. for production capacity of 10050 m³/year at khasra no 51/1, 52/1 at Village-Lonesara Bujurg, Tehsil-Barwani, District-Barwani (MP) by Smt. Maya Joshi W/o Shri Subhash Joshi, R/o, 30, Jawahar Marg, Town & Dist-Barwani (MP)-451551.


After detailed discussion and perusal of the recommendations of 203rd SEAC meeting dtd.03.07.2015 and query response to 222th SEIAA meeting dtd. 27.07.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 6 m. at the end of lease period and not beyond that.


Hence, Prior Environmental Clearance is granted for **Basalt Stone Quarry** (Opencast/semi-mechanized Method) in an area of 2.00 ha. for production capacity of 10050 m³/year at khasra no 51/1, 52/1 at Village-Lonesara Bujurg, Tehsil-Barwani, District-Barwani (MP) **for the lease period to** Smt. Maya Joshi W/o Shri Subhash Joshi, R/o 30, Jawahar Marg, Town & Dist-Barwani (MP)-451551.


18. **Case No- 3155/2015** - Prior Environmental Clearance for **Stone Quarry** in an area of 1.50 ha. for production capacity of 6840 cum/year at Khasra no. 136/1/1/1 at Village – Banjal, Tehsil-Ratlam, Dist- Ratlam (M.P.) by Shri Subhas Chandra Jain, 100, Subhash Nagar, Ratlam (M.P.)-457001.

After detailed discussion and perusal of the recommendations of 225th SEAC meeting dtd.17.09.2015 and query response to 247th SEIAA meeting dtd. 07.10.2015, PP has submitted the Surface Plan & other informations duly approved by the competent authority. The case was delisted in the 247th SEIAA meeting dtd. 07.10.2015. Since the complete information has now been received, the case is therefore relisted. Case file may be sent to SEAC for re-appraisal. Copy to PP and all concerned.


(Ajatshatru Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

Page 14 of 15

19. **Case No- 937/2012** - Prior Environmental Clearance for **Stone Boulder Mine (Opencast Manual Method)** in an area of 1.00 ha. for production capacity of 4,000 cum/year (**As per Approved Mine Plan**) at Khasra no. 234/1 at Village – Salmanya, Tehsil – Baroda, Distt. – Sheopur (MP) by Smt. Sona Jatt W/o Shri Shivnarayan Jatt, Village – Aavda, Tehsil – Karahal, Distt.– Sheopur (M.P.) – 476355

After detailed discussion and perusal of the recommendations of 128th SEAC meeting dtd.26.04.2013 and query response to 220th SEIAA meeting dtd. 22.07.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 6 m. at the end of lease period and not beyond that.
- (iii) Before commencing the mining activity, site demarcation should be done leaving 50m. from the Pakka Road as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Sheopur.

Hence, Prior Environmental Clearance is granted for **Stone Boulder Mine (Opencast Manual Method)** in an area of 1.00 ha. for production capacity of 4,000 cum/year (**As per Approved Mine Plan**) at Khasra no. 234/1 at Village – Salmanya, Tehsil – Baroda, Distt. – Sheopur (MP) **for the lease period to Smt. Sona Jatt W/o Shri Shivnarayan Jatt, Village – Aavda, Tehsil – Karahal, Distt.– Sheopur (M.P.) – 476355**

20. **Case No. 1968/2014** - Prior Environmental Clearance for **Stone Mine** in an area of 2.0 ha. for production capacity 16,000 cum/year at Khasra No. 1792 at **Village- Sheopur, Tehsil-Sheopur, Dist-Sheopur (M.P)** by Shri Manoj Kumar Gupta S/o Shri Babulal Gupta, Bypass Road, Madhuban Nagar, Sheopur (MP)-476337.

After detailed discussion and perusal of the recommendations of 162nd SEAC meeting dtd.23.12.2014 and query response to 251th SEIAA meeting dtd. 15.10.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall not exceed 6 m. at the end of lease period and not beyond that.


Hence, Prior Environmental Clearance is granted for **Stone Mine** in an area of 2.0 ha. for production capacity 16,000 cum/year at Khasra No. 1792 at **Village- Sheopur, Tehsil-Sheopur, Dist-Sheopur for the lease period to Shri Manoj Kumar Gupta S/o Shri Babulal Gupta, Bypass Road, Madhuban Nagar, Sheopur (MP)-476337**

Meeting ended with a vote of thanks to the Chair.


(Ajatshatru Shrivastava)
Member Secretary

258th SEIAA Meeting dtd. 18.11.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

Page 15 of 15