

Minutes of the 271st Meeting of SEIAA dated 15.12.2015

The 271st meeting of the State Level Environment Impact Assessment Authority was convened on 15.12.2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- | | |
|-------------------------------|------------------|
| 1 Shri H.S. Verma | Member |
| 2 Shri Ajatshatru Shrivastava | Member Secretary |

- A. Following cases of other than mining received from SEAC and query response have been considered :-

S No	Case No.	Category	No. & date of latest SEAC /SEIAA meeting
1.	2805/2015	5 (f)	232 nd SEAC meeting dtd 28.10.2015
2.	817/2012	8 (a)	211 th SEIAA meeting dtd 23.06.2015
3.	1333/2013	8 (a)	204 th SEIAA meeting dtd. 30.05.2015
4.	567/2010	8(a)	157 th SEIAA meeting dtd. 26.08.2014
5.	969/2013	8(a)	157 th SEIAA meeting dtd. 26.08.2014
6.	1733/2013	8(a)	159 th SEIAA meeting dtd. 11.09.2014
7.	2090/2014	5 (f)	181 th SEIAA meeting dtd. 19.02.2015
8.	490/2009	1 (d)	195 th SEIAA meeting dtd. 20.04.2015
9.	682/2012	8 (a)	195 th SEIAA meeting dtd. 20.04.2015
10.	820/2012	8 (a)	195 th SEIAA meeting dtd. 20.04.2015
11.	773/2012	8 (a)	207 th SEIAA meeting dtd. 09.06.2015
12.	730/2012	8 (a)	172 nd SEIAA meeting dtd. 08.01.2015
13.	2317/2014	8 (a)	247 th SEIAA meeting dtd. 07.10.2015


- B. Following cases of mining received from SEAC and query response have been considered :-


S No	Case No.	Category	No. & date of latest SEAC /SEIAA meeting
14.	2555/2015	1 (a) B2	265th SEIAA meeting dtd 28.10.2015
15.	2558/2015	1 (a) B2	265th SEIAA meeting dtd 28.10.2015


1. **Case No 2805/2015** Application for Prior EC for proposed Manufacturing of bulk drugs, Vitamins and intermediate expansion of Existing Unit of Vista Organics Pvt. Ltd. at Plot No. 06 New industrial area Phase II Mandideep Dist Raisen. Land area : 5.51 Acre Existing Production Capacity 481 MTA / Year and after expansion production capacity of 665 MT / Year by Shri S.C.Mathur (Vice President) Plot No. 06 New Industrial area Phase II Mandideep Raisen M.P-462046 E-mail ushma@resonancesl.in Telephone No. 07480-424001 Env. Consultant: M/s Vardan Enviro Net, Haryana

- (1) The case was discussed in 232nd SEAC meeting dtd 28.10.2015 and it is recorded that :-

".....The above report (Annexure-8) was discussed in the meeting and after deliberations committee decided that above report may be sent to SEIAA confirming on the basis of above report that M/s. Vista Organics Pvt. Ltd., have neither expanded their manufacturing facilities nor have made any changes in the product mix and thus thus recommendation made in the 198th SEAC meeting dated 04/06/2015 for credible action (as per the provisions of OM dated 12/12/2012 issued by MoEF&CC, Delhi) stands withdrawn and PP may be called for the presentation of TOR in the upcoming meetings of SEAC."


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

(2) SEIAA approves the above stand of SEAC. Copy to PP.

2. **Case No. 817/2012** Prior Environmental Clearance for DWARKADHAM at Khasra No. 425/426/423, Village Badwai, Tehsil Huzur, Distt. Bhopal (MP); total land area – 21.943 ha (54 acres), total built-up area 1,27,739.45 Sq.m. by Shri Vijay Singh, Partner, M/s Dwarkadheesh Haveli Builders, Dwarkadham, Karond-Gandhi Nagar By Pass Road, Badwai, Distt. -Bhopal (M.P.)– 462018.

(1) This case was reviewed in SEIAA and it was noted that the case file was sent to SEAC dtd. 10.07.2015 after relisting the case. However, after five months the status of the case could not be ascertained. It would be appropriate if SEAC can make a site visit and establish whether the case falls in the violation category or not.

3. **Case no. 1333/2013**, Application for Prior Environmental Clearance for expansion of area development and township projects "Malwa County" (existing 26,500.24m²) plot area 4,42,890 m² and total built up area after expansion 1,48,895.85 m² at Khasra No.112,113/3,113/4,119/3/1,119/3/2/1,128,129/4/1,129/4/3,130,131,132,133/1/2KH,133/1/2/GH,133/2,133/3,133/159,134,137,138,139,140/1,140/2/1,140/2/2,141,142,143/2,144/2,146/1,146/2,146/3,146/4,147,148/1,148/2,150,151,152,155/2/1,155/2/2,155/2/3,155/2/4,155/3,156/1,158/2&158/3 at village Rau Khedi, Tehsil Sanwer, District Indore by M/s Satya Infrastructures Ltd. through Vice President Mr. Kamal Gupta, Plot No. 8, Sector-44, Gurgaon, Haryana-122003, Ph. No. 09818698835, Email purchase @ satyadevelopers.com.

(1) The case was discussed in 204th SEIAA meeting dtd. 30.05.2015 and it was recorded that :-


".....It is noted Hon'ble NGT Central Bench Bhopal has issued order no. 10 dtd. 19.03.2015 regarding application no. 155/2014 Paryavaran Avam Manav Adhikar Sanrakshan Samiti V/s M/s Satya Infrastructure Ltd. & 7 Others. **MPSEIAA honors the decision of Hon'ble NGT and it is decided that PP should be informed about the NGT Order (copy enclosed) to take further necessary action accordingly.**"


(2) As per the directives of Hon'ble National Green Tribunal, PP has applied afresh a new application which has been registered (Case No. 4434/2015) in SEIAA and sent to SEAC for appraisal. Since, the action has been initiated, this case is now redundant and **therefore closed**. Copy to PP and all other concerned.


4. **Case No. 567/2010**, Prior Environmental Clearance for the residential complex (Sanghvi-Residency) at village –Bicholi Mardana Teh & Distt-Indore-M.P. by Shri Bhupesh Sanghvi, Director M/s Rajvi Hoarding Pvt. Ltd 15-16, Jawahar Marg, Indore-M.P.

(1) The case was discussed in 157th SEIAA meeting dtd. 26.08.2014 and it was recorded that :-


"....The case was discussed in depth and it is noted that in 81st, 143rd SEIAA meetings dated 27.01.12 & 16.08.13 respectively the case has been summarily rejected and as per office memorandum 30.10.2012. SEIAA has no power to review the case once rejected. It was decided that a letter should be sent to MoEF, GoI for clarification regarding cases which are rejected / delisted / closed ; what procedure should be followed to re-open the case on submission of information by PP. Whether the same case is to be re-opened or PP has to apply afresh. If the cases are to be re-opened, maximum time limit for reopening the case needs to be specified."


(Ajatshatra Shrivastava)
Member Secretary



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman


- (2) In response to above query, MoEF & CC, Gol has informed that the procedure to be adopted for similar cases has to be followed as per the provision of Para 7 of OM dated 12.12.2012. However, NGT, Principal Bench, New Delhi has quashed the OM dated 12.12.2012 and MoEF & CC, Gol is contemplating to issue fresh office memorandum regarding these cases. After detailed discussions, SEIAA has decided to inform the PP for submission of the desired information within 15 days, otherwise in the absence of the information SEIAA reserves the right to take a decision unilaterally.
5. **Case no. 969/2013** Application for Prior Environmental Clearance for proposed "Highway Karuna Sagar "project at Khasra No. 176/1, 177/3, 178/1, 179/4/2, Village Kanadia, Tehsil & Distt. Indore (MP), Total Land Area = 26,890 sqmt (2.689 ha), Total Built Up Area = 47080.94 Sq. by M/s Highway Infrastructure Pvt. Ltd and Mr. Vivek Agrawal (land Co-owner) 57- FA, Scheme No. 94, Piplyahana Junction, Ring Road Indore (MP)-452016, Ph. No. 0731-2590013, E-mail hiplindore@gmail.com
- (1) The case was discussed in 157th SEIAA meeting dtd. 26.08.2014 and it was recorded that :-
- ".....The case was discussed in depth and it is noted that as per MoEF Gol, O.M. dtd. 12.12.12 & 27.06.13 in violation cases that has been outrightly rejected under the provision of para 7, it is not clear whether SEIAA has the power to review the case again on submission of application by PP. It is decided that a letter should be sent to MoEF, Gol to clarify the procedure to be followed in such cases and also guide about the appellate authority if any."*
- (2) As per the directives of Hon'ble National Green Tribunal, PP has applied afresh a new application which has been registered in SEIAA and sent to SEAC for appraisal. Since, the action has been initiated, this case is now redundant and **therefore closed**. Copy to PP and all other concerned.
6. **Case No. 1733/2013** Prior Environmental Clearance for proposed "Residential Project" at Khasra No. – 39/2, 39/1/3/1, 39/1/2/1/1, 39/1/2/1, 38/2/13, 38/2/12/2, 38/2/1/2/1, 38/2/9, 38/2/8/1, 38/2/8 /2, 38/2/8/3, 38/2/5/1, 38/2/5/2, 38/2/5/3, 38/2/11, 38/2/10, 38/2/13/1, Village – Bawariya Kalan, Tehsil Huzur, Distt. Bhopal (MP) Plot Area – 25400 m², Total Built up Area – 49500 m² (Total Built-up Area as per TNCP is 32089.00 m² and rest 17411 m² for EWS, LIG, Stilt Parking, part Podium Parking, Convenient Shops, etc) by M/s D.K. Construction, through Mr. D. K. Goel, Director, Room No. – 105-106, 1st Floor, Deen Dayal Parisar, E-2/21, Arera Colony, Bhopal (MP) 462016 (Environment Consultant – Kadam Environment Consultants, Vadodara, Gujarat)
- (1) The case was discussed in 159th SEIAA meeting dtd. 11.09.2014 and it was recorded that :-
- (1) *The proposed project is building construction residential project at Village – Bawariya Kalan, Tehsil – Huzur, Distt. - Bhopal (M.P.) with total builtup area 49500 m2 and total land area is 2.54 ha (T & CP, Bhopal vide letter 972 dtd 09.05.13). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006. The project involves the construction of 18 Towers Residential Buildings (336 flats for general residents, 31 units EWS & 20 LIG), School, Convenient shops, Club house & swimming pool. The Proponent is M/s D.K. Construction, through Mr. D. K. Goel, Director, Bhopal (M.P.).*
- (2) *The case was discussed in 146th SEAC meeting dtd.08.11.13 & recommended the project for grant prior EC subject to 06 special conditions.*


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (3) The case was discussed in depth and it is noted that :-
- (i). PP has submitted T & CP Permission, Khasra Panchsala 2008-09 & diversion order. It is noted that the Khasra nos mentioned in the T & CP permission /diversion order are not same as given in Khasra panchsala. It is decided that PP should submit latest Khasra Panchsala.
 - (ii). The water supply source is Municipal water supply during operation phase. The total water requirement is 310.5 KLD, recycled water 113.2 KLD, waste water generation is 252.8 KLD and capacity of STP is 300 KLD. **SEAC has recommended to enhance the capacity of STP to 400 KLD.** The total treated waste water is 246 KLD. PP has not submitted NOC for supply of water and disposal of extra treated waste water. **It is decided that PP should ensure Municipal water supply of 197.3 KLD fresh water and should link discharge of 133 KLD extra treated waste water with Municipal sewer line and submit clear NOC from Nagar Nigam, Bhopal regarding water supply and waste water discharge. There should be no extraction of ground water.**
 - (iii). Municipal Solid Waste (MSW) generated (1.0 TPD) is proposed to be segregated into biodegradable and non-biodegradable components and collected in separate bins. The non-biodegradable wastes will be sold to recyclers and the biodegradable wastes will be collected and disposed into composting pits at site. PP has not submitted NOC for disposal of solid waste. **It is decided that the disposal of MSW should be integrated with Municipal Corporation and PP should submit clear NOC from Nagar Nigam, Bhopal for disposal of MSW in their trenching ground / landfill site.**
 - (iv). The maximum height of the building is 29 m. PP has provided road width 9.0m, Front MOS 9.0 m and side / rear MOS 6.0 m. **It is decided that PP should provide road width of 24 m & above, front MOS 12m and side / rear MOS 7.50 m. as per MPBVR 2012 rule no. 42(1) Table 4 S.No. 3 for buildings height up to 30 m.**
 - (v). Fire fighting provisions proposed by PP includes fire extinguishers, yard hydrant, hose reels, wet riser system, dry riser, automatic sprinkler system, manually operated alarm system, underground static water storage tank, terrace tanks, pumps etc. as per NBC 2005. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measure recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
 - (vi). PP has proposed rooftop rainwater harvesting pits (5 nos) with percolation. Rain water outlets shall be provided at various locations on terrace based on the criteria that minimum 1% slope to be provided towards rain water outlet from the ridges.
 - (vii). As per the MPBVR 2012 rule no. 84 Appendix I- I Table clause 1 (3) the car parking is to be provided @ 1 ECS per 100 sqm of built up area hence required car parking is 314 ECS (FAR 31410.55 sqmt. / 100). PP has proposed to provide parking for 330 ECS (still- 224 ECS and Podium parking 106) **and is satisfactory.**
 - (viii). PP has proposed plantation in an area of 6231.84 sq. m. SEAC has imposed condition to achieve green coverage in at least 25% of the total plot area. **The authority decided that plantation should be done in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area and parks as proposed in the landscape plan subject to 25% green coverage. The specie should include trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with. Every effort should be made to protect the existing trees on the plot.**
- (4) The above information should be submitted by PP latest by 15.11.2014."


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member

(Waseem Akhtar)
Chairman

- (2) Vide letter dtd. 1268-1269, PP was asked to submit the above information by 10.10.2014 however, till date the information is awaited.
- (3) **It is decided that the case may be delisted with the following directives:-**
- (i). A copy of letter should be sent to Project Proponent, MoEF & CC GoI, New Delhi & Regional Office Bhopal, Member Secretary MPPCB, Secretary SEAC, District Collector, Commissioner Nagar Nigam/CEO Zila Panchayat and all concerned.
 - (ii). Commissioner Nagar Nigam may be directed to examine whether the building permission has been issued or not. If Building permission has been issued and work has started on the site, PP may be accordingly advised to get EC. If building permission has not been granted, PP may be asked the copy of the EC before proceeding for statutory permission.
- (4) **The case will be liable for relisting on the submission of the requisite information.**
7. **Case No. 2090/2014** Prior Environment Clearance for proposed S M Dye Chem Industries, capacity 550 MT/M at Village Meghnagar, Tehsil Jambua, District Dhar, MP area 6800 sqmt. by Mr. Manishbhai B. Shah, Partner, S.M. Dye Chem, Plot No. 240/3, GIDC Estate, Vatwa, Ahmedabad-382445
- (1) The case was discussed in 181th SEIAA meeting dtd. 19.02.2015 and it was recorded that :-
- ".....The Authority noted that as desired by SEAC, PP has resubmitted the application in SEIAA on 18.02.15. It is decided that the same may be forwarded to SEAC for appraisal."*
- (2) **MS, SEAC may be informed to update the status of the case.**
8. **Case No. 490/2009** Prior Environmental Clearance for proposed project 100 MW (2x50MW) Shahdol Coal Bed Methane (CBM) Gas Based Power Plant at Village-Hadaha near Shahdol Town adjacent NH-78 Distt-Shahdol (M.P). M/S Reliance Industries Ltd. Block 6-D, 2nd floor. Reliance Park, Thane- Belapur Road, Gansoli Navi Mumbai (M.S)
- (1) The case was discussed in 195th SEIAA meeting dtd. 20.04.2015 and it was recorded that :-
- ".....From the records available in the file it is not clear whether the query reply was considered in SEAC meeting or not. It is decided that the case should be sent back to SEAC to give information whether the query reply submitted by PP was considered in any of the meetings."*
- (2) **MS, SEAC may be informed to update the status of the case.**
9. **Case no. 682/2012** Prior Environmental Clearance for Vishnu Heights at Part of Khasra no. 24/1/3, 14/3 & 14/5/1, Village Bawdia kalan, Tehsil Huzur, Distt. Bhopal (MP) Total Land Area – 2.634 ha, Total Built Up Area – 79595.35 sq mt. for Residential Building, Club House and School by Ku. Bharti Parwani, Vishnu Heights of M/s Jitesh Estate Pvt.Ltd., 141, Mezzanine Floor, City Trade Centre, Malviya Nagar, Bhopal (MP) – 462003.
- (1) The case was discussed in 195th SEIAA meeting dtd. 20.04.2015 and it was recorded that :-



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

".....It is decided that the case should be sent back to SEAC for appraisal along with the technical file and information submitted by PP."

(2) **MS, SEAC may be informed to update the status of the case.**

10. **Case No. 820/2012** Prior Environmental Clearance for " Nariman Point" at Khasra No. 101/2/1/1, 104/1,104/2, 107/1, 107/2, 107/3, 107/4, 108/2, 119/2,117, 118/1, 118/2, 113, 114, 115, 121/1, 123/2/1,101/1, 115/1, 97, 98, 101/2/2, 106, 119/1, 108/1, 120; Village Pipliya, Tehsil & Distt. Indore (MP) total land area 18,890.00 sqm, total built-up area 25,132.62 sqm by M/s Naman Equipments & Construction (India) Pvt. Ltd., 115 Diamond Trade Centre, Diamond Colony, Indore (M.P.)

(1) The case was discussed in 195th SEIAA meeting dtd. 20.04.2015 and it was recorded that :-

".....From the records available in the file it is not clear whether the query reply was considered in SEAC meeting or not. It is decided that the case should be sent back to SEAC to give information whether the query reply submitted by PP was considered in any of the meetings."

(2) **MS, SEAC may be informed to update the status of the case.**

11. **Case No. 773 /2012** Prior Environmental Clearance for Expansion of Building Construction Project at Village Katara, Gram Panchayat Rapadiya, Tehsil Huzur, Distt. Bhopal (MP), total constructed area after completion of the project will be 144040.73 sqmt. Irrespective of the area being developed in phased manner by PP or the occupants of the plots" by M/s Asnani Builder & Developers Ltd. Through Visan Asnani and O.P. Kriplani, 17, Zone-II, M.P. Nagar, Bhopal (MP) - Owner of Land: M/s Asnani Builder & Developers Ltd. through Visan Asnani and Shri O.P. Kriplani, Developers: Amrit Homes Pvt.Ltd. & Amrit Colonizers Pvt. Ltd.

(1) The case was discussed in 207th SEIAA meeting dtd. 09.06.2015 and it was recorded that :-

".....The case was discussed in depth and it is decided that **SEAC should visit the site to assess the construction/ development activities already started at the site and ascertain the present status of the project regarding violation MoEF & CC Gol, O.M. dtd.12.12.12 & 27.06.13. The case file should be sent back to SEAC.A copy of letter should endorsed to PP.**


(2) Vide letter no. 2947 dtd 03.07.2015 sent to MS, SEAC to assess the construction/ development activities already started at the site and ascertain the present status of the project. Till now the status is awaited it is decided that a reminder letter sent to **Secretary, SEAC to update the status of the case.**

12. **Case No. 730/2012** Prior Environmental Clearance Group housing project at Talavali Chanda (Gram & Moja), Distt. Indore, (M.P.) Total Plot Area - 199222.618 m², Built Up Area -206937.46 m² Shri Tarun Kathuria, Director, M/s A.R. Infrastructure Private Ltd. 15, UGF, Indra Prakash Building, 21, Barakhamba Road, New Delhi - 110001

(1) The case was discussed in 172nd SEIAA meeting dtd. 08.01.2015 and it was recorded that :-

".....The Authority decided that the revised Form-1, Form-1A & concept plan submitted by PP should be forwarded to SEAC after credible action has been initiated against PP. A letter should be sent to PP for information. A reminder should be sent to MS, MPPCB, Bhopal for initiating credible action."


(Ajatshatru Shrivastava)
Member Secretary


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman

- (2) Vide letter no. 738 dtd 30.04.2015 & letter no. 1573 dtd 02.06.2015 sent to MS, MPPCB, Bhopal regarding initiation of credible action against PP. Information regarding credible action initiation is still awaited. **It is decided that a reminder should be sent to MS, MPPCB, Bhopal for initiating credible action.**

13. Case No. 2317/2014 Prior Environmental Clearance proposed Project "Raj Shahi Apartments, Raj Classic Apartments and Raj House" at Khasra no. 311/43, 43, 41, 45/1/1/1, 45/1/1/2/1 & 35/1, Village Narela Shankari, Tehsil Huzur, District Bhopal (MP); Total Plot Area 38823.19 sqm (3.88 ha); Total Built up Area 87653.22 sqm by M/s Raj Homes Pvt. Ltd., and Vishnupuri GNSS through Mr. Sanjay Mehta, Director, 21, Zone-II, M.P. Nagar, Bhopal-462011 (MP)

- (1) The case was discussed in 247th SEIAA meeting dtd. 07.10.2015 and it was recorded that :-

"...Response from Registrar Cooperative Societies M.P. is still awaited. However, PP has submitted (vide letter dtd 28.08.2015) legal opinion of Advocate Shri Rohit Shrotri (Panel Advocate Co-Operative Department) regarding legal provisions of Joint Venture Agreement. It is decided that a DO letter sent to Registrar Cooperative Societies M.P enclosing legal opinion of Advocate Shri Rohit Shrotri (Panel Advocate Co-Operative Department) for an early reply...."

- (2) Vide DO letter (no. 6423 dtd 19.10.2015) sent to Registrar of Cooperatives, Bhopal and reply is still awaited. It is decided that **letter sent to Principal Secretary, Cooperatives, M.P and copy to Registrar Cooperative Societies M.P.**

14. Case No. 2555/2015 - Prior Environment Clearance for **Kotalde Marble Quarry (opencast other than fully mechanized method)** in an area of 6.848 ha. for production capacity of Salable Waste material - 15,468 cum/year at Khasra No. 115, 116/1p, 116/2p, 132p, 144p, 143, 156/2, 115/211 at Village-Kotalde, Tehsil-Chandiya, Dist- Umariya (MP) by M/s S.K. Marble, Shri Suresh Kumar Mittal, Partner, 24, Commercial Complex, Housing Board Colony, Katni (MP)-483501

- (1) SEAC in its 236th meeting dtd 01.11.2015 recommended the case for grant of prior EC with 05 special conditions.

- (2) The case was discussed in 265th SEIAA dtd 01.12.2015 and it was recorded that

"After detail discussion and perusal of the recommendations of 236th SEAC meeting dtd 01.11.2015, PP should be invited for detail presentation."

- (3) Thereafter, PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in details.

- (4) It was noted that National Park/Sanctuary is not located within 10 km radius. Hence, the **General Condition is not attracted.**


- (5) As per DFO letter dtd. 15.05.2003 the forest boundary is 600 m. from the mining site.

- (6) Mining plan is approved by the DGM (vide letter no. 16135/माईनिंग प्लान सेल-4/न.क्र. 23/2014 dtd. 01.09.2014).

- (7) The proposed plantation program was examined and it was found that 1950 trees shall be planted in an area **1.3 ha** during the lease period.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (8) After detailed discussions and perusal of recommendations of 236th SEAC meeting dtd 01.11.2015, presentation made by the PP in SEIAA & SEAC, **it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:**
- I. As per the SEAC condition no. "e", no mining zone in the strip shown towards south-east directions shall be demarcated before the mining operation, in the presence of Revenue & Mining Officials.
 - II. Transportation will not be permitted in blocks form.
 - III. Boulders in size of 300 mm shall be supplied to the putty manufacturing units.
 - IV. Garland drain and settling tanks should be constructed all around the lease periphery.
 - V. A barrier zone of 7.5 m. inside and a barrier zone 7.5 m. outside to be left as no mining zone.
 - VI. Dumping of material will not be permitted at the site.
 - VII. Transportation will not be carried out through forest area. DFO Umariya will monitor the same.
 - VIII. Strengthening of kachha road shall be done under CSR activities.
 - IX. Size of ^{Final} settling pits to be 5m x 3m x 2m.
 - X. Under plantation programme 4750 plants of local species have to be planted at 7.5 m. periphery and also in barrier zone located in middle of both mines during first three years.
 - XI. Under CSR activities solar lights/panels have to be provided in the school and vocational training to be organized in the village.
 - XII. Rights of villagers regarding use of roads should be maintained.
 - XIII. PP is advised to install solar panel on settling tank.
 - XIV. PP shall develop nursery of local species and medicinal plants in nearby area and undertake required activities under total sanitation programme.

Hence, Prior Environmental Clearance is granted for **Kotalde Marble Quarry (opencast other than fully mechanized method)** in an area of 6.848 ha. for production capacity of Salable Waste material - 15,468 cum/year at Khasra No. 115, 116/1p, 116/2p, 132p, 144p, 143, 156/2, 115/211 at Village-Kotalde, Tehsil-Chandiya, Dist- Umariya (MP) **for the lease period** to M/s S.K. Marble, Shri Suresh Kumar Mittal, Partner, 24, Commercial Complex, Housing Board Colony, Katni (MP)-483501.



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

15. **Case No. 2558/2015** - Prior Environment Clearance for **Kotalde Marble Quarry (opencast other than fully mechanized method)** in an area - 9.933 ha., for production capacity of Salable Waste Material - 19700 cum/annum, at Khasra No. - 113, 114, 145, 146, 147, 144, 149, 156/1 (P), Vill.- Kotalde, Teh.-Chandiya, Distt.- Umariya (M.P.) by M/s Vijay Marbles, Shri Vijay Kumar Mittal, Partner, 24, Commercial Complex, Housing Board Colony, Katni (M.P.)-483501.

- (1) SEAC in its 236th meeting dtd 01.11.2015 recommended the case for grant of prior EC with 04 special conditions.
- (2) The case was discussed in 265th SEIAA dtd 01.12.2015 and it was recorded that

"After detail discussion and perusal of the recommendations of 236th SEAC meeting dtd 01.11.2015, PP should be invited for detail presentation."

- (3) Thereafter, PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in details.
- (4) It was noted that National Park/Sanctuary is not located within 10 km radius. Hence, the **General Condition is not attracted**.
- (5) As per DFO letter dtd. 15.05.2003 the forest boundary is 600 m. from the mining site.
- (6) Mining plan is approved by the DGM (vide letter no. 16133/माईनिंग प्लान सेल-4 / न.क्र. 22 / 2014 dtd. 01.09.2014).
- (7) The proposed plantation program was examined and it was found that 2250 trees shall be planted in an area **1.5 ha** during the lease period.
- (8) After detailed discussions and perusal of recommendations of 236th SEAC meeting dtd 01.11.2015, presentation made by the PP in SEIAA & SEAC, **it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:**

- I. Transportation will not be permitted in blocks form.
- II. Boulders in size of 300 mm shall be supplied to the putty manufacturing units.
- III. Garland drain and settling tanks should be constructed all around the lease periphery.
- IV. A barrier zone of 7.5 m. inside and a barrier zone 7.5 m. outside to be left as no mining zone.
- V. Dumping of material will not be permitted at the site.
- VI. Transportation will not be carried out through forest area. DFO Umariya will monitor the same.
- VII. Strengthening of kachha road shall be done under CSR activities.
- VIII. Size of ^{final} settling pits to be 5m x 3m x 2m.



(Ajatshatra Shrivastava)
Member Secretary



(H.S. Verma)
Member




(Waseem Akhtar)
Chairman

- IX. Under plantation programme 4750 plants of local species have to be planted at 7.5 m. periphery and also in barrier zone located in middle of both mines during first three years.
- X. Under CSR activities solar lights/panels have to be provided in the school and vocational training to be organized in the village.
- XI. Rights of villagers regarding use of roads should be maintained.
- XII. PP is advised to install solar panel on settling tank.
- XIII. PP shall develop nursery of local species and medicinal plants in nearby area and undertake required activities under total sanitation programme.

Hence, Prior Environmental Clearance is granted for **Kotalde Marble Quarry (opencast other than fully mechanized method)** in an area - 9.933 ha., for production capacity of Salable Waste Material - 19700 cum/annum, at Khasra No. - 113, 114, 145, 146, 147, 144, 149, 156/1 (P), Vill.- Kotalde, Teh.-Chandiya, Distt.- Umariya (MP) **for the lease period** to M/s Vijay Marbles, Shri Vijay Kumar Mittal, Partner, 24, Commercial Complex, Housing Board Colony, Katni (M.P.)- 483501.


Meeting ended with a vote of thanks to the Chair.



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman