

## Minutes of the 313<sup>th</sup> Meeting of SEIAA dated 04.04.2016

The 313<sup>th</sup> meeting of the State Level Environment Impact Assessment Authority was convened on 04.04.2016 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following member attended the meeting:-

- |   |                             |                  |
|---|-----------------------------|------------------|
| 1 | Shri H.S. Verma             | Member           |
| 2 | Shri Ajatshatru Shrivastava | Member Secretary |

A. Following other than mining case received from SEAC has been considered:-

S.N	Case No.	Category	No. & date of latest SEAC
1.	2888/2015	8 (a)	269 <sup>th</sup> SEAC meeting dtd.29.02.2016

B. Following mining cases received from SEAC and case of query response have been considered:-

S.N	Case No.	Category	No. & date of latest SEAC
2.	4219/2015	1(a) B2	-
3.	4940/2015	1(a) B2	-
4.	3875/2015	1(a) B2	-
5.	4466/2015	1(a) B2	-
6.	4221/2015	1(a) B2	-
7.	4863/2015	1(a) B2	-
8.	4476/2015	1(a) B2	-
9.	3632/2015	1(a) B2	-
10.	4851/2015	1(a) B2	-
11.	3886/2015	1(a) B2	-
12.	4217/2015	1(a) B2	-
13.	3675/2015	1(a) B2	-
14.	2723/2015	1(a) B2	-
15.	153/2008	1(a)	-

1. **Case No. 2888/2015** Environment Clearance for proposed Construction of Residential Housing Project "Highway Karuna Sagar" at Khasra No. – 176/1, 177/3, 178/1, 179/4/2, Village -Kanadia, Tehsil & District -Indore (MP) Total Land area - 26890.00 sq.m. Total Built-up Area- 48,447.78 sq.m. M/s Highway Infrastructure Pvt. Ltd, & Mr. Vivek Agrawal (Land Coowners), Prashant Sagar Builders Developers Pvt. Ltd., 57-FA, Scheme No. 94, Pipliyahana Junction, Ring Road, Indore (MP) - 452016 Env't Consultant: Env Development Assistance Syatem Pvt. Ltd, Lucknow.

- (1) The proposed project is building & construction project for Residential Housing Project "Highway Karuna Sagar" at Khasra No. – 176/1, 177/3, 178/1, 179/4/2, Village -Kanadia, Tehsil & District -Indore (MP). The project includes the construction of residential - 1051units & EWS - 57 units.
- (2) As per the T & CP Indore (vide let no. 1311 dtd 26.02.2011 the total land area is 11.161 ha. The total built up area proposed by PP is 48,447.78 sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.

(Ajatshatru Shrivastava)  
Member Secretary

(H.S.Verma)  
Member

(Waseem Akhtar)  
Chairman

- (3) As per 219<sup>th</sup> SEIAA meeting dtd. 16.07.2015... "The proceedings of the violation cases involving credible action shall be kept in abeyance till such time that MoEF & CC comes up with a clarification on the afore mentioned NGT order. However as per NGT (M.A.No.89/2015 and 148/2015 and Original Application No. 193/2014 Paryavaran and Manav Sanrakshan Samiti Vs. M/s Highway Infrastructure Pvt. Ltd. & Ors) decision dated 19<sup>th</sup> march 2015, stating:

"....we directs that SEIAA may entertain the application submitted by Respondent No.1 and consider the same in accordance with law and also take various norms under the EIA Notification, 2006. We further direct that in case the SEIAA finds that the constructions have been raised in contravention of EIA Notification, 2006, it shall recommend and submit its recommendations before us with regard to steps which may be taken to bring the constructions within the permissible limits as also subject compensatory measures that may be taken by the project proponent. On submission of the application by the Respondent No.1, we direct that SEIAA would consider the application and make its recommendations to this Tribunal for consideration. This Tribunal would also, in such event, consider the recommendation submitted by the SEIAA as also the issue on imposition of penalty as has been recorded in our earlier judgment. We grant four weeks time to Respondent No.1 for moving such as application also with copy of the order before SEIAA."In the meanwhile, all construction activates as ordered earlier shall remain stayed and no further possession of fats to the parties who may have invested in the project, shall be given. The list of present occupants shall be submitted to the District Collector who shall verify the same and take note of the facts..... **and as per Hon'ble High Court of MP Bench at Indore order dtd. 10.12.2015....we direct the respondents to decide the pending application of the petitioner, if the petitioner has completed all the formalities as required under the Act, Rules and SEIAA expeditiously, as early as possible, In any case, within a period of four months from the date of filling of the copy of the order the case has been discussed in SEAC 203<sup>rd</sup> meeting dtd.03.07.2015, 269<sup>th</sup> dtd.29.02.2016 and is recommended for grant of EC subject to 18 special conditions."**

- (4) As per recommendation of SEAC meeting 269<sup>th</sup> dtd. 29.02.2016 the case was discussed in depth & observation are recorded below :-

S. No.	PP Proposed	Environmental issues observed by the committee during the site visit	Authority Observation
1.	As per Form-I Total land area of the project is 26890.00 sq.m. and the proposed built up area of the project is 48,447.78 sq.m.	Total land area of the project is 26890.00 Sq.m. and the proposed built up area of the project is 48,447.78 Sq.m.	Whether the construction has been made as per T & CP approval and Building permission given by Municipal Corporation or not..
2.	Proposed 4 Blocks (A-D) Residential Units: 1051Units EWS Units: 57 Units	10 blocks have been constructed out of them 06 have been finished and builder has given possession in these blocks and remaining 04 are yet to be completed. Construction of 05 blocks is yet to be initiated by the builder.	Whether the construction has been made as per T & CP approval and Building permission given by Municipal Corporation or not..
3.	Proposed as per T & CP approval	Entry/exit to the project site is through 45 m wide Kanadia road which is connected to the NH3 at a distance of approx 2.00 kms. Main entry exit is 9 m wide while all the roads for internal circulation are 6 m wide.	Whether PP has followed the norms of MPBVR 2012 for building height upto 18m /T & CP approval or not.

(Ajatshatru Shrivastava)  
Member Secretary

(H.S.Verma)  
Member

(Waseem Akhtar)  
Chairman

# Minutes of the 313<sup>th</sup> Meeting of SEIAA dated 04.04.2016

4.	Proposed 4 Blocks (A-D) Residential Units: 1051 Units EWS Units: 57 Units	There are 1051 no of flats distributed in 15 towers. Project Proponent is constructing 57 EWS flats on site. During site visit is informed by representative of PP that about 408 no. of units are already constructed and under possession.	Whether the construction has been made as per T & CP approval and Building permission given by Municipal Corporation or not..
5.	Proposed as per T & CP approval including norms of MPBVR 2012.	6 m wide clear circular roadway is proposed along the periphery of the project for movement of fire tenders along with water storage tank of 15 KLD on each block with provisions for Fire hydrants.	Whether PP has followed the norms of MPBVR 2012 for building height upto 18m or not.
6.	Fresh water: 365 KLD (Municipal Water supply) Reuse of treated effluent from STP: 133 KLD. Total water requirement: 498 KLD. The waste water generated from entire complex is 460 KLD, which will be treated in the STP of 550 KLD capacity at site. 133 KLD waste water will be treated up to tertiary level for reuses in the complex like toilet flushing, and horticulture purposes. Rest of Secondary treated water is discharged into municipal sewers.  Dual plumbing is provided for recycle of treated water for flushing and gardening purpose. PP was instructed to provide color coded pipes for separate fresh and recycled water supply.	The water requirement for the residents is sourced through ground water supply and the sewage generated is being treated using on site STP. 925 KLD STP is already installed at site. Technology used for treatment process is FAB. STP tanks for the project were found installed underground with access through the manholes covered with cast iron lids. The project has dedicated treated water storage tank of 15 KL over each tower along with an underground treated water storage tanks. STP was found functional. An existing bore well is present inside the project boundary and is conserved with proper fencing and beautification.	During site visit it was observed the water supply met through ground water, however PP has not obtained NOC from CGWA for extraction of ground water. If it is possible PP should link with Municipal corporation supply to avoid extraction of ground water. Whether the present facility is sufficient for 365 KLD water or not.  PP has not obtained NOC from Municipal Corporation for disposal of waste water. The connectivity of the same has to be ensured. Treated waste water recycled properly or not. Is there 100% recycled of treated waste water.

(Ajatshatru Shrivastava)  
Member Secretary

(H.S.Verma)  
Member

(Waseem Akhtar)  
Chairman

# Minutes of the 313<sup>th</sup> Meeting of SEIAA dated 04.04.2016

7.	Proposed door to door collection, adequate nos. of colour bins green biodegradable and blue for non-biodegradable. Hazardous waste and E-waste will be stored at separate place and hand over to authorized CPCB.	As per PP, at present the segregated MSW along with dried sludge is being handed over to Municipal Corporation for final disposal. PP was asked to provide a 48 hour MSW collection area inside the project boundary along with color coded bins at various points for collection of waste material.	Hence the project is in operational stage but no proper system / space has been identified in the premises for collection & disposal of MSW. PP has not provided three color dustbins at proper location of the project.
8.	PP has proposed to provide 495 ECS	Parking space in the project is provided in the stilt area and in the podium area. Dedicated visitor's parking is provided by the PP in the open area. During site visit PP was instructed to maintain proper traffic circulation in the stilt, basement area and peripheral roads through signage.	Whether the parking space sufficient for 495 ECS or not.
9.	2 No of Rain Water harvesting structure are proposed for the harvesting of roof top runoff water.	2 No of Rain Water harvesting structure are proposed for the harvesting of roof top runoff water. Piped network is constructed for collection of rain water. During site visit PP was instructed to ensure that only clean rain water enters the recharge system by flushing of first rain water.	whether PP has actually complied or not.
10.	proposed 2524.6 sqm (10%) of plot area for landscape	As informed by PP, 2524.6 Sq.m of area is dedicated for the landscaping purposes as per T&CP norms. Peripheral plantation is present on site. As per PP more than 120 trees have already been planted on site. During site visit PP was instructed to plant big saplings for peripheral plantation.	The present landscape area is about 10%. PP should increase the plantation area at least upto 20% of the total land area. PP should also provide two rows of green belt all around the periphery of project boundary.
11.	Power requirement & source and energy conservation measure Power requirement: 2627 kVA Source of Power: MPSEB (Madhya Pradesh State Electricity Board) Power backup (DG)	Committee has not observed the present situation on project site.	Whether PP has actually complied or not.

(Ajatshatru Shrivastava)  
Member Secretary

(H.S. Verma)  
Member

(Waseem Akhtar)  
Chairman

	Sets) Back up DG sets (as per requirement) 310 KVA (D.G. Sets – 5 x 62 kVA)		
12.	Provision of fire fighting	Committee has not observed the present situation on project site	Whether PP has actually complied or not.

In view of above it is decided that PP has not complied the proposed activities at various stage such water supply, disposal of waste water, collection of MSW etc. therefore the EC recommendation by committee needs to be reappraised as per the above observations to fulfil the directives of the Hon'ble NGT and Hon'ble High Court.

2. **Case No. 4219/2015:** Prior Environmental Clearance for Sand Quarry in an area of 20.00 ha. (6,00,000 cum/year) at Village-Govarde, Tehsil-Manpur, District-Umaria (MP) by Shri Kailash Chandra Gupta, M/s Shiva Corporation India Pvt. Ltd., 312, Ganpati Plaza, MIG Road, Jaipur (Raj.)-472001.

PP has submitted the replenishment plan alongwith additional information on 29.03.2016. The case file may be returned to SEAC for appraisal.

3. **Case No. 4940/2015:** Prior Environmental Clearance for Sand Quarry in an area of 6.00 ha. (1,20,000 cum/year) at Village-Kamkomohaniya, Tehsil-Dindori, District-Dindori (M.P.) by Shri Tejendra Singh, M/s Digiana Industries Pvt. Ltd., Sub Lessee of M.P. State Mining Corporation Limited, G-1, M-3, Sapna Chambers, 12/1, South Tukoganj, Indore (MP)-452001.

PP has submitted the replenishment plan on 30.03.2016. The case file may be returned to SEAC for appraisal.

4. **Case No. 3875/2015:** Prior Environmental Clearance for Sand Quarry in an area of 5.00 ha. (50,000 cum/year) at Village-Awalighat, Tehsil-Rehti, District-Sehore (M.P.) by Shri Kailash Chandra Gupta, M/s Sainik Foods Pvt. Ltd., HIGGD-5, Dindayal Nagar, Phase-1, Kanth Road, Muradabad (UP)-461661.

PP has submitted the replenishment plan on 30.03.2016. The case file may be sent to DEIAA, Sehore for appraisal.


5. **Case No. 4466/2015:** Prior Environmental Clearance for Sand Quarry in an area of 5.00 ha. (50,000 cum/year) at Village-Sadha, Tehsil-Mehgaon, District-Bhind (M.P.) by Shri Kailash Chandra Gupta, M/s Esteem Infrabuild Pvt. Ltd., P-4, Lal Bahadur Nagar, Durgapura, Jaipur (Raj.).


PP has submitted the replenishment plan on 31.03.2016. The case file may be sent to DEIAA, Bhind for appraisal.

6. **Case No. 4221/2015:** Prior Environmental Clearance for River Sand Mine in an area of 15.059 ha. (1,13,000 cum/year) at Village-Gouna, Tehsil-Palera, District-Tikamgarh (M.P.) by Shri Kailash Chandra Gupta, M/s Shiva Corporation India Pvt. Ltd, Sub Lessee of M.P. State Mining Corporation Ltd., 312, Ganpati Plaza, M.I.G. Road, Jaipur, (Raj.) 472221.

PP has submitted the replenishment plan on 30.03.2016. The case file may be returned to SEAC for appraisal.


  
(Ajatshatru Shrivastava)  
Member Secretary


  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman

7. **Case No. 4863/2015:** Prior Environmental Clearance for Sand Quarry in an area of 20.500 ha. (2,05,000 cum/year) at Village-Babri, Tehsil-Rehti, District-Sehore (M.P.) by Shri Tejendra Singh, M/s Digiana Industries Pvt. Ltd., Sub Lessee of M.P. State Mining Corporation Limited, G-1, M-3, Sapna Chambers, 12/1, South Tukoganj, Hotel Shrimaya ke Piche, Indore (MP)-452001.  
PP has submitted the replenishment plan on 30.03.2016. The case file may be returned to SEAC for appraisal.
8. **Case No. 4476/2015:** Prior Environmental Clearance for Sand Mine in an area of 11.170 ha. (1,70,000 cum/year) at Village-Bharolikalan, Tehsil-Mehgaon, District-Bhind (M.P.) by Shri Kailash Chandra Gupta, M/s Esteem Infrabuild Pvt. Ltd., Sub Lessee, Madhya Pradesh State Mining Corporation Limited, R/o P-4, Lal Bahadur Nagar, Durgapura, Jaipur (Raj.).  
PP has submitted the replenishment plan on 31.03.2016. The case file may be returned to SEAC for appraisal.
9. **Case No. 3632/2015:** Prior Environmental Clearance for Sand Quarry in an area of 24.00 ha. (40,000 cum/year) at Village-Bhagora, Tehsil-Jirapur, District-Rajgarh (M.P.) by Shri Hari Om Tomar S/o Shri Shiv Singh Tomar, Village-Tamaliya, Tehsil-Jirapur, District-Rajgarh (MP)-465693.  
PP has submitted the replenishment plan on 02.04.2016. The case file may be returned to SEAC for appraisal.
10. **Case No. 4851/2015:** Prior Environmental Clearance for Sand Quarry in an area of 11.00 ha. (2,20,000 cum/year) at Village-Ramgarh, Tehsil-Seoni Malwa, District-Hoshangabad (M.P.) by Shri Kailash Chandra Gupta, M/s Sainik Foods Pvt. Ltd., Sub Lessee, M.P. State Mining Corporation Ltd., H.I.G.G.D-5, Dindayal Nagar, Phase-1, Kanth Road, Muradabad (UP)-487221.  
PP has submitted the replenishment plan on 01.04.2016. The case file may be returned to SEAC for appraisal.
11. **Case No. 3886/2015:** Prior Environmental Clearance for Sand Quarry in an area of 12.060 ha. (35,000 cum/year) at Village-Barman Khedi, Tehsil-Jirapur, District-Rajgarh (M.P.) by Shri Hari Om Tomar S/o Shri Shiv Singh Tomar, Village-Tamaliya, Tehsil-Jirapur, District-Rajgarh (MP)-465693.  
PP has submitted the replenishment plan on 02.04.2016. The case file may be returned to SEAC for appraisal.
12. **Case No. 4217/2015:** Prior Environmental Clearance for Sand Quarry in an area of 24.00 ha. (1,75,250 cum/year) at Village-Palaycha, Tehsil-Bhitarwar, District-Gwalior (M.P.) by Shri Kailash Chandra Gupta, M/s Esteem Infrabuild Pvt. Ltd., P-4, Lal Bahadur Nagar, Durgapura, Jaipur (Raj.)-477001.  
PP has submitted the replenishment plan and additional information on 31.03.2016. The case file may be returned to SEAC for appraisal.
13. **Case No. 3675/2015:** Prior Environmental Clearance for Sand Quarry in an area of 18.163 ha. (40,000 cum/year) at Village-Bhagori, Tehsil-Jirapur, District-Rajgarh (M.P.) by Shri Bhagwan Singh S/o Shri Babu Lal Gurjar, Village-Kodakya, Tehsil-Jirapur, District-Rajgarh (MP)-465693.

  
(Ajatshatru Shrivastava)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman

PP has submitted the replenishment plan on 02.04.2016. The case file may be returned to SEAC for appraisal.

- 14. Case No. 2723/2015:** Prior Environmental Clearance for Kesla River Sand Quarry in an area of 4.00 ha. (1,18,800 cum/year) at Village-Kesla, Tehsil-Itarsi, District-Hoshangabad (M.P.) by Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001.


PP has submitted the replenishment plan on 02.04.2016. The case file may be sent to DEIAA, Hoshangabad for appraisal.


- 15. Case No. 153/2008:** Prior Environmental Clearance for Laterite yellow ochre and manganese red oxide, red ochre mines fire clay 48.562 hect. Vill- Jhinna Teh-Dheemerkhera, Distt- Katni (M.P.) by M/s Shukdeo Prasad Goenka C/o Goenka Bhawan, Station Road, Katni M.P..


PP has submitted the letter of Collector, Katni regarding the classification of the land. He may be invited for presentation and clarification of the lease documents.

**SEAC letter received in SEIAA office dated 02.04.2016 have returned 19 sand mining cases up to 5 ha. for onward transfer to the respective DEIAA's as these cases have not been appraised by them. These cases are recorded as under for forwarding to the respective DEIAA's :-**

1.	<b>Case No. 3127/2015</b> Shri Satyendra Singh, OIC, M.P. State Mining Corporation Ltd., 1222/2, Napier Town, Near Fourth Bridge, Jabalpur (MP)-482001	Prior Environment Clearance for approval of Sand Mining in an area of 1.00 ha. (27,600 cum/year) at Village-Sakra, Tehsil-Patan, District-Jabalpur (MP)
2.	<b>Case No. 2983/2015</b> Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh (MP)-472001	Prior Environment Clearance for approval of Sand Quarry in an area of 0.437 ha. (13,110 cum/year) at Village-Prempura, Tehsil-Tikamgarh, District-Tikamgarh (MP)
3.	<b>Case No. 2837/2015</b> Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh (MP)-472001	Prior Environment Clearance for approval of Sand Quarry in an area of 3.00 ha. (90,000 cum/year) at Village-Dantgora, Tehsil-Palera, District-Tikamgarh (MP)
4.	<b>Case No. 2991/2015</b> Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh (MP)-472001	Prior Environment Clearance for approval of Sand Quarry in an area of 0.560 ha. (15,000 cum/year) at Village-Bamhori Nakiban, Tehsil-Tikamgarh, District-Tikamgarh (MP)
5.	<b>Case No. 2731/2015</b> Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001	Prior Environment Clearance for approval of Dolriya River Sand Quarry in an area of 2.50 ha. (75,000 cum/year) at Village-Dolriya, Tehsil-Dolriya, District-Hoshangabad (MP)
6.	<b>Case No. 2973/2015</b> Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh (MP)-472001	Prior Environment Clearance for approval of Sand Quarry in an area of 0.231 ha. (6,930 cum/year) at Village-Bahadurpur, Tehsil-Tikamgarh, District-Tikamgarh (MP)
7.	<b>Case No. 3006/2015</b> Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh (MP)-472001	Prior Environment Clearance for approval of Sand Quarry in an area of 3.315 ha. (56,000 cum/year) at Village-Janoli, Tehsil-Orcha, District-Tikamgarh (MP)
8.	<b>Case No. 2946/2015</b> Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh	Prior Environment Clearance for approval of Sand Quarry in an area of 0.971 ha. (25,000 cum/year) at Village-Shrinagar Khas, Tehsil-Tikamgarh,

  
(Ajatshatru Shrivastava)  
Member Secretary


  
(H.S. Verma)  
Member


  
(Waseem Akhtar)  
Chairman


# Minutes of the 313<sup>th</sup> Meeting of SEIAA dated 04.04.2016

	(MP)-472001	District-Tikamgarh (MP)
9.	<b>Case No. 2729/2015</b> Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001	Prior Environment Clearance for approval of Nawalgaon River Sand Quarry in an area of 0.708 ha. (19,000 cum/year) at Village- Nawalgaon, Tehsil-Seoni Malwa, District-Hoshangabad (MP)
10.	<b>Case No. 2943/2015</b> Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh (MP)-472001	Prior Environment Clearance for approval of Sand Quarry in an area of 2.975 ha. (85,000 cum/year) at Village-Bardmadai, Tehsil-Tikamgarh, District-Tikamgarh (MP)
11.	<b>Case No. 3196/2015</b> Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, District-Tikamgarh (MP)-472001	Prior Environment Clearance for approval of Sand Quarry in an area of 3.00 ha. (50,000 cum/year) at Village-Chandavani, Tehsil-Orcha, District-Tikamgarh (MP)
12.	<b>Case No. 3264/2015</b> Shri Jogendra Singh, Rawal Market, Opm Amlai, Town-Amlai, Anuppur (MP)-484330	Prior Environment Clearance for approval of Sand Quarry in an area of 5.00 ha. (50,000 cum/year) at Village-Balbehra, Tehsil-Jaithari, District-Anuppur (MP)
13.	<b>Case No. 2730/2015</b> Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001	Prior Environment Clearance for approval of Sahpur River Sand Quarry in an area of 1.315 ha. (35,000 cum/year) at Village-Sahpur, Tehsil-Seoni Malwa, District-Hoshangabad (MP)
14.	<b>Case No. 2858/2015</b> Shri Satyendra Singh, OIC, M.P. State Mining Corporation Ltd., 1222/2, Napier Town, Near Fourth Bridge, Jabalpur (MP)-482001	Prior Environment Clearance for approval of Sankal River Sand Mining in an area of 2.337 ha. (60,000 cum/year) at Village-Sankal, Tehsil-Gotegaon, District-Narsinghpur (MP)
15.	<b>Case No. 2761/2015</b> Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001	Prior Environment Clearance for approval of Kasda Rajyatwadi River Sand Quarry in an area of 4.00 ha. (1,18,800 cum/year) at Village- Kasda Rajyatwadi, Tehsil-Itarsi, District-Hoshangabad (MP)
16.	<b>Case No. 2903/2015</b> Shri Satyendra Singh, OIC, M.P. State Mining Corporation Ltd., 1222/2, Napier Town, Near Fourth Bridge, Jabalpur (MP)-482001	Prior Environment Clearance for approval of Gangai Khurd River Sand Quarry in an area of 1.00 ha. (1,14,000 cum/year) at Village-Gangai Khurd, Tehsil-Gotegaon, District-Narsinghpur (MP)
17.	<b>Case No. 3691/2015</b> Shri Muzaffar Ali R/o Village & Post-Cholana, Tehsil-Jaitahari, District-Anuppur (MP)-484440	Prior Environment Clearance for approval of Stone Quarry in an area of 1.942 ha. (14,820 cum/year) at Village-Cholana, Tehsil-Jaitahari, District-Anuppur (MP)
18.	<b>Case No. 3021/2015</b> Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001	Prior Environment Clearance for approval of Nemawr (I) Sand Mine in an area of 4.50 ha. (1,00,000 cum/year) at Village-Nemawr (I), Tehsil-Khategaon, District-Dewas (MP)
19.	<b>Case No. 3013/2015</b> Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001	Prior Environment Clearance for approval of Nemawr (III) Sand Mine in an area of 3.784 ha. (1,00,000 cum/year) at Village-Nemawr (III), Tehsil-Khategaon, District-Dewas (MP)

Meeting ended with a vote of thanks to the Chair.

  
(Ajatshatru Shrivastava)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman