

Minutes of the 322th Meeting of SEIAA dated 23.04.2016

The 322th meeting of the State Level Environment Impact Assessment Authority was convened on 23.04.2016 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. Shri Ajatshatru Shrivastava Member Secretary could not attend the meeting as he was on tour. The following member attended the meeting:-

1 Shri H.S. Verma

Member

A. Following other than mining case has been considered:-

S.No.	Case No.	Category	No. & date of SEIAA meeting
1.	4965/2016	8 (a)	320 th SEIAA meeting dtd. 20.04.2016


B. Following mining cases received from SEAC and case of query response have been considered:-


S. No.	Case No.	Category	No. & date of SEIAA meeting
2.	3183/2015	1(a) B2	285 th SEIAA meeting dtd. 25.01.2016
3.	3684/2015	1(a) B2	273 th SEIAA meeting dtd. 18.12.2015
4.	3710/2015	1(a) B2	276 th SEIAA meeting dtd. 28.12.2015
5.	3596/2015	1(a) B2	288 th SEIAA meeting dtd. 08.01.2016
6.	3775/2015	1(a) B2	277 th SEIAA meeting dtd. 06.01.2016
7.	3865/2015	1(a) B2	281 th SEIAA meeting dtd. 12.01.2016
8.	3849/2015	1(a) B2	277 th SEIAA meeting dtd. 06.01.2016
9.	2216/2014	1(a) B2	282 nd SEIAA meeting dtd. 18.01.2016
10.	3972/2015	1(a) B2	282 nd SEIAA meeting dtd. 18.01.2016
11.	2212/2014	1(a) B2	282 nd SEIAA meeting dtd. 18.01.2016
12.	3568/2015	1(a) B2	-
13.	3018/2015	1(a) B2	-
14.	4134/2015	1(a) B2	-
15.	4037/2015	1(a) B2	-
16.	4825/2015	1(a) B2	-
17.	3354/2015	1(a) B2	-
18.	3142/2015	1(a) B2	-

1. **Case No. 4965/2016** Prior Environment Clearance for proposed Nursing Home & Hospital at Khasra No.-89/1/1, 89/1/2, 90/1, 91/3, 97/2, 91/2, 89/1/3, 92/2/1 & Plot No. 2, ring Road, Yojna No. 94, Sector-1 Village-Chitawad, Tehsil-Indore, District- Indore (MP) Land Area -18071.09 sq.m. Built-up Area - 42207.76 sq.m. Shri Rajesh Kasliwal, Managing Director, M/s Vishesh Diagnostics Pvt. Ltd., A.B. Road, Geeta Bhawan Chouraha, Indore (MP)- Env. Consultant – Creative Enviro-Services, Bhopal, (M.P.).


(1). The proposed project is for construction of Hospital Building unit with 200 beds along with guest house at Khasra No. 89/1/1, 89/1/2, 90/1, 91/3, 97/2, 91/2, 89/1/3, 92/2/1 & Plot No. 2, ring Road, Yojna No. 94, Sector-1 Village Chitawad Tehsil & District Indore, (MP).


(2). As per the T & CP Indore (vide letter dtd 25.08.14) the total land area is 18071.09 sq.m. The total built up area proposed by PP is 42207.76 sq.m. The project comes under item 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sqm. & 1,50,000 sqm. and plot area is less than 50 ha.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (3). The case was discussed in SEAC meetings 271st dtd. 02.03.16 & 272nd mtg. dtd.31.03.16 and is recommended for grant of prior EC subject to 16 special conditions.
- (4). The inspection of the site be carried out by SEAC to ascertain any construction activity on the site. The inspection of site reveals that the site is clear and no construction has been taken place on the site till date.
- (5). The case was also discussed in 320th SEIAA meeting dtd. 20.04.2016, and decided to PP may call for presentation.
- (6). After deliberations by PP the case was discussed in depth & it is noted that:-
 - (i) PP has submitted notarized copy of Khasra Panchsala 2014-15. As per Khasra Panchsala the land (13830 sq.m.) is in the name of M/s Vishesh Diagnostics Pvt. Ltd. through Managing Director Shri Rajesh Kasliwal and Plot No. 2, ring Road, Yojna No. 94, Sector-1 allotted by IDA in favour of M/s Vishesh Diagnostics Pvt. Ltd. through Managing Director Shri Rajesh Kasliwal.
 - (ii) The total water requirement is 270 KLD. The fresh water requirement is 145 KLD & recycled water is 125 KLD. The source of water supply is Municipal Corporation, Indore. **PP has submitted letter (dtd. 20.11.2015) from Municipal Corporation Indore for supply of water.**
 - (iii) The total waste water generation is 162.5 KLD. PP has provided sewage treatment plant of 155 KLD. The total treated waste water is 131 KLD. PP has proposed 125 KLD recycle & remaining 06 KLD is proposed to be disposed off in sewer line. **PP has submitted letter (dtd. 20.11.2015) from Nagar Nigam Bhopal for disposal of extra treated waste water.**
 - (iv) Approximately 0.25 ton/day Municipal Solid waste shall be generated. The generated biodegradable and non biodegradable waste will be collected separately. The non- recyclable and non-biodegradable waste, sludge from STP and Biodegradable waste will be deposited at a landfill site through Municipal Corporation Indore. **PP has submitted letter (dtd. 09.11.2015) from Municipal Corporation, Indore for disposal of solid waste.**
 - (v) Bio Medical waste approximately 0.06 ton per day will be generated. PP has proposed the Bio Medical waste shall be collected and stored in coloured coded bins and disposed as per the BMW (Management & Handling) Rules 1998 and its amendment. **PP has submitted letter dtd. 01.03.2016 from Hoswin Incinerators Pvt. Ltd. Indore for disposal of BMW.**
 - (vi) PP has proposed the maximum height of the building is Stilt 24 M. PP has provided Front MOS 9.0 m and side / rear MOS 6.0 m. As per MP Bhumi Vikas Niyam 2012 rule 42 (1) road width 18 m; Front MOS 9.0 m and side / rear MOS 6.0 m.
 - (vii) PP has proposed to provide fire water storage tank, Fire pumping system, External Fire Hydrant System, Wet Riser System, Fire extinguisher, automatic Sprinkler System, & Fire Alarm system. etc. as per NBC 2005.
 - (viii) PP has submitted roof top rain water harvesting system plan for ground water recharging and proposed 04 nos. of recharging pits.



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

- (ix) The total power requirement is 2343 KW. The source of electricity is Madhya Pradesh Kshetra Vidyut Vitran Company Limited. PP has also provided power back up 2 x 1250 KVA. For control of energy PP has proposed Solar lighting is proposed for open spaces, LED lighting, Green LED based lighting in the interior, Solar water heater etc.
- (x) As per Rule no. 84 Table 1.3 of MPBVR 2012 the required car parking is 562 ECS PP has proposed to provide 312 ECS (Basement-1 area 3226.0 sq.m. & basement-2 area 7717 sqmt. & open parking).
- (xi) PP has proposed an area of 2168.53 sq.m (12%) to be developed as green area including 550 no. of species. PP has submitted 15 nos. of trees already exists in the project site which is included in the landscape plan.


It is decided to accept the recommendations of 272nd SEAC meeting dtd 31.03.16 **with 16 special conditions and accord Prior Environmental Clearance** for proposed Nursing Home & Hospital at Khasra No.-89/1/1, 89/1/2, 90/1, 91/3, 97/2, 91/2, 89/1/3, 92/2/1 & Plot No. 2, ring Road, Yojna No. 94, Sector-1 Village-Chitawad, Tehsil-Indore, Distt- Indore (MP) Land Area - 18071.09 sq.m. Built-up Area - 42207.76 sq.m. Shri Rajesh Kasliwal, Managing Director, M/s Vishesh Diagnostics Pvt. Ltd., A.B. Road, Geeta Bhawan Chouraha, Indore **subject to following specific conditions imposed by SEIAA:-**


- (1) The entire demand of water should be met through Municipal Corporation; Indore there should be no extraction of ground water.
- (2) PP should ensure linkage with municipal sewer line for disposal of waste water.
- (3) Municipal Solid Waste:
 - (a) Provide compactors for MSW
 - (b) Ensure three bin systems for segregated collection of waste.
 - (c) Ensure linkage with Municipal Corporation for final disposal of MSW.
- (4) PP should ensure the disposal of Bio-Medical Waste as per the Bio Medical Waste (Handling & Management) Rules 1998 and its amendments.
- (5) PP should ensure road width at least 18 m; Front MOS 9 m and side / rear MOS 6 m. road width; MOS and Open spaces as per MPBVR 2012 rule 42 (1) for building height upto 24m.
- (6) For firefighting:
 - (a) PP should ensure connectivity to the fire station from the project site.
 - (b) As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code Part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
- (7) PP should ensure the rain water harvesting. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
- (8) PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures, and other energy efficient equipments.
- (9) PP should ensure car parking as per Rule no. 84 (1) Table Clause 1 (3) S. No. 3 of MPBVR 2012.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (10) PP should ensure to provide special facilities for physically handicapped persons and BPL families and also provide preference during the treatment.
- (11) Green belt :-
- (a) PP should ensure plantation to the 2168.53 sq.m (12%) as per the proposed landscape plan. Plantation should be done in two rows all along the periphery of the project area including Avenue plantation along the roads, trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc. along with ornamental varieties.
 - (b) PP should ensure to develop the existing green area as landscape by including further facilities for public use.
 - (c) PP should ensure to develop front area of the building as an additional green belt.
 - (d) Every effort should be made to protect the existing trees on the plot.
- (12) The grant of Environmental Clearance should be subject to statutory permission of National Board of Wild Life. PP should obtain wild life clearance from NBWL and submit copy to MPSEIAA.
2. **Case No. 3183/2015** Prior Environment Clearance for Stone Quarry in an area of 1.80 ha. (8,820 cum/year) at Village-Sakuli, Tehsil-Niwari, District-Tikamgarh (MP) by Shri Hamid Mirza Raza S/o Shri Shabuddin, Chopal Bazar, Samthar, Tehsil-Moth, District-Jhansi (UP)-284303.
- The case was discussed in 285th SEIAA meeting dtd. 25.01.2016. PP has not submitted the desired information till now. A reminder may be sent to PP to submit the required information latest by 15.05.2016. Copy to Mining Officer, Tikamgarh.
3. **Case No. 3684/2015** Prior Environment Clearance for Stone Quarry in an area of 4,800 ha. (75,000 cum/year) at Village-Mau, Tehsil-Gwalior, District-Gwalior (MP) by Shri Kuldeep Singh Gour, Prop., M/s Shreyadeep Stone Crusher R/o Gwalior, District-Gwalior (MP)-474001.
- The case was discussed in 273th SEIAA meeting dtd. 18.12.2015. PP has not submitted the desired information till now. After detailed discussion, the case is hereby delisted and on submission of information by PP, it is liable for relisting. Copy to Mining Officer, Gwalior.
4. **Case No. 3710/2015** Prior Environment Clearance for Stone Quarry in an area of 1.00 ha. (5,700 cum/year) at Village-Mundardi, Tehsil-Malhargarh, District-Mandsaur (MP) by Shri Ravi Jaiswal S/o Shri Hari Babu Jaiswal, Distt-Mandsaur (MP)-458001.
- The case was discussed in 276th SEIAA meeting dtd. 28.12.2015. PP has not submitted the desired information till now. After detailed discussion, the case is hereby delisted and on submission of information by PP, it is liable for relisting. Copy to Mining Officer, Mandsour.
5. **Case No. 3596/2015** Prior Environment Clearance for **Stone Quarry** in an area of 0.809 ha. for production capacity of 11400 cum/year at Khasra No. 1419 at Village-Mawai, Tehsil-Churhat, District-Sidhi (MP) by M/s Malay Nirman Company, Shri Pushpraj Singh, R/o Shastri Nagar, District-Sidhi (MP)-486771.
- The case was discussed in 288th SEIAA meeting dtd. 08.01.2016. PP has not submitted the desired information till now. A reminder may be sent to PP to submit the required information latest by 15.05.2016. Copy to Mining Officer, Sidhi.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

6. **Case No. 3775/2015** Prior Environment Clearance for **Basalt Stone & Murram Quarry** in an area of 2.880 ha. for production capacity of Basalt Stone-13,538 & Murram-1,283 cum/year at Khasra NO. 75, 76, 77/2, 91, 93 at Village-Mahgawan, Tehsil-Kundam, District-Jabalpur (MP) by Shri Ajay Kumar Jain S/o Shri Panna Lal Jain, Village & Post-Baghraji, Tehsil-Kundam, District-Jabalpur (MP)-482001.

The case was discussed in 277th SEIAA meeting dtd. 06.01.2016. PP has not submitted the desired information till now. After detailed discussion, the case is hereby delisted and on submission of information by PP, it is liable for relisting. Copy to Mining Officer, Jabalpur.

7. **Case No. 3865/2015** Prior Environment Clearance for Stone Quarry in an area of 3.00 ha. (2,850 cum/year) at Village-Surjanwasa, Tehsil-Ujjain, District-Ujjain (MP) by Shri Dinesh Sharma S/o Shri Baburam Sharma, Resi-65, Sudama Nagar, District-Ujjain (MP)-456001.

The case was discussed in 281th SEIAA meeting dtd. 12.01.2016. PP has not submitted the desired information till now. A reminder may be sent to PP to submit the required information latest by 15.05.2016. Copy to Mining Officer, Sidhi.

8. **Case No. 3849/2015** Prior Environment Clearance for Flagstone Quarry in an area of 0.70 ha. (1,500 cum/year) at Village-Kutmi, Tehsil-Pawai, District-Panna (MP) by Shri Bal Govind Kori S/o Bhaiyalal Kori R/o Village Post-Sugrha, Tehsil-Gunnaur, District-Panna (MP)-488050.


The case was discussed in 277th SEIAA meeting dtd. 06.01.2016. PP has not submitted the desired information till now. After detailed discussion, the case is hereby delisted and on submission of information by PP, it is liable for relisting. Copy to Mining Officer, Panna.


9. **Case No. 2216/2014** Prior Environmental Clearance for Stone Quarry (Opencast Semi Mechanized) in an area of 2.00 ha. for production capacity of 50,000 cum/year at Khasra No. 350 at Village-Chainpura, Tehsil & District-Neemuch (MP) by Shri Puranmal Anjana S/o Shri Ram Lal Anjana, Director, M/s Chetak Enterprises, Vill-Kesunda, Teh-Choti Sadari, Dist-Chittorgarh (Raj.)-312604.

After detailed discussion of query response in 282nd SEIAA meeting dtd. 18.01.2016 and recommendation of 174th SEAC meeting dtd. 24.02.2015, It was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall be as per the Approved Mining Plan
- (iii) The entire lease area should be fenced.

Hence, Prior Environmental Clearance is granted Stone Quarry (Opencast Semi Mechanized) in an area of 2.00 ha. for production capacity of 50,000 cum/year at Khasra No. 350 at Village-Chainpura, Tehsil & District-Neemuch (MP) **for the lease period to** Shri Puranmal Anjana S/o Shri Ram Lal Anjana, Director, M/s Chetak Enterprises, Vill-Kesunda, Teh-Choti Sadari, Dist-Chittorgarh (Raj.)-312604.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

10. **Case No. 3972/2015** Prior Environment Clearance for **Stone Quarry** (opencast manual/semi mechanized method) in an area of 2.00 ha. for production capacity of 4,503 cum/year at Khasra No. 67 at Village-Dabalikhurd, Tehsil-Nepanagar, District-Burhanpur (MP) by Shri Rishubh Singh Chouhan S/o Shri Vinod Singh Chouhan C/o Vinod Singh Chouhan, Pandhar Area, Contractor Colony, Nepanagar, District-Burhanpur (MP)-450221.

After detailed discussion of query response in 282nd SEIAA meeting dtd. 18.01.2016 and recommendation of 174th SEAC meeting dtd. 24.02.2015, It was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall be as per the Approved Mining Plan.
- (iii) Before commencing the mining activity, site demarcation should be done leaving 100m. from the Pakka Road as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Burhanpur
- (iv) The entire lease area should be fenced.


Hence, Prior Environmental Clearance is granted for **Stone Quarry** (opencast manual/semi mechanized method) in an area of 2.00 ha. for production capacity of 4,503 cum/year at Khasra No. 67 at Village-Dabalikhurd, Tehsil-Nepanagar, District-Burhanpur (MP) **for the lease period to** Shri Rishubh Singh Chouhan S/o Shri Vinod Singh Chouhan C/o Vinod Singh Chouhan, Pandhar Area, Contractor Colony, Nepanagar, District-Burhanpur (MP)-450221.


11. **Case No. 2212/2014** Prior Environment Clearance for Stone Quarry (Opencast Semi Mechanized) in an area of 2.00 ha. for production capacity of 50,000 cum/year at Khasra No. 350 at Village-Chainpura, Tehsil & District-Neemuch (MP) by Shri Punamlal Anjana S/o Shri Ram Lal Anjana, Director, M/s Chetak Enterprises, Vill-Kesunda, Teh-Choti Sadari, Dist-Chittorgarh (Raj.)-312604.

After detailed discussion of query response in 282nd SEIAA meeting dtd. 18.01.2016 and recommendation of 174th SEAC meeting dtd. 24.02.2015, It was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall be as per the Approved Mining Plan.
- (iii) Before commencing the mining activity, site demarcation should be done leaving 100m. from the Pakka Road as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Neemuch
- (iv) The entire lease area should be fenced.

Hence, Prior Environmental Clearance is granted for Stone Quarry (Opencast Semi Mechanized) in an area of 2.00 ha. for production capacity of 50,000 cum/year at Khasra No. 350 at Village-Chainpura, Tehsil & District-Neemuch (MP) **for the lease period to** Shri Punamlal Anjana S/o Shri Ram Lal Anjana, Director, M/s Chetak Enterprises, Vill-Kesunda, Teh-Choti Sadari, Dist-Chittorgarh (Raj.)-312604.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- 12. Case No. 3568/2015** Prior Environment Clearance for **Sand Mining** in an area of 22.07 ha. for production capacity of 60,000 cum/year at Village-Neemkheda, Tehsil-Shahpura, District-Jabalpur (MP) by Shri Foulad Singh Patel, Authorized Signatory, M/s Khare Construction Company, Sub Lessee, M.P. State Mining Corporation Ltd., Village-Samnapur, Tehsil-Kareli, Narsinghpur (MP)-487770.

PP has submitted the replenishment plan on 20.04.2016 and the same should be sent to SEAC for appraisal alongwith the case file. Copy to PP.

- 13. Case No. 3018/2015** Prior Environment Clearance for Surjana River Sand Deposit in an area of 9.780 ha. (5,000 cum/year) at Village- Surjana, Tehsil-Tal, District-Ratlam (MP) by Shri Ramprasad Sharma S/o Shri Shivnarayan Sharma, 21, Village-Barkheda, Tehsil-Tal, Ratlam (MP)-457226.

PP has submitted the replenishment plan on 12.04.2016 and the same should be sent to SEAC for appraisal alongwith the case file. Copy to PP.

- 14. Case No. 4134/2015** Prior Environment Clearance for Sand Quarry in an area of 5.00 ha. (4,000 cum/year) at Village-Rajghat Pipariya, Tehsil-Damoh, District-Damoh (MP) by Shri Shivram Patel S/o Shri Teji Patel R/o Village-Khiria Mandla, Tehsil & District-Damoh (MP)-470664.

PP has submitted the replenishment plan on 01.04.2016 and the same should be sent to SEAC for appraisal alongwith the case file. Copy to PP.

- 15. Case No. 4037/2015** Prior Environment Clearance for Sand Quarry in an area of 5.00 ha. (8,000 cum/year) at Village-Ronsra, Tehsil-Batiyagarh, District-Damoh (MP) by Shri Ghanshyam Pauranik S/o Shri Narmada Prasad Pauranik R/o Ward No. 13, Tehsil-Hatta, District-Damoh (MP)-470775.

PP has submitted the replenishment plan on 05.04.2016 and the same should be sent to SEAC for appraisal alongwith the case file. Copy to PP.

- 16. Case No. 4825/2015** Prior Environment Clearance for Sand Quarry in an area of 6.966 ha. (310 cum/year) at Village-Relai, Tehsil-Biaora, District-Rajgarh (MP) by Shri Radheshyam Lodhi S/o Shri Mangilal Lodhi, Village-Suthaliya, Tehsil-Biaora, District-Rajgarh (MP)-465674.

PP has submitted the replenishment plan on 20.04.2016 and the same should be sent to SEAC for appraisal alongwith the case file. Copy to PP.


- 17. Case No. 3354/2015** Prior Environment Clearance for River Sand Quarry in an area of 10.00 ha. (2,00,000 cum/year) at Village-Lachoura, Tehsil-Tunarni, District-Harda (MP) by Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001.


PP has submitted the replenishment plan on 11.04.2016 and the same should be sent to SEAC for appraisal alongwith the case file. Copy to PP.

- 18. Case No. 3142/2015** Prior Environment Clearance for River Sand Mine in an area of 7.810 ha. (1,50,000 cum/year) at Village-Chandgaon Mal, Tehsil-Timarni, Dist-Harda (MP) by Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001.

PP has submitted the replenishment plan on 11.04.2016 and the same should be sent to SEAC for appraisal alongwith the case file. Copy to PP.

Meeting ended with a vote of thanks to the Chair.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman