

Minutes of the 325th Meeting of SEIAA dated. 27.04.2016

The 325th meeting of the State Level Environment Impact Assessment Authority was convened on 27.04.2016 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- | | | |
|----|-----------------------------|------------------|
| 1 | Shri H.S. Verma | Member |
| 2. | Shri Ajatshatru Shrivastava | Member Secretary |

A. Following other than mining case has been considered:-


S.No.	Case No.	Category	No. & date of SEIAA meeting
1.	704/2012	5 (f)	320 th SEIAA meeting dtd. 21.04.2016
2.	1938/2014	8 (a)	276 th SEIAA meeting dated 28.12.2015


B. Following mining cases received from SEAC and case of query response have been considered:-


S.N	Case No.	Category	No. & date of latest SEAC
3.	4975/2016	1(a) B2	312 st SEIAA meeting dtd. 01.04.2016
4.	2932/2015	1(a) B2	-
5.	4869/2015	1(a) B2	-
6.	4881/2015	1(a) B2	-
7.	3849/2015	1(a) B2	277 st SEIAA meeting dtd. 06.01.2016
8.	3575/2015	1(a) B2	-
9.	2496/2015	1(a) B2	309 st SEIAA meeting dtd. 29.03.2016

1. Case No. 704/2012 Prior Environment Clearance for Proposed Drug Manufacturing Unit at Plot No.332 Sector-1, Industrial Area, Pithampur, Tehsil & District Dhar (M.P.), Plot area: 0.23 acres (926 sq.m) Production Capacity- 116 TPA includes (1) Memantine HCL- 5 TPA (2) Phthaloyl Amlodipine – 20 TPA (3) Voglibose – 1 TPA (4) Triprolidine Hydrochloride - 18 TPA (5) Glucoseamine HCL + Sulphate - 60 TPA (6) Glemipride-12 TPA by M/s Impress Chemicals Pvt.Ltd., through Dr. Mrs. Neeta Dang, Director, RH-24, Scheme No. 54, Vijay Nagar, Indore M.P.–452010 Env. Cons. –AnaconLab. Nagpur (M.S.)

- (1) The proposed project is Drug Manufacturing Unit at Plot No.332 Sector -1, Industrial Area, Pithampur, Tehsil & Distt.–Dhar (M.P.). The project proponent is M/s Impress Chemicals Pvt. Ltd., through Director, Dr. Mrs. Neeta Dang.
- (2) There is no National park / Sanctuaries, Eco-sensitive areas, critically polluted areas and inter-State boundaries within 05 km around the proposed site.
- (3) The project is Drug Manufacturing Unit hence covered under 5 (f) category B of the Schedule of EIA Notification issued by the Ministry of Environment & Forests vice S.O.1533 (E) dtd.14.09.06 & its amendments.
- (4) ToR issued on vide letter no. 401 dtd 04.08.2012 followed by a revised TOR vide letter no. 136 dtd 22.09.2014 & EIA report submitted by PP on 25.07.14.
- (5) The case was discussed in SEAC meetings 96th dtd 13.06.2012, 148th dtd 25.08.2014, 192nd dtd. 08.05.2015, 255th dtd. 02.01.2016, 270th dtd. 01.03.2016 & 272nd dtd.31.03.16 and is recommended for grant of prior EC subject to 10 special conditions.


(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

- (6) The case was also discussed in 320th SEIAA meeting dtd. 21.04.2016, and decided to PP may call for presentation.
- (7) PP has proposed manufacturing of Drugs Production Capacity- 116 TPA includes (1) Memantine HCL- 5 TPA (2) Phthaloyl Amlodipine – 20 TPA (3) Voglibose – 1 TPA (4) Triprolidine Hydrochloride - 18 TPA (5) Glucoseamine HCL + Sulphate - 60 TPA (6) Glemipride-12 TPA.
- (8) PP has submitted notarized copy of amended registered lease deed dated 03.03.1994 between Managing Director MPAKVN, (Indore) Ltd. and M/s Impress Chemicals Pvt. Ltd for the period of 30 years (w.e.f. 03.03.1994 to 02.03.2024) for an area of 929 sq.m.
- (9) The project is located in notified Pithampur Industrial Growth Centre District Dhar approved by MPAKVN (Indore) Ltd. hence as per Gol, MoEF OM dtd 10.12.14 Public hearing is exempted.
- (10) **After deliberations by PP the case was discussed in depth & it is decided that PP should submit the following information latest by 30.05.2016:-**
- Documents regarding existing unit which was closed.
 - Water supply NOC from MPAKVN.
 - Details of machineries installed in existing unit and installation of new machines, if the existing machineries used for new unit PP should clarify the same and give a commitment regarding this.
 - Safety measures which is providing for labour to carry out hazardous chemical.
 - Layout showing location of boiler & DG set and detail of dimension with stack height.
 - A commitment for standby arrangement in case of ETP failure / during maintenance the unit will be shutdown.
 - An affidavit regarding no construction will be done more than 6588 sqft. area.
 - Landscape plan showing number of rows of plantation including numbers of trees with species.
 - Details of CSR activities.
 - Layout showing traffic management plan including loading and unloading raw material and finished goods.
 - Details of raw materials and finished goods.
- (11) It was found that there are many discrepancies in production capacity, raw material requirement and water requirement etc. in the recommendation of SEAC 272nd meeting dtd 31.03.2016 and submission made by PP during the presentation. **It is decided that the case may sent to SEAC along with technical file to reappraise the case accordingly after visiting the site and get a report from MPPCB about the previous working of the industrial unit and also the present use of the premises.**

2. **Case No. 1938/2014** Prior Environment Clearance for approval of proposed project "Park Nav Uday Hospital & Medical College" at Village-Maharajpura, Tehsil & District-Gwalior (MP), Plot area 1,00,320.00 sq.m., Built-up area: 1,01,880.0 sq.m.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

by Mr. Vijay Bhateja, Vice President, Nav Uday Educational & Charitable Society, 29-A, PKT-1, Sector-7, Dwarka, New Delhi-110075, E-mail-vijaybhateja@gmail.com, mob no.09971089792, Environment Consultant Enkay Enviro Services Pvt. Ltd., Jaipur


1. The case was discussed in 276th SEIAA meeting dated 28.12.2015 and asked PP to submit following information :-


- (i) Latest Khasra Panchsala of the project and approved layout from the T & CP, Gwalior.
- (ii) The water balance chart incorporating water generation, design of STP & ETP with capacity, treated waste water, recycle waste & extra treated waste water of the project.
- (iii) NOC from CGWA regarding withdrawal of ground water.
- (iv) Layout plan showing sewer line and disposal point of extra treated waste water in Municipal sewer line.
- (v) Clear NOC from Indore Municipal Corporation for disposal of extra treated waste water in Municipal sewer line.
- (vi) NOC from Municipal Corporation, Gwalior for disposal of MSW.
- (vii) Mode of disposal of Bio-Medical Waste and commitment from incinerators regarding disposal of BMW/ Common Bio-Medical disposal and treatment facility.
- (viii) Width of approach road of the project site.
- (ix) The number of recharge pits to be constructed along with their location on the layout map.
- (x) Details of solar energy units / plan location along with energy conservation measures.
- (xi) Detailed of car parking calculation as per MPBVR 2012.
- (xii) Landscape plan including trees in two rows all along the periphery of the project area, avenue plantation on the road sides, open spaces and parks along with number of trees and species to be planted and budget for the same.
- (xiii) Detailed CSR Plan in consultation with District Administration.
- (xiv) Undertaking regarding demolish the existing structure and building permission for the same.
- (xv) Undertaking regarding no use of nuclear element.
- (xvi) NOC from Air force / Airport Authority.


After submission of above information PP may call for revised presentation.

2. In response to above, query reply submitted by PP vide letter dated 20.04.2016 received in SEIAA on 20.04.2016 was examined in depth and it is noted that :-

- (i) PP has submitted revised water balance including total water requirement (847 KLD), waste water generation (470 KLD), STP capacity (525 KLD) and use of recycled water (447 KLD).
- (ii) PP has submitted Layout plan showing sewer line and disposal point of extra treated waste water in Municipal sewer line.
- (iii) PP has submitted plan showing width of approach road i.e. 10 m.
- (iv) PP has submitted plan showing location of proposed 23 number of recharge pits.
- (v) PP has submitted details of solar energy units / plan location along with energy conservation measures.
- (vi) For conservation of energy PP has proposed use of solar energy for external use, landscape lighting and hot water. Use of CFL lights, electronic ballasts shall be used in place of electro-magnetic ballast by applying this method PP will save 23.68% of energy. PP has also submitted plan showing solar units.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member



(Waseem Akhtar)
Chairman


- (vii) PP has submitted landscape plan with 1567 no. of trees by using an area 31850.0 sqmt. (31.74 %) for soft scape and 8500 sqmt. (8.47%) for hard scape. PP has also submitted budgetary for the same i.e. 75000/- per year upto 4 years.
- (viii) PP has submitted undertaking regarding demolish the existing structure.
- (ix) PP has submitted Undertaking regarding no use of nuclear element.
- (x) PP has submitted NOC from Government of India Ministry of Defence vide no. Air HQ/S 17726/4/ATS (PC-DXLXIV)/Dy. No. 90/F/2010/D (Air-II) New Delhi dtd. 23.02.2010 regarding construction of building upto 15 m height.
- (xi) PP has submitted Khasra Panchsala 2008-2009 and T & CP letter dtd 28.05.2010 regarding height of the building. However, PP has not submitted approved layout from the T & CP, Gwalior. **PP should submit latest Khasra Panchsala and T & CP approved layout.**
- (xii) The water requirement of project is 400 KLD. However, PP has submitted letter dtd. 22.11.2014 from PHE Department, Gwalior for only supply of 300 KLD water. **PP should submit from where the remaining (100 KLD) water requirement shall be met.**
- (xiii) PP has not submitted NOCs for disposal of extra treated waste water in Municipal sewer line and disposal of MSW from Municipal Corporation, Gwalior. **PP should submit the same.**
- (xiv) PP has not submitted Mode of disposal of Bio-Medical Waste and commitment from incinerators regarding disposal of BMW/ Common Bio-Medical disposal and treatment facility. **PP should submit the same.**
- (xv) PP has submitted car parking 1122 ECS (Open 1094 ECS + Stilt 28 ECS). As per MPBVR 2012. Rule no. 84 (1) Table Clause 1 (3) S. No. 3 the required car parking is FAR/75= 98775.0 sq.m./75= 1317ECS. **PP should submit the car parking plan by exploring the area accordingly.**
- (xvi) PP has submitted Notification vide 130 (A) dtd 27.02.2014 of Ministry of Corporate Work, GoI for CSR activities. However, PP has not proposed specific activities under CSR. **PP should submit specific activities under CSR.**


3. **PP should submit above information latest by 15.05.2016.**

3. **Case No. 4975/2016**, Prior Environmental Clearance for Low Grade Lime Stone (reject waste) Quarry in an area of 2.450 ha. for production capacity of 16,815 cum/year at khasra no. 3265, 3261/2, 3360/1, 3358, 3357/2 at Village-Bilghadi, Tehsil-Gunour, District-Panna (M.P.) by Shri Shrikant Dixit, Proponent, M/s Diamond Stone Crusher, Village-Kanchanpur, Tehsil-Gunour, District-Panna (MP)-488050.

After detailed discussion of query response in 312st SEIAA meeting dtd. 01.04.2016 and recommendation of 12rd SEAC-II meeting dtd. 10.03.2016, PP has submitted the hard copy of Form-1M duly modified. Since the lease area is less than 5 ha. and as per the notification of MoEF&CC dtd. 15.01.2016 all such cases will now onwards be appraised at DEIAA level, therefore it has been decided to transfer the case file to DEIAA, Panna. Copy to PP and all concerned.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

4. **Case No. 2932/2015**, Prior Environmental Clearance for Kelukheda River Sand Quarry in an area of 12.00 ha. for production capacity of 5,100 cum/year at Village-Kelukheda, Tehsil-Tal, District-Ratlam (M.P.) by Shri Ramprasad Sharma S/o Shri Shivnarayan Sharma, 21, Village-Barkheda, Tehsil-Tal, Ratlam (MP)-457226.

PP has submitted the replenishment plan on 12.04.2016 and the same may be forwarded to SEAC –II for appraisal. Copy to PP.

5. **Case No. 4869/2015**, Prior Environmental Clearance for Sand Quarry in an area of 6.00 ha. for production capacity of 1,800 cum/year at Village-Barapather, Tehsil-Mahidpur, District-Ujjain (M.P.) by Shri Kailash Goswami R/o Village-Bhimakheda, Tehsil-Mahidpur, District-Ujjain (MP)-456443.

PP has submitted the replenishment plan on 26.04.2016 and the same may be forwarded to SEAC –II for appraisal. Copy to PP.

6. **Case No. 4881/2015**, Prior Environmental Clearance for Sand Quarry in an area of 13.48 ha. for production capacity of 4,044 cum/year at Village-Aranyabena, Tehsil-Mahidpur, District-Ujjain (M.P.) by Shri Tikam Singh Panwar R/o Village-Kanthariya, Tehsil-Mahidpur, District-Ujjain (MP)-456443.

PP has submitted the replenishment plan on 26.04.2016 and the same may be forwarded to SEAC –II for appraisal. Copy to PP.

7. **Case No. 3849/2015**, Prior Environmental Clearance for Flagstone Quarry (Opencast manual method) in an area of 0.70 ha. for production capacity of 1,500 cum/year at khasra no. 279 at Village-Kutmi, Tehsil-Pawai, District-Panna (M.P.) by Shri Bal Govind Kori S/o Bhaiya Lal Kori R/o Village Post-Sugrha, Tehsil-Gunnaur, District-Panna (MP)-488050.


After detailed discussion of query response in 277st SEIAA meeting dtd. 06.01.2016 and recommendation of 248rd SEAC meeting dtd. 12.12.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC


- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall be as per the Approved Mining Plan.
- (iii) The entire area shall be fenced first before starting the mining activity and three rows of plantation should be done towards the road and forest side.
- (iv) No transportation should be done through the forest area


Hence, Prior Environmental Clearance is granted for Flagstone Quarry (Opencast manual method) in an area of 0.70 ha. for production capacity of 1,500 cum/year at khasra no. 279 at Village-Kutmi, Tehsil-Pawai, District-Panna (M.P.) **for the lease period to Shri Bal Govind Kori S/o Bhaiya Lal Kori R/o Village Post-Sugrha, Tehsil-Gunnaur, District-Panna (MP)-488050.**

8. **Case No. 3575/2015**, Prior Environmental Clearance for Sand Quarry in an area of 5.058 ha. for production capacity of 25,000 cum/year at khasra no. 205 at Village-Lakhoni, Tehsil-Jirapur, District-Rajgarh (M.P.) by Shri Jagdish Verma S/o Shri Mangi Lal Verma, Village-Kodakya, Tehsil-Jirapur, District-Rajgarh (MP)-465693.

PP has submitted the replenishment plan on 20.04.2016 and the same may be forwarded to SEAC –II for appraisal. Copy to PP.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman


9. **Case No. 2496/2015**, Prior Environmental Clearance for Murram Quarry (Open cast manual method) in an area of 2.299 ha. for production capacity of 7,425 cum/year at khasra no 159, 151at Village-Samnapur, Tehsil-Pipariya, Dist-Hoshangabad (M.P.) by Shri Rajeev Kumar Jaiswal S/o Shri H.S. Jaiswal, Pachmarhi Road, Town & Teh.-Pipariya, Hoshangabad (MP)-461881.


After detailed discussion of query response in 309th SEIAA meeting dtd. 29.03.2016 and recommendation of 12th SEAC-II meeting dtd. 10.03.2016, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC


- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall be as per the Approved Mining Plan.
- (iii) Before commencing the mining activity, site demarcation should be done leaving 50m. from village road as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Mining Officer, Hoshangabad.
- (iv) The entire area shall be fenced first before starting the mining activity and three rows of plantation should be done towards the road and forest side.
- (v) No transportation should be done through the forest area.
- (vi) SEAC has put a condition for obtaining Wild Life Clearance from NBWL and PP has submitted on-line application also. No mining activity shall commence till the Wild Life Clearance is given by the National Board for Wild Life. The OM dated 02.12.2009 shall be applicable in this particular case. Mining Officer, Hoshangabad shall be responsible for compliance.
- (vii) Grant of environmental clearance does not necessarily implies that forestry and wildlife clearance shall be granted to the project and that their proposals for forestry and wildlife clearance will be considered by the respective authorities on their merits and decision taken.

Hence, Prior Environmental Clearance is granted for Murram Quarry (Open cast manual method) in an area of 2.299 ha. (7,425 cum/year) at khasra no 159, 151at Village-Samnapur, Tehsil-Pipariya, Dist-Hoshangabad (M.P.) **for the lease period to Shri Rajeev Kumar Jaiswal S/o Shri H.S. Jaiswal, Pachmarhi Road, Town & Teh.-Pipariya, Hoshangabad (MP)-461881.**

Meeting ended with a vote of thanks to the Chair.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman