

The 342nd meeting of the State Level Environment Impact Assessment Authority was convened on 21.06.2016 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

1. Shri H.S. Verma Member
2. Shri Ajatshatru Shrivastava Member Secretary

A. Following other than mining cases received from SEAC were discussed :-


S No	Case No.	Category	No. & date of latest SEAC
1.	4286/2015	8 (a)	277 th SEAC meeting dtd. 31.05.2016
2.	2552/2015	8 (b)	277 th SEAC meeting dtd. 31.05.2016


B. Following mining cases received from SEAC have been considered:-


S.No	Case No.	Category	No. & date of latest SEAC
3.	4821/2015	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
4.	4162/2015	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
5.	3207/2015	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
6.	1725/2013	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
7.	2315/2014	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
8.	732/2012	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
9.	1147/2013	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
10.	1488/2013	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
11.	2933/2015	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
12.	5137/2016	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
13.	4510/2015	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
14.	2415/2015	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
15.	1224/2013	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
16.	2839/2015	1 (a) B2	17 th SEAC-II meeting dtd. 06.04.2016
17.	3095/2015	1 (a) B2	15 th SEAC-II meeting dtd. 27.03.2016
18.	5019/2016	1 (a) B2	23 rd SEAC-2 meeting dtd. 06.05.2016

1. **Case No. 4286/2015** Prior Environment Clearance for proposed Residential project "Devki Enclave" at Khasra no.-7/1, 98, Village-Nishatpura, Tehsil-Huzur, District-Bhopal (MP) Total Plot Area – 41080.00 Sqm. (4.108 ha.) Proposed Built-up Area - 32065.00 sq.m. by Shri M.K. Sahu, Executive Engineer, M.P. Housing & Infrastructure Development Board, Div. No. 1, GTB Complex, T.T. Nagar, Bhopal (MP)-462003 Env. Consultant - In situ enviro care email:dn1bhopal @ mphousing. in Mob no. 9406912008

- (1) The proposed project comprises residential unit 112 Nos. HIG, 216 Nos. MIG, 24 Nos. LIG, 36 Nos. at Village-Nishatpura, Tehsil-Huzur, District-Bhopal (MP)
- (2) As per the T & CP Bhopal (vide letter dtd 19.01.15) the total land area is 4.108 ha (41080.0 sq.m.) The total built up area proposed by PP is 32065.00 sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.mt. & 1,50,000 sq mt. and plot area is less than 50 ha.


(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman


- (3) The case was discussed in SEAC meetings 270th dtd. 01.03.16, 277th mtg. dtd.31.05.16 and is recommended for grant of prior EC subject to 13 special conditions.
- (4) PP has submitted notarized copy of Khasra Panchsala 2014-15. As per the Khasra Panchsala the land is the name of Madhya Pradesh Grih Nirman Mandal.
- (5) The total water requirement is 331 KLD. The fresh water requirement is 170 KLD & recycled water is 161 KLD. The source of water supply is Municipal Corporation, Bhopal. **PP has submitted letter (dtd. 03.05.2016) from Municipal Corporation, Bhopal for supply of water.**
- (6) The total waste water generation is 229 KLD. PP has provided Sewage Treatment Plant of 250 KLD. The total treated waste water is 206 KLD (Flushing- 85 KLD+ Landscaping & General washing - 76 KLD) and remaining 45KLD is proposed to be disposed off in the municipal sewer line. **PP has submitted letter (dtd. 22.01.2016) from Commissioner, Municipal Corporation, Bhopal for disposal of extra treated waste water.**
- (7) Approximately 0.786 T/day Municipal Solid waste shall be generated. The generated biodegradable and non biodegradable waste will be collected separately. The bio degradable waste proposed to dispose to MSW site for composting and non-biodegradable waste, will be deposited at a landfill site of Municipal Corporation. **PP has submitted letter (dtd. 22.01.2016) from Municipal Corporation, Bhopal for disposal of solid waste.**
- (8) PP has proposed fire hydrant in common areas and other firefighting equipment as per building requirement.
- (9) PP has submitted roof top rain water harvesting system for ground water recharging and has proposed 06.no of recharging pits.
- (10) The total power requirement is 1400 KW. The source of electricity is Madhya Pradesh Kshetra Vidyut Vitran Company Limited. PP has also proposed DG set of capacity 1x100 KVA (for common areas and essential services only. For energy conservation measures PP has proposed use of LED in common area (60 units,) parking area (220 units) and 31 nos of solar panel poles by saving 4.69 KW energy.
- (11) PP has proposed an area of 6995 sq.m. for 232 ECS (138 ECS for MIG flats and 94 ECS for HIG flats).
- (12) PP has proposed an area of 10300 sq.m (25%) to be developed as green area by planting 734 no. of trees.

The submissions made by the PP were found to be satisfactory and acceptable hence It is decided to accept the recommendations of 277th SEAC meeting dtd 31.05.16 with 13 special conditions and accord Prior Environmental Clearance for proposed Residential Housing Project "Devki Enclave" at Khasra no.-7/1, 98, Village-Nishatpura, Tehsil-Huzur, District-Bhopal (MP) Total Plot Area – 41080.00 Sqm. (4.108 ha.) Proposed Built-up Area - 32065.00 sq.m. by Shri M.K. Sahu, Executive Engineer, M.P. Housing & Infrastructure Development Board, Div. No. 1, GTB Complex, New Market, Bhopal (MP)-462011 **subject to following specific conditions imposed by SEIAA:-**


- (1) The entire demand of water should be met through Municipal Corporation and there should be no extraction of ground water.


(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (2) The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
- (3) PP should ensure linkage with municipal sewer line for disposal of waste water.
- (4) Solid Waste Management:
 - (a) Provide compactors for MSW.
 - (b) Separate wet and dry bins must be provided at the ground level for facilitating segregation of waste.
 - (c) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
 - (d) Organic waste composter/Vermiculture pit with a minimum capacity of 0.3 kg/tenement/day must be installed.
 - (e) Ensure linkage with Municipal Corporation for final disposal of MSW.
- (5) PP should ensure road width, front MOS and side / rear as per MPBVR 2012.
- (6) For fire fighting:
 - (a) PP should ensure connectivity to the fire station from the project site and provide necessary fire fighting equipments for fire hazards.
- (7) For Rain Water Harvesting, and Ground water recharge:
 - (a) PP should ensure the rain water harvesting with 06 nos of recharging pits. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
 - (b) The rain water harvested should be stored in a tank for reuse in household through a provision of separate water tank and pipeline to avoid mixing with potable municipal water supply. The excess rain water harvested be linked to the tube well bore in the premise through a pipeline after filtering arrangement of the rain water.
 - (c) The unpaved area shall be more than or equal to 20% of the recreational open spaces.
- (8) Energy:-
 - (a) All common area lighting must be of LED/Solar lights.
 - (b) At least 1% of connected applied load generated from renewable energy source such as photovoltaic cells or wind mills or hybrid be provided.
 - (c) As per the provisions of the Ministry of New and Renewable Energy solar water heater of minimum capacity 100 lit/ 4 persons (25 litre per capita) to be installed.
 - (d) Fly ash bricks should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and as amended from time to time.
- (9) PP should ensure to provide car parking as per MPBVR rule 2012.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

(10) Air Quality and Noise :-

- (a) Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.
- (b) The exhaust pipe of the DG set if installed must be minimum of 10mtr away from the building or incase it is less than 10m away, the exhaust pipe shall be taken up to 3m above the building.

(11) Green belt :-

- (a) PP should ensure two rows peripheral plantation at a distance of 3 to 5 m. of tree species (2 mt. high plants) all around the property area. Avenue plantation along the roads and formal garden area, trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc. should be planted.
- (b) PP should ensure to initiate plantation in the project site during construction.
- (c) Every effort should be made to protect the existing trees on the plot.

2. **Case No. 2552/2015** Prior Environment Clearance for Proposed "Group Housing Project - "Suramya Parisar" at Khasra no.142, 273, 274, 137, 139, 280, 143, 141 Phase-III, Ayodhya Extension, Opp. Rajiv Nagar, Distt-Bhopal (M.P.) Total Plot Area- 1,11,400.00 sq.m. Built- up Area - 2,39,636.20 sq.m. by Shri Ajay Kumar Tiwari, EE, Div. No.-4, M.P. Housing & Infrastructure Development Board, 1st Floor, Satellite Plaza, Ayodhya Nagar, Bhopal- 462041 (M.P.) (EIA Consultant: Ascenso Enviro Pvt Ltd, Noida)

- (1) The proposed project is building construction and area development township at Phase-III, Ayodhya Extension, Opp. Rajiv Nagar, Distt-Bhopal (M.P.). The project includes Residential (Dwelling Units + ROW Houses), Convenient Shopping/Mixed use, Community center, Casual shopping, Spiritual center etc.
- (2) As per the T & CP Bhopal (letter No.1584 dtd. 28.09.13.). The total land area is 56.66 ha out of which PP has applied for 11.14 ha area. The total built up area proposed by PP is 2,39,636.20 sq.m. The project comes under 8 (b) category (B) of schedule of EIA Notification 2006 because total built up area is more than 1,50,000 sq.m.
- (3) The case was discussed in SEAC meetings 192nd dtd. 08.05.15 & 271st dtd. 02.03.16, 277th dtd.31.05.16 and is recommended for grant of prior EC subject to 13 special conditions.
- (4) After deliberations by PP the case was discussed in depth & it is noted that:-
 - (i) PP has submitted notarized copy of Khasra Panchsala 2000-2001. As per the Khasra Panchsala the land is the name of Madhya Pradesh Grih Nirman Mandal.
 - (ii) The total water requirement is 818 KLD. The fresh water requirement is 482 KLD & recycled water is 336 KLD. The source of water supply is Municipal Corporation, Bhopal. **PP has submitted letter (dtd. 01.03.2016) from Municipal Corporation, Bhopal for supply of water.**
 - (iii) The total waste water generation is 564 KLD. PP has provided sewage treatment plant of 680 KLD. The total treated waste water is 508 KLD out of

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman


this 336 KLD will be recycled and remaining 172 KLD is proposed to be disposed in municipal sewer line. **PP has submitted letter (dtd. 30.05.2016) from Commissioner, Municipal Corporation, Bhopal for disposal of extra treated waste water.**


- (iv) Approximately 3639.9 kg/day Municipal Solid waste shall be generated. The generated biodegradable and non biodegradable waste will be collected separately. The bio degradable waste proposed to dispose to MSW site for composting and non-biodegradable waste will be deposited at a landfill site of Municipal Corporation. **PP has submitted letter (dtd. 21.03.2016) from Municipal Corporation, Bhopal for disposal of solid waste.**
- (v) PP has proposed to provide fire water storage tank, portable fire extinguisher, hose reel, yard hydrant system, wet riser system, automatic sprinkler system, & manual fire alarm system etc. as per NBC 2005
- (vi) PP has submitted roof top rain water harvesting system for ground water recharging and has proposed 09. nos of recharging pits.
- (vii) PP has also submitted storm water management plan and proposed to ultimate disposal of storm water will be done through existing network of drains in the neighbouring housing board colony, which flows towards Hataikheda Dam.
- (viii) The total power requirement is 4863 KVA. The source of electricity is Madhya Pradesh Kshetra Vidyut Vitran Company Limited. PP has also proposed 02nos of DG set of capacity 1100 KVA (1x600 +1x500). For energy conservation measures PP has submitted energy saving plan by calculating per annum required load of the project and proposed to use of non conventional energy for common lighting (solar power generation (30 KW) with LED fixtures) which reveals that saving to the extent of 35.95% energy per annum.
- (ix) PP has proposed an area of 1585 ECS (Stilt - 980 ECS + Podium-450 ECS +Row houses-40 ECS+ open - 115 for others facilities). Besides of this PP has also proposed extra dedicated parking 139 ECS for club house & visitors.
- (x) PP has proposed an area of 23809 sq.m (21.40%) to be developed as green area by planting 1475 nos. of trees in periphery areas, parking areas, open area and along with road side areas etc.

The submissions made by the PP were found to be satisfactory and acceptable hence it is decided to accept the recommendations of 277th SEAC meeting dtd. 31.05.16 with 13 special conditions and accord Prior Environmental Clearance for proposed "Group Housing Project - "Suramya Parisar" at Khasra no.142, 273, 274, 137, 139, 280, 143, 141 Phase-III, Ayodhya Extension, Opp. Rajiv Nagar, Distt-Bhopal (M.P.) Total Plot Area- 1,11,400.00 sq.m. Built- up Area - 2,39,636.20 sq.m. by Shri Ajay Kumar Tiwari, EE, Div. No.-4, M.P. Housing & Infrastructure Development Board, 1st Floor, Satellite Plaza, Ayodhya Nagar, Bhopal- 462041 (M.P.) **subject to following specific conditions imposed by SEIAA:-**


- (1) The entire demand of water should be met through Municipal Corporation and there should be no extraction of ground water.



(Ajatshatru Shrivastava)
Member Secretary



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (2) The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
- (3) PP should ensure linkage with municipal sewer line for disposal of waste water and maintain zero discharge whenever the treated water would be not use for watering the plant/trees.
- (4) Solid Waste Management:
 - (a) Provide compactors for MSW.
 - (b) Separate wet and dry bins must be provided at the ground level for facilitating segregation of waste.
 - (c) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
 - (d) Organic waste composter/Vermiculture pit with a minimum capacity of 0.3 kg/tenement/day must be installed.
 - (e) Ensure linkage with Municipal Corporation for final disposal of MSW.
- (5) PP should ensure road width, front MOS and side / rear as per MPBVR 2012.
- (6) For fire fighting:
 - (a) PP should ensure connectivity to the fire station from the project site and provide necessary fire fighting equipments for fire hazards.
 - (b) As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Municipal Corporation, Bhopal) incorporating all the fire fighting measures recommended in National Building Code Part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Municipal Council only after ensuring that all fire fighting measures are physically in place.
- (7) For Rain Water Harvesting, and Ground water recharge:
 - (a) PP should ensure the rain water harvesting by increasing up to 12 nos of recharging pits. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
 - (b) The rain water harvested should be stored in a tank for reuse in household through a provision of separate water tank and pipeline to avoid mixing with potable municipal water supply. The excess rain water harvested be linked to the tube well bore in the premise through a pipeline after filtering arrangement of the rain water.
 - (c) The unpaved area shall be more than or equal to 20% of the recreational open spaces.
 - (d) PP should ensure to ultimate disposal of storm water will be done through existing network of drains in the neighbouring housing board colony, which flows towards Hataikheda Dam as proposed.
- (8) Energy:-
 - (a) All common area lighting must be of LED/Solar lights as proposed to conserve 35.95% energy per annum by using LED in common areas and by installation of solar panel (30KW).


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

- (b) At least 1% of connected applied load generated from renewable energy source such as photovoltaic cells or wind mills or hybrid be provided.
- (c) As per the provisions of the Ministry of New and Renewable Energy solar water heater of minimum capacity 100 lit/ 4 persons (25 litre per capita) to be installed.
- (d) Fly ash bricks should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and as amended from time to time.
- (9) PP should ensure to provide car parking as proposed 1585 ECS for residential units, other facilities and 139 ECS extra for club house and visitors.
- (10) Air Quality and Noise :-
- (a) Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.
- (b) The exhaust pipe of the DG set if installed must be minimum of 10mtr away from the building or incase it is less than 10m away, the exhaust pipe shall be taken up to 3m above the building.
- (11) Green belt :-
- (a) Plantation should be done as proposed in 23809 sq.m (11219.20 sq.m. for lawn & green and 12590.0 sq.m. for periphery & avenue plantation.)
- (b) PP should ensure two rows peripheral plantation at a distance of 3 to 5 m. of tree species (2 mt. high plants) all around the property area. Avenue plantation along the roads and formal garden area, trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar, Saptparni etc. should be planted.
- (c) PP should ensure to initiate plantation in the project site during construction.
- (d) Every effort should be made to protect the existing trees on the plot.
- (12) PP should ensure to include storm water management budget Rs. 137.55 Lacs in EMP cost.
- (13) In the case of future expansion in the scope or any changes(s) in the scope of the project shall again require prior Environmental clearance as per EIA notification, 2006.


3. Case No. 4821/15 Prior Environmental Clearance for Sand Quarry (Opencast Manual Method) in an area of 7.183 ha. for production capacity of 340 cum/year at Khasra No.- 1, 52/256 at Village-Piplya, Tehsil-Rajgarh, District-Rajgarh (MP) by Shri Phool Singh S/o Shri Ram Singh, Resi-Village-Madapura, Tehsil-Rajgarh, District-Rajgarh (MP)- 465661

After detailed discussion and recommendation of 29th SEAC-II meeting dtd. 03.06.2016, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (ii) The production capacity shall be limited to the quantity as recommended by SEAC-II.
- (iii) The lease area should be properly demarcated in the presence of the Revenue & Mining Officials and proper boundary stones should be established.
- (iv) No in-stream mining shall be allowed. The local authorities should ensure that the mining activity is confined only in the dry portion of the river where sand is exposed.
- (v) The depth of the pit shall be as per Approved Mining Plan and not exceed 3m or normal water level prevalent in the lean season whichever is less.
- (vi) The final decision of Hon'ble NGT (CZ) Bhopal and Hon'ble NGT Principal Bench, New Delhi in OA No. 49/2015 (Amarkant Mishra Vs State of MP & others), shall be obligatory on the part of PP.
- (vii) PP should ensure that no access ramps are made for transportation of sand from the opposite bank of the river.
- (viii) No transportation shall be permitted within the village.
- (ix) Alternate transportation route should be decided in consultation with the local Gram Panchayat.
- (x) The entire lease area should be properly fenced and boundary stones marked at the site.
- (xi) PP will ensure three row plantation towards the village settlement side in the entire length of suitable species three year old to conserve and retain the banks.


Hence, Prior Environmental Clearance is granted for Sand Quarry (Opencast Manual Method) in an area of 7.183 ha. for production capacity of 340 cum/year at Khasra No.-1, 52/256 at Village-Piplya, Tehsil-Rajgarh, District-Rajgarh (MP) **for the lease period to Shri Phool Singh S/o Shri Ram Singh, Resi-Village-Madapura, TehsilRajgarh, District-Rajgarh (MP)-465661.**


4. **Case No. 4162/2015** Prior Environmental Clearance for Metal Stone Quarry (Opencast Manual / Semi Mechanized Method) in an area of 9.00 ha. for production capacity of 19,950 cum/year at Khasra no.-244 at Village-Kardai, Tehsil-Huzur, District-Bhopal (MP) by Shri Vishal Yadav S/o Shri Banwarilal Yadav R/o House No. 95, Sairam Colony, Semra Colony, Huzur, Bhopal (MP)-462023


After detailed discussion and recommendation of 29th SEAC-II meeting dtd. 03.06.2016, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall be as per the Approved Mining Plan.
- (iii) No crusher shall be allowed within 500 m. from the settlement.
- (iv) The entire area shall be fenced and three rows of plantation should be done towards the human habitation side.

Hence, Prior Environmental Clearance is granted for Metal Stone Quarry (Opencast Manual / Semi Mechanized Method) in an area of 9.00 ha. for production capacity of 19,950 cum/year at Khasra no.-244 at Village-Kardai, Tehsil-Huzur, District-Bhopal


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

(MP) for the lease period to Shri Vishal Yadav S/o Shri Banwarilal Yadav R/o House No. 95, Sairam Colony, Semra Colony, Huzur, Bhopal (MP)-462023

5. **Case No. 3207/2015** Prior Environmental Clearance for Stone Metal Quarry (Opencast Semi Mechanized Method) in an an area of 2.00 ha. for production capacity of 5,000 cum/year at Khasra No.-904/1, 2, 3, 6 at Vill.-Rajana, Teh.-Sousar, District-Chhindwara (MP) by Shri Ashok Dubey S/o Shri Rajkumar Dubey, Sharda Colony, Ward No. 15, Teh.-Sousar, District-Chhindwara (MP)-480337

The case was discussed in 275th SEIAA 26.12.2013 and returned to SEAC for re-appraisal, as PP has submitted fresh coordinates of the mining site, which were different than the submission made during the SEAC presentation. After detailed discussion and recommendation of 29th SEAC-II meeting dtd. 03.06.2016, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall be as per the Approved Mining Plan.
- (iii) No crusher shall be allowed within 500 m. from the settlement.
- (iv) The entire area shall be fenced and three rows of plantation should be done towards the human habitation side.

Hence, Prior Environmental Clearance is granted for Stone Metal Quarry (Opencast Semi Mechanized Method) in an an area of 2.00 ha. for production capacity of 5,000 cum/year at Khasra No.-904/1, 2, 3, 6 at Vill.-Rajana, Teh.-Sousar, District-Chhindwara (MP) for the lease period to Shri Ashok Dubey S/o Shri Rajkumar Dubey, Sharda Colony, Ward No. 15, Teh.-Sousar, District-Chhindwara (MP)-480337.


6. **Case No. -1725/13** Prior Environmental Clearance for Sonagaon Manganese Ore Mine (M.L Area: 4.998 ha.) Enhancement in Production capacity from 1,285 TPA to 12,495 TPA at Khasra no.-274, Village-Sonagaon, TehsilTirodi, District-Balaghat (M.P) by Shri Dinesh S/o Shri Devendralal Agrawal, Vijay Nagar, Balaghat Road, Gondia (Maharashtra) Pin code- 441601.


The case was discussed in 29th SEAC-II meeting dtd. 03.06.2016 and recommended for delisting on account of absence of PP. After detailed discussion it has been decided to delist the case which is liable for relisting. Copy to PP


7. **Case No. - 2315/14** Prior Environmental Clearance for Stone Quarry in an area of 2.00 ha. at Khasra No.-216 Vill.-Budi, Th.-Pati, District-Badwani (M.P.) by Shri Sachin Malviya S/o Shri Rajaram Malviya, Vill.-Bokrata, Th.- & District-Badwani (M.P.)-451551.

The case was discussed in 29th SEAC-II meeting dtd. 03.06.2016 and it was reported that :-

"The case was scheduled for the presentation today but PP remains absent. During scrutiny of documents it was observed by the committee that PP vides letter dated 13/05/2016 has requested that being the lease area is <5.00 his case may be transferred to DEIAA. It was also observed by the committee that PP has submitted revised mine plan as per the 229th SEIAA minutes dated 25/08/2015. Committee after deliberations decided that since PP has revised the mine plan thus fresh appraisal of the project is required and being the case is off area <5.00 ha considering the request of PP, same is recommended to be transferred to DEIAA and recommendations made for the EC in the 178th SEAC meeting dated 24/03/2015 stands withdrawn."


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

As per the above observation the case is hereby transferred to DEIAA, Badwani for further necessary action. Copy to PP & All concerned.

8. **Case No. 732/2012** Prior Environmental Clearance for Metal Stone in an area of 2.0 for production capacity 20000 cum/year at khasra no. 418 Village - Mau, Dist - Gwalior (MP) by Shri Brijesh Kumar Sharma, C-105, Govindpui, Gwalior, and C/o Kamla Stone Crusher

The case was discussed in 29th SEAC-II meeting dtd. 03.06.2016 and it was reported that :-

"Neither the Project Proponent (PP) nor his representative was present to explain the query which might be raised or to make any commitment which may be desired by the committee during the deliberation. This case was earlier recommended in the 230th SEAC meeting dated 26/10/2015 but sent back by SEIAA for re-appraisal as "the mining site is part of the Gwalior City planning area with land use as Residential". PP vide letter dated 04/06/2016 has submitted that since the mine lease area is under residential planning they want to withdraw their application."

As per the above observation the case is permitted to be withdrawn and hereby closed, no further action is now required in this matter. Copy to PP & Mining Officer, Gwalior and all concerned.

9. **Case No. - 1147/2013** Prior Environmental Clearance for Stone Mine of an area of 1.00 ha. at Khasra No. 109/2 at village Ganeshpur, Tehsil-Dindori, Dindori (M.P.) (Capacity - 3325 cum/year as per mine plan) by M/s Bhim Awadhiya Stone Mines R/o Dindori, Tehsil & Distt. - Dindori, (M.P.) 481880

The case was discussed in 29th SEAC-II meeting dtd. 03.06.16 & it was reported that:

"Committee after deliberation decided that since sufficient opportunities have been given to the PP for appraisal and consideration of the project wherein PP has not submitted the reply of query and also remain absent today the case shall be transferred to DEIAA through SEIAA as the lease area is <5.00 ha. and concerned Mining Officer vide letter no.-909 dated: 30/08/2014 & 535 dated: 14/5/15 has reported that there is no more mine operating or proposed within 500 meters around the said mines and thus cluster situation is also not arising"

As per the above observation the case is hereby transferred to DEIAA, Dindori for further necessary action. Copy to PP & All concerned.

10. **Case No. - 1488/13** Prior Environmental Clearance for Stone Quarry in an an area of 3.80 ha. at Khasra no. 209, capacity 90.000 cum/year at village Bichpura, Tehsil Barahi, Dist. Katni (M. P) by M/s Shri Ram Traders, Prop. Shri Leelaram Gupta, Doli Road, Barhi Distt. Katni (M.P.)

The case was discussed as SEAC in its 140th meeting dtd. 30.08.2013 had recommended the case for EC. However, during the period when SEIAA was not in place, this matter could not be decided, further, MoEF has issued fresh guidelines to include the Approved Mining Plan as a pre-requisite for granting EC. PP was informed to duly submit the desired information but, PP could not submit the information in the stipulated period and therefore, the case was delisted in 209th SEIAA meeting dtd. 17.06.2015. On submission of information by the PP, the case was relisted in 254th SEIAA meeting dtd. 30.10.2015 and sent to SEAC for appraisal.

The case was discussed in 29th SEAC-II meeting dtd. 03.06.16, it was reported that :-

"During the scrutiny of documents it was observed by the committee that PP has not submitted the desired information as per the recommendations of the 264th SEAC meeting dated 12/01/2015 (informed to PP vide letter no. 318 dated 02/03/2016). PP was called today for presentation today but remains absent. The committee after deliberations decided that PP was asked to provide maps duly approved by

(Ajatshatru Shrivastava)
Member Secretary

(H.S. Verma)
Member

(Waseem Akhtar)
Chairman

the competent authority within 15 days which he fails to submit and thus case may be delisted assuming that PP is not interested to continue with the project"

Since, the case is less than 5.0 ha. and under the new stipulation to be appraised at DEIAA, after detailed discussions it was decided to transfer the case to DEIAA, Katni for further necessary action. Copy to PP & all concerned.

- 11. Case No. – 2933/2015** Prior Environmental Clearance for Chhind Basalt Stone Quarry (Opencast Manual / Semi Mechanized Method) in an area of 7.20 ha. for production capacity of 56,800 cum/year at Khasra No. 94/1 at Vill.- Chhind, Teh.-Udaipura, District-Raisen (M.P.) by Shri Shivpal Singh Rajput S/o Shri Harish Chandra Rajput, Vill.-Barahakalan, Teh.-Udaipura, District-Raisen (M.P.)-464770

The case was discussed in 29th SEAC-II meeting dtd. 03.06.2016, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The depth of the pit shall be as per the Approved Mining Plan.
- (iii) No crusher shall be allowed within 500 m. from the settlement.
- (iv) The entire area shall be fenced and three rows of plantation should be done towards the human habitation side.


Hence, Prior Environmental Clearance is granted for Chhind Basalt Stone Quarry (Opencast Manual / Semi Mechanized Method) in an area of 7.20 ha. for production capacity of 56,800 cum/year at Khasra No. 94/1 at Vill.- Chhind, Teh.-Udaipura, District-Raisen (M.P.) **for the lease period to** Shri Shivpal Singh Rajput S/o Shri Harish Chandra Rajput, Vill.-Barahakalan, Teh.-Udaipura, District-Raisen (M.P.)-464770


- 12. Case No. 5137/16** Prior Environmental Clearance for River Sand Mining in an area of 10.00 ha. (40,000 cum/year) at Khasra No. 1566 at Village-Bijakpur, Tehsil-Dabra, District Gwalior (MP) by Shri Atul Gondal, Authorized Signatory, M/s Vedansh Minerals Resources, Sub Lessee of MPSMCL, L.L.P. 10/499, B, Aliganj, Khalasilean, Kanpur (UP)-208002


(A) The case was discussed in 327th SEIAA meeting dtd. 05.05.2016 and it was recorded that:-

After detailed discussion and recommendation of 20th SEAC-II meeting dtd. 26.04.2016, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC.

- I. PP shall not start mining activity before execution of lease agreement.
- II. The production capacity shall be limited to **3465** cum/year as proposed by SEAC-II.
- III. The lease area should be properly demarcated in the presence of the Revenue & Mining Officials and proper boundary stones should be established.
- IV. No in-stream mining shall be allowed. The local authorities should ensure that the mining activity is confined only in the dry portion of the river where sand is exposed.
- V. The depth of the pit shall not exceed 0.4 m or normal water level prevalent in the lean season whichever is less.
- VI. The final decision of Hon'ble NGT (CZ) Bhopal and Hon'ble NGT Principal Bench, New Delhi in OA No. 49/2015 (Amarkant Mishra Vs State of MP & others), shall be obligatory on the part of PP.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- VII. PP should ensure that no access ramps are made for transportation of sand from the opposite bank of the river.
- VIII. Transportation route should be decided in consultation with the local Gram Panchayat.
- IX. The entire lease area should be properly fenced and boundary stones marked at the site.
- X. PP will ensure three row plantation towards the village settlement side in the entire length of suitable species three year old to conserve and retain the banks.

Hence, Prior Environmental Clearance is granted for River Sand Mining (Opencast Manual Method) in an area of 10.00 ha. for production capacity of **40,000 cum/year** at Khasra No. 1566 at Village-Bijakpur, Tehsil-Dabra, District-Gwalior (MP) for the lease period M/s Vedansh Minerals Resources, Sub Lessee of MPSMCL, Shri Atul Gondal, Authorized Signatory, L.L.P. 10/499, B, Aliganj, Khalasilean, Kanpur (UP)-208002."

(B) The case was recommended for prior EC in 20th SEAC-II meeting dtd. 26.04.2016, it was recorded that :-

Case No.5137/16 Shri Atul Gondal, Authorized Signatory, M/s Vedansh Minerals Resources, Sub Lessee of MPSMCL, L.L.P. 10/499, B, Aliganj, Khalasilean, Kanpur (UP)-208002 Prior Environment Clearance for River Sand Mining in an area of 10.00 ha. (**40,000 cum/year**) at Khasra No. 1566 at Village-Bijakpur, Tehsil-Dabra, District-Gwalior (MP)

This is case of River Sand Quarry. The application was forwarded by SEIAA to SEAC for appraisal. The proposed site is located at Khasra No. 1566 at Village-Bijakpur, Tehsil-Dabra, District-Gwalior (MP) 10.00 ha. The project requires prior EC before commencement of any activity at site.


PP has submitted a copy of approved Mining Plan, letter from Mining Officer certifying the leases within 1000 meters radius around the site and requisite information in the prescribed format duly verified by the Tehsildar and DFO. Concerned Mining Officer vides letter no. 435 dated: 04/11/2015 has reported that there is no more mines operating or proposed within 1000 meters around the said mine.


The case was presented by the PP and their consultant wherein it was observed from the Google image based on the co-ordinate provided by the PP that QL is sanctioned just adjacent to the river bank and sufficient safety area is not left from the bank and the allotted sand lease. Thus committee after deliberations decided that at least 20 meters area be left from northern side of the bank as non-mining area to avoid bank erosion. Other submissions made by PP were found satisfactory and acceptable and thus the committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':


- Production of Sand as per mine plan with quantity not exceeding **4,40,000 cum/year**
- District Authority should record the deposition of sand in the lease area at an interval of 100 meters annually in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority may allow lease holder to excavate the replenished quantity of sand in the subsequent year.
- Evacuation of sand should not be allowed through the roads passing through the villages.
- Heavy vehicles (Hywa) should not be allowed on Kachcha, narrow roads.
- If causeway (Rapra) is required to be constructed for mining. It should be removed completely before rainy season every year.
- The river bank from where access ramps are made should be restored and access should be closed every year before rainy season.
- No diversion of active channel should be allowed for mining.
- 20 meter area be left from the northern side of the banks in the QL as no mining area to avoid bank erosion.

(C) As per the direction of SEIAA the technical file of the case was sent to SEAC for amendments in production capacity. The case was discussed in 29th SEAC-II meeting dtd. 03.06.2016 and it was recorded that :-

"The above case was placed before the committee issuance of corrigendum as in this case due to typographical error quantity recommended for EC in the 20th SEAC meeting dated 24/04/2016 was 4,40,000 cum/year while PP has applied only for 40,000 cum/year and the mine plan was also approved for the quantity of 40,000 cum/year. Committee after deliberations decided that the


(Ajatshatra Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

Hence, corrigendum is being issued, accordingly Point No. (ii) of the minutes of 327th SEIAA meeting dtd. 05.05.2016 i.e.

"The production capacity shall be limited to **3465** cum/year as proposed by SEAC-II".

Shall be read as "The production capacity shall be limited to 40,000 cum/year as proposed by SEAC-II".

- 13. Case No. 4510/15** Prior Environmental Clearance for Sand Quarry (Opencast Manual Method) in an area of 8.880 ha. for production capacity of 1,75,500 cum/year at Khasra No. 158 at Vill-Rudrakheda, Tehsil – Mahidpur, Distt-Ujjain (M.P.) by Shri Shivpratap Singh S/o Shri Chandrpal Singh, R/o Vill. Pipliya Haama, Tehsil – Ghattiya, Distt. Ujjain (M.P.) – 456 001


The case was discussed in 29th SEAC-II meeting dtd. 03.06.16 & recommended as under:-


"The case was presented by the PP and their consultant wherein it was observed by the committee that A bridge and causeway near ML area. Thus PP was asked to leave safe zone of 150 meter from the bridge including 50 meters from the causeway in the ML area. The other submissions made by PP were found satisfactory and acceptable and thus the committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':


· Production of Sand as per mine plan with quantity not exceeding 1,40,400 cum/year.

From the Google Map, it was observed that in the vicinity of the mining lease area there exist a road bridge, old cause way and a water retaining structure.

- I. PP shall not start mining activity before execution of lease agreement.
- II. The production capacity shall be limited to the quantity as recommended by SEAC-II.
- III. The lease area should be properly demarcated in the presence of the Revenue & Mining Officials and proper boundary stones should be established.
- IV. No in-stream mining shall be allowed. The local authorities should ensure that the mining activity is confined only in the dry portion of the river where sand is exposed.
- V. The depth of the pit shall be as per Approved Mining Plan and not exceed 3m or normal water level prevalent in the lean season whichever is less.
- VI. The final decision of Hon'ble NGT (CZ) Bhopal and Hon'ble NGT Principal Bench, New Delhi in OA No. 49/2015 (Amarkant Mishra Vs State of MP & others), shall be obligatory on the part of PP.
- VII. PP should ensure that no access ramps are made for transportation of sand from the opposite bank of the river.
- VIII. Before commencing the mining activity, site demarcation should be done keeping area between road bridge and water retaining structure as a "no mining zone". The mining activity shall start keeping 50m. distance from the water retaining structure to keep it secure and protected. The demarcation should be done by the Revenue Officials in the presence of and Mining Officer, Ujjain.
- IX. No transportation shall be permitted within the village.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- X. Alternate transportation route should be decided in consultation with the local Gram Panchayat.
- XI. The entire lease area should be properly fenced and boundary stones marked at the site.
- XII. PP will ensure three row plantation towards the village settlement side in the entire length of suitable species three year old to conserve and retain the banks.

Hence, Prior Environmental Clearance is granted for Sand Quarry (Opencast Manual Method) in an area of 8.880 ha. for production capacity of 1,75,500 cum/year at Khasra No. 158 at Vill-Rudrakheda, Tehsil – Mahidpur, Distt-Ujjain (M.P.) **for the lease period to Shri Shivpratap Singh S/o Shri Chandrpal Singh, R/o Vill. Pipliya Haama, Tehsil – Ghattiya, Distt. Ujjain (M.P.) – 456 001**

- 14. Case No.-2415/2015** Prior Environmental Clearance for Stone Quarry in an area of 2.50 ha. (5,80,000 TPA) at Khasra No. 499, Village-Ghatahri, Tehsil-Ghatahri, District-Chhatarpur (MP) by Shri Narendra Singh, Authorized Persons, Shri Prabhat Kumar Pathak, C/o M/s Dilip Buildcon Ltd., Chuna Bhatti, Kolar Road, Bhopal (MP)-462016.

The case was discussed in 29th SEAC-II meeting dtd. 03.06.2016 it was reported that:-

"Today, Neither the Project Proponent (PP) nor his representative was present to explain the query which might be raised or to make any commitment which may be desired by the committee during the deliberation. Earlier PP was also absent in the 181st SEAC meeting, 186th SEAC meeting and 18th SEAC II meeting. Committee decided that since sufficient opportunities have been given to the PP for appraisal and consideration of the project wherein PP remain absent, the case shall be returned to SEIAA for delisting assuming that PP is not interested to continue with the project."

After detailed discussion it has been decided to delist the case which is liable for relisting. Copy to PP.

- 15. Case No. – 1224/13** Prior Environmental Clearance for Stone Mine in Area – 1.50 Ha., (10,000 Cubic Meter/Year) at Khasra No. 32, PH. No. – 12, Village – Gangeura, Tehsil – Seoni, Distt. – Seoni (M.P.) by Smt. Poonam Devi Gupta, Near Tuti Puli, Bharather, Seoni, Distt.- Seoni (M.P.) 480661

The case was discussed in 29th SEAC-II meeting dtd. 03.06.2016 it was reported that :-

"During the scrutiny of documents it was observed by the committee that PP has not submitted the desired information as per the recommendations of the 1st SEAC meeting dated 02/02/2016 (informed to PP vide letter no. 627 dated 15/03/2016). PP was called today for presentation today but remains absent. The committee after deliberations decided that PP was asked to provide revised mine plans duly approved by the competent authority within 30 days which he fails to submit and thus case may be delisted assuming that PP is not interested to continue with the project."

After detailed discussion it has been decided to delist the case which is liable for relisting. Copy to PP.

- 16. Case No. 2839/2015** Prior Environmental Clearance for Sand Quarry in an area of 5.850 ha. (1,00,000 cum/year) at Village-Karoula, Tehsil-Palera, District-Tikamgarh (MP) by Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh (MP)-472001

After detailed discussion and recommendation of 17th SEAC-II meeting dtd. 06.04.2016, it was reported that :-

"The case was presented by the PP and their consultant wherein during presentation it was observed as per Google image of April, 2014 and February, 2012 that entire lease area is submerged in the water and also the site is located on the upstream of a dam. The Google image submitted by the PP and their

(Ajatshatru Shrivastava)
Member Secretary

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

consultant along with the presentation was very old and was off June, 2004. The committee also instructed the consultant & PP to always attach recent available Google image with the presentation in the future for realistic assessment of the site. The committee after deliberations decided that since entire lease area is submerged in water as per the Google image of April, 2014 (summer season) the grant of Environmental Clearance is not recommended for this QL for the above mentioned reasons".

PP has submitted recent photographs of the site in SEIAA. The case may be return to SEAC alongwith the site photographs for re-appraisal. Copy to PP.

- 17. Case No. 3095/15** - Prior Environmental Clearance for Malpone River Sand Quarry in Lease Area - 6.00 ha., Capacity- 1,50,000 cum/year at Khasra No.-1/1, Vill.-Malpone, Teh.-Handiya, District-Harda (MP) by Shri Raj Kumar Nema, OIC, Sub Off., M.P. State Mining Corporation Ltd., H.No. 12, Ward No. 17, Sainath Colony, Meenakshi, Hoshangabad (MP)-461001.

After detailed discussion and recommendation of 15th SEAC-II meeting dtd. 27.03.2016, it was reported that :-


"The case was presented by the PP and their consultant wherein PP informed that they have revised the mine plan which will be submitted to SEIAA for necessary action. The committee decided that case should be differed till the submission of revised mineplan through SEIAA"


Since the PP has submitted the revised replenishment mining plan on 21.06.2016, the same should be forwarded to SEAC for appraisal.


- 18. Case No. 5019/2016** Prior Environmental Clearance for Sand Quarry in an area of 7.00 ha. (40,160 cum/year) at Khasra No.-01, Village-Nachan Kheda, Tehsil-Burhanpur, District-Burhanpur (MP) by Shri Manoj Kumar Sharma S/o Shri Satyanarayan Sharma, Green Park Colony, Burhanpur (MP) - 450445.

This case was discussed in 336th SEIAA meeting dtd. 26.05.2016 on the observation of 23rd SEAC-2 meeting dtd. 06.05.2016 and a clarification was sought from Director Geology and Mining about the approval of two mining plans by the Competent Authority. However in the meanwhile PP has submitted a letter on 20.06.2016 that he would like to withdraw the case. After detailed discussions it was decided to close the case on the request of the PP. Copy to all concerned.

Meeting ended with a vote of thanks to the Chair.


(Ajatshatru Shrivastava)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman