

The 344th meeting of the State Level Environment Impact Assessment Authority was convened on 24.06.2016 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- | | |
|----------------------|------------------|
| 1. Shri H.S. Verma | Member |
| 2. Shri Anupam Rajan | Member Secretary |

- A. Following other than mining case received from SEAC and additional information PP have been considered:-

S.No.	Case No.	Category	No. & date of latest SEAC/ SEIAA meeting
1.	4976/2016	8 (a)	277 th SEAC meeting dtd. 31.05.2016

- B. Following mining cases received from SEAC /SEIAA query response have been considered:-

S.No.	Case No.	Category	No. & date of latest SEAC
2.	1822/2014	1 (a)	25 th SEAC-II meeting dtd. 17.05.2016
3.	2469/2015	1 (a) B2	29 th SEAC-II meeting dtd. 03.06.2016
4.	2562/2015	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
5.	2547/2015	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
6.	1697/2013	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
7.	1694/2013	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
8.	2430/2015	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
9.	3322/2015	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
10.	2938/2015	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
11.	2561/2015	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
12.	724/2012	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
13.	1660/2013	1 (a) B2	30 th SEAC-II meeting dtd 04.06.2016
14.	3108/2015	1 (a) B2	276 th SEIAA meeting dtd. 28.12.2015
15.	4577/2015	1 (a) B2	Return from DEIAA

1. **Case No. 4976/2016** Prior Environmental Clearance for Proposed High Rise Development Residential Block cum Commercial (Apparel Manufacturing Park) at Khasra No.-148, 148/1653 & 151/1654, Village Snehlataganj, Tehsil & District-Indore (MP) Land Area-12747.60 sq.m., Built-up Area-53157.6 sq.m., by Shri Anurag Shrivastav, Executive Engineer, MP Housing and Infrastructure Development Board, Housing Board Plaza, Shopping Complex, A.B. Road, Indore (MP)-452011 Env. Con. Mantras Green Resources Ltd., Nasil. email:dnindore@mphousing.in ph- 0731- 2554888

- (1) The proposed project comprises Residential blocks and Readymade Garment Manufacturing Park at Village - Snehlataganj, Tehsil & District-Indore (MP).
- (2) As per the T & CP Indore (vide letter no.10210 dtd 29.12.15) the total land area is 1.275 ha (12747.60 sq.m.) and PP also obtained approval (dtd. 07.08.15) from high-rise committee for building height 27.60m & 45 m. The total built up area proposed by PP is 53157.6 sq. The project comes under 8(a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.mt. & 1,50,000 sq mt. and plot area is less than 50 ha.
- (3) The case was discussed in SEAC meetings 274th dtd. 12.04.16 & 277th dtd.31.05.16 and is recommended for grant of prior EC subject to 14 special conditions.

(Anupam Rajan)
Member Secretary


(H.S.Verma)
Member

(Waseem Akhtar)
Chairman


(4) After deliberations by PP the case was discussed in depth & it is noted that:-

- (i). PP has submitted notarized copy of Khasra Panchsala 2015-16. As per the Khasra Panchsala the land is the name of Executive Engineer, M.P. Housing and Infrastructure Development Board
- (ii). The total water requirement is 227 KLD. The fresh water requirement is 115 KLD & recycled water is 112 KLD. The source of water supply is Municipal Corporation, Indore. **PP has submitted letter (dtd. 11.12.2015) from Municipal Corporation, Indore for supply of water.**
- (iii). The total waste water generation is 182 KLD. PP has provided Sewage Treatment Plant of 220 KLD. The total treated waste water is 163 KLD (Flushing- 79 KLD+ Landscaping & General washing - 33 KLD) and remaining 51KLD is proposed to be disposed off in the municipal sewer line. **PP has submitted letter (dtd. 22.01.2016) from Commissioner, Municipal Corporation, Indore for disposal of extra treated waste water.**
- (iv). Approximately 773 kg/day Municipal Solid waste shall be generated. The Solid wastes generated will be segregated into biodegradable and non-biodegradable components and collected in separate bins. Dewatered/sludge from STP will be used as manure in horticulture. Biodegradable waste will be treated in Organic Waste converter and non-biodegradable waste, will be deposited at a landfill site of Municipal Corporation. **PP has submitted letter (dtd. 19.10.2015) from Municipal Corporation, Indore for disposal of solid waste.**
- (v). PP has proposed to provide fire water UG storage tank, fire extinguisher, hose reel, yard hydrant system, wet riser system, automatic sprinkler system, & manual fire alarm system etc. as per NBC 2005.
- (vi). PP has submitted roof top rain water harvesting system for ground water recharging and has proposed 03.no of recharging pits.
- (vii). The storm water will be collected and conveyed through network of open drain system along the internal road as well as compound wall. In no case the storm water should create water logging on the main road.
- (viii). The total power requirement is 1,768.96 KW. The source of electricity is Madhya Pradesh Kshetra Vidyut Vitran Company Limited. PP has also proposed DG set of capacity 1X1250 KVA, 1X250 KVA for commercial and 2x1250 KVA for residential. For energy conservation measures PP has proposed use of Compact Fluorescent lamps, PVC insulated copper conductor cable will be used for wiring purpose Solar water harvesting systems and solar powered street lights etc.
- (ix). PP has proposed 341 ECS (201 ECS for residential and 140 ECS for commercial.
- (x). PP has proposed an area of 1177.86 sq.m (10%) to be developed as green area. There are 13 existing trees out of which 5 are proposed to be transplanted, 4 have been saved and 4 trees will be cut.

The submissions made by the PP were found to be satisfactory and acceptable hence It is decided to accept the recommendations of 277th SEAC meeting dtd 31.05.16 with 14


(Anupam Rajan)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

special conditions and accord Prior Environmental Clearance for proposed High Rise Development Residential Block cum Commercial (Apparel Manufacturing Park) at Khasra No.-148, 148/1653 & 151/1654, Village - Snehlataganj, Tehsil-Indore, District-Indore (MP) Land Area-12747.60 sq.m., Built-up Area-53157.6 sq.m., by Shri Anurag Shrivastav, Executive Engineer, M.P. Housing and Infrastructure Development Board, Housing Board Plaza, Shopping Complex, A.B. Road, Indore (MP) - 452011 **subject to following specific conditions imposed by SEIAA:-**

- (1) The entire demand of water should be met through Municipal Corporation and there should be no extraction of ground water.
- (2) The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
- (3) Waste water management:-
 - (a) PP should ensure linkage with municipal sewer line for disposal of waste water.
 - (b) The treated wastewater of 163 KLD shall be recycled and reused for flushing (79 KLD) and gardening (33 KLD) to reduce the demand of fresh water as committed.
 - (c) Project Proponent shall ensure regular operation and maintenance of the STP.
 - (d) The Project Proponent shall explore the possibilities of reusing the treated wastewater from nearby projects.
 - (e) It is noted that Khan River is flowing adjacent to the project site hence PP should ensure to leave at least 60 m area from the project site to Khan river and create buffer zone as green belt in this area.
 - (f) PP should ensure zero discharge of treated waste water in nearby Khan River which is abetting the plot. PP should also study the projects being under taken for cleaning and rehabilitation of Khan River.
- (4) Solid Waste Management:-
 - (a) Ensure linkage with Municipal Corporation for final disposal of MSW.
 - (b) Provide compactors for MSW.
 - (c) Separate wet and dry bins must be provided for facilitating segregation of waste.
 - (d) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
 - (e) A separate segregation area will be earmarked in the apparel park for the storage garment waste. This waste should be disposed off through vendors for reuse or recycled by the garment making owners.
 - (f) PP will prepare a user guide book for all residents and garment making owners for the use of environmental facilities in sustainable manner.
 - (g) The construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.


(Anupam Rajan)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

(5) Traffic management:-


- (a) PP should ensure road width, front MOS and side / rear as per MPBVR 2012.
- (b) The roads inside the project area and roads connected to the main road shall be paved or shall be water sprinkled to avoid the fugitive emissions during construction.
- (c) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided.
- (d) No public space including the service road shall be used or blocked for the parking and the trained staff shall be deployed to guide the visitors for parking and helping the senior citizens and physically challenged people to park their vehicles at appropriate parking places (valet parking).


(6) For firefighting:-


- (a) PP should ensure connectivity to the fire station from the project site and provide necessary fire fighting equipments for fire hazards.
- (b) As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code Part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
- (c) The project proponent shall not sold / allot any shop/office/show room for storage of chemicals, flammable, substances, explosives, fire crackers or any other material of hazardous characteristics.
- (d) Underground fire water storage tanks of adequate capacity shall be provided as proposed. Adequate provision shall be made to ensure that water from the Fire Water Tank shall not be used for any other purpose.
- (e) Dedicated power back up system shall be provided in the case of power failure & emergency of fire water pumps.
- (f) All the staircases and lifts shall open out at ground level from the highest point of building with access from each floor for emergency evacuation. Two staircases shall be provided in each building.
- (g) Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.

(7) For Rain Water Harvesting, and Ground water recharge:-

- (a) Rain water harvesting from rooftop and paved areas and ground water recharge through 3 nos. of recharging pit shall be carried out as per the details submitted. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
- (b) Before recharging the runoff, pre-treatment must be done to remove suspended matter.
- (c) The rain water harvested should be stored in a tank for reuse in household through a provision of separate water tank and pipeline to avoid mixing with potable municipal water supply. The excess rain water harvested be linked to


(Anupam Rajan)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

the tube well bore in the premise through a pipeline after filtering arrangement of the rain water.

- (d) The unpaved area shall be more than or equal to 20% of the recreational open spaces.

(8) Energy:-


- (a) All common area lighting must be of LED/Solar lights.
- (b) At least 1% of connected applied load generated from renewable energy source such as photovoltaic cells or wind mills or hybrid be provided.
- (c) As per the provisions of the Ministry of New and Renewable Energy solar water heater of minimum capacity 100 lit/ 4 persons (25 litre per capita) to be installed.
- (d) The project proponent shall install energy efficient devices, appliances, motors and pumps conforming to the Bureau of Energy Efficiency norms.
- (e) Solar lights shall be provided in the open sunlit areas.
- (f) Use of glass shall be minimal to reduce the heat island effect as well as to reduce the electricity consumption.
- (g) Fly ash bricks should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and as amended from time to time.

(9) Parking:-


- (a) PP should ensure to provide car parking as per MPBVR rule 2012.
- (b) The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
- (c) There should be separate parking areas earmarked for residential and commercial activity. No overlapping will be permitted in the mixing of traffic. Entry/ Exit and parking should be regulated manually by mobilizing trained staff.

(10) Air Quality and Noise :-

- (a) Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.
- (b) The overall noise level in and around the project area shall be kept well within the prescribed standards by providing noise control measures including acoustic insulation, hoods, silencers, enclosures vibration dampers etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed by CPCB under the Environment (Protection) Act and Rules.
- (c) The noise generating equipments, machinery and vehicles shall not be operated during the night hours and shall be maintained properly to avoid generation of high noise due to lack of wear and tear.



(Anupam Rajan)
Member Secretary




(H.S. Verma)
Member




(Waseem Akhtar)
Chairman

- (d) The exhaust pipe of the DG set if installed must be minimum of 10mtr away from the building or in case it is less than 10m away, the exhaust pipe shall be taken up to 6 m above the building.
 - (e) Use of diesel generator sets during construction phase shall be strictly with acoustic enclosure and shall confirm to EPA Rules for air and noise emission standards.
 - (f) D. G. Sets, if any provided in future as backup power shall be of enclosed type and conform to prescribed standards under the EPA rules. Necessary acoustic enclosures shall be provided at diesel generator set to mitigate the impact of noise.
 - (g) The gaseous emissions from the D.G. Sets shall conform to the standards prescribed by MPPCB. At no time, the emission levels shall go beyond the stipulated standards.
- (11) Green belt :-
- (a) PP should ensure two rows peripheral plantation at a distance of 3 to 5 m. of tree species (2 mt. high plants) all around the property area. Avenue plantation along the roads and formal garden area, trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc. should be planted.
 - (b) PP should ensure to initiate plantation in the project site during construction.
 - (c) If there is a cluster of existing trees then it could be retained as a open space. Every effort should be made to protect the existing trees on the plot. PP has conserved 9 trees and only 4 trees will be cut after obtaining statutory permission from the Competent Authority. They will also compensate additional plantation due to cutting of these 4 trees as per the regulations.
 - (d) PP has committed to create a 30 m. buffer zone all along the periphery abutting the Khan River and MOS of another 30 m. so as locate the building lines at 60 m. from the edge of banks of Khan River.
 - (e) The green belt design along the periphery of the plot shall achieve attenuation factor confirming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
- (12) No dyeing activity shall be allowed in the project premises (commercial area).
- (13) No further expansion or modifications in the project likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.
- (14) PP should ensure two cargo lifts for efficient handling of raw material and packaged goods.
- (15) PP has committed a provision of EMP of Rs. 145 lacs and an additional fund of Rs. 85 lacs has been earmarked for the cost of LED, Solar lighting etc.
- (16) The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA/SEAC along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.



(Anupam Rajan)
Member Secretary



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

2. **Case No. 1822/2014**, Prior Environmental Clearance for **Limestone Mine** (Open Cast Manual/ Semi-Mechanized Method) in an area 9.05 ha for proposed production capacity of 28127 TPA at Khasra no. 184 & 197 at Village-Rituwa, Tehsil-Bahoriband, District-Katni by Shri Prakash Topnani (Owner), R/o A - 49, new ACC Colony, Katni (MP) - 483501.


- (1) This is a project pertaining to mining of Limestone in MLA of 9.05 ha. The activity is mentioned at S.N. 1 (a) of the Schedule of EIA Notification 2006 as amended from time to time. The project is reported to be at a distance of more than 10 km from the interstate boundary; National park and sanctuary etc. and more than 250m from the forest boundary, thus it is not attracted by the general conditions and falls under category 'B-1' by virtue of its location and mining lease area. The case was forwarded by SEIAA to SEAC for appraisal of EIA for environment clearance for the project. It was submitted that this is a proposed mine having valid lease up to 2022 with production of 28127 Tonnes per annum.
- (2) It was reported by the PP that the lease area was granted to Shri Prakash Topnani for 20 years upto 17.11.2022. This is a case of new mining lease. No lease area is located within 500m radius. The scheme of mining with progressive mine closure plan has been approved by IBM, Jabalpur.
- (3) PP has submitted an affidavit during the presentation mentioning that the mining operations has not been carried out from 2007-08 to till date as the Prior Environmental Clearance has not been granted. It is also mentioned that there is no case pending on them from the date of sanction of mine to till date. PP has committed in the affidavit that they will start mining operation only after receiving the prior EC.
- (4) PP has submitted the letter of MPPPCB dtd 27.08.2007 during presentation mentioning that the air and water consent shall be issued after the grant of prior EC.
- (5) PP has produced an order of the Mineral Resources Deptt. GoMP dtd. 03.09.2015 in which after hearing the case the State Govt. has established that action be taken according to the latest circular 19-5-2015/12/1 dtd. 12.03.2015, which states that "all mining leases granted before the commencement of the Mines & Minerals (Development & Regulation) Amendment Ordinance 2015 shall be deemed to have been granted for a period of fifty years
- (6) SEAC in its 12th SEAC-II meeting dtd. 10.03.2016 has recommended the case with 10 special conditions for issuance of EC.
- (7) The case was then discussed in 339th SEIAA meeting dtd. 13.06.2016 and thereafter, PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in details.
- (8) Mining plan is approved by the IBM (vide letter no. MP/Katni/Limestone/ M.Sch.- 30/13-14/92 dtd 03.01.2014).
- (9) The proposed plantation program was examined and it was found that 9920 trees per year shall be planted in an area of 6.6139 ha during the lease period.



(Anupam Rajan)
Member Secretary



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (10) It was noted that the water requirement is 10 KLD (06 KLD Mine Operation & Dust Suppression + 03 KLD Green Belt + 01 KLD Drinking/Domestic purpose), which shall be met by nearby villages and wells.
- (11) It was noted that the Public Hearing was held on 14.08.2015 at mine site, Village-Rituwa, Tehsil-Bahoriband, District-Katni (MP) under the Chairmanship of ADM, Katni (M.P.). The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
- (12) After detailed discussions and perusal of recommendations of 25th SEAC-II meeting dtd. 17.05.2016, presentation made by the PP in SEIAA & SEAC, it was decided to accept the recommendation of SEAC for grant of prior EC to the project **subject to the following specific conditions:-**
- I. Before commencing any mining activity, fencing of the entire area shall be carried out.
 - II. PP shall demarcate a barrier zone of 10 m as "no mining zone" in the periphery of mining lease area and developed a green belt.
 - III. PP shall not disturb the existing 25 trees in 0.01 ha area.
 - IV. Plantation of 10936 plants shall be carried out in 7.28 ha during first five years @ 1500 plants per ha, the plantation should be done immediately after the mining activity is commenced.
 - V. Plantation shall be carried out on either side of 2.7 km tar road joining with NH and maintained by PP.
 - VI. PP should construct the remaining 500 m Kachha approach road upto the junction of Tar road and also maintain the 2.7 km. Tar road on regular basis. EE, RES, Katni should also be informed about this.
 - VII. Controlled blasting shall be carried out.
 - VIII. PP shall construct garland drains with 03 settling pits to control the main discharge and maintained it on regular basis.
 - IX. Regular water quality monitoring shall be carried out by PP before discharging it into the nearby agriculture fields from authorised laboratory in consultation with Regional Officer, MPPCB, Katni.
 - X. Overburden dump shall be established in eastern direction.
 - XI. PP shall adopt Motmara village and prepare the development plan in consultation with Gram panchayat/Sarpanch with guidance of District Collector.
 - XII. Under CSR activity in addition to the proposed activities following activities should be added.
 - a) Skill upgradation programme for the villagers of nearby villages.
 - b) Sanitation activities including construction of individual toilets for local residents of nearby village in consultation with village Panchayat.
 - c) Construction shelter & dressing room for labourers.
 - d) Tube well for plantation


(Anupam Rajan)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- e) PP shall also provide separate toilet facility for girls and boys with proper arrangement of water (water tanks & Pumps) in the school of nearby village.
- f) Drinking water facilities for villagers of nearby villages.
- g) Installation of rainwater harvesting structure.

XIII. The budget provision of Rs 15.00 lakhs shall be made for the CSR activities.

Hence, Prior Environmental Clearance is for **Limestone Mine** (Open Cast Manual/ Semi-Mechanized Method) in an area 9.05 ha for proposed production capacity of 28127 TPA at Khasra no. 184 & 197 at Village - Rituwa, Tehsil-Bahoriband, District - Katni, **for the lease period** to Shri Prakash Topnani (Owner), R/o A - 49, new ACC Colony, Katni (MP) - 483501.

3. **Case No. 2469/2015** Prior Environmental Clearance for Kurro Mansakra Laterite Deposit Mine in an area of 19.67 ha. (2,98,145 TPA) at khasra no. 10, 522/1 at Village-Kurro & Mansakra, Tehsil-Sihora, Dist-Jabalpur (MP) by Mr. Arun Chopra, Partner, M/s Nector Mining Company, 110, Bhaseen Residency, South Civil Lines, P.O. & Dist.-Jabalpur (MP) - 482001

PP may be called for presentation.

4. **Case No. 2562/2015** Prior Environment Clearance for Jura Limestone Mine in an area of 23.287 ha. (50,000 TPA) at khasra no. 397 to 413, 418, 435, 438, 443, 466, 467 at Village-Jura, Tehsil-Maihar, Dist-Satna (MP) by Shri Shiva Dixit, Director, Jaypee Nagar, Rewa District Rewa (MP)


The case was discussed in 221st SEAC meetings dtd. 27.08.2015 and PP was asked to submit DFO certificate regarding forest boundary from the mining lease area. Since the PP has not submitted the information even after considerable time was granted to him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to delist the case which shall be liable for re-listing once the information submitted.


5. **Case No. 2547/2015** Prior Environmental Clearance for Agri Dolomite Mine in an area of 6.03 ha. (10,000 cum/year) at khasra no. 5, 6, 31/1, 31/2 & 31/4 at Village-Agri, Tehsil-Tirodi, Dist-B by Smt. Ratankalabai Chouhan C/o Shri Mahendra Singh, P.O. Tirodi, District- Balaghat (MP)-481445


The case was discussed in 203rd SEAC meetings dtd. 03.07.2015 and PP was asked to submit the approved mining plan and other details. Since the PP has not submitted the information even after considerable time was granted to him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to delist the case which shall be liable for re-listing once the information submitted.

6. **Case No. 1697/2013** Prior Environmental Clearance for Satri Sajjanpur Limestone Mine in an area of 14.49 Ha at khasra nos. 1007/5 at Village-Satri Sajjanpur Tehsil-Rampur Baghelan, District- Satna (MP) by Shri Vipin Kumar Chaurasiya, Near Old Nagar Nigam, P.O & District - Satna (M.P.) Pin Code - 485001.

The case was discussed in 136th SEAC meeting dtd. 23.07.2013 and ToR was issued. PP could not submit the EIA within the stipulated time. Since the PP has not made any request for ToR validity extension even after considerable time was granted to him.


(Anupam Rajan)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to close the case. Copy to all concerned.

7. **Case No. 1694/2013** Prior Environmental Clearance for Mining of 13.759 ha. Mankahri Limestone Mine at Khasra nos. 21,22,24,28,988,989,990 Village - Mankahri, Tehsil-Rampur Baghelan, District- Satna, (MP) by Shri Mahesh Kumar Chaurasiya, Near Old Nagar Nigam, P.O & District - Satna (M.P.) – 485001

The case was discussed in 137th SEAC meeting dtd. 24.07.2013 and ToR was issued. PP could not submit the EIA within the stipulated time. Since the PP has not made any request for ToR validity extension even after considerable time was granted to him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to close the case. Copy to all concerned.

8. **Case No. 2430/2015** Prior Environmental Clearance for proposed Jura Limestone Mine in an area of 20.719 ha. (25,000 TPA) at Village-Jura, Tehsil-Maihar, District-Satna (MP) by Shri Shiva Dixit, (Director), Jaypee Nagar, Rewa (MP).

The case was discussed in 221st SEAC meetings dtd. 27.08.2015 and PP was asked to submit DFO certificate regarding forest boundary from the mining lease area. Since the PP has not submitted the information even after considerable time was granted to him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to delist the case which shall be liable for re-listing once the information submitted. Copy to all concerned.

9. **Case No. 3322/2015** Prior Environment Clearance for Limestone Mine in an area of 8.939 ha (40,000 TPA) at Village-Bankuiyan, Tehsil-Huzur, Distt-Rewa (MP) by Shri Suny Gaur, Bankuiyan Lime Stone Mine, Jaypee Nagar, District-Rewa (MP)-486450


The case was discussed in 221st SEAC meetings dtd. 27.08.2015 and PP was asked to submit DFO certificate regarding forest boundary from the mining lease area. Since the PP has not submitted the information even after considerable time was granted to him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to delist the case which shall be liable for re-listing once the information submitted. Copy to all concerned.


10. **Case No. 2938/2015** Prior Environment Clearance for Limestone Mine in an area of 19.009 ha (15,000 cum/year) at Village-Bankuiyan, Tehsil-Huzur, Distt-Rewa (MP) by Shri Sunny Gaur, MD, M/s Jaiprakash Associates Ltd, Sector-128, Noida, UP-201304


The case was discussed in 221st SEAC meetings dtd. 27.08.2015 and PP was asked to submit DFO certificate regarding forest boundary from the mining lease area. Since the PP has not submitted the information even after considerable time was granted to him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to delist the case which shall be liable for re-listing once the information submitted. Copy to all concerned.

11. **Case No. 2561/2015** Prior Environmental Clearance for Jura Limestone Mine in an area of 25.595 ha. (30,000 TPA) at Khasra Nos. 158, 169, 160,161, 164,165,166, 167,168,169,170, 171 at Village-Jura, Tehsil-Maihar, Dist-Satna (MP) by Shri Shiva Dixit, Director, Jaypee Nagar, Rewa (MP)

The case was discussed in 221st SEAC meetings dtd. 27.08.2015 and PP was asked to submit DFO certificate regarding forest boundary from the mining lease area. Since the PP has not submitted the information even after considerable time was granted to


(Anupam Rajan)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to delist the case which shall be liable for re-listing once the information submitted. Copy to all concerned.

- 12. Case No. 724/2012** Prior Environmental Clearance for Lime stone mine area 11.311 ha. at Village Bathiakala, Tehsil Raghuraj Nagar, District Satna (M.P) by Shri Kamendra Singh Village Lalpur, Post – Siding, Teh - Raghuraj Nagar, Satna.

The case was discussed in 100th SEAC meeting dtd. 21.08.2012 and ToR was issued. PP could not submit the EIA within the stipulated time. Since the PP has not made any request for ToR validity extension even after considerable time was granted to him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to close the case. Copy to all concerned

- 13. Case 1660/2013** Prior Environmental Clearance for Laterite, Ochre, Iron Ore, Manganese mine M.L Area: 39.44 Ha for production capacity 7.5 to 10.96 Lakh TPA at Khasra no. 160, 151/1, 123, 115 at Village Gosalpura, Tehsil: Sihora, District: Jabalpur (Madhya Pradesh) by M/s. S.S Enterprises, 40, A.P.R. Colony Katanga, P.O.-Jabalpur Dist: Jabalpur, (MP) - 482001

The case was discussed in 135th SEAC meeting dtd. 04.06.2013 and ToR was issued. PP could not submit the EIA within the stipulated time. Since the PP has not made any request for ToR validity extension even after considerable time was granted to him. SEAC in its 30th meeting dtd 04.06.2016 has recommended for delisting the case. It has been decided to close the case. Copy to all concerned.

- 14. Case No. 3108/2015** Prior Environment Clearance for Sand Quarry in an area of 4.00 ha. (29,700 cum/year) at khasra no. 42/1at Village-Kirmohi, Tehsil-Anjad, District-Badwani (MP) by Shri Rajeev Saxena, OIC, Sub Off.-Dhamnod, M.P. State Mining Corporation Ltd., Tehsil-Dharampuri, Dhar (MP)-454552.


The case was discussed in 269th SEIAA meeting 06.12.2015, 276th SEIAA meeting 28.12.2015, 242nd SEAC meeting dtd. 07.11.2015 and 259th SEAC meeting dtd. 13.12.2015. In the 269th SEIAA meeting the case was discussed and EC was recommended. However, it came to the notice that the case pertains to Khodu Bharu. Meanwhile, PP has informed that the report of the Tehsildar has established that it is part of the submergence under river Narmada of Village-Kirmohi, Tehsil-Anjar and presently under litigation in Hon'ble NGT (CZ) Bhopal in Case No. OA78/15 and has requested to keep it on hold till the final decision of the Hon'ble Tribunal.


- 15. Case No. 4577/2015** Prior Environment Clearance for Stone Quarry in an area of 2.500 ha. (28,500 cum/year) at khasra No.302 at Village-Bhawsinghpur, Tehsil-Khandwa, District-Khandwa (MP) by Shri Rakesh Bansal S/o Shri Kachrumal Bansal R/o Ramkrishna Ganj, Opposite of Krishi Mandi, District-Khandwa (MP)-450001

This case has been returned by the DEIAA, Khandwa on the plea that the mining lease area is part of the cluster. The Technical file alongwith the letter should be sent to SEAC for scrutiny. Copy to MS, DEIAA, Khandwa & PP.

Meeting ended with a vote of thanks to the Chair.


(Anupam Rajan)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman