

## Minutes of the 376<sup>th</sup> Meeting of SEIAA dated. 17.10.2016

The 376<sup>th</sup> meeting of the State Level Environment Impact Assessment Authority was convened on 17.10.2016 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- |                      |                  |
|----------------------|------------------|
| 1. Shri H.S. Verma   | Member           |
| 2. Shri Anupam Rajan | Member Secretary |

### A. Following mining & other than mining cases query have been considered :-

| S.No. | Case No.  | Category | No. & date of latest SEAC                       |
|-------|-----------|----------|---|
| 1.    | 5201/2016 | 8(a)     | 374 <sup>th</sup> SEIAA meeting dtd. 03.10.2016 |
| 2.    | 4954/2016 | 8(a)     | 374 <sup>th</sup> SEIAA meeting dtd. 03.10.2016 |
| 3.    | 1979/2014 | 1 (a) B2 | 216 <sup>th</sup> SEIAA meeting dtd. 07.07.2015 |
| 4.    | 2356/2015 | 1 (a) B2 | 338 <sup>th</sup> SEIAA meeting dtd. 04.06.2016 |
| 5.    | 2467/2015 | 1 (a) B2 | 348 <sup>th</sup> SEIAA meeting dtd. 02.07.2016 |
| 6.    | 2936/2015 | 1 (a) B2 | 338 <sup>th</sup> SEIAA meeting dtd. 04.06.2016 |
| 7.    | 2937/2015 | 1 (a) B2 | 303 <sup>rd</sup> SEIAA meeting dtd. 14.03.2016 |
| 8.    | 2972/2015 | 1 (a) B2 | 348 <sup>th</sup> SEIAA meeting dtd. 02.07.2016 |
| 9.    | 3279/2015 | 1 (a) B2 | 324 <sup>th</sup> SEIAA meeting dtd. 26.04.2016 |
| 10.   | 5155/2016 | 1 (a) B2 | -   |
| 11.   | 5129/2016 | 1 (a) B2 | -   |

1. **Case No. 5201/2016:** Prior Environmental Clearance for Proposed Residential & Commercial Project "Crystal Spring" at Village - Bijalpur, Cat Road, Tehsil & District - Indore, MP, Total Land area -48201.0 sqmt. & Total Built up Area- 1,34,672 .93 sq m. by M/S SM Creators through Owner Shabbir Husain, Cat Road, Near Ishwar Premchand School, Bijalpur, Indore-452002

- (1) The proposed project is building and construction Multi storied Residential & Commercial Project Crystal Spring" at Village - Bijalpur, Cat Road, Tehsil & District - Indore, (M.P). The project includes 900 residential flats including 200 EWS, Commercial building (2 Blocks) & Club house etc.
- (2) As per the T & CP Indore (vide letter no. 7562 dtd 23.09.2015) Out of the total land area 5.259 ha only 4.820 ha is allocated for the proposed project. The total built up area proposed by PP is 1,34,672 .93 sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.mt. & 1,50,000 sq mt. and plot area is less than 50 ha.
- (3) The case was discussed in SEAC meetings 279<sup>th</sup> dtd. 02.07.16 & 281<sup>st</sup> dtd. 01.09.16 and is recommended for grant of prior EC subject to 13 special conditions.
- (4) The case was also discussed in 374<sup>th</sup> SEIAA meeting dtd. 03.10.2016, and decided to PP may call for presentation.
- (5) The case was discussed in depth and it is noted that :-
  - (i). PP has submitted Khasra Panchsala 2014-15. As per Khasra Panchsala the land is in the name of Shabbir Husain and partners. PP has also submitted Partnership deed dtd. 16.04.2015.

  
(Anupam Rajan)  
Member Secretary

  
(H.S. Verma)  
Member


  
(Waseem Akhtar)  
Chairman




## Minutes of the 376<sup>th</sup> Meeting of SEIAA dated. 17.10.2016

- (ii). The total water requirement is 826 KLD. The fresh water requirement is 469 KLD & recycled water is 357 KLD. The source of water supply is Municipal water. **PP has submitted letter (09.03.16) from Municipal Corporation Indore for water supply.**
- (iii). The total waste water generation is 602 KLD. PP has provided sewage treatment plants of 605 KLD. The total treated waste water is 572 KLD. PP has proposed 357 KLD recycled ( flushing-284 KLD + Gardening-73 KLD) & remaining 215 KLD is proposed to be disposed off in sewer line. **PP has submitted letter (dtd. 17.12.2015) from Municipal Corporation Indore for disposal of extra treated waste water.**
- (iv). Approximately 1.5 Ton/day Municipal Solid waste shall be generated. The generated biodegradable and non biodegradable waste will be collected separately. Biodegradable waste & sludge from STP to be dewatered & will be used as manure. The non- recyclable and non-biodegradable waste will be deposited at a landfill site through Municipal Corporation Indore. **PP has submitted letter (dtd. 02.12.2015) from Municipal Corporation Indore for disposal of solid waste.**
- (v). PP has proposed the maximum height of the building is 30 m. PP has provided Road width 75m; Front MOS 12 m and side / rear MOS 7.50 m. As per MP Bhumi Vikas Niyam 2012 rule 42 (1) road width 24 m; Front MOS 12.0 m and side / rear MOS 7.50 m for building height upto 30 m.
- (vi). PP has proposed to provide adequate underground and overhead separate water storage tanks, Fire pumping system, Booster pumps, Hydrant System, Wet Riser System, Portable Fire extinguisher, automatic Sprinkler System, & Fire Alarm system. etc. as per NBC 2005.
- (vii). PP has submitted roof top rain water harvesting system for ground water recharging and has proposed 11 nos. of recharging pits.
- (viii). The total power requirement is 3426 KW. The source of electricity is Madhya Pradesh Kshetra Vidyut Vitran Company Limited. PP has also provided power back up by 10 No. DG set capacity of 62.5KVA – 5 No., 100KVA – 1 No., 25KVA – 1 No, 200KVA – 3 No. For control of energy PP has proposed LED lights in the common areas, landscape areas, signage's, entry gates and boundary compound walls etc. Solar lights will be provided for common amenities like Street lighting & Garden lighting. Solar water heating systems will be done for club area.
- (ix). PP has proposed to provide 1132 ECS (Residential – 655 ECS & Commercial- 477 ECS) in stilt and podium area.
- (x). PP has proposed an area of 14679.0 sq. m. (30%) to be developed as green area by planting 706 numbers of trees.
- (xi). PP has assured that the premises will not be allotted for establishing a nursing home or hospitals.

The submissions made by the PP were found to be satisfactory and acceptable hence It is decided to accept the recommendations of 281<sup>st</sup> SEAC meeting dtd.

  
(Anupam Rajan)  
Member Secretary


  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



01.09.16 with 13 special conditions and accord Prior Environmental Clearance for proposed Proposed Residential & Commercial Project "Crystal Spring" at Village - Bijalpur, Cat Road, Tehsil & District - Indore, MP, Total Land area -48201.0 sqmt. & Total Built up Area- 1,34,672 .93 sq m. by M/S SM Creators through Owner Shabbir Husain, Cat Road, Near Ishwar Premchand School, Bijalpur, Indore-452002, subject to following specific conditions imposed by SEIAA:-

- (1) The entire demand of water should be met through Municipal Corporation, Indore there should be no extraction of ground water.
- (2) The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
- (3) **Disposal of waste water.**
  - (a) PP should ensure linkage with municipal sewer line for disposal of waste water.
  - (b) Sewer line will be laid by PP on eastern side to connect the main trunk running from South to North.
  - (c) The treated wastewater of 357 KLD shall be recycled and reused for flushing (284 KLD) and gardening (73 KLD) to reduce the demand of fresh water as committed.
  - (d) Ensure regular operation and maintenance of the STP.
  - (e) The Project Proponent shall explore the possibilities of reusing the treated wastewater from nearby projects during rainy season.
- (4) The final disposal point for storm water will be municipal storm drain if storm water network is present. If storm water network is absent, the storm water surface runoff should be disposed off in proper way. The budget should be including in EMP plan for storm water management.
- (5) **Solid Waste Management:**
  - (a) Provide compactors for MSW.
  - (b) Separate wet and dry bins must be provided at the ground level for facilitating segregation of waste.
  - (c) The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry1 inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (6) PP should ensure road width, front MOS and side / rear as per MPBVR 2012.
- (7) For firefighting:-
  - (a) PP should ensure connectivity to the fire station from the project site.
  - (b) As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Municipal Corporation, Indore) incorporating all the fire fighting measures recommended in National Building Code Part - IV point no. 3.4.6.1. The occupancy permit shall be issued by Municipal Council only after ensuring that all fire fighting measures are physically in place.
- (8) For Rain Water Harvesting, and Ground water recharge:-


  
(Anupam Rajan)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



- (a) PP should ensure the rain water harvesting with 11 nos of recharging pits and these pits should be connected laterally to consume the surplus runoff. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
  - (b) Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging should be kept at least 4 mts. above the highest ground water table.
  - (c) The unpaved area shall be more than or equal to 20% of the recreational open spaces.
- (9) PP should ensure to provide car parking as proposed 1132 ECS (Residential – 655 ECS & Commercial- 477 ECS) in stilt and podium area.
- (10) For Energy Conservation PP should Ensure :-
- (a) Use of LED lights in the common areas, landscape areas, signage's, entry gates and boundary compound walls etc.
  - (b) Solar lights provide for common amenities like Street lighting & Garden lighting.
  - (c) Solar water heating systems for club area.
  - (d) For power back up ensure to provide 10 no. DG set capacity of 62.5KVA – 5 No., 100KVA – 1 No., 25KVA – 1 No, 200KVA – 3 No.
  - (e) PP should also ensure to adopt energy conservation measure as per the latest State Govt. Policy for generating roof top solar energy and make use of the subsidies to be granted as per the policy. Any surplus generation from solar energy should be ploughed back in the grid to generate additional revenues for the proposed RWA.
- (11) **Air Quality and Noise:-**
- (a) Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.
  - (b) The exhaust pipe of the DG set if installed must be minimum of 10mtr away from the building or in case it is less than 10m away, the exhaust pipe shall be taken up to 6m above the building.
- (12) **Green belt :-**
- (a) PP should ensure plantation to the 14679.0 sq. m. (30%) as per the proposed landscape plan by planting 706 nos of trees two rows in periphery, besides, this along the road, around open space area, parking area and other amenities. Trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar, Saptarni etc. should be planted.
  - (b) No existing trees will be allowed to cut. Every effort should be made to protect the existing trees on the plot.

  
(Anupam Rajan)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



- (c) The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.
- (13) In the case of future expansion in the scope or any changes(s) in the scope of the project shall again require Prior Environmental Clearance as per EIA notification, 2006.
- (14) No hospital or nursing home shall be allowed in the premises
- (15) The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA/SEAC along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.

**SUGGESTION BY AUTHORITY:**

It is advised to PP to construct the road from eastern side of the project to develop the connectivity for the proposed EWS housing.

2. **Case No. 4954/2016:** Prior Environmental Clearance for Proposed Multi Residential Colony (Sidhi Sanskiri) at survey no. 151 at village - Saliya, Tehsil- Huzur, District Bhopal, MP land area 20600 sq.m Built-up 29821.24 sq.m., by M/s Patel Builders through Proprietor Shri Badari Prasad 63/6/1, Siddhi Bhawan, Chunnabhatti, Bhopal-462016, E-mail vishaldeveloppe 2010@ gmail.com, Mob. No. 0755-2469200.
- (1) The proposed project is building & construction project comprising Residential Building, Club House and convenient shops at survey no. 151 at village Saliya, Tehsil Huzur, District Bhopal, MP. The project includes construction of Residential dwelling Unit - 269 (Main Dwelling – 252 + EWS units- 17, Shops- 60)
- (2) As per the T & CP Bhopal (vide let no. 601 dtd 01.07.10) the total land area is 20600 sq.m. The total built up area proposed by PP is 29821.24 sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.mt. & 1,50,000 sq.mt. and plot area is less than 50 ha.
- (3) The case was discussed in SEAC meetings 271<sup>st</sup> dtd. 02.03.16, 272<sup>nd</sup> dtd. 02.03.2016, 273<sup>rd</sup> dtd. 01.04.2016, 278<sup>th</sup> dtd. 14.06.2016, 279<sup>th</sup> mtg. dtd.02.07.16 and is recommended for grant of prior EC subject to 13 special conditions.
- (4) As per decision of SEAC meeting 273<sup>rd</sup> dtd. 01.04.2016 the committee members visited the site to ascertain the violation and proximity to Kaliyasote River.
- (5) The case was also discussed in 374<sup>th</sup> SEIAA meeting dtd. 03.10.2016, and decided to PP may call for presentation.
- (6) After deliberations by PP the case was discussed in depth & it is noted that:-
- (i) PP has submitted copy of Khasra Panchsala 2013-14. As per Khasra Panchsala the land is in the name of Shri Badari Prasad.
- (ii) The total water requirement is 212.5 KLD and fresh water requirement is 121 KLD. The source of water supply is Municipal Corporation, Bhopal.



(Anupam Rajan)  
Member Secretary



(H.S. Verma)  
Member



(Waseem Akhtar)  
Chairman




PP has submitted letter (dtd. 01.01.2016) from Municipal Corporation for supply of water.

- (iii) The total waste water generation is 145.2 KLD. PP proposed sewage treatment plant of 160 KLD. The total treated waste water is 130.5 KLD. PP has proposed 91.42 KLD recycled ( flushing- 60.52 KLD + Gardening- 30.9 KLD) & remaining 39 KLD is proposed to be disposed off in sewer line. **PP has submitted letter (dtd. 13.01.16) from Bhopal Municipal Corporation for disposal of waste water.**
- (iv) Approximately 807 kg /day Municipal Solid waste shall be generated. PP has submitted letter (dtd.26.12.15) from Municipal Corporation, Bhopal for disposal of solid waste. PP has not submitted properly the process of segregation and collection of Municipal waste on project site.
- (v) PP has proposed the maximum height of the building is 18m. PP has provided road width 24m front mos 12 m and side/rear 6.0m. As per MP Bhumi Vikas Niyam 2012 rule 42 (1) road width 12 m; Front MOS 6.0 m and side / rear MOS 6.0 m for building height up to 18.
- (vi) PP has not submitted the fire fighting measures for the project site and also distance from the nearest fire station from the proposed site.
- (vii) PP has submitted roof top rain water harvesting system for ground water recharging and has proposed 04 no of recharging pits. PP has not submitted the layout plan showing location of recharging pits.
- (viii) The total power requirement is 1500 KW. The source of electricity is Madhya Pradesh Kshetra Vidyut Vitran Company Limited. PP has also provided power back up 1 DG sets of 200 KVA. For conservation of energy PP has not submitted specific measures for the project site.
- (ix) As per Rule no. 84 Table 1.3 of MPBVR 2012 the required car parking is 298 ECS. PP has proposed to provide 239 ECS. PP has not proper location with numbers of cars for the project site.
- (x) PP has proposed 6180 sq.m. (approx 30%) to be developed as landscape area by planting 257 rows. PP has included play ground area in the green area.

(7) **After deliberation PP was asked to submit the following inforamtion:-**

- (i) During the presentation it was noted that a canal is passing near the project boundary and thus PP was asked to submit clarification from WRD regarding the status of the canal indicating exact distance of canal from the project boundary and required safety area to be left by the PP between canal and project boundary.
- (ii) Layout showing connectivity of the municipal water supply line from the project area.
- (iii) Layout showing connectivity of the municipal sewer line from the project area including details of trunk line exists in the sewerage network.
- (iv) Proper location of MSW collection, storage, segregation and disposal of solid waste in the project site.
- (v) Fire fighting measures and connectivity of the fire station from the project site.

  
(Anupam Rajan)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



- (vi) Detail of energy conservation measures including solar panel.
- (vii) Lay out showing location of rain water harvesting recharging pits.
- (viii) PP should submit details of parking area including residential and commercial separately.
- (ix) Landscape plan including two rows periphery of the project area, number of trees and name of the species to be planted separately from the playground area.

**PP should submit the above information latest by 15.11.2016.**

3. **Case No. 1979/2014** Prior Environment Clearance for Sand Quarry in an area of 8.100 ha. for production capacity 2,25,400 at Village-Jaramohangaon, Tehsil-Katangi, District-Balaghat (MP) by Shri Sanjay Singh, Town & Tehsil-Baraseoni, District-Balaghat (MP).

The case was discussed in 216<sup>th</sup> SEIAA meeting dtd. 07.07.2015 and it was recorded that :-

*"After detailed discussions and perusal of the query response of 191<sup>st</sup> SEIAA meeting dtd. 05.04.2015 and recommendations of 172<sup>nd</sup> SEAC meeting dated 22.02.2015, the coordinates provided by the PP indicates a road bridge in close proximity of the mining lease area. To ensure structural stability of the road bridge NOC of the concerned department is required. Letter to EE, PWD, Balaghat, Mining Officer, Balaghat and PP to submit the information latest by 30.07.2015."*

Since the information has not been received within the stipulated period, it has been decided to delist the case which is liable for relisting once the desired information is submitted by PP and others concerned. Copy to PP and all concerned.

4. **Case No 2356 /2015** Prior Environmental Clearance for Basalt Stone Quarry in an area of 1.00 ha. (4,000 cum/year) at Khasra No. 206/4 at Village-Ghoghari, Tehsil-Chandiya, District-Umariya (MP) by Shri Mrigendra Singh, Prop., M/s Jai Shree Krishna Stone Crusher, Village-Majholikhurd, Tehsil-Chandiya, Umariya (MP)-484661

The case was discussed in 338<sup>th</sup> SEIAA meeting dtd. 04.06.2016 and it was recorded that :-


*"After detailed discussion of query response in 284<sup>th</sup> SEIAA meeting dtd. 23.01.2016 and recommendation of 255<sup>th</sup> SEAC meeting dtd. 02.01.2016, the information from Collector, Umariya & Mining Officer, Umariya is still pending and therefore it has been decided to call Mining Officer, Umariya on 20.06.2016 with the complete information."*

Since the information has not been received within the stipulated period, it has been decided to delist the case which is liable for relisting once the desired information is submitted by PP and others concerned. Copy to PP and all concerned.

5. **Case No 2467/2015** Prior Environment Clearance for Batgaon Sand Deposit Quarry in an area of 14.014 ha. (29,400 cum/year) at khasra No. 56/2 at Village-Batgaon, Tehsil-Kukshi, Dist-Dhar (MP) by Shri Tejindarpal Singh, Leasee, M/s Digiya Industries Pvt. Ltd., G-1, Sapna Chamber, South Tukoganj, Indore (MP)-452001

The case was discussed in 348<sup>th</sup> SEIAA meeting dtd. 02.07.2016 and it was recorded that :-

*"After detailed discussion and recommendation of 32<sup>nd</sup> SEAC-II meeting dtd. 23.06.2016, it was reported that :-*

  
(Anupam Rajan)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman



*"The case was scheduled for presentation but PP remains absent. During scrutiny of documents it was observed that so far PP has not submitted the replenishment plan and mining officer certificate. Committee after deliberations decided that PP may be asked to submit replenishment plan and MO certificate through SEIAA".*

As per the above observation, PP may be asked to submit the requisite information latest by 30.07.2016, otherwise the case will be delisted. Copy to all concerned."

Since the information has not been received within the stipulated period, it has been decided to delist the case which is liable for relisting once the desired information is submitted by PP and others concerned. Copy to PP and all concerned.

6. **Case No. 2936/2015** Prior Environmental Clearance for **Melukhedi River Sand Quarry** in an area of 16.00 ha. for production capacity of 5,000 cum/year at Khasra No. 01, 110 at Village-Melukhedi, Tehsil-Tal, District-Ratlam (MP) by Shri Jaipal Singh, 29, Salamgarh, Tehsil-Arjode, District-Pratapgarh, Rajasthan-312605

The case was discussed in 338<sup>th</sup> SEIAA meeting dtd. 04.06.2016 and it was recorded that :-

*"After detailed discussion of query response in 270<sup>th</sup> SEIAA meeting dtd. 14.12.2015 and recommendation of 209<sup>th</sup> SEAC meeting dtd. 24.07.2015, the information from Collector, Ratlam is still pending and therefore it has been decided to call Mining Officer, Ratlam on 20.06.2016 with the complete information."*

Since the information has not been received within the stipulated period, it has been decided to delist the case which is liable for relisting once the desired information is submitted by PP and others concerned. Copy to PP and all concerned.

7. **Case No. 2937/15** Prior Environmental Clearance for Dhuakhedi River Sand Quarry in an area of - 8.070 Ha., for production capacity-6,00,000 cum/year, at khasra no.1945,469,1961,1960,1991 at Vill.-Dhuakhedi Group, Teh.-Bhanpura, District-Mandsaur (M.P.) by Shri Mahendra Singh Hada S/o Shri Maan Singh Ji Hada, Vill.-Dhapa, Teh.-Bhanpura, District Mandsaur. (MP)

The case was discussed in 303<sup>rd</sup> SEIAA meeting dtd. 14.03.2016 and it was recorded that :-

*"SEIAA has now decided that in all 21 cases (as per following list) letter be sent to Director, Geology & Mining to incorporate information regarding annual replenishment and the normal water level prevalent in the lean season and submit the information latest by 15.04.2016. Copy to concerned PPs."*

Since the information has not been received within the stipulated period, it has been decided to delist the case which is liable for relisting once the desired information is submitted by PP and others concerned. Copy to PP and all concerned.

8. **Case No. 2972/15** Prior Environmental Clearance for Sand Quarry in an area of 7.020 ha. (30,000 cum/year) at khasra no. 243 at Village-Daryo Nagar, Tehsil-Tikamgarh, District-Tikamgarh (MP) by Shri Nagendra Singh, OIC, M.P. State Mining Corporation Ltd., Civil Line, Tikamgarh (MP)-472001

The case was discussed in 348<sup>rd</sup> SEIAA meeting dtd. 02.07.2016 and it was recorded that :-

*"After detailed discussion and recommendation of 32<sup>nd</sup> SEAC-II meeting dtd. 23.06.2016, it was reported that :-*

*"During presentation it was also observed that the PP has not submitted the replenishment plan. Committee after deliberations decided that PP may also be asked to submit replenishment plan through SEIAA"*



(Anupam Rajan)  
Member Secretary



(H.S. Verma)  
Member



(Waseem Akhtar)  
Chairman



## Minutes of the 376<sup>th</sup> Meeting of SEIAA dated. 17.10.2016

*As per the above observation, PP may be asked to submit the requisite information latest by 30.07.2016, otherwise the case will be delisted. Copy to all concerned*

Since the information has not been received within the stipulated period, it has been decided to delist the case which is liable for relisting once the desired information is submitted by PP and others concerned. Copy to PP and all concerned.

9. **Case No. 3279/15** Prior Environment Clearance for Sand Quarry Lease Area - 6.00 ha. for production capacity - (7,500 cum/year) at Khasra No.-78, 31, 38, 362, 46, 50, 51, Village-Didor Group, Tehsil-Garoth, District-Mandsaur (MP) by Shri Dheerap Singh S/o Shri Maan Singh Ji, Village-Bhesad, Tehsil Panchpahad, District-Jhalawad (Raj) - 458002

The case was discussed in 324<sup>rd</sup> SEIAA meeting dtd. 26.04.2016 and it was recorded that :-

*"After detailed discussion on the recommendation of 18<sup>th</sup> SEAC-II meeting dtd. 13.04.2016, PP may be asked to submit the Replenishment Plan in information of normal water level prevalent during the lean season"*

Since the information has not been received within the stipulated period, it has been decided to delist the case which is liable for relisting once the desired information is submitted by PP and others concerned. Copy to PP and all concerned.

10. **Case No. 5155/2016** Prior Environment Clearance for Sand Quarry in an area of 20.00 ha. (1,60,000 cum/year) at khasra no. 181 at Village-Bhadaura, Tehsil-Badwara, District-Katni (MP) by Shri Raghav Chandak, Sub Lessee of MPSMCL, 203, G-Block, Shri Ganga Nagar, Rajasthan-335001.

Hon'ble NGT (CZ) has directed SEIAA to review these cases in the light of the request made by Collector, Katni on account of discrepancy in providing information of cluster situation. The order No. 4 dtd. 06.10.2016 is reproduced below :-

*"These two appeals were filed against the grant of EC for rivers sand, mining to the Respondent project proponent by SEIAA.*

*The contention of the Appellant is that in view of the letter written on 16.09.2016 by the Collector Mines District Katni M.P wherein the Collector himself has requested for a review of the grant of the EC under order dated 08.08.2016 in case of Amit Khapariya and under order dated 13.06.2016 in case of Raghav Chandak. We direct that without going into the merits of the submissions of the appellant the matter be reviewed by SEIAA and orders passed in accordance with law. Both the ECs are set aside. We make it clear that we did not decide the matter on merits and simply reiterating the orders passed by the Collector for a review by SEIAA who shall decide the matter in accordance with law.*

*The matter stands disposed of. All pending M.As. are also stands disposed of."*

As per the above directive, the EC issued in this case is hereby cancelled and PP may be asked to apply afresh online with the modified details and as per the notification of 15.01.2016 and 01.07.2016 issued by MoEF&CC. Copy to PP and all concerned.

11. **Case No. 5129/2016** Prior Environment Clearance for River Sand Quarry in an area of 20.00 ha. (1,60,000 cum/year) at khasra no. 1144 at Village-Basadi, Tehsil-Badwada, District-Katni (MP) by Shri Amit Khampariya, Sub Lessee of MPSMCL, 3162, Ganga Nagar, Jabalpur (MP)-482001.



(Anupam Rajan)  
Member Secretary



(H.S. Verma)  
Member



(Waseem Akhtar)  
Chairman



Hon'ble NGT (CZ) has directed SEIAA to review these cases in the light of the request made by Collector, Katni on account of discrepancy in providing information of cluster situation. The order No. 4 dtd. 06.10.2016 is reproduced below :-

*"These two appeals were filed against the grant of EC for rivers sand, mining to the Respondent project proponent by SEIAA.*

*The contention of the Appellant is that in view of the letter written on 16.09.2016 by the Collector Mines District Katni M.P wherein the Collector himself has requested for a review of the grant of the EC under order dated 08.08.2016 in case of Amit Khapariya and under order dated 13.06.2016 in case of Raghav Chandak. We direct that without going into the merits of the submissions of the appellant the matter be reviewed by SEIAA and orders passed in accordance with law. Both the ECs are set aside. We make it clear that we did not decide the matter on merits and simply reiterating the orders passed by the Collector for a review by SEIAA who shall decide the matter in accordance with law.*


*The matter stands disposed of. All pending M.As. are also stands disposed of."*

As per the above directive, the EC issued in this case is hereby cancelled and PP may be asked to apply afresh online with the modified details and as per the notification of 15.01.2016 and 01.07.2016 issued by MoEF&CC. Copy to PP and all concerned.

*Meeting ended with a vote of thanks to the Chair*

  
(Anupam Rajan)  
Member Secretary

  
(H.S. Verma)  
Member

  
(Waseem Akhtar)  
Chairman