The 519th meeting of the State Level Environment Impact Assessment Authority was convened on 11.01.2019 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Rakesh K. Shrivastava, Chairman, SEIAA. The following members attended the meeting:-

1 Shri R.K. Sharma

Member

2. Shri Jitendra Singh Raje

Member Secretary

A. Following other than mining cases and mining cases have been considered:-

S.No.	Case No.	Category	No. & date of latest SEAC & SEIAA meeting	
1.	5804/2018	8(a)	337 SEAC meeting dated 01.01.19.	
2.	5793/2018	8(a)	337 SEAC meeting dated 01.01.19.	
3.	5769/2018	1(a)	514 SEIAA meeting dated 14.12.19	
4.	5785/2018	8(a)	PP representation correction in SEIAA mintues 514 SEIAA meeting dated 14.12.19	
5.	09/2008	1(a)	Extension of EC validity.	
6.	2805/2015	5(f)	Corrigendum	

- 1. Case No 5804/2018: Prior Environmental Clearance for District Court Indore of District & Sessions Court, Indore, (M.P) Khasra no. 526/1/1, 526/1/2 at Village Pipliyahana Tehsil & District Indore, MP. Total plot area- 1,23,700 sq.m. (12.37 ha). Total Built up area 1,35,763.00 sq.m. by District Judge, Indore., through District & Session Judge District Judge Chandresh Kumar Khare, District & Sessions Court, Indore Pin Code 452001 E-mail ck.khare@mphc.in Telephone No. +91-9425156382 Envt. Consultant:In-situ enviro care
 - (1) The proposed project is building & construction project for court building at Khasara No. 526/1/1, 526/1/2, Village-Pipliahana, Tehsil & District Indore (MP). The project includes the construction of Court rooms, lawyer chambers, service building and affiliated facilities.
 - (2) As per the T & CP Indore (vide let no. 8688/NAGRANI/2018 dtd. 06.10.2018) the total land area is 12.370 ha. The total built up area proposed by PP is 1,35,763.00 sq.m The project comes under 8 (a) category of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.m. & 1, 50,000 sq.m and plot area is less than 50 ha.
 - (3) Earlier the environmental clearance was issued to PP dtd14.03.16 for case no, 4977/2016. However vide letter dtd.11.01.19 PP has requested to withdraw the earlier environmental clearance for the said project and issue fresh environmental clearance for the same.
- (4) The case was discussed in 337 SEAC meeting dtd. 01.01.2019 and is recommended for grant of prior EC subject to 35 special conditions. During Presentation committee observed "that the site is <10 kms from Ralamandal Abhayaran for which PP submitted that they have already made application for NBWL and presented a copy of the same before the committee. Committee observed that PP has submitted the application with proposal number FP/MP/Others/3764/2018 dated 31/12/2018 for NBWL clearance. During presentation it was also observed that the project site is located near a water body for which PP submitted that FRL of catchment area of water body is 134 meters away from the project site as they have left 76 meters as vacant land and 58 meters (30 meters+ 28</p>

(Jitendra Singh Raje) Member Secretary

(R.K. Sharma) Member

(Rakesh K. Shriva Chairman

519th SEIAA Meeting dtd. 11.01.2019

Page 1 of 10

meters) open space in the project site wherein no building is proposed and thus they are suitably away from the 50 meters restriction imposed by NGT in their order dated 08/04/2013 from FRL of lake. PP further submitted that no construction is initiated till dated & no litigation is pending in any court of law for this project".

- (5) After the deliberation the case was examined in depth and it is noted that :
 - i. Regarding land documents PP has submitted Nazul officer order dtd 22/24/02.2000 in which it is mentioned that the land 11.161 ha has been allocated for construction of Court and possession has been retained by the Registrar High Court, Indore (M.P). PP has also submitted copy of Khasra Panchsala 2014-15 for land ownership and IDA order dtd. 02.01.18 for additional land 7540.40 sq.m and 4982.80 for club house and STP respectively.
 - ii. The total water requirement is 530 KLD and fresh water requirement is 250 KLD. The total recycled water 280 KLD (140 KLD Flushing + 60 KLD Gardening+ 80 KLD air cooling units). The source of water supply is Indore Municipal Corporation. PP has submitted letter (19.11.18) from Nagar Nigam Indore for supply of water.
 - iii. The total waste water generation is 308 KLD. PP has provided sewage treatment plant of 310 KLD. The total treated waste water is 280 KLD. PP has proposed 100% recycle of treated waste water. PP has submitted letter (dtd. 19.11.18) from Nagar Nigam Indore for disposal of extra treated waste water in their already laid trunk sewer near the project site.
 - iv. Approximately 2500 kg per day Municipal Solid waste shall be generated which is proposed to be segregated at source and the biodegradable and non- recyclable/ non biodegradable waste will be stored and collected separately. There will separate MSW collection centre i.e. each for block. Colored collection bins shall be provided in proper numbers. Final disposal through Municipal Corporation Indore. PP has submitted NOC from Indore Municipal Corporation letter (dtd. 19.11.18) for disposal of solid waste.
 - v. The storm water drainage planning is integral part of the proposed project. Adequate storm water channels at the site is provided in drainage design to ensure that the storm water runoff flow direction and drainage pattern remains unaffected during post construction/ operational phase. Thus, the existing Natural terrain/ topography will be maintained to ensure that there is no change in the land surface affecting drainages or run-off.
 - vi. The project is usually silence zone. However, Traffic management measurement will including modification of speed limits, restricting or prohibiting heavy vehicle traffic, regular maintenance of internal roads with proper circulation space will be ensured to have noticeable difference in noise & vibrations. For control of air pollution PP has proposed as follows:
 - a. Periodical stack monitoring will be carried out of all D.G. Set.
 - Ambient air quality of the proposed unit to be monitored.
 - c. Appropriate stack height will be provided.
 - d. Traffic controlled by trained staff.

vii. PP has proposed to provide roof top rain water harvesting system with 10 nos. of recharging pits.

(Jitendra Singh Raje) Member Secretary

519th SEIAA Meeting dtd. 11.01.2019

(R.K. Sharma) Member

Chairman
Page 2 of 10

- viii. PP has proposed the maximum height of the building is 40. However as per T & CP approval the height of the building is 36.0 m. PP has provided Front MOS 15 m and side/rear 7.5 m.
- ix. For firefighting, PP has proposed that the entire building shall be provided with a fire suppression system comprising over head water storage tanks, dedicated fire pumps on terrace, hose reels, wet riser, yard hydrants and sprinkler system as per National Building code (NBC). Each Floor will have fire hydrant station and each lobby shall be provided with one set extinguisher. In the proposed project Alarm system shall be provided. An independent fire hydrant ring main is proposed to run around the buildings.
- x. The total power requirement is 2270 KVA at 50% Diversity Factor.For backup source PP has proposed 3 Nos. D.G. Set (3 x 500 KVA) and 3 Nos. of 100 KVA each UPS.For energy conservation PP has proposed Level controller for pumps, Timer for street & Common lighting, Reduced in load due to using the LED Lights, Distribution Transformer are 3 star Rated as per BEE norms, Designing of peak & non peak circuits for common area and Solar powered street lights etc.
- xi. PP has proposed to provide 2584 ECS (1894+690) in basement, stilt and open area.
- xii. Out of the total land, **14,844 sq.m (12%)** is proposed to be developed as green belt by planting 307 numbers of trees including ornamental plants.

After delibration and discussion, it is decided to close the Case No. 4977/2016 as per request of PP for withdrawing the earlier EC and accepts the recommendations of 337th SEAC meeting dtd. 01.01.2019 and accorded the Prior Environmental Clearance for proposed District Court Building at Khasara No. 526/1/1, 526/1/2, Village-Pipliahana, Tehsil & District-Indore (MP), Total plot area- 1,23, 700 sq.m. (12.37 ha).Total Built up area – 1,35,763.00 sq.m.by District Judge, Indore., through District & Session Judge District Judge Chandresh Kumar Khare, District & Sessions Court, Indore subject to following specific conditions imposed by SEIAA:

- (1) The entire demand of water should be met through Municipal Corporation; Indore and there should be no extraction of ground water.
- (2) Waste Water Management :-
 - (a) Linkage with municipal sewer line for disposal of waste water.
 - (b) The individual sewage disposal connection in the existing residential colony on the southern side has not been done resulting in flow of raw sewage in the Nalla which joins the existing water body. Municipal Corporation, Indore should ensure proper disposal of sewage into the main trunk line by providing individual domestic connections.
 - (c) As the proposed building construction falls within the catchment area of water body, PP should leave rain water runoff channels within their property to ease flow of rain water from the eastern side. They should also make appropriate provision that the flow is uninterrupted and pass through a grit chamber or any other arrangement to arrest the debris etc entering the water body.
 - (d) Water quality monitoring should be carried out regularly.

(Jitendra Singh Raje) Member Secretary

519th SEIAA Meeting dtd. 11.01, 2019

(R.K. Sharma) Member

(Rakesh K. Shriva Chairman

Page 3 of 10

- Presently on the eastern side from the IDA scheme, the internal sewer lines are leaking and the sewage is collected in small pits. IDA is hereby directed to maintain the sewer lines properly and connect it to the main sewer trunk.
- Regarding the extent of the water body the directives of Hon'ble NGT shall (f) be binding on the PP.

(3) For Rain Water Harvesting, and Ground water recharge:-

- (a) PP should ensure the rain water harvesting with 10 no. of recharging pits and these pits should be connected laterally to consume the surplus runoff. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
- (b) The storm water from roof top, paved surfaces and landscaped surfaces should be properly channelized to the rain water harvesting sumps through efficient storm water network as proposed. The budget should be included in EMP plan for storm water management.
- (c) Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease.

(4) Solid Waste Management:

- Provide compactors for MSW.
- (b) Ensure three bin systems for segregated collection of waste.
- Ensure linkage with Municipal Corporation for final disposal of MSW.
- (5) PP should ensure to construct height of the building, road width, Front MOS and side / rear MOS and Open spaces as per approved layout of T&CP.

(6) For firefighting:-

- (a) PP should ensure connectivity to the fire station from the project site.
- (b) As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code Part - IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.

(7) For Energy Conservation PP should Ensure :-

- (a) To provide 3 Nos. D.G. Set (3 x 500 KVA) and 3 Nos. of 100 KVA each UPS.
- (b) Use of LED lights in the common areas, landscape areas, signage's, entry gates and boundary compound walls etc.
- (c) Solar lights provide for common amenities like Street lighting & Garden lighting.
- (d) PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures, and other energy efficient equipments.

(8) Air Quality and Noise:-

(a) Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction

(Jitendra Singh Raje)

519th SEIAA Meeting dtd. 11.01.2019

Member Secretary

(R.K. Sharma) Member

(Rakesh K. Shrivastav Chairman

Page 4 of 10

including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.

- (b) Periodical stack monitoring should be carried out of all D.G. Set.
- (c) Ambient air quality of the proposed unit should be monitored regularly.
- (d) Appropriate stack height should be provided.
- (9) PP should ensure to provide car parking (2584 ECS) as proposed.

(10) Green Belt:

- (a) PP should ensure green area of 14,844 sq.m(12%) as per the proposed landscape plan.
- (b) Plantation should be done in two rows all along the periphery of the project area including Avenue plantation along the roads, trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc. along with ornamental varieties.
- (c) Every effort should be made to protect the existing trees on the plot.
- (11) Project Proponent shall ensure the compliance of the directions of Hon'ble National Green Tribunal and any other directions / order issued by the other Courts from time to time.
- 2. Case No. 5793/2018:Prior Environment Clearance for Construction of Staff Housing for M.P. Police Housing Project "Police Department" (Total Area 1,79,880.66 sqm. (44.45 Acres), Total Built-up Area 73,106.56 sq.m at Khasra No. 9/5, 9/6, 9/7, 9/8, Village Karondi, Pat. H.No. 2, Halka, Ranjhi/Chandra Shekhar Azad Ward Revenue Circle, Tehsil & Dist. Jabalpur,(M.P.)M/s Madhya Pradesh Police Housing Infrastructure & Development Corporation, 1558, Rishi Cottage Ratan Colony, Narmada Road, Katanga, Jabalpur, (M.P.) 482001.
 - (1) The proposed project is building & construction project for M.P. Police Housing "Police Department" for Construction of Staff Housing for at Khasra No. 9/5, 9/6, 9/7, 9/8, Village - Karondi, Pat. H.No. 2, Halka, Ranjhi/Chandra Shekhar Azad Ward Revenue Circle, Tehsil & Dist. - Jabalpur, (M.P.)
 - (2) The total land area is 1,79,880.66 sqm. (44.45 Acres)The total built up area proposed by PP is 73,106.56 sq.m. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.
 - (3) After the deliberation the case was examined in depth and it is noted that :
 - i. The proposed area shall be developed into G+5 Police Housing 6th Battalion, SAF Ranjhi, Jabalpur (Madhya Pradesh). The land for the project is earmarked for residential development as per Master Plan Jabalpur. Site abutting 35 m wide road in the North West & towards the north, the site has road connecting to vehicle factory. Parking and community facilities to the occupants will be provided.
 - ii. The case was discussed in SEAC meetings 337th dtd. 01.01.19, and is recommended for grant of prior EC subject to 41 special conditions. During Presentation committee observed "from the Google image that some construction and developmental activities are going on the project site for which PP submitted that these construction & developmental activities are on the western side of the project and are not the part of this project which is also evident from the

(Jitendra Singh Raje) Member Secretary

519th SEIAA Meeting dtd. 11.01,2019

(R.K. Sharma) Member

Rakesh K. Skiriva Chairman

Page 5 of 10

location map and recent photographs attached with the project and in the presentation slides. PP further submitted that they have also submitted commitment that no construction is done at the proposed site vide letter dated 05/10/2018 which is part of the file and even till date there is no construction & development at this project site. PP further submitted that an old building is in existence within the project site with total construction area <20,000 sq. meter and thus does not falls within the violation. It was also observed from the Google image that a water body is in existence near the project site for which PP submitted that this water body "Gokalpur Lake" which is > 150 meters away from the nearest point of the project site and thus suitably away from the 50 meters restriction imposed by NGT in their order dated 08/04/2013 from FRL of lake. PP further submitted that no tree cutting is proposed in this project as only shrubs/vegetation is in existence which is not falling in the tree criteria and it's an open barren land. PP submitted that no litigation is pending in court of law for this project and same has been mentioned in the form-1 submitted by them. PP also submitted that the proposed site is earmarked for residential developmental as per Jabalpur master plan, 2031".

- iii. The total water requirement is 650 KLD. The fresh water requirement is 434 KLD and recycled water is 216 KLD. The source of water supply is Municipal Corporation Jabalpur. PP has submitted letter from Municipal Corporation Jabalpur dtd. 12.11.18 regarding water supply.
- iv. The total waste water generation is 581.3 KLD. PP has provided sewage treatment plant of 600 KLD. The treated waste water is 465 KLD. PP has submitted letter from Municipal Corporation Jabalpur dtd. 03.11.18 regarding disposal of waste water.
- v. Approximately 600 Kg/day Municipal Solid waste shall be generated. The generated biodegradable (180 kg/day) and non biodegradable waste (420 kg/day) will be collected in three coloured bins & final disposal through Municipal Corporation Indore. STP sludge (7.5 kg/day) to be dewatered & proposed to be used as manure. PP has submitted letter from Municipal Corporation Jabalpur dtd. 01.11.18 regarding disposal of MSW at dumping site.
- vi. PP has submitted roof top rain water harvesting system through one recharging pit.
- vii. The total power requirement is 2380 KW. PP has also proposed power back up 2 DG set (2 x 250 KVA). PP has proposed to provide LED, lights and high efficiency motors to save power. PP has also proposed to provide solar lights for road lighting.
- viii. PP has proposed to provide 1092 ECS in stilt and open area parking.
- ix. Out of the total land (1,79,880.66 Sg.m) an area of 87,450.30 Sg.m (48.62 % of site area)is proposed to be developed as green area.
- x. It is noted Hon'ble NGT Central Bench Bhopal has issued notice regarding original application no. 41/2018 Jaimanglam Jabali Foundation V/s State of MP & Others. The PIL case was filed in NGT (case no. 41/2018 Jaimanglam Jabali Foundation V/s State of MP & others.) regarding violation of EIA Notification, 2006 by PP. SEIAA is Respondent No. 2. In the aforesaid case

Since, the matter is sub-judice in Hon'ble NGT in OA 41/2018 - Jaimanglam Jabali Foundation V/s State of MP & others, hence authority decided to visit the site by SEAC on issues raised in above Petition (OA 41/2018) to verify the factual status of the project site so that authority can take necessary decision accordingly.

Jitendra Singh Raje) Member Secretary

(R.K. Sharma)

Shoom

Member

Chairman

Page 6 of 10

3. Case No.-5769/2018, Prior Environment Clearance for Granite Quarry (opencast semi mechanized method) in an area of 8.646 ha. for production capacity of 10, 500 cum/year at Khasra no.- 129/2, 130 to 134, 154/5 at Village -Chatua, Tehsil Anuppur, District Anuppur (MP) by M/s Span Minerals Pvt. Ltd., Director Shri Chandra Shekhar Prasad Singh, G-3, B-Wing, Hetkunj VP Road Andheri (W) Mumbai.

The case was discussed in 514th SEIAA meeting dated 14.12.2018 and it was recorded that.......

"..........After detailed discussions and perusal of recommendations of 333rd SEAC meeting dated 29.11.18, presentation made by the PP in SEIAA, it was decided that the PP will submit the following information:-

Letter of DFO mentioning the name of the PP (M/s Span Minerals Pvt. Ltd.) instead of M/s
 Ojaswini Mining Ltd. at the earliest. Copy to PP."

PP has submitted copy of the letters DFO, Anuppur vide L.No. 73 dated 05.01.2019 and L.No. 57 dated 05.01.2019 (mentioning the name of the PP (M/s Span Minerals Pvt. Ltd.) instead of M/s Ojaswini Mining Ltd. at SEIAA office on 07.01.2019. After detailed discussions and perusal of recommendations of 333rd SEAC meeting dated 29.11.18, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-

- Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- 2. Lease agreement shall be carried out before execution of mining operation.
- The depth of the pit shall be as per the Approved Mining Plan.
- 4. PP shall demarcate a barrier zone of 7.5 m as "no mining zone" in the periphery of mining lease area and developed a green belt.
- Plantation programme as mentioned in EIA/EMP and presented during presentation in SEIAA & SEAC shall be followed in content and spirit.
- The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.
- PP should construct the Pakka road of 2.0 km from mine site to Pakka road outer side the village area and maintain it on regular basis in consultation with District Administration. Plantation will be carried out on both side of approach road.

8. Transportation of minerals shall not be carried out inside the village area.

(Jitendra Singh Raje) Member Secretary

519th SEIAA Meeting dtd. 11.01.2019

(R.K. Sharma) Member

Chairman

(Rakesh K

Page 7 of 10

- The over burden and waste will be stacked for five years and then simultaneously backfilled in the mined out area where plantation will be raised on it.
- PP shall ensure protection and conservation of existing trees falling under mining lease area and in no way these will be permitted to be cut / uprooted.
- PP shall ensure generation of employment opportunities to nearby Village on priority bases.
- 12. Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
- 13. Proper infrastructure with shelter, drinking water, toilet and first-aid facilities shall be provided for the laborers. A provision should be made to construct a pakka rest shelter along with toilet and drinking water facility.
- 14. PP should also carry out regular sprinkling in the mining lease area to arrest dust emission from mining activities affecting the nearby agriculture field.
- 15. Mining shall be limited to the area as shown in surface plan and as per the approved mining scheme.
- PP shall ensure the proper water supply arrangements for plantation especially in summer season.
- Under CSR activity PP has committed following addition activities should be implemented.
 - Construction of internal drainage system of nearby village.
 - Promotion of poor child education in nearby Govt. Schools at nearby villages.
 - c. Health care facilities camp with doctor in nearby villages.
 - d. Construction of community toilet in nearby villages.

The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.

18. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA.

Hence, Prior Environmental Clearance is granted for Granite Quarry (opencast semi mechanized method) in an area of 8.646 ha. for production capacity of 10,500 cum/year at Khasra Nos.- 129/2, 130 to 134, 154/5, Village Chatua, Tehsil Anuppur, District Anuppur (MP) for the lease period to M/s Span Minerals Pvt. Ltd., Director Shri Chandra Shekhar Prasad Singh, G-3, B-Wing, Hetkunj VP Road Andheri (W) Mumbai.

(Jitendra Singh Raje) Member Secretary

Secretary Mer

(R.K. Sharma) Member

Shaom

Chairman

(Rakesh K.

Page 8 of 10

519th SEIAA Meeting dtd. 11.01.2019

4. Case No 5785/2018: Environmental Clearance for proposed BCM Hospital Project at Khasra No. 47/3/2, 50/1 & 50/2/1, village Nipania, Tehsil & District - Indore, Plot Area-10120 sq.m and net planning area is 9450 sqm., Total Built- up area 37276.29 sq.m. by M/s BCM Hospitals LLP through Partner Shri Rajesh Mehta, M1, BCM Heights, Shri Badalchand Mehta Marg, Sch No. 54, Indore – 452010 regarding correction/modification in the minutes of the SEIAA in 514th meeting dtd. 14.12.18.

The project has been accorded Prior Environmental Clearance in 514th SEIAA meeting dtd. 14.12.18. In response to the minutes, PP has requested for some correction as follows:

- As per Point no. 3 mentioned on the total Built-up area proposed by is 26670.56 sq.m whereas it is 37276.29 sq.m.
- Specific condition no. 8: PP should obtain High rise building permission from concerned authority before commencing construction beyond the approved limit i.e. 30.mts.
- Specific condition no. 9: PP should ensure to provide car parking as per MPBVR 2012/Master Plan as prevailing from time to time.

The matter has been examined and authority decided that the all the correction/modification will be incorporated in the environmental clearance letter as follows:

- As per Point no. 3 mentioned on the total Built-up area proposed by is 26670.56 sq.m it will be corrected as 37276.29 sq.m.
- Specific condition no. 8: PP has proposed the maximum height of the building is 42 m however as per the T & CP Indore (vide letter no. 3892 dtd 18.05.2018) the layout approved for the project is 30 m.

Accordingly the authority decided that PP should ensure to construct height of the building, road width, Front MOS and side / rear MOS and open spaces as per approved layout of T&CP.

- Specific condition no. 9: PP should ensure to provide car parking as per MPBVR 2012/Master Plan as prevailing from time to time.
- 5. Case No.09/2008 Prior Environment Clearance for White Clay, Ochre and Laterite Mines in an area of 15-30 ha. for production capacity of 14000 MTPA at Village Khomarha, Tehsil Amarpatan, District Satna (MP) by M/s K L Agrawal, Jaitwara, Satna.

The case was discussed in 513th SEIAA meeting dtd. 13.12.2018 and it was recorded that.......

"EC was granted to M/s K I Agrawal vide letter No. 1268/SEIAA/12 dated 9.10.12 for mining lease period i.e. upto 20.7.18. PP has rquested vide letter dated 9.11.18 by enclosing concerned documents to extend EC validity upto lease period i.e. 20.07.28. After discussion it is decided to call PP for clarification."

(Jitendra Singh Raje) Member Secretary

(R.K. Sharma) Member

Chairman Chairman

Page 9 of 10

519th SEIAA Meeting dtd. 11.01.2019

After detailed discussions and presentation made by the PP in SEIAA, it was decided that PP will submit the certified compliance report by Regional Office, MoEF &CC, Gol / Regional Office, MPPCB, Copy to PP.

- 6. Case No 2805/2015: Prior EC for proposed Manufacturing of bulk drugs Vitamins and intermediate) expansion of Existing Unit named Vista Organics PVt. Ltd. located at Plot No. 06 New industrial area Phase II Mandideep Dist Raisen. Land area: 5.51 Acre Existing Production Capacity: 2.3 Lutidine - 15 MT/ Y; 2.6 Di Picolinic acid 25/MT/ Y; 3.5 Lutidine 15 MT/Y; Alpha Picolinic acid; 25 MT/Year Chromium Picolinic acid; 5 MT /Y Chromium Poly Nicotinate; 5 MT/Y Iso Nicotinic acid; 150 MT/Y Isoniazid, Niacin; 150 MT/Y Mythyil Nicotiate; 10 Mt/Y Niacinamide; 150 MT/Y Pyrazinamide; 90 MT/Y Zinc Picolinate; 25 MT/Y; by Shri S.C.Mathur (Vice President), Plot No. 06 New Industrial area, Phase II Mandideep, Raisen M.P- 462046 E-mail ushma@resonancesl.in Telephone No. 07480-424001regarding correction in the name of Product.
 - 1. EC has been issued to PP vide letter no. 1420 dtd 22.12.17.
 - 2. PP has submitted (vide letter dtd 02.01.19 received in SEIAA office on 03.01.2019) that the EC issued to him in which the product name in point no. 8 has been written "Beta Picoline N oxide" instead of "2-chloro 3 cyanopyridine and PP has requested for the correction in the EC letter accordingly.

The letter submitted by PP and the original documents was examined and it is decided to accept the request of PP and accordingly a corrigendum should be issued as follows: -

Particulars	Written in EC	Correct & to be replaced with
Sp. Condition no. 8	Beta Picoline	2-chloro-3-cynopyridine

Accordingly PP and all concerned should be informed.

Meeting ended with a vote of thanks to the Chair.

(Jitendra Singh Raje) Member Secretary

519th SEIAA Meeting dtd. 11.01.2019

(R.K. Sharma) Member

K. Shrivastava) (Rakesh Chairman

Page 10 of 10