

राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण, म.प्र.

(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार)



पर्यावरण नियोजन एवं समन्वय संगठन पर्यावरण परिसर, ई-5, अरेरा कॉलोनी भोपाल-462016 (म.प्र.)

बेवसाईट-<u>http://www.mpseiaa.nic.in</u> दूरभाषनं. - 0755-2466970, 2466859 फैक्सनं. - 0755-2462136

No: 276/ SEIAA/2025

Date: 23/05/2025

प्रति,

Shri Anand Goenka

R/o Goendka Bhavan, Station Road, District Katni (MP)-483501 E-mail - pauniya8.10ha@gmail.com

विषय :- Proposal No. SIA/MP/MIN/522530/2025- Case No 10342/2025 Prior Environment Clearance for Manganese Ore Mine (Opencast semi mechanized method) in an area of 8.10 ha. for production capacity of Expansion from 3430 TPA to 13580 TPA, Khasra No. 523/1, 523/2, 523/3, Village-Pauniya, Tehsil-Katangi, District-Balaghat (MP) by Shri Anand Goenka R/o Goendka Bhavan, Station Road, District Katni (MP)-483501.

विषयान्तर्गत प्रकरण में राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (SEAC) द्वारा 777वीं बैठक दिनांक 11.03.2025 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सहित पर्यावरण अनुमति प्रदान किये जाने की अनुशंसा कर प्रकरण दिनांक 15.03.2025 को राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण (SEIAA) को अग्रेषित किया गया। प्रश्नाधीन प्रकरण SEIAA की बैठक में विचारण नहीं होने के कारण 45 दिवस से अधिक की अवधि समाप्त हो गई है।

पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार की ईआईए अधिसूचना दिनांक 14.09.2006 के पैरा 8 की कंडिका (iii) इस प्रकार है - "In the event that the decision of the regulatory authority is not communicated to the applicant within the period specified in subparagraphs (i) or (ii) above, as applicable, the applicant may proceed as if the environment clearance sought for has been granted or denied by the regulatory authority in terms of the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned."

अतः ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार उक्त प्रकरण में SEAC की 777वीं बैठक दिनांक 11.03.2025 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सहित पर्यावरण स्वीकृति हेतु की गई अनुशंसा को अंतिम निर्णय मानते ह्ए राज्य स्तरीय समाघात निर्धारण प्राधिकरण (SEIAA) द्वारा "Deemed Approval" माना जाकर पर्यावरण अनुमति दी जाती है। तद्नुसार प्रकरण में ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार आगामी आवश्यक वैधानिक कार्यवाही करने हेत् आप स्वतंत्र हैं।

(प्रमुख सचिव, पर्यावरण विभाग द्वारा अनुमोदित)

कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA

प्रतिलिपि:-

- 1. प्रमुख सचिव, म.प्र. शासन, पर्यावरण विभाग, मंत्रालय, भोपाल।
- 2. संयुक्त सचिव, पर्यावरण, वन एवं जलवाय् परिवर्तन मंत्रालय, भारत सरकार, इंदिरा पर्यावरण भवन, जोर बाग रोड़, नई दिल्ली - 1100031
- 3. उप सचिव, मुख्य सचिव कार्यालय म.प्र. शासन, मंत्रालय भोपाल (म.प्र.)।
- 4. अध्यक्ष, SEIAA, एप्को पर्यावरण परिसर भोपाल (म.प्र.)।
- 5. अध्यक्ष SEAC, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल (म.प्र.)।
- 6. सदस्य सचिव, SEAC एवं सदस्य सचिव, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल।
- 7. कलेक्टर, जिला बालाघाट (म.प्र.)।
- 8. वन मंडलाधिकारी, जिला बालाघाट (म.प्र.)।
- 9. निदेशक, क्षेत्रीय कार्यालय, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, केन्द्रीय पर्यावरण भवन, लिंक रोड़ नं. 03, रवि शंकर नगर, भोपाल।
- 10. संचालक, भौमिकी तथा खनिकर्म मध्यप्रदेश, 29-ए, खनिज भवन, अरेरा हिल्स, भोपाल 462002।
- 11. खनिज अधिकारी, जिला बालाघाट (म.प्र.)।
- 12. संबंधित फाईल।

की ओर सूचनार्थ।

कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA 19. Case No 10342/2025 Shri Anand Goenka R/o Goendka Bhavan, Station Road, District Katni (MP)-483501, Prior Environment Clearance for Manganese Ore Minein an area of 8.10 ha. (Expansion from 3430 TPA to 13580 TPA) (Khasra No. 523/1, 523/2, 523/3), Village-Pauniya, Tehsil-Katangi, District-Balaghat (MP) [522530] (EIA)

पूर्व में यह प्रकरण राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (एसईएसी) की 663 वीं बैठक दिनांक 01/12/2023 समिति के समक्ष प्रस्तुत किया गया था जिसमेंसमिति द्वारा टॉर जारी करने की अनुशंसा की गई थी।

सेक की 720 वीं बैठक दिनांक 05/01/2024 समिति के संज्ञान में आया कि 673वीं बैठक दिनांक 01/09/2023 को पूर्व पर्यावरणीय स्वीकृति हेतु अनुशंसा टॉर में Manganese Ore-Expansion from 3430 TPA to 13580 TPA उल्लेखित हो गया है जबकि अनुमोदित माइन प्लांन, परिवेश पोर्टल पर आवेदन, पीएफआर में उत्पादन क्षमता Manganese Ore-Expansion from 3430 TPA to 17,010 TPA) है ।

अतः समिति चर्चा उपरांत अपनी पूर्व की 673वीं बैठक दिनांक 01/09/2023 को अनुशंसित टॉर में Manganese Ore-Expansion from 3430 TPA to 13580 TPA के स्थान पर Manganese Ore-Expansion from 3430 TPA to 17,010 TPA पढ़े जाने का निर्णय लेती है, शेष अन्य टॉर की शर्त यथावत रहेंगी ।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज		
परियोजना प्रस्तावक, परियोजना / कम्पनी का नाम व पता	Shri ANAND GOENKA. Proprietor, Goenka Bhavan, Station Road, Katni, Madhya Pradesh 483501		
खसरा नं./ क्षेत्रफल (सरकारी/निजी)	523/1, 523/2, 523/3(सरकारी —नॉन फॉरेस्ट 8.10 hectare लेंड)		
स्थल	ग्राम PAUNIYA तसहील Tirodi जिलाBalaghat(म.प्र.)		
लीज स्वीकृति	खनिज साधान विभाग, मध्यप्रदेश शासन के पत्र क्रमांम		
	एफ-3-36 / 92 / 12 / 2, दिनांक 23 / 07 / 10 द्वारा स्वीकृत।		
श्रेणी (बी-1 / बी-2)	बी—1		
नया / क्षमता विस्तार	यह प्रकरण क्षमता विस्तार का है ।		
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा मैग्नीज ओर—3430 टीपीए से 13,580 टीपीए		
	हेतु आवेदन किया गया है ।		
500 मीटर की परिधि में	कार्यालय कलेक्टर (खनिज शाखा) जिला बालाघाट के एकल प्रमाण–पत्र		
अन्य खदानें	क्रमांक 1155 दिनांक 03/10/22 अनुसार 500 मीटर की परिधि में 01		
	अन्य खदानें संचालित / स्वीकृत है, इस प्रकार कुल रकबा 17.027 हे.		

778 ^{tl}	hME]	ETT!	NG
, , ,			

	होता है, अतः प्रकरण बी–1 श्रेणी का है।		
वन मण्डलाधिकारी की	वन मण्डलाधिकारी, दक्षिण (सा.) वन मण्डल बालाघाट 6993 दिनांक		
अनापत्ति	20 / 09 / 22 अनुसार पेंच टाईगर रिजर्व सिवनी की बफर रेंज अरी क		
	वन क्षेत्र स्थित है, जिसकी दूरी लगभग 9 कि.मी. है, एवं अन्य शेष नहीं		
	है ।		
तहसीलदार की	तहसीलदार तिरोड़ी जिला बालाघाट के पत्र क्रमांक 471 दिनांक		
अनापत्ति	08 / 08 / 22 अनुसार उत्खनिपट्टा से पक्का रास्ता लगकर है, 500		
	मीटर के अंदर मानव बसाहट, रेल्वे लाईन एवं नहर स्थित है ।		
1	ग्राम पंचायत पौनिया जिला बालाघाट के ठहराव प्रस्ताव क्रमांक—3		
पंचायत की अनापत्ति	अनुसार प्रस्तावित स्थल पर खनन् कार्य से पंचायत को कोई आपित्त		
	नहीं है ।		
गूगल इमेज अनुसार			
वर्तमान स्थिति	उत्तर दिशा— रेल्वे ट्रेक 47 मी.		
	दक्षिण दिशा— पक्की रोड 16 मी.		
	पूर्व दिशा— नहर 103 मी. एवं 183 मी., कुछ मकान 83 मी.		
	पश्चिम दिशा– आबादी 143 मी.		
जिला सर्वेक्षण रिपोर्ट	प्रकरण मुख्य खनिज का है, अतः जिला सर्वेक्षण रिपोर्ट लागे नहीं है ।		
की स्थिति			

प्रस्तावित खदान का दिनांक 25/03/25 को परियोजना प्रस्तावक की अधिकृत प्रतिनिधि गुंजन गोयनका एवं उनके पर्यावरणीय सलाहकार श्री वरूण भारद्धाज, मेसर्स जेनिथ इंवायरोमेंट कंसल्टेंसी, नोएड, उ.प्र. उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया जिसमें बताया गया कि यह उत्पादन क्षमता विस्तार का प्रकरण है, प्रस्तुतीकरण के दौरान पूर्व पर्यावरण स्वीकृति की सर्टिफिकेट कम्पलाईन्स रिपोर्ट प्रस्तुत की गई।

Salient Features of the project:

S.No.	PARTICULARS	DESCRIPTION	
1.	Area	8.10 Ha	
2.	Land use	Govt. Land	
3.	Initial Lease	23.07.2010 for 20 Years	
4.	Lease Extension	50 Years (22.11.2016 – 21.11.2066)	
5.	Type of Project	Expansion case	
6.	Previous EC	Previously Project has been awarded prior environmental clearance from State Environment Impact assessment authority MP with vide letter no. 1495/SEIAA/14 Dated 27.10.2014 with the production capacity of 3430 TPA.	

STATE EXPERT APPRAISAL COMMITTEEMINUTES 778thMEETING

7.	Proposed production	Proposed production capacity of Manganese Ore: 17,010 TPA
8.	Mineable Reserve	60,376.05 Tonnes of Manganese
9.	Expected Life of Mine	3.599 or say 4 years
10.	Proposed method of mining	Open Cast mechanized

11	Reserved Forest	Bichuwa	1.97	W
		Garraghat	3.38	S
		Agri	9.09	NW
12	Nahileshra Main Canal		6.81	N
13	Chandan River		7.46	ENE
14	Sarpunkasa Nala		8.31	WSW
15	Pench Tiger Reserve Buffer zone		09	W

समिति ने परीक्षण के दौरान पाया कि उत्तर दिशा में रेल्वे ट्रेक 47 मी. की दूरी पर है, पर्यावरणीय सलाहकार ने अवगत कराया कि इस दिशा में 100 मी. तक गैर खनन क्षेत्र छोड़ा जाना प्रस्तावित किया गया है।दक्षिण दिशा में रोड 16 मी. दूरी पर है तथा इसी दिशा में50 मी. तक गैर खनन क्षेत्र छोड़ा जाना प्रस्तावित किया गया है।कुछ हटमेन्ट 83 मी. पर हैं इस संबंध में समिति ने परियोजना प्रस्तावक को निर्देश दिये कि इस दिशा में 50 मी. तक गैर खनन क्षेत्र छोड़ा जावे एवं इस क्षेत्र में तीन लेयर में घना वृक्षारोपण किया जाये।इस प्रकार कुल क्षेत्र 8.10 हे. में से गैर खनन क्षेत्र 2.59 हे. छोड़ने के पश्चात खनन योग्य क्षेत्र 5.51 हे. उपलब्ध होगा। लीज क्षेत्र में 1200 वृक्ष लगे हुये हैं इनमें से कोई भी वृक्ष नहीं काटे जावेगें।समिति ने परियोजना प्रस्तावक के द्वारा प्रस्तुत अन्य जानकारी संतोषजनक पाई गई।

परियोजना प्रस्तावक द्वारा दिए गए प्रस्तुतीकरण, पर्यावरण प्रबंधन योजना एवं अन्य प्रस्तुत की गई जानकारी संतोषजनक एवं स्वीकार्य योग्य होने से समिति विशिष्ट शर्तो एवं स्टेण्डर्ड शर्तो अनुसार निम्नानुसार पर्यावरणीय स्वीकृति जारी करने की अनुशंसा करती है:—

- अनुमोदित खनन् योजना अनुसार मैगनीजउत्पादन क्षमता —17,010टन / वर्ष।
- पर्यावरण प्रबंधन योजना मद में केपीटल राशि रू. 4.31 लाख एवं रिकरिंग राशि रू. 1.48लाख प्रति वर्ष।

- वृक्षारोपण कार्यक्रम अनुसार कम से कम 8100 वृक्षों का रोपणिकये जाये
- सी.ई.आर मद में निम्नानुसार राशि रू. 2.44 लाख केपिटल एवं रिकरिंग रू. 0.10 लाख प्रतिवर्ष :--

PLANTATION COST			
S. NO.	Double out	Budget Provisions (Rs)	
	Particulars	Capital	Recurring
1.	ग्रामवासियो में वितरण हेतु (ग्राम पंचायत पौनिया) 6,950 Sapling x @*50 Rs.)	34,750	Nil
2.	बैरियर जोन (200 Sapling x @ 100 Rs.)	20,000	5,000
3.	परिवहन मार्ग (950 Sapling x @ 200Rs.)	1,90,000	5,000
	Total	2,44,700	10,000

764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 05 जून 2024

<u>Following standard conditions shall be applicable for the mining projects of minor mineral in addition to the specific conditions and cases appraised for grant of TOR:</u>

Annexure- 'A'

Standard conditions applicable to Stone/Murrum and Soil quarries:

- 1. Mining should be carried out as per the submitted land use plan and approved mine plan. The regulations of danger zone (500 meters) prescribed by Directorate General of Mines safety shall also be complied compulsorily and necessary measures should be taken to minimize the impact on environment.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars and fenced from all around the site. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded along with annual record of water consumed in sprinkling during Summer (February to May/June) and winter session (October to January) separately.
- 4. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 5. Mineral evacuation road shall be made pucca (WBM/black top) by PP.
- 6. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
- 7. Crusher with inbuilt APCD & water sprinkling system shall be installed minimum 100 meters away from the road and 500 meters away from the habitations only after the permissions of MP Pollution Control Board with atleast 04 meters high wind breaking wall of suitable material to avoid fugitive emissions.
- 8. Working height of the loading machines shall be compatible with bench configuration.
- 9. Slurry Mixed Explosive (SME) shall be used instead of solid cartridge.
- 10. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
- 11. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
- 12. Six monthly occupational health surveys of workers for Cardio-vascular & Pulmonary health, vital parameters as prescribed by concerned regulatory authority shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights.
- 13. A separate bank account should be maintained for all the expenses made in the EMP and CER activities by PP for financial accountability and these details should be provided in Annual Environmental Statement. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
- 14. To avoid vibration, no overcharging shall be carried out during blasting and muffle blasting shall be adopted. Blasting shall be carried out through certified blaster only and no explosive will be stored at mine site without permission from the competent authority.
- 15. Mine water should not be discharged from the lease and be used for sprinkling & plantations. For surface runoff and storm water garland drains and settling tanks (SS pattern) of suitable sizes shall be provided.
- 16. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
- 17. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- 18. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.

764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 05 जून 2024

- 19. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area. PP shall take Socio-economic activities in the region through the 'Gram Panchayat'.
- 20. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
- 21. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product mix in proposed mining unit shall require a fresh Environment Clearance.
- 22. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
- 23. All the mines where production is > 50,000 cum/year, PP shall develop its own website to display various mining related activities proposed in EMP & CER along with budgetary allocations. All the six monthly progress report shall also be uploads on this website along with MoEF&CC & SEIAA, MP with relevant photographs of various activities such as garland drains, settling tanks, plantation, water sprinkling arrangements, transportation & haul road etc. PP or Mine Manager shall be made responsible for its maintenance & regular updation.
- 24. All the soil queries, the maximum permitted depth shall not exceed 02 meters below general ground level & other provisions laid down in MoEF&CC OM No. L-11011/47/2011-IA.II(M) dated 24/06/2013.
- 25. The mining lease holders shall after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Moreover, a separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M, of MoEF&CC issued vide letter F.No. 22-34/2018-IA. III, dated 16/01/2020.
- 26. The project proponent shall follow the mitigation measures provided in MoEF&CCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
- 27. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
- 28. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
- 29. A display board (in hindi) with following details of the project is mandatory at the entry to the mine.
 - a. Lease owner's Name, Contact details etc.
 - b. Mining Lease area of the project (in ha.) with latitude and longitude.
 - c. Length, breadth, sanctioned depth of mine and mining time.
 - d. Sanctioned Production capacity of the project as per EC and Consent of MPPCB.
 - e. Method of mining (Mannual/Semi Mechanised) and Blasting or Non-blasting.
 - f. Plantation and CER activities.
- 30. Dense plantation/ wood lot shall be carryout in the 7.5 meters periphery/barrier zone of the lease through concern CCF (social forestry) or concerned DFO or any other suitable agency and on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
- 31. Entire plantation proposed in barrier zone of lease area shall be carried out as per submitted plantation scheme and along the fencing seed sowing of Neem, Babool, Safed Castor etc shall also be carried out.
- 32. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. PP shall explore the possibility for plantation in adjoining forest land in consultation with concerned DFO and commensurate budget shall be transferred for plantation to DFO.
- 33. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land through forest department or on other community land available for grassland

764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 05 जून 2024

- and fodder development through Gram Panchayat in concerned village and handed over to Gram Panchayat after lease period.
- 34. Before onset of monsoon season as per submitted plantation scheme fruit bearing species preferably of fodder / native shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh "ANKUR YOJNA" by registering individual villagers on "Vayudoot app". Where ever Aushadhi Vatika (Medicinal Garden) is proposed by PP, a minimum of 50 saplings be planted considering 80% survival with proper protection measures in School or Aganwadi premises.
- 35. Adequate provisions of water for irrigating plantation shall be made by PP.
- 36. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.

Annexure- 'B'

Standard conditions applicable for the Sand Mine Quarries*

- 1. District Authority should annually record the deposition of sand in the lease area (at an interval of 100 meters for leases 10 ha or > 10.00 ha and at an interval of 50 meters for leases < 10 ha.) before monsoon & in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority shall allow lease holder to excavate only the replenished quantity of sand in the subsequent year.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded.
- 4. Only registered vehicles/tractor trolleys with GPS which are having the necessary registration and permission for the aforesaid purpose under the Motor Vehicle Act and also insurance coverage for the same shall alone be used for said purpose.
- 5. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 6. Mineral evacuation road shall be made Pucca (WBM/black top) by PP.
- 7. Sand and gravel shall not be extracted up to a distance of 1 kilometer (1Km) from major bridges and highways on both sides, or five times (5x) of the span (x) of a bridge/public civil structure (including water intake points) on upstream side and ten times (10x) the span of such bridge on down-stream side, subjected to a minimum of 250 meters on the upstream side and 500 meters on the downstream side.
- 8. Mining depth should be restricted to 3 meters or water level, whichever is less and distance from the bank should be 1/4th or river width and should not be less than 7.5 meters. No in-stream mining is allowed. Established water conveyance channels should not be relocated, straightened, or modified.
- 9. Demarcation of mining area with pillars and geo-referencing should be done prior to the start of mining.
- 10. PP shall carry out independent environmental audit atleast once in a year by reputed third party entity and report of such audit be placed on public domain such audits be placed on public domain through website developed for public interface along with photographs of work done w.r.t. EMP as well as CER.
- 11. No Mining shall be carried out during Monsoon season.
- 12. The mining shall be carried out strictly as per the approved mine plan and in accordance with the Sustainable Sand Mining Management Guidelines, 2016 and Enforcement & Monitoring Guidelines for Sand Mining, 2020 issued by the MoEF&CC ensuring that the annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan.
- 13. If the stream is dry, the excavation must not proceed beyond the lowest undisturbed elevation of the stream bottom, which is a function of local hydraulics, hydrology, and geomorphology.
- 14. After mining is complete, the edge of the pit should be graded to a 2.5:1 slope in the direction of the flow.