

# राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण, म.प्र.

(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार)

पर्यावरण नियोजन एवं समन्वय संगठन पर्यावरण परिसर, ई–5, अरेरा कॉलोनी भोपाल–462016 (म.प्र.)

बेवसाईट—<u>http://www.mpseiaa.nic.in</u> दूरभाषनं. — 0755—2466970, 2466859 फैक्सनं. — 0755—2462136

No:386 / SEIAA/2025 Date: 24 |05 | 2025

प्रति,

Smt. Mamta Dwivedi, Amrit Colony Gandhi Nagar Mahoba District Mahoba (U.P.) E-mail - mamtagitti@gmail.com

विषय:- Proposal No. SIA/MP/MIN/457512/2024- Case No.9346/ 2022 Prior Environment Clearance for Stone Mine (Opencast semi mechanized method), in an area of 4.00 ha. for production capacity of 50,000 cum per annum (as per SEAC recommendation), Khasra No. 133 (P), Village- Saila, Tehsil Maharajpur, District Chhatarpur (M.P.) by Smt. Mamta Dwivedi, Amrit Colony Gandhi Nagar Mahoba District Mahoba (U.P.)

विषयान्तर्गत प्रकरण में राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (SEAC) द्वारा 764वीं बैठक दिनांक 06.06.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सिहत पर्यावरण अनुमित प्रदान किये जाने की अनुशंसा कर प्रकरण दिनांक 07.06.2024 को राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण (SEIAA) को अग्रेषित किया गया। प्रश्नाधीन प्रकरण SEIAA की बैठक में विचारण नहीं होने के कारण 45 दिवस से अधिक की अविध समाप्त हो गई है।

पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार की ईआईए अधिसूचना दिनांक 14.09.2006 के पैरा 8 की कंडिका (iii) इस प्रकार है - "In the event that the decision of the regulatory authority is not communicated to the applicant within the period specified in subparagraphs (i) or (ii) above, as applicable, the applicant may proceed as if the environment clearance sought for has been granted or denied by the regulatory authority in terms of the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned."

अतः ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार उक्त प्रकरण में SEAC की 764वीं बैठक दिनांक 06.06.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सिहत पर्यावरण स्वीकृति हेतु की गई अनुशंसा को अंतिम निर्णय मानते हुए राज्य स्तरीय समाघात निर्धारण प्राधिकरण (SEIAA) द्वारा "Deemed Approval" माना जाकर पर्यावरण अनुमति दी जाती है। तद्नुसार प्रकरण में ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार आगामी आवश्यक वैधानिक कार्यवाही करने हेतु आप स्वतंत्र हैं।

(प्रमुख सचिव, पर्यावरण विभाग द्वारा अनुमोदित)

(श्रीमन्। शुक्ता) कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA

8

## पृ. क्र. 387 /SEIAA/2025 भोपाल दिनांक - 24 05/2025

#### प्रतिलिपि:-

- 1. प्रमुख सचिव, म.प्र. शासन, पर्यावरण विभाग, मंत्रालय, भोपाल।
- 2. संयुक्त सचिव, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, इंदिरा पर्यावरण भवन, जोर बाग रोड़, नई दिल्ली - 1100031
- 3. उप सचिव, मुख्य सचिव कार्यालय म.प्र. शासन, मंत्रालय भोपाल (म.प्र.)।
- 4. अध्यक्ष, SEIAA, एप्को पर्यावरण परिसर भोपाल (म.प्र.)।
- 5. अध्यक्ष SEAC, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल (म.प्र.)।
- 6. सदस्य सचिव, SEAC एवं सदस्य सचिव, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल।
- 7. कलेक्टर, जिला छतरपुर (म.प्र.)।
- 8. वन मंडलाधिकारी, जिला छतरपुर (म.प्र.)।
- 9. निदेशक, क्षेत्रीय कार्यालय, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, केन्द्रीय पर्यावरण भवन, लिंक रोड़ नं. 03, रवि शंकर नगर, भोपाल।
- 10. संचालक, भौमिकी तथा खनिकर्म मध्यप्रदेश, 29-ए, खनिज भवन, अरेरा हिल्स, भोपाल 462002।
- 11. खनिज अधिकारी, जिला छतरपुर (म.प्र.)।
- 12. संबंधित फाईल।

की ओर सूचनार्थ।

कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA



ADS वर्तमान में डेम की स्थिति है तथा सेन्ड गाईड लाईन रूल्स को ध्यान में रखते हुये तथा डेम के संधारण करने वाली संस्था का स्पष्ट अभिमत प्राप्त कर प्रस्तुत किया जावे ।

30. Case No.9346/ 2022 Smt. Mamta Dwivedi, Owner, Amrit Colony Gandhi Nagar Mahoba District Mahoba (U.P.) Prior Environment Clearance for Stone Mine in an area of 4.00 ha. (1,50,000 cum per annum) (Khasra No. 133 (P)) Village- Saila, Tehsil Maharajpur, District Chhatarpur (M.P.).

प्रस्तुतीकरण के दौरान परियोजना प्रस्तावक द्वारा अवगत कराया कि सेक की 725वीं बैठक में दिनांक 20/07/2024 को निम्न जानकारी चाही गई थी ।

प्रस्तुतीकरण के दौरान परियोजना प्रस्तावक द्वारा प्रस्तुत गूगल ईमेज के आधार पर समिति ने पाया कि खदान क्षेत्र वृक्षों से अच्छादित है एवं यदि वृक्ष अच्छादित क्षेत्र को गैर खनन क्षेत्र के रूप में छोड़ते है तो खनन योग्य क्षेत्र वांछित मात्रा की उपलब्धता एवं Viability भी प्रतीत नहीं होती, अतः समिति ने निर्णय लिया कि परियोजना प्रस्तावक वांछित मात्रा की उपलब्धता एवं Viability का परीक्षण कर स्पष्ट करें कि वृक्ष अच्छादित क्षेत्र को गैर खनन क्षेत्र के रूप में छोड़ने उपलब्धता एवं Viability के अनुरूप पत्थर की कितनी मात्रा उपलब्ध होगी एवं इसी आधार पर पुर्नरीक्षित प्रोडक्शन प्लान, गैर खनन क्षेत्र को दर्शातें हुये सरफेस प्लान एवं वृक्ष अच्छादित क्षेत्र के संरक्षण की योजना प्रस्तुत करें।

परियोजना प्रस्तावक द्वारा अनुरोध प्राप्त होने के पश्चात एवं दिनांक05/06/2024 कोपरिवेश पोर्टल पर ADS रिप्लाई जमा करने के पश्चात प्रकरण कोSEAC की 764वीमीटिंग दिनांक06/06/2024 में प्रस्तुतिकरण के लिए सूचीबद्धिकया गया।

प्रस्तावित खदान बी—1 श्रेणी के अंतर्गत पूर्व पर्यावरणीय स्वीकृति के लिए ईआईए का है, जिसमें आज दिनांक 06/06/2024 को परियोजना प्रस्तावक Smt. Mamta Dwivedi, Online एवं उनके पर्यावरणीय सलाहकार पर्यावरणीय सलाहकार श्रीकृष्णचन्द्र पांडा (ऑनलाइन) उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया। उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज	
परियोजना प्रस्तावक, परियोजना का नाम व पता	Smt. Mamta Dwivedi, Owner, Amrit Colony Gandhi Nagar Mahoba District Mahoba (U.P.)	
खसरा नं./ क्षेत्रफल	133 (P) (सरकारी –नॉन फॉरेस्ट लेंड)	4.00 hectare.

( <del></del>			
(सरकारी / निजी)			
स्थल	Village- Saila, Tehsil Maharajpur, District Chhatarpur(M.P.)		
लीज स्वीकृति	कार्यालय कलेक्टर (खनिज शाखा) जिला छतरपुर के पत्र क्रमांक 2321 दिनांक 23/07/21 के द्वारा स्वीकृत		
ब्लास्टिंग / रॉक ब्रेकर	ब्लास्टिंग प्रस्तावित है ।		
टॉर	सेक की 601वीं बैठक दिनांक 19/10/22 को अनुशंसित, सिया के पत्र क्रमांक 2128 दिनांक 25/11/22 के		
	द्वारा पत्थर—1,50,000 घनमीटर / वर्ष के लिए टॉर जारी किया गया है, जिसके अनुसार परियोजना प्रस्तावक		
	द्वारा ईआईए रिपोर्ट समिति के समक्ष प्रस्तुत की गई है ।		
प्रकरण की स्थिति	नया प्रोजेक्ट ।		
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा अधिकतम् उत्पादन क्षमता पत्थर—1,50,000 घनमीटर / वर्ष हेतु आवेदन किया गया है		
	और अनुमोदित खनन् योजना अनुसार अधिकतम् उत्पादन क्षमता पत्थर—1,50,000 घनमीटर / वर्षहै।		
500 मीटर की परिधि में अन्य			
खदानें	अनुसार 500 मीटर की परिधि में 03 अन्य खदानें संचालित / स्वीकृत है, इस प्रकार कुल रकबा 16.00 हे. होता		
	है, अतः प्रकरण बी–1 श्रेणी का है।		
वन मण्डलाधिकारी की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला छतरपुर के एकल प्रमाण-पत्र क्रमांक 1065 दिनांक 28/05/22		
	अनुसार 10 किलोमीटर की परिधि में नेशनल पार्क / अभ्यारण्य / ईको सेंसेटिव जोन जैव विविधता क्षेत्र एवं 250		
	मीटर में वन क्षेत्र स्थित नहीं है ।		
तहसीलदार की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला छतरपुर के एकल प्रमाण-पत्र क्रमांक 1065 दिनांक 28/05/22		
	अनुसार 400 मीटर की दूरी पर नदी और 500 मीटर की दूरी आवास निर्मित है, शेष अन्य 500 मीटर की		
	परिधि में नहीं है ।		
ग्राम सभा / ग्राम पंचायत की	ग्राम पंचायत सैला जिला छतरपुर के ठहराव प्रस्ताव क्रमांक-3 दिनांक 31/05/19 अनुसार प्रस्तावित स्थल		
अनापत्ति	पर खनन् कार्य से पंचायत की सहमति है ।		
वृक्षों की वर्तमान स्थिति	खदान क्षेत्र वृक्षों से अच्छादित है।		
जिला सर्वेक्षण रिपोर्ट की स्थिति	परियोजना प्रस्तावक ने बताया कि इस खदान का विवरण जिले की अनुमोदित नवीन जिला सर्वेक्षण रिपोर्ट के		
	पेज नं.–18 के सरल क्रमांक–8 पर दर्ज है ।		

प्रस्तुतीकरण के दौरान परियोजना प्रस्तावक ने निम्न जानकारी प्रस्तुत की,

- परियोजना प्रस्तावक ने ड्रोन वीडियो एवं जिओ टेग फोटो को प्रस्तुत किया कि खदान की सीमा में कोई पेड़ नहीं है। सर्वे में पाया गया कि वहां सिर्फ झाड़ियाँ हैं जिनमे चिल्ला एवं बबूल प्रमुख हैं।
- 2. परियोजना प्रस्तावक ने झाड़ियों को प्राथमिकता देते हुए लीज क्षेत्र में नॉन माइनिंग जोन दर्शाया जिसके चलते प्रस्तावक ने रिवाइज्ड सरफेस प्लान भी प्रस्तुत किया। जिसके अनुसार 4.0हेक्टेयर क्षेत्रफल में से कुल 2.08 हेक्टेयर क्षेत्र पर ही खनन कार्य किया जाएगा। बाकी 1792 हेक्टेयर क्षेत्र नॉन माइनिंग क्षेत्र के रूप में छोड़ा जाएगा। गैर खनन क्षेत्र पर नीम के बीज की वर् इसी sowingष(2024), वर्षाऋतु(जुलाई—अगस्त) में कराई जायेगी।
- 3. कुल2. 08 हेक्टेयर क्षेत्र पर खनन कार्य के लिएपरियोजना प्रस्तावक द्वारा मांग की गयी है। गणना के आधार पर उत्खनन की वांक्षित मात्रा का उपलब्ध होना पाया गया है। गणना के आधार पर गैर खनन क्षेत्र को छोड़ने के पश्चात खनिज की कुल उपलब्धता 3,74,400घन मीटर आ रही है एवं परियोजना प्रस्तावक द्वारापांच वर्षों में कुल 2,50,000 घनमीटर खनिज उत्खनन की मांग की गयी है।

4. इसकेअतिरिक्त चार कोनो पर चार सेटिलिंग टैंकगार्द्लैंड , ड्रेनचैन , लिंक फेंसिंग , वृक्षारोपण एवं LED वितरण के लिए पर्याप्त बजट EMP में दिया गया है।EMP में 17, 25, 800रूपए की कैपिटल राशि एवं 11ए36ए060 रूपए की रेकरिंग राशि का बजट दिया गया है।

**EMP Table (Capital & Recurring Cost)** 

S NO.	Particulars	Budget Provisions (Rs)	
3 NO.	Particulars	Capital	Recurring
1(a)	Water sprinkling facility with solar pump for outgoing and incoming transportation vehicles for haul road and Green Belt.  Cost for 300 days for 12.6 KLD @5 KL tanker capacity, Rupees 500/- per tanker	0	3,78,000
1(b)	Cost of Water tanker (3000 -liter capacity) =40,000/- Cost for (drinking and domestic use) 300 days for 2.9 KLD @ 3 KL tanker capacity, Rupees 600/- per tanker	40,000	1,74,000
1(c)	Discharge of waste water 300 days for 2.32 KLD @5KLD tanker capacity, Rupees 2000/per tanker	0	2,78,400
2	Prepare & Maintenance of approach road (Max. Road length 347 m, Width 4.0 m) @ 300Rs. /Meter.	1,01,100	10,410
3	Monitoring (Air, Water, Soil & Noise)	0	40,000
4	Grazing Land	50,000	15,000
5	Chain-link fencing (900*800)	720000	72000
6	Settling Tank and Garland Drain	2,50,000	25,000
	<u>Plantation Scheme</u>		
7	Plantation in consultation with DFO & Gram Panchayat and of as possible.	conversion of G	razing land as fa
A	In Barrier Zone = 1000 No. of plant@30/-per plant.	30,000	12 250
В	In Approach road 500 No. of plants@100/-per plant	50,000	13,350
C	3000 Nos. of saplings will be distributed to the nearby villager's @Rs 50 /tree.	1,50,000	0
D	Plantation in Police station Maharajpur 300 No. of plants@30/-per plant.	9,000	0
	Labour Welfare		
8	Drinking Water Facility & Temporary rest shelter (15 x 10 feet)	20,000	2,000
9	Separate toilets for Male & Female (2 for Each)	50,000	20,000
10	Occupational health Survey 66 labour @ 500 Rs. /labour Rs.	0	66,000
10	/twice per year @500 x 2 x 66		00,000
11	PPES to Work (Helmet shoes, gloves, goggle, reflective jackets etc.), 66 labor @ 1200 Rs.	79,200	7,900

13	Fire Safety (2 nos.), @ 30,000	60,000	3,000	
	Solid Waste Management			
14	Bins 2 Nos.	1,500	4,000	
15	Transport of Dry Waste	5,000		
16	Vehicle Maintenance +PUC Certification	0	25,000	
17	Signage and Caution Board	5,000	1,000	
Carbon Sequestration				
18	Distribution of LED Bulb to villagers	1,00,000	0	
	Total EMP cost	17,25,800	11,36,060	

5. सी.ई.आर मद में निम्नानुसार राशि रू. 0.80 लाख तथा सी.ई.आर. में प्रस्तावित सभी कार्य आगामी 01 वर्ष में पूर्ण किये जाये :--

CER				
Sn. No.	Particular	Amount		
1	अधोसंरचनाविकासकेलिएशासकीय प्राइमरी विद्यालय	2,66,000		
	सैला,केपालकशिक्षकसंघमें अग्रलिखितधनराशिजमाकराईजाएगी			
	Total 2,66,000			
उपर्युक्तलिखितधनराशिप्रस्तावितपरियोजनासेसम्बंधितगाँवकेपालकशिक्षकसंघमेंभू-प्रवेशके3				
माहकेभीतरजमाकरइसकीसूचनामाइनिंगऑफिसरकोदीजावेगी।				

6. निम्नानुसार वृक्षारोपण कार्यक्रम अनुसार सिंचाई सतत्), 5 वर्ष तक मृत पौधों का बदलाव तथा खनन अविध तक रख-रखवा के साथ कम से कम (4800 वृक्षों का वृक्षारोपण -:

क्रमांक	वृक्षारोपण हेतु प्रस्तावित स्थान	पौधों की प्रजातियाँ	मात्रा (में संख्या)
		नीम, करंज, खमेर,	1000
1	बैरियर जोन में	जंगल जलेबी, चिरोल,	
		इत्यादि	
2	परिवहन मार्ग में ऊँचाई न्यूनतम) 1.5 मीटर ट्री (साथ के गार्ड-	नीम, करंज, खमेर,	500
		जंगल जलेबी, चिरोल,	
		इत्यादि	
		आम, नीब्, सीताफल,	3000
3	नजदीकी किसानों में वितरण	मुनगा, जामुन, अमरुद	
		एवं अन्य फलदार पौधे	
4	पुलिस चौकी महाराजपुर में पौधरोपण	नीम, करंज, चिरोल,	300

	आम, नीब्, अमरुद इत्यादि	
कुल		4800

- . 1 उपरोक्तानुसारवृक्षारोपणप्रथमवर्षमेंकियाजायेगाएवंलीजअवधितकउनपौधोंकारख-रखाव / मृतपौधोंकाबदलाव किया जायेगा।
- . 2गैर खनन क्षेत्र मेंनीम के बीज की , वर्ष इसी sowingवर्षाऋत् में कराई जायेगी।

उपरोक्तानुसार वृक्षारोपण प्रथम वर्ष में किया जायें एवं लीज अवधि तक उन पौधों का रख—रखाव / मृत पौधों का बदलाव तक किया जाये। गारलेण्ड ड्रेन तथा सेटलिंग टैंक के बंट एवं अन्य उपलब्ध बीज रोपण हेतु उपर्युक्त स्थल जैसे झाड़ियों के बीच—बीच में आदि पर स्थानिय बीज बोबाई सीधे या सीडबाल बनाकर किया जावे तथा उनका संरक्षण किया जावें। परियोजना प्रस्तावक ग्रामीणों में पौधों का वितरण के समय गाँव का नाम, लाभांवित व्यक्ति का नाम, सम्पर्क सूत्र एवं प्रजाति का विवरण देते हुए पर्यावरणीय स्वीकृत के पालन प्रतिवेदन में शामिल करेंगे।

अनुशंसा— प्रस्तुतीकरण एवं समीक्षा के आधार पर उपरोक्त विशिष्ट शर्तो के साथ परियोजना को पर्यावरण स्वीकृति जारी करने की अनुशंसा की जाती है।

31. Case No P-2/73/2024 Shri DEVENDRA LODHI, OWNER (PROJECT PROPONENT), Village Sillarpur, Post Gourjahamar, Tehsil Deori District Sagar (M.P.) Prior Environment Clearance for Stone Mine in an area of 4.00 ha. (25,000 cum per annum) (Khasra No. 26/1) Village - Ramanna, Tehsil - Deori, District Sagar (M.P.) (MIN/458343/2024) (Absent TOR)

उपरोक्त विवरण के परिप्रेक्ष्य में समिति इस प्रकरण में ई.आई.ए. तैयार करने हेतु पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय द्वारा जारी स्टेण्डर्ड टॉर, एनेक्जर—डी में उल्लेखित मानक शर्तो व गौण खनिजों के टॉर प्रकरणों में सेक की 745 वीं बैठक दिनांक 30/04/2024 एवं सेक की 753 वीं बैठक दिनांक 17/05 /2024 में लिये गये निर्णयानुसार विशिष्ट शर्तो के साथ स्टेण्डर्ड टॉर जारी किया जाता है।

32. Case No. P2/457 SHASHIKANT TIWARI, M/s The MP State Mining Corporation Limited, Paryawas Bhawan, Block-A, 2nd Floor, Jail Road, Arera Hills, District-Bhopal (MP)-462011, Prior Environment Clearance for 8.160 Hectare, Khasra No.-17, in Village - ABHAYPURA, Tehsil - Khilchipur, District - Rajgarh (MP), Maximum Production - 5400 cum per annum

प्रस्तावित खदान बी—1 श्रेणी के अंतर्गत पूर्व पर्यावरणीय स्वीकृति के मूल्यांकन का है, जिसमें आज दिनांक 06/06/2024 को परियोजना प्रस्तावक प्रतिनिधी श्री भाि कांत तिवारी (अधिकृत व्यक्ति)

<u>Following standard conditions shall be applicable for the mining projects of minor mineral in addition to the specific conditions and cases appraised for grant of TOR:</u>

Annexure- 'A'

#### Standard conditions applicable to Stone/Murrum and Soil quarries:

- 1. Mining should be carried out as per the submitted land use plan and approved mine plan. The regulations of danger zone (500 meters) prescribed by Directorate General of Mines safety shall also be complied compulsorily and necessary measures should be taken to minimize the impact on environment.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars and fenced from all around the site. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded along with annual record of water consumed in sprinkling during Summer (February to May/June) and winter session (October to January) separately.
- 4. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 5. Mineral evacuation road shall be made pucca (WBM/black top) by PP.
- 6. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
- 7. Crusher with inbuilt APCD & water sprinkling system shall be installed minimum 100 meters away from the road and 500 meters away from the habitations only after the permissions of MP Pollution Control Board with atleast 04 meters high wind breaking wall of suitable material to avoid fugitive emissions.
- 8. Working height of the loading machines shall be compatible with bench configuration.
- 9. Slurry Mixed Explosive (SME) shall be used instead of solid cartridge.
- 10. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
- 11. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
- 12. Six monthly occupational health surveys of workers for Cardio-vascular & Pulmonary health, vital parameters as prescribed by concerned regulatory authority shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights.
- 13. A separate bank account should be maintained for all the expenses made in the EMP and CER activities by PP for financial accountability and these details should be provided in Annual Environmental Statement. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
- 14. To avoid vibration, no overcharging shall be carried out during blasting and muffle blasting shall be adopted. Blasting shall be carried out through certified blaster only and no explosive will be stored at mine site without permission from the competent authority.
- 15. Mine water should not be discharged from the lease and be used for sprinkling & plantations. For surface runoff and storm water garland drains and settling tanks (SS pattern) of suitable sizes shall be provided.
- 16. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
- 17. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- 18. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.

- 19. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area. PP shall take Socio-economic activities in the region through the 'Gram Panchayat'.
- 20. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
- 21. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product mix in proposed mining unit shall require a fresh Environment Clearance.
- 22. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
- 23. All the mines where production is > 50,000 cum/year, PP shall develop its own website to display various mining related activities proposed in EMP & CER along with budgetary allocations. All the six monthly progress report shall also be uploads on this website along with MoEF&CC & SEIAA, MP with relevant photographs of various activities such as garland drains, settling tanks, plantation, water sprinkling arrangements, transportation & haul road etc. PP or Mine Manager shall be made responsible for its maintenance & regular updation.
- 24. All the soil queries, the maximum permitted depth shall not exceed 02 meters below general ground level & other provisions laid down in MoEF&CC OM No. L-11011/47/2011-IA.II(M) dated 24/06/2013.
- 25. The mining lease holders shall after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Moreover, a separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M, of MoEF&CC issued vide letter F.No. 22-34/2018-IA. III, dated 16/01/2020.
- 26. The project proponent shall follow the mitigation measures provided in MoEF&CCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
- 27. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
- 28. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
- 29. A display board (in hindi ) with following details of the project is mandatory at the entry to the mine.
  - a. Lease owner's Name, Contact details etc.
  - b. Mining Lease area of the project (in ha.) with latitude and longitude.
  - c. Length, breadth, sanctioned depth of mine and mining time.
  - d. Sanctioned Production capacity of the project as per EC and Consent of MPPCB.
  - e. Method of mining (Mannual/Semi Mechanised) and Blasting or Non-blasting.
  - f. Plantation and CER activities.
- 30. Dense plantation/ wood lot shall be carryout in the 7.5 meters periphery/barrier zone of the lease through concern CCF (social forestry) or concerned DFO or any other suitable agency and on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
- 31. Entire plantation proposed in barrier zone of lease area shall be carried out as per submitted plantation scheme and along the fencing seed sowing of Neem, Babool, Safed Castor etc shall also be carried out.
- 32. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. PP shall explore the possibility for plantation in adjoining forest land in consultation with concerned DFO and commensurate budget shall be transferred for plantation to DFO.
- 33. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land through forest department or on other community land available for grassland

- and fodder development through Gram Panchayat in concerned village and handed over to Gram Panchayat after lease period.
- 34. Before onset of monsoon season as per submitted plantation scheme fruit bearing species preferably of fodder / native shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh "ANKUR YOJNA" by registering individual villagers on "Vayudoot app". Where ever Aushadhi Vatika (Medicinal Garden) is proposed by PP, a minimum of 50 saplings be planted considering 80% survival with proper protection measures in School or Aganwadi premises.
- 35. Adequate provisions of water for irrigating plantation shall be made by PP.
- 36. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.

#### Annexure- 'B'

#### Standard conditions applicable for the Sand Mine Quarries\*

- 1. District Authority should annually record the deposition of sand in the lease area (at an interval of 100 meters for leases 10 ha or > 10.00 ha and at an interval of 50 meters for leases < 10 ha.) before monsoon & in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority shall allow lease holder to excavate only the replenished quantity of sand in the subsequent year.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded.
- 4. Only registered vehicles/tractor trolleys with GPS which are having the necessary registration and permission for the aforesaid purpose under the Motor Vehicle Act and also insurance coverage for the same shall alone be used for said purpose.
- 5. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 6. Mineral evacuation road shall be made Pucca (WBM/black top) by PP.
- 7. Sand and gravel shall not be extracted up to a distance of 1 kilometer (1Km) from major bridges and highways on both sides, or five times (5x) of the span (x) of a bridge/public civil structure (including water intake points) on upstream side and ten times (10x) the span of such bridge on down-stream side, subjected to a minimum of 250 meters on the upstream side and 500 meters on the downstream side.
- 8. Mining depth should be restricted to 3 meters or water level, whichever is less and distance from the bank should be 1/4<sup>th</sup> or river width and should not be less than 7.5 meters. No in-stream mining is allowed. Established water conveyance channels should not be relocated, straightened, or modified.
- 9. Demarcation of mining area with pillars and geo-referencing should be done prior to the start of mining.
- 10. PP shall carry out independent environmental audit atleast once in a year by reputed third party entity and report of such audit be placed on public domain such audits be placed on public domain through website developed for public interface along with photographs of work done w.r.t. EMP as well as CER.
- 11. No Mining shall be carried out during Monsoon season.
- 12. The mining shall be carried out strictly as per the approved mine plan and in accordance with the Sustainable Sand Mining Management Guidelines, 2016 and Enforcement & Monitoring Guidelines for Sand Mining, 2020 issued by the MoEF&CC ensuring that the annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan.
- 13. If the stream is dry, the excavation must not proceed beyond the lowest undisturbed elevation of the stream bottom, which is a function of local hydraulics, hydrology, and geomorphology.
- 14. After mining is complete, the edge of the pit should be graded to a 2.5:1 slope in the direction of the flow.