

### राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण, म.प्र.

(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार)



पर्यावरण नियोजन एवं समन्वय संगठन पर्यावरण परिसर, ई-5, अरेरा कॉलोनी

भोपाल-462016 (म.प्र.)

बेवसाईट—<u>http://www.mpseiaa.nic.in</u> दूरभाषनं. — 0755—2466970, 2466859 फैक्सनं. — 0755—2462136

No:552/ SEIAA/2025 Date: 25/05/2025

प्रति,

Shri Prakul Patidar,

R/o- 115, Village Rasulpur Jaora, Tehsil- Jaora, District- Ratlam, M.P. E-mail - patidarprakul@gmail.com

विषय :- Proposal No. SIA/MP/MIN/466642/2024- Case No. 9921/23 Prior Environment Clearance for Stone Quarry (Opencast semi mechanized method), for Production Capacity of Stone – 10000 m3/year & M-Sand – 5000 m3/year, in an area of 2.00 ha., Khasra No. 173, Village Sarwani khurd, Tehsil Ratlam District Ratlam (M.P.) by Shri Prakul Patidar, R/o- 115, Village Rasulpur Jaora, Tehsil- Jaora, District- Ratlam, M.P.

विषयान्तर्गत प्रकरण में राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (SEAC) द्वारा 755वीं बैठक दिनांक 21.05.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सिंहत पर्यावरण अनुमित प्रदान किये जाने की अनुशंसा कर प्रकरण दिनांक 27.05.2024 को राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण (SEIAA) को अग्रेषित किया गया। प्रश्नाधीन प्रकरण SEIAA की बैठक में विचारण नहीं होने के कारण 45 दिवस से अधिक की अविध समाप्त हो गई है।

पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार की ईआईए अधिसूचना दिनांक 14.09.2006 के पैरा 8 की कंडिका (iii) इस प्रकार है - ''In the event that the decision of the regulatory authority is not communicated to the applicant within the period specified in subparagraphs (i) or (ii) above, as applicable, the applicant may proceed as if the environment clearance sought for has been granted or denied by the regulatory authority in terms of the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned.''

अतः ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार उक्त प्रकरण में SEAC की 755वीं बैठक दिनांक 21.05.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सिहत पर्यावरण स्वीकृति हेतु की गई अनुशंसा को अंतिम निर्णय मानते हुए राज्य स्तरीय समाघात निर्धारण प्राधिकरण (SEIAA) द्वारा "Deemed Approval" माना जाकर पर्यावरण अनुमित दी जाती है। तद्नुसार प्रकरण में ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार आगामी आवश्यक वैधानिक कार्यवाही करने हेतु आप स्वतंत्र हैं।

(प्रमुख सचिव, पर्यावरण विभाग द्वारा अनुमोदित)

(श्रीमन् शुक्ला)

कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA

N

पृ. क्र. 553 /SEIAA/2025 भोपाल दिनांक - 25/05/2025

#### प्रतिलिपि:-

- 1. प्रमुख सचिव, म.प्र. शासन, पर्यावरण विभाग, मंत्रालय, भोपाल।
- 2. संयुक्त सचिव, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, इंदिरा पर्यावरण भवन, जोर बाग रोड़, नई दिल्ली - 1100031
- 3. उप सचिव, मुख्य सचिव कार्यालय म.प्र. शासन, मंत्रालय भोपाल (म.प्र.)।
- 4. अध्यक्ष, SEIAA, एप्को पर्यावरण परिसर भोपाल (म.प्र.)।
- 5. अध्यक्ष SEAC, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल (म.प्र.)।
- 6. सदस्य सचिव, SEAC एवं सदस्य सचिव, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल।
- 7. कलेक्टर, जिला रतलाम (म.प्र.)।
- 8. वन मंडलाधिकारी, जिला रतलाम (म.प्र.)।
- 9. निदेशक, क्षेत्रीय कार्यालय, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, केन्द्रीय पर्यावरण भवन, लिंक रोड़ नं. 03, रवि शंकर नगर, भोपाल।
- 10. संचालक, भौमिकी तथा खनिकर्म मध्यप्रदेश, 29-ए, खनिज भवन, अरेरा हिल्स, भोपाल 462002।
- 11. खनिज अधिकारी, जिला रतलाम (म.प्र.)।
- 12. संबंधित फाईल।

की ओर सूचनार्थ।

कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA

7.	River Bed Level	417 m	415 m	finalization of hydrology	
8.	Full Reservoir Level	448 m	446 m		
9.	Discharge	1.55 cumec	8.63 cumec	As per Pipe distribution network & Hydraulic	
10.	Power Requirement	20.37 MW	19.69 MW	design	
11.	Benefitted Villages	102	79	As per change in capacity (CCA)	

Committee accepted the request made by PP and recommended to amended in TOR with the inclusion of following amendments in the configuration of the project:

- PP shall conduct seepage study of the area.
- Ecological damage losses due to increase due to forest area.
- CAT plan shall be prepared and the same shall be approved by the concerned DFO.
- Carbon foot print study and other mitigation measures.

Remaining terms of reference (TOR) shall remain same as recommended in SEAC 631st Meeting dated 18th March 2023.

17. Case No. 9921/23 Shri PRAKUL PATIDAR, Lessee, R/o- 115, Village Rasulpur Jaora, Tehsil- Jaora, District- Ratlam, M.P. Prior Environment Clearance for Stone and M-Sand in an area of 2.00 ha. (Stone – 10000 m3/year & M-Sand – 5000 m3/year) (Khasra No. 173), Village Sarwani Bant Tehsil Ratlam District Ratlam (M.P.) [MIN/466642/2024] (EIA)

प्रस्तावित खदान बी—1 श्रेणी के अन्तर्गत पर्यावरणीय स्वीकृति के लिए मूल्याकन से संभंधित हे जिसमें आज दिनांक 21.05.2024 को परियोजना प्रस्तावक श्री प्रकुल पाटीदार ऑनलाइन मीटिंग में जुड़ें एवं उनके पर्यावरणीय सलाहकार श्री राम राघवउपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तु	त दस्तावेज
	श्री प्रकुल पाटीदार पुत्र श्री बालमुकुंद पाटीदार	
का नाम व पता	115, ग्राम रसूलपुर तहसील –जावरा जिला–रतल	गम (म.प्र.)
खसरा नं./ क्षेत्रफल	(सरकारी)	2.0 Hectare.

(सरकारी / निजी)	
स्थल	खसरा नं 173(शासकीय भूमि )
	ग्राम. सरवनीखुर्द, तहसील–जावरा, जिला–रतलाम (म.प्र.)
लीज स्वीकृति	कार्यालय कलेक्टर (खनिज शाखा) जिला रतलाम के सैधांतिक पत्र
	क्र/802/खनिज/2023—24 दिनांक 11/04/2023 के द्वारा स्वीकृत ।
	लीज अवधि 10 साल के लिए स्वीकृत हे
ब्लास्टिंग / रॉक	अनुमोदित खनन् योजना अनुसार ब्लास्टिंग प्रस्तावित है ।
ब्रेकर	
प्रकरण की स्थिति	नया प्रोजेक्ट ।
डिया ई.सी. का	नया प्रोजेक्ट ।
विवरण (यदि लागू	
हो)	
टॉर	सेक की 649 वीं बैठक दिनांक 07/06/2023 को अनुशंसित, सिया के पत्र
	क / 741 / SEIAA / 2023 दिनांक 13 / 06 / 2023 श्री प्रकुल पाटीदार के
	लिए टॉर जारी किया गया है, जिसके अनुसार परियोजना प्रस्तावक द्वारा
	ईआईए रिपोर्ट समिति के समक्ष प्रस्तुत की गई है ।
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा 10,000 वर्ग मीटर प्रति वर्ष पत्थर और 5,000 वर्ग
	मीटर प्रति वर्ष एम् सेंड हेतु आवेदन किया गया है और अनुमोदित खनन्
	योजना अनुसार 10,000 घन मीटर प्रति वर्ष पत्थर और 5,000 घन मीटर प्रति
500 1	वर्ष एम् सेंड है।
500 मीटर की   परिधि में अन्य	,
परिधि में अन्य खदानें	क्रमांक 903 दिनांक 27 / 04 / 2023 अनुसार 500 मीटर की परिधि में .08 अन्य खदानें संचालित / स्वीकृत है, इस प्रकार कुल रकबा 17.10 हे. होता है,
લવાગ	अतः प्रकरण बी–1 श्रेणी का है।
वन मण्डलाधिकारी	कार्यालय कलेक्टर (खनिज शाखा) जिला रतलाम के एकल प्रमाण–पत्र
की अनापत्ति	कमांक 903 दिनांक 27/04/2023 अनुसार 10 किलोमीटर की परिधि में
वर्ग जा गनारस	नेशनल पार्क / अभ्यारण्य / ईको सेंसेटिव जोन जैव विविधता क्षेत्र स्थित नहीं
	है एवं 250 मीटर में वन क्षेत्र स्थित नहीं है ।
तहसीलदार की	
अनापत्ति	क्रमांक 903 दिनांक 27/04/2023 अनुसार 500 मीटर की परिधि में मानव
	बसाहट, शैक्षणिक संस्थान, चिकित्सालय, पुरातत्व धरोहर, राष्ट्रीय महत्व के
	रमारक, रेल्वे लाईन/सार्वजनिक भवन/शमशान घाट/राष्ट्रीय राजमार्ग/
	संवेदनशील क्षेत्रों जैसे : रेडियो स्टेशन, दूरदर्शन, हवाई अड्डा, प्रतिरक्षा
	संस्थान एवं जलीय निकाय/नदी/ तालाब/ बांध/स्टॉप
	डैम / नहर / ग्रामीण कच्चा / पक्का रास्ता / नाला नहीं है ।

ग्राम सभा / ग्राम   पंचायत की	ग्राम पंचायत बिबडोद जिला रतलाम के ठहराव प्रस्ताव क्रमांक 116/2022 दिनांक 05/11/2022 अनुसार प्रस्तावित स्थल पर खनन् कार्य से पंचायत
अनापत्ति	को कोई आपत्ति नहीं है ।
क्रेशर की स्थिति	केशरएंडएम् सेंडलीज क्षेत्र के अन्दर प्रस्तावित है
प्रस्तावित स्थत पर वृक्षों की वर्तमान स्थिति	खदान क्षेत्र के अंदर पेड़ नहीं है
प्रस्तावित स्थल की गूगल इमेज अनुसार	पूर्व दिशा— एक चेक डैम पूर्वी दिशा में लगभग 293 मीटर की दूरी पर स्थित है।
वर्तमान स्थिति ;खदान के 500 मी.	दक्षिण दिशा— खदान के दक्षिण दिशा में 97 मीटर की दूरी पर एक प्राकृतिक नाला है
की परिधि में स्थित	उत्तर दिशा—
संवेदनशील घटकों	जमन नदी उत्तरी दिशा में 459 मीटर की दूरी पर स्थित है।
की स्थिति	खदान क्षेत्र से 55 मीटर की दुरी पर हॉल रोड है चारों दिशा— पट्टा क्षेत्र के भीतर व उत्खानी पट्टे की परिधि से 200 मीटर तक
	कोई जल रोकने की संरचना / सतही जल निकाय जैसे नाला या जलधारा
	नहीं है। परियोजना प्रस्तावक ने बताया कि वास्तव में ये उत्त्खनी पट्टा
	अत्यधिक उबड़ खाबड़ / लहरदार इलाके पर स्थित हैं, तथा जरुरी साक्ष्यों का प्रमाण प्रस्तुतीकरण में संलग्न किया गया हैं ।एक चेक डैम पूर्वी दिशा में
	लगभग 293 मीटर की दूरी पर स्थित है। जमन नदी उत्तरी दिशा में 459
	मीटर की दूरी पर स्थित है। खदान क्षेत्र से 55 मीटर की दूरी पर हॉल रोड है
प्रस्तावि खदान की	कार्यालय कलेक्टर (खनिज शाखा) जिला रतलाम के एकल प्रमाण–पत्र
जिला सर्वेक्षण रिपोर्ट	क्रमांक 903 दिनांक 27 / 04 / 2023 अनुसार उक्त उत्खनी पट्टा को अनुमोदित नविन जिला सर्वेक्षण रिपोर्ट में सम्मिलित कर लिया जायेगा
में स्थिति जन सुनवाई	प्रस्तावित खदान की जन सुनवाई दिनांक 22/02/2024 को संपन्न हुई
3 1	<ul> <li>धुल उड़ने से रोका जावे एवं जल का छिडकाव किया जावे</li> </ul>
	<ul> <li>युल उड़न स राका जाव रुव जल का । छड़काव । कवा जाव</li> <li>खदान क्षेत्र के पास तार फेंसिंग की जावे</li> </ul>
	अधिक से अधिक वृक्षारोपण किया जावे
	उपरोक्त आपत्तियाँ / सुझाव प्राप्त हुए, जिसे पर्यावरणीय प्रबंधन योजना / सी.एस.आर में बजट के साथ शामिल किया गया है ।

परियोजना प्रस्तावक द्वारा दिए गए प्रस्तुतीकरण, पर्यावरण प्रबंधन योजना एवं अन्य प्रस्तुत की गई जानकारी संतोषजनक एवं स्वीकार्य योग्य होने से समिति विशिष्ट शर्तो एवं स्टेण्डर्ड शर्तो संलग्नक–ए अनुसार निम्नानुसार पर्यावरणीय स्वीकृति जारी करने की अनुशंसा करती है:—

- 1. अनुमोदित खनन् योजना अनुसार अधिकतम् उत्पादन क्षमता 10,000 घन मीटर प्रति वर्षपत्थर और 5,000 घन मीटर प्रति वर्ष एम् सेंड
- 2. खनन क्षेत्र में प्रस्तावित क्रेशर प्लांट हेतु मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड से नियमानुसार स्थापना एवं संचालन सम्मत्ति प्राप्त करना होगी।
- 3. मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड की दिशा में दिशा निर्देशों के अनुसार प्रस्तावित केशर में वायु प्रदूषण रोधी उपकरणों की स्थापना सुनिश्चित की जावेगी।
- 4. पर्योवरण प्रबंधन योजना मद में केपीटल राशि रू. 12.23 लाख एवं रिकृरिंग राशि रू. 3.04 लाख प्रति वर्ष ।

#### 1. EMP Table

s.	Particulars	Budget Provisions (Rs)	
No.	For environment Protection	Capital	Recurring
1	Hiring of water tanker (3,000L) @Rs 100/day (PP owned tanker) for 300 days – Rs 30,000/-	-	30,000
2	Garland Drain (1.5 m Wide & 1 m Deep & 550m Long) Settling Tank is of 4 m wide, 10 m long & 2.5 m deep. Settling Tank is of 4 m wide, 5 m long & 2.5 m deep. Settling Tank is of 4 m wide, 5 m long & 2.5 m deep.	95000	10000
	All settling tanks will be of double "S" pattern. sedimentation tank	40000	
3	A Development and maintenance of WBM approach Road length approx. 70 m, Width 5.5m (excluding shoulder)  @Rs800/ meter	56,000	10000
4	contribution in Widening and maintenance of the existing approach road (Road length approx. 500m, Width 5.5m- (edge to edge excluding shoulders) including the provision of rumble strips (@Rs1,000 each) and construction of a curve (minimum 10m dia @ Rs 10,000) at T junction where approach road meets the main road	50000	5000
5	Monitoring twice a year AAQM @10000/yr, Water@5000/yr, Noise@1000/yr, Soil @4000/yr	NIL	20,000

6	5 Plantation		
	A. Within Lease Area in Barrier Zone (570m) @ 150rs./tree	85500	10000
	(Total 570nos) covering the whole periphery of mine lease area		
	Outside the Lease Area (along approach road 70 m)	25000	
	(including the Cost of tree guard for the		
	plant)@500rs./tree (50nos)		
	Plantation at prathamik shala school/ village Panchayat	27000	
	/play ground or available area @150s./tree (180nos)		
	After consulting the villagers and Panchayat for	80000	
	distribution to the nearby villagers. 1600os @Rs 50/tree		
	Cost of fertile soil to be brought from outside @ Rs 250 per	25000	3000
	cubic meter. Each tree to take approx. 0.124 cubic meter,		
	therefore approx. 99.2 cubic meters to be utilized in the		
	plantation 800trees		
6	Development and maintenance of Grazing land with local tree	40,000	-
	species like Themeda, Siran, Punia, Dichantium and		
	Cymbopogon etc. in Khasra no 173.		10000
7	Wire fence (605 m long) (@Rs 500/m)	3,02,500	10000
8	PUC certification of vehicles (02 dumpers @ Rs 500 per	-	1000
-	dumper)	55000	F000
9	Wind breaking wall: Total 110m long (per sheet 4m high X 2m long) (@Rs 1000/sheet)	55000	5000
10	Contribution in Cluster management plan	_	25000
11	Maintenance of M-sand Crusher Plant	_	50000
12	For Crusher Pollution control Equipment	2,00,000	50,000
13	Drinking Water Facility and rest shelter (15x15 ft.) with solar	50000	8000
	light		
14	Two numbers toilet (12500X 2 )	25000	2000
15	Occupational health checkup for workers & villagers	Nil	30000
	(@twice/year)		
16	Provision of PPEs (helmets, safety shoes, safety glasses, gloves	34000	10000
	including safety harness for the workers involved in drilling		

	Total	12,23,000	3,04,000	
	b) Transport of Dry Waste	2,000		
	a) Bins 2Nos @ Rs 1500 each	3,000	2000	
Solid Waste Management				
20	Distribution of the Led bulb to the nearby villagers 500 nos for carbon sequestration @Rs100/bulb	50,000		
19	Safety signage and warning boards like red flags, cone including reflectors	s 5000	2000	
18	Fire Fighting Equipments (1Nos) @ 20000 / firefighting an first aid @ 2000 per kit	d 22000	5000	
	Emergency Rescue Plan			
17	Vocational Training for 15 Worker (min. @ Rs. 500 /labor)(twice in the year)	e -	15000	
	works for max 2 workers only - (15 x Rs 2000+Rs 4,000 for safety harness @ Rs 2000 per set)	or		

5. सी.ई.आर मद में निम्नानुसार राशि :- 1.20लाख तथा सी.ई.आर. में प्रस्तावित सभी कार्य आगामी 6 माह में पूर्ण किये जाये :—

सी.ई.आर. मद में प्रस्तावित गतिविधियाँ	राशि (रू.में)
आयुष्मान आरोग्य मंदिर ग्राम सरवनीखुर्द में ग्राम के भूवेश स्वास्थ क एवं स्वास्थ व्यवस्थाओं हेतु उल्लेखित राशि भूवेश मिलने के 06 माह के भीतर बैंक के खाते में जमा की जावेगी।	1,20,000/-
Total	1,20,000/-

6. निम्नानुसार वृक्षारोपण कार्यक्रम अनुसार (सतत् सिंचाई, 5 वर्ष तक मृत पौधों का बदलाव तथा खनन अवधि तक रख–रखाव के साथ) कम से कम 2400 वृक्षों का वृक्षारोपण :–

कं.	वृक्षारोपण हेतु प्रस्तावित	ेपौधों की प्रजातियाँ	मात्रा (संख्या
	स्थान		में)

1	बैरियर जोन व गैर खनन क्षेत्र में वृक्षारोपण	स्थानीय पौधों की प्रजातियां जैसे:— खमेर, नीम, पीपल, सिस्सू, जंगल जलेबी, सफेदसिरिस करंज, सीताफल, चिरोल आदि।	570
1		स्थानीय पौधों की प्रजातियां जैसः— करंज, पीपल, बरगद, पुतरंजीवा, कदम्ब इत्यादि।	50
2	सागोद गांव में स्थित शासकीय माध्यमिक शाला में वृक्षारोपण	, ,	100
3	थ्बबरोद चोपति गांव में स्थित शासकीय प्राथमिक शाला में वृक्षारोपण	स्थानीय पौधों की प्रजातियां जैसेः— कदम्ब, करंज, नीम, सिस्सू, पीपल, पाकर <sub>.</sub> पुत्रंजीवा, आदि।	80
4	पास के गाव के लोगो को एवं आस पास में स्थित खेतो के किसानो को पौधों का वितरण	स्थानीय पौधों की प्रजातियां जैसे:— संतरा, आमला, नींबू, सीताफल, आम, अनार, मुनगा, कटहल आदि।	1600

उपरोक्तानुसार वृक्षारोपण प्रथम वर्ष में किया जायें एवं लीज अवधि तक उन पौधों का रख—रखाव / मृत पौधों का बदलाव खनन् अवधि तक किया जाये । गारलेण्ड ड्रेन तथा सेटलिंग टैंक के बंड पर स्थानीय बीज बोबाई कर उनका सरंक्षण किया जाना । परियोजना प्रस्तावक ग्रामीणों में पौधों का वितरण के समय गॉव का नाम, लाभांवित व्यक्ति का नाम एवं प्रजाति का विवरण देते हुए पर्यावरणीय स्वीकृति के पालन प्रतिवेदन में शामिल करेंगे ।

अनुशंसा—प्रस्तुतीकरण एवं समीक्षा के आधार पर उपरोक्त विशिष्ट शर्ती के साथ परियोजना को पर्यावरण स्वीकृति जारी करने की अनुशंसा की जाती है।

18. Case No. P2/804/24 Shri GANPAT PATIDAR, Lessee, R/o-Village -Mundedi, Tehsil- Malhargarh, District-Mandsaur (M.P.) Prior Environment Clearance for Stone Mine in an area of 1.06 ha. Stone ( (Gitti) 11,096 m³/year & M-Sand-11,096 m³/year (Khasra No. 7/1, 7/2, 5, 9 Village - Sokadi, Tehsil- Malhargarh, District-Mandsaur (M.P.) (TOR) [MIN/466955/2024] (TOR)

### 764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 05 जून 2024

<u>Following standard conditions shall be applicable for the mining projects of minor mineral in addition to the specific conditions and cases appraised for grant of TOR:</u>

Annexure- 'A'

#### Standard conditions applicable to Stone/Murrum and Soil quarries:

- 1. Mining should be carried out as per the submitted land use plan and approved mine plan. The regulations of danger zone (500 meters) prescribed by Directorate General of Mines safety shall also be complied compulsorily and necessary measures should be taken to minimize the impact on environment.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars and fenced from all around the site. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded along with annual record of water consumed in sprinkling during Summer (February to May/June) and winter session (October to January) separately.
- 4. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 5. Mineral evacuation road shall be made pucca (WBM/black top) by PP.
- 6. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
- 7. Crusher with inbuilt APCD & water sprinkling system shall be installed minimum 100 meters away from the road and 500 meters away from the habitations only after the permissions of MP Pollution Control Board with atleast 04 meters high wind breaking wall of suitable material to avoid fugitive emissions.
- 8. Working height of the loading machines shall be compatible with bench configuration.
- 9. Slurry Mixed Explosive (SME) shall be used instead of solid cartridge.
- 10. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
- 11. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
- 12. Six monthly occupational health surveys of workers for Cardio-vascular & Pulmonary health, vital parameters as prescribed by concerned regulatory authority shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights.
- 13. A separate bank account should be maintained for all the expenses made in the EMP and CER activities by PP for financial accountability and these details should be provided in Annual Environmental Statement. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
- 14. To avoid vibration, no overcharging shall be carried out during blasting and muffle blasting shall be adopted. Blasting shall be carried out through certified blaster only and no explosive will be stored at mine site without permission from the competent authority.
- 15. Mine water should not be discharged from the lease and be used for sprinkling & plantations. For surface runoff and storm water garland drains and settling tanks (SS pattern) of suitable sizes shall be provided.
- 16. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
- 17. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- 18. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.

#### 764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 05 जून 2024

- 19. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area. PP shall take Socio-economic activities in the region through the 'Gram Panchayat'.
- 20. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
- 21. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product mix in proposed mining unit shall require a fresh Environment Clearance.
- 22. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
- 23. All the mines where production is > 50,000 cum/year, PP shall develop its own website to display various mining related activities proposed in EMP & CER along with budgetary allocations. All the six monthly progress report shall also be uploads on this website along with MoEF&CC & SEIAA, MP with relevant photographs of various activities such as garland drains, settling tanks, plantation, water sprinkling arrangements, transportation & haul road etc. PP or Mine Manager shall be made responsible for its maintenance & regular updation.
- 24. All the soil queries, the maximum permitted depth shall not exceed 02 meters below general ground level & other provisions laid down in MoEF&CC OM No. L-11011/47/2011-IA.II(M) dated 24/06/2013.
- 25. The mining lease holders shall after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Moreover, a separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M, of MoEF&CC issued vide letter F.No. 22-34/2018-IA. III, dated 16/01/2020.
- 26. The project proponent shall follow the mitigation measures provided in MoEF&CCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
- 27. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
- 28. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
- 29. A display board (in hindi ) with following details of the project is mandatory at the entry to the mine.
  - a. Lease owner's Name, Contact details etc.
  - b. Mining Lease area of the project (in ha.) with latitude and longitude.
  - c. Length, breadth, sanctioned depth of mine and mining time.
  - d. Sanctioned Production capacity of the project as per EC and Consent of MPPCB.
  - e. Method of mining (Mannual/Semi Mechanised) and Blasting or Non-blasting.
  - f. Plantation and CER activities.
- 30. Dense plantation/ wood lot shall be carryout in the 7.5 meters periphery/barrier zone of the lease through concern CCF (social forestry) or concerned DFO or any other suitable agency and on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
- 31. Entire plantation proposed in barrier zone of lease area shall be carried out as per submitted plantation scheme and along the fencing seed sowing of Neem, Babool, Safed Castor etc shall also be carried out.
- 32. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. PP shall explore the possibility for plantation in adjoining forest land in consultation with concerned DFO and commensurate budget shall be transferred for plantation to DFO.
- 33. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land through forest department or on other community land available for grassland

#### 764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 05 जून 2024

- and fodder development through Gram Panchayat in concerned village and handed over to Gram Panchayat after lease period.
- 34. Before onset of monsoon season as per submitted plantation scheme fruit bearing species preferably of fodder / native shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh "ANKUR YOJNA" by registering individual villagers on "Vayudoot app". Where ever Aushadhi Vatika (Medicinal Garden) is proposed by PP, a minimum of 50 saplings be planted considering 80% survival with proper protection measures in School or Aganwadi premises.
- 35. Adequate provisions of water for irrigating plantation shall be made by PP.
- 36. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.

#### Annexure- 'B'

#### Standard conditions applicable for the Sand Mine Quarries\*

- 1. District Authority should annually record the deposition of sand in the lease area (at an interval of 100 meters for leases 10 ha or > 10.00 ha and at an interval of 50 meters for leases < 10 ha.) before monsoon & in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority shall allow lease holder to excavate only the replenished quantity of sand in the subsequent year.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded.
- 4. Only registered vehicles/tractor trolleys with GPS which are having the necessary registration and permission for the aforesaid purpose under the Motor Vehicle Act and also insurance coverage for the same shall alone be used for said purpose.
- 5. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 6. Mineral evacuation road shall be made Pucca (WBM/black top) by PP.
- 7. Sand and gravel shall not be extracted up to a distance of 1 kilometer (1Km) from major bridges and highways on both sides, or five times (5x) of the span (x) of a bridge/public civil structure (including water intake points) on upstream side and ten times (10x) the span of such bridge on down-stream side, subjected to a minimum of 250 meters on the upstream side and 500 meters on the downstream side.
- 8. Mining depth should be restricted to 3 meters or water level, whichever is less and distance from the bank should be 1/4<sup>th</sup> or river width and should not be less than 7.5 meters. No in-stream mining is allowed. Established water conveyance channels should not be relocated, straightened, or modified.
- 9. Demarcation of mining area with pillars and geo-referencing should be done prior to the start of mining.
- 10. PP shall carry out independent environmental audit atleast once in a year by reputed third party entity and report of such audit be placed on public domain such audits be placed on public domain through website developed for public interface along with photographs of work done w.r.t. EMP as well as CER.
- 11. No Mining shall be carried out during Monsoon season.
- 12. The mining shall be carried out strictly as per the approved mine plan and in accordance with the Sustainable Sand Mining Management Guidelines, 2016 and Enforcement & Monitoring Guidelines for Sand Mining, 2020 issued by the MoEF&CC ensuring that the annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan.
- 13. If the stream is dry, the excavation must not proceed beyond the lowest undisturbed elevation of the stream bottom, which is a function of local hydraulics, hydrology, and geomorphology.
- 14. After mining is complete, the edge of the pit should be graded to a 2.5:1 slope in the direction of the flow.