

राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण, म.प्र.

(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार)

पर्यावरण नियोजन एवं समन्वय संगठन पर्यावरण परिसर, ई-5, अरेरा कॉलोनी भोपाल-462016 (म.प्र.)

बेवसाईट—<u>http://www.mpseiaa.nic.in</u> दूरभाषनं. - 0755-2466970, 2466859 फैक्सनं. - 0755-2462136

No: 420/ SEIAA/2025 Date: 24/05/2025

प्रति.

Shri Mukesh Mishra, R/o Shakti Nagar, Sanwaliya Rundi, District-Ratlam (MP)-457001 E-mail - mukesh2.0ha@gmail.com

विषय :- Proposal No. SIA/MP/MIN/472480/2024- Case No. 9948/2023 Prior Environment Clearance for Stone Quarry (Opencast semi mechanized method) in an area of 2.00 ha., for production capacity of 13034 Cum per annum, Khasra No. 3/2, Village-Sanwaliya Rundi, Tehsil-Ratlam, District-Ratlam (MP) by Shri Mukesh Mishra, Owner, R/o Shakti Nagar, Sanwaliya Rundi, District-Ratlam (MP)-457001.

विषयान्तर्गत प्रकरण में राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (SEAC) द्वारा 765वीं बैठक दिनांक 07.06.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सहित पर्यावरण अनुमति प्रदान किये जाने की अन्शंसा कर प्रकरण दिनांक 08.06.2024 को राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण (SEIAA) को अग्रेषित किया गया। प्रश्नाधीन प्रकरण SEIAA की बैठक में विचारण नहीं होने के कारण 45 दिवस से अधिक की अवधि समाप्त हो गई है।

पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार की ईआईए अधिसूचना दिनांक 14.09.2006 के पैरा 8 की कंडिका (iii) इस प्रकार है - "In the event that the decision of the regulatory authority is not communicated to the applicant within the period specified in subparagraphs (i) or (ii) above, as applicable, the applicant may proceed as if the environment clearance sought for has been granted or denied by the regulatory authority in terms of the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal

अत: ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार उक्त प्रकरण में SEAC की 765वीं बैठक दिनांक 07.06.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सहित पर्यावरण स्वीकृति हेत् की गई अनुशंसा को अंतिम निर्णय मानते ह्ए राज्य स्तरीय समाघात निर्धारण प्राधिकरण (SEIAA) द्वारा "Deemed Approval" माना जाकर पर्यावरण अनुमति दी जाती है। तद्नुसार प्रकरण में ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार आगामी आवश्यक वैधानिक कार्यवाही करने हेतु आप स्वतंत्र हैं।

(प्रमुख सचिव, पर्यावरण विभाग द्वारा अनुमोदित)

कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA

प्रतिलिपि:-

- 1. प्रमुख सचिव, म.प्र. शासन, पर्यावरण विभाग, मंत्रालय, भोपाल।
- 2. संयुक्त सचिव, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, इंदिरा पर्यावरण भवन, जोर बाग रोड़, नई दिल्ली - 1100031
- 3. उप सचिव, म्ख्य सचिव कार्यालय म.प्र. शासन, मंत्रालय भोपाल (म.प्र.)।
- 4. अध्यक्ष, SEIAA, एप्को पर्यावरण परिसर भोपाल (म.प्र.)।
- 5. अध्यक्ष SEAC, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल (म.प्र.)।
- 6. सदस्य सचिव, SEAC एवं सदस्य सचिव, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल।
- 7. कलेक्टर, जिला रतलाम (म.प्र.)।
- 8. वन मंडलाधिकारी, जिला रतलाम (म.प्र.)।
- 9. निदेशक, क्षेत्रीय कार्यालय, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, केन्द्रीय पर्यावरण भवन, लिंक रोड़ नं. 03, रवि शंकर नगर, भोपाल।
- 10. संचालक, भौमिकी तथा खनिकर्म मध्यप्रदेश, 29-ए, खनिज भवन, अरेरा हिल्स, भोपाल 462002।
- 11. खनिज अधिकारी, जिला रतलाम (म.प्र.)।
- 12. संबंधित फाईल।

की ओर सूचनार्थ।

कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA



21. Case No. 9948/2023 Shri Mukesh Mishra, Owner, R/o Shakti Nagar, Sanwaliya Rundi, District-Ratlam (MP)-457001. Prior Environment Clearance for Stone Quarry in an area of 2.00 ha. (Stone Quarry 13034 Cum per annum) (Khasra No. 3/2) Village-Sanwaliya Rundi, Tehsil-Ratlam, District-Ratlam (MP) EIA SIA/MP/MIN/472480/2024

प्रस्तावित खदान बी—1 श्रेणी के अन्तर्गत द्वारा जारी पर्यावरणीय स्वीकृति के लिये संबंधित है, जिसमें आज दिनांक 07.06.2024 को परियोजना प्रस्तावक Mukesh Mishra S/O - Shri Kamal Babu Mishra एवं उनके पर्यावरणीय सलाहकार जीनिथ एनवायरनमेंट कन्सल्टन्सी (वरुण भारद्वाज) उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

परियोजना विवरण :--

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज				
परियोजना प्रस्तावक का	Mukesh Mishra S/O - Shri Kamal Babu Mishra R/o -136/26,				
नाम व पता	Shaktinagar District: Ratlam State – Madhya Pradesh				
खसरा नं./ क्षेत्रफल	सरकारी				
(सरकारी / निजी)	2.00 Ha.				
स्थल	Village: Sanwaliya	Rundi, Tehsil & District	: Ratlam (M.P	")	
लीज स्वीकृति	संचालनालय भौमि	की तथा खनिकर्म म	ध्यप्रदेश के	पत्र क्रमांक	
-	17943—45 / खनिज	न / 2022 भोपाल दिनाँव	চ 29.12.2022	2 के अनुसार	
	स्वीकृत।				
लीज का नवीनीकरण (यदि	नहीं				
हो तो)					
पूर्व स्वीकृत माईनिंग प्लान	नया प्रोजेक्ट है				
का वर्ष एवं तत्समय में					
उत्पादित स्वीकृत क्षमता एवं					
मात्रा।					
संशोधित माईनिंग प्लान का	नहीं				
वर्ष, स्वीकृत क्षमता एवं					
वर्तमान में उत्पादित मात्रा।					
स्वीकृत माईनिंग	माईनिंग प्लान डीएसआर				
प्लान / डीएसआर अनुसार					
कोर्डिनेट्स मिलान की	हॉ हॉ				
स्थिति					
अनुमोदित खनन् योजना	अनुमोदित खनन् योजना अनुसार ब्लास्टिंग प्रस्तावित है				

अनुसार ब्लास्टिंग / रॉक	
ब्रेकर का उल्लेख करें।	
प्रकरण की स्थिति	नया प्रोजेक्ट है
	,
पर्यावरण सलाहकार या	स्थल का नाम - प्रोजेक्ट साइट (साँवलिया रुँदी) दिनांक - 15.
उनके अधिकृत प्रतिनिधि	04.2024
द्वारा स्थल निरीक्षण	
डिया ई.सी. का विवरण	नया प्रोजेक्ट है
(यदि लागू हो)	
टॉर यदि लागू हो तो	844/SEIAA/2023 Dated 10/07/2023
विवरण दें।	
उत्पादन क्षमता एवं प्रतिवर्ष	परियोजना प्रस्तावक द्वारा पत्थर 13,034 घनमीटर / वर्ष हेतु आवेदन
उत्पादन	किया गया है।
500 मीटर की परिधि में	कार्यालय कलेक्टर (खनिज शाखा) जिला रतलाम के एकल
अन्य खदानें	प्रमाण-पत्र क्रमांक 101/खनिज/2022-23 रतलाम दिनांक 13.01.
	2023 अनुसार 500 मीटर की परिधि में अन्य 3 खदानें
	संचालित / स्वीकृत है, जिससे दोनों खदानों का कुल रकबा 8.00
	Ha होता है अतः प्रकरण बी–1 श्रेणी का है।
वन मण्डलाधिकारी की	कार्यालय कलेक्टर (खनिज शाखा) जिला रतलाम के एकल
अनापत्ति	प्रमाण-पत्र क्रमांक 101/खनिज/2022-23 रतलाम दिनांक 13.01.
	2023 अनुसार 10 किलोमीटर की परिधि में नेशनल
	पार्क / अभ्यारण्य / ईको सेंसेटिव जोन जैव विविधता क्षेत्र स्थित नहीं
	है एवं 250 मीटर में वन क्षेत्र स्थित नहीं है । (यदि 250 मीटर में
	वन क्षेत्र में स्थित है तो दी गई शर्तों का उल्लेख)
तहसीलदार की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला रतलाम के एकल
	प्रमाण-पत्र क्रमांक 101/खनिज/2022-23 रतलाम दिनांक 13.01.
	2023 अनुसार 500 मीटर की परिधि में मानव बसाहट, शैक्षणिक
	संस्थान, चिकित्सालय, पुरातत्व धरोहर, राष्ट्रीय महत्व के स्मारक,
	रेल्वे लाईन/सार्वजनिक भवन/शमशान घाट/राष्ट्रीय राजमार्ग/
	संवेदनशील क्षेत्रों जैसे : रेडियो स्टेशन, दूरदर्शन, हवाई अड्डा,
	प्रतिरक्षा संस्थान एवं जलीय निकाय/नदी/ तालाब/ बांध/स्टॉप
	डैम / नहर / ग्रामीण कच्चा / पक्का रास्ता / नाला नहीं है ।
ग्राम सभा / ग्राम पंचायत	ग्राम पंचायत राजपुरा जिला रतलाम के ठहराव प्रस्ताव क्रमांक
की अनापत्ति	दिनांक 28.09.2023 अनुसार प्रस्तावित स्थल पर खनन् कार्य से
	पंचायत को कोई आपत्ति नहीं है ।
1	1 11 10 11 212 31 1101 121 2 1

क्रेशर की स्थिति (लीज के	नहीं
बाहर या लीज क्षेत्र के	
अन्दर)	
प्रस्तावित स्थल पर वृक्षों की	नया प्रोजेक्ट है
वर्तमान स्थिति	
प्रस्तावित स्थल की गूगल	उत्तर दिशा–
इमेज अनुसार वर्तमान	दक्षिण दिशा — 112 मीटर दूर दक्षिण दिशा में नहर
स्थिति	पूर्व दिशा — 253 मीटर दूर दक्षिण दिशा में कच्ची रोड
	पश्चिम दिशा —
सिया में ईसी हेतु प्रकरण	नया प्रोजेक्ट है
प्रस्तुत करने का दिनांक	
प्रस्तावि खदान की जिला	उक्त उत्खनिपट्टा जिला रिपोर्ट में शामिल नहीं है । आगामी जिला
सर्वेक्षण रिपोर्ट में स्थिति	रिपोर्ट में सम्मिलित किया जाएगा
जन सुनवाई के प्रमुख बिन्दु	जन सुनवाई दिनांक 20.12.2023 को प्रोजेक्ट साइट पर ही थी
(यदि लागू हो तो)	

प्रस्तुतीकरण के दौरान परियोजना प्रस्तावक द्वारा कि दक्षिण दिशा में लगभग 112 मीटर दूर दक्षिण दिशा में नहर स्थित है। अतः इस संबंध में उनके द्वारा 80 मी. का सैटबेक छोड़ा जाना प्रस्तावित है। परियोजना प्रस्तावक द्वारा दिए गए प्रस्तुतीकरण, पर्यावरण प्रबंधन योजना एवं अन्य प्रस्तुत की गई जानकारी संतोषजनक एवं स्वीकार्य योग्य होने से समिति विशिष्ट शर्तो एवं स्टेण्डर्ड शर्तो संलग्नक अनुसार निम्नानुसार पूर्व पर्यावरणीय स्वीकृति जारी करने की अनुशंसा करती है

- 1. अनुमोदित खनन् योजना अनुसार अधिकतम् उत्पादन क्षमता पत्थर 13,034 घनमीटर / वर्ष है।
- 2.In case of change in ultimate pit block (Surface plan) due to setback imposed in accordance with order of NGT/CPC/M.P. MMR 1996 or ay environmental sensitivity. "The PP should obtain Modified Mining Plan / Scheme of mining before opening of the mine of capacity approved in EC. The Environment Management Plan, Geological Plan & Section, Development plan, Conceptual Plan should be accordingly revised in the approved Mining Plan /SOM by the competent authority with respect to year-wise production."
 - 3. खनन क्षेत्र में प्रस्तावित माईन आधारित क्रेशर प्लान्ट हेतु म.प्र. प्रदूषण नियंत्रण बोर्ड से नियमानुसार स्थापना एवं संचालन सम्मति प्राप्त करना होगी।
 - 4. म.प्र. प्रदूषण नियंत्रण बोर्ड की दिशा निर्देशों के अनुसार प्रस्तावित क्रेशर प्लान्ट में वायु प्रदूषणरोधी उपकरणों की स्थापना सुनिश्चित की जावेगी।

4. सी.ई.आर मद में निम्नानुसार राशि रू. 0.7 लाख तथा सी.ई.आर. में प्रस्तावित सभी कार्य आगामी 01 वर्ष में पूर्ण किये जाये रू—

EMP Table (Capital & Recurring Cost)

ANNUAL EMP COST				
S NO.	Particulars -	Budget Provisions (Rs)		
		Capital	Recurring	
1(a)	Overhead water sprinkling facility with solar pump for outgoing and incoming transportation vehicles for haul and transportation. (Three Times in a Day)	1,00,000	10,000	
1(b)	Cost of Water own(4000 liter capacity) 1 tanker x 100 Rs./per day X 280 days	Nil	28,000	
1(c)	Mirco – Fogging for control of Air Pollution (RAPL-R180 16L Thermal Fogger Machine)	21,500	2,000	
2	Four Settling Tank [2.5m (W) x 10m (L) 2m (D)] Garland drain [658m (L) x 2m (W) x 1.5 m(D)]	98,700	20,000	
3	Maintenance of approach road (Max. Road length 110 m, Width 6.0m) = 950 m @ 300 Rs./m.	2,85,000	30,000	
4	Monitoring twice a year (Air, Water & Noise twice a year)	Nil	40,000	
5	Plantation (2000 plants will be planted & Distribution during the five year)	3,40,000	20,000	
6	Wire Fence 733 m x100	73,300	20,000	
7	Crusher Pollution Equipment	50,000	-	
	Carbon Sequestration			
8	For Carbon Foot print tree adaptation	50,000	50,000	
	Labour Welfare			
y I	Drinking Water Facility & Temporary rest shelter (15 x 15 feet)	10,000	4,000	
10	Separate toilets for Male & Female No. of 2	5,000	3,000	
11 1	Occupational health Survey 18 Labour @ 500 Rs. = 8,000 Rs./twice per year @500 x 2 x 18	Nil	18,000	
12 1	PPES to Work(Helmet shoes, gloves, goggle etc.), 18 labor @1000 Rs.	16,000	4,000	
13	First Aid Kits, Number of kits 5	5,000	5,000	
14	Fire Safety (1 nos.), @ 10,000	10,000	2,000	
<u> </u>	Solid Waste Management			

a.	Bins 2 Nos.	1500	
b.	Pit and Composed	5000	5,000
c.	Transport of Dry Waste	5000	
15	Vehicle Maintenance + PUC Certification	Nil	25,000
16	Signage and Caution Board	5,000	1,000
	Total EMP Cost	10,23,500	2,35,000

CSR Table

सी.स.आर मद में निम्नानुसार राशि रू. 70000 तथा सी.स.आर . में प्रस्तावित सभी कार्य आगामी 01 वर्ष में पूर्ण किये जाये :— (भू—पवेश होने के 03 माह में राशि जमा करेंगें।)

	कॉर्पोरेट पर्यावरण उत्तरदायित्व (सीईआर)				
S. No.	S. No. Description				
1.	ग्राम साँवलिया रुँदी के प्राथमिक शाला के अधोसरंचना विकास हेतु ग्राम पंचायत को आर्थिक सहायता ।	70,000			
	Total	70,000			

9. निम्नानुसार वृक्षारोपण कार्यक्रम अनुसार (सतत् सिंचाई, 5 वर्ष तक मृत पौधों का बदलाव तथा खनन अविध तक रख—रखाव के साथ) कम से कम 2000 वृक्षों का वृक्षारोपण :—

पौधों की कुल संख्या – 2000				
2	प्रस्तावित वृक्षारोपण हेतु	पौथो की प्रजातियां	पौधों की	टिप्पणी
अवस्था	नियत स्थान		संख्या	16.64.011
				• पौधों से पौधों के बीच की दूरी 3 मी. एवं पंक्ति से पंक्ति की
	बैरियर जोन			दूरी 2.5 मी. और गड्ढे का आकार 0.70मी. x 0.70मी. x
		नीम खमेर, सिरस		0.70मी. एवं गड्ढे में गोबर की खाद और शेष मिट्टी से भरा
		(काला और सफ़ेद),		जाएगा।
		जंगल जलेबी,		 परिनाली के निर्माण के दौरान निकली हुई मिट्टी में सूबबूल,
प्रथम वर्ष		आंवला, चिरोल,	165	नीम, बबूल, प्रोसोपिस और अन्य स्थानीय प्रजातियों के
		करंज, सिस्सू एवं		बीज बुवाई की जाएगी।
		अन्य स्थानीय		• ट्रेंच 45 सेमी x 45 सेमी x 45 सेमी विकसित की जाएगी।
		प्रजातियां		• तार की बाड़ की सुरक्षा के साथ।
				• गारलैंड ड्रेन व सेटलिंग टैंक की बुंड पर बीज रोपण किया
				जाइएगा । रख रखाव लीज पीरियंड तक किया जाएगा

परिवहन मार्ग	खमेर, चिरोल, करंज, बीजा, जंगल जलेबी, कदम एवं अन्य स्थानीय प्रजातियां		परिवहन मार्ग के दोनों ओर एक पंक्ति में4 -5 फीट ऊंचाई पौधों के वृक्षारोपण किए जाएंगे। पौधों से पौधों के बीच की दूरी 3 मी. एवं पंक्ति से पंक्ति की दूरी 2.5 मी. और गड़ढे का आकार 0.70मी. x 0.70मी. x 0.70मी. एवं गड़ढे में गोबर की खाद और शेष मिट्टी से भरा जाएगा। पौधों की सुरक्षा हेतु प्रभावशाली 6 फीट ऊंचाई का ट्री गाई।
ग्रामवासियो में वितरण हेतु	नीम, आम, कटहल, बेर, आँवला, हर्रा, महुआ, कबीट, नींबू, बहेरा, बेल एवं अन्य स्थानीय प्रजातियां	935	 ग्रामवासी इन पेड़ों को अपने खेतों की मेड़ पर लगाएंगे। गड्ढे का आकार 0.70मी. x 0.70मी. x 0.70मी. एवं गड्ढे में गोबर की खाद और शेष मिट्टी से भरा जाएगा।
ग्राम पंचायत आलोनीया के प्राथमिक शाला	कदम, नीम, खमेर, अशोक, सिस्सू. एवं अन्य स्थानीय प्रजातियां	500	 गड्ढे का आकार 0.70मी. x 0.70मी. x 0.70मी. एवं गड्ढे में गोबर की खाद और शेष मिट्टी से भरा जाएगा। सुरक्षा हेतु परिसर में बाउंड्री वाल की व्यवस्था है।

अनुशंसा— प्रस्तुतीकरण एवं समीक्षा के आधार पर उपरोक्त विशिष्ट शर्ती के साथ परियोजना को पर्यावरण स्वीकृति जारी करने की अनुशंसा की जाती है।

22. Case No. P2/1009/24 Shri Gaurav Khatri, Partner M/s A.K. Enterprises, Matra Chhaya mihani puram, bandhav garh colony, Raghurajnagar, Satna, Madhya Pradesh Prior Environment Clearance for Stone Mine in an area of 3.82 ha. (39,131 cum per annum) (Khasra No. 8) Village – ABER Tehsil – Kotar District Satna (M.P.) B-2

प्रस्तावित पत्थर खदान बी—2 श्रेणी के अंतर्गत पर्यावरणीय स्वीकृति का है, जिसमें आज दिनांक 07/06/2024 को परियोजना प्रस्तावक मैसर्स ए.क्. इन्टरप्राइजेज, पार्टनर श्री आशू खत्री पुत्र स्व. श्री राजेन्द्र कुमार खत्री एवं उनके पर्यावरणीय सलाहकार श्री आशीष त्रिपाठी मेसर्स ए.जी.एस इंवायरमेंटल सर्विसेस प्रा. लि. दिल्ली. ऑनलाईन उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

<u>Following standard conditions shall be applicable for the mining projects of minor mineral in addition to the specific conditions and cases appraised for grant of TOR:</u>

Annexure- 'A'

Standard conditions applicable to Stone/Murrum and Soil quarries:

- 1. Mining should be carried out as per the submitted land use plan and approved mine plan. The regulations of danger zone (500 meters) prescribed by Directorate General of Mines safety shall also be complied compulsorily and necessary measures should be taken to minimize the impact on environment.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars and fenced from all around the site. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded along with annual record of water consumed in sprinkling during Summer (February to May/June) and winter session (October to January) separately.
- 4. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 5. Mineral evacuation road shall be made pucca (WBM/black top) by PP.
- 6. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
- 7. Crusher with inbuilt APCD & water sprinkling system shall be installed minimum 100 meters away from the road and 500 meters away from the habitations only after the permissions of MP Pollution Control Board with atleast 04 meters high wind breaking wall of suitable material to avoid fugitive emissions.
- 8. Working height of the loading machines shall be compatible with bench configuration.
- 9. Slurry Mixed Explosive (SME) shall be used instead of solid cartridge.
- 10. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
- 11. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
- 12. Six monthly occupational health surveys of workers for Cardio-vascular & Pulmonary health, vital parameters as prescribed by concerned regulatory authority shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights.
- 13. A separate bank account should be maintained for all the expenses made in the EMP and CER activities by PP for financial accountability and these details should be provided in Annual Environmental Statement. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
- 14. To avoid vibration, no overcharging shall be carried out during blasting and muffle blasting shall be adopted. Blasting shall be carried out through certified blaster only and no explosive will be stored at mine site without permission from the competent authority.
- 15. Mine water should not be discharged from the lease and be used for sprinkling & plantations. For surface runoff and storm water garland drains and settling tanks (SS pattern) of suitable sizes shall be provided.
- 16. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
- 17. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- 18. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.

- 19. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area. PP shall take Socio-economic activities in the region through the 'Gram Panchayat'.
- 20. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
- 21. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product mix in proposed mining unit shall require a fresh Environment Clearance.
- 22. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
- 23. All the mines where production is > 50,000 cum/year, PP shall develop its own website to display various mining related activities proposed in EMP & CER along with budgetary allocations. All the six monthly progress report shall also be uploads on this website along with MoEF&CC & SEIAA, MP with relevant photographs of various activities such as garland drains, settling tanks, plantation, water sprinkling arrangements, transportation & haul road etc. PP or Mine Manager shall be made responsible for its maintenance & regular updation.
- 24. All the soil queries, the maximum permitted depth shall not exceed 02 meters below general ground level & other provisions laid down in MoEF&CC OM No. L-11011/47/2011-IA.II(M) dated 24/06/2013.
- 25. The mining lease holders shall after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Moreover, a separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M, of MoEF&CC issued vide letter F.No. 22-34/2018-IA. III, dated 16/01/2020.
- 26. The project proponent shall follow the mitigation measures provided in MoEF&CCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
- 27. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
- 28. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
- 29. A display board (in hindi) with following details of the project is mandatory at the entry to the mine.
 - a. Lease owner's Name, Contact details etc.
 - b. Mining Lease area of the project (in ha.) with latitude and longitude.
 - c. Length, breadth, sanctioned depth of mine and mining time.
 - d. Sanctioned Production capacity of the project as per EC and Consent of MPPCB.
 - e. Method of mining (Mannual/Semi Mechanised) and Blasting or Non-blasting.
 - f. Plantation and CER activities.
- 30. Dense plantation/ wood lot shall be carryout in the 7.5 meters periphery/barrier zone of the lease through concern CCF (social forestry) or concerned DFO or any other suitable agency and on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
- 31. Entire plantation proposed in barrier zone of lease area shall be carried out as per submitted plantation scheme and along the fencing seed sowing of Neem, Babool, Safed Castor etc shall also be carried out.
- 32. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. PP shall explore the possibility for plantation in adjoining forest land in consultation with concerned DFO and commensurate budget shall be transferred for plantation to DFO.
- 33. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land through forest department or on other community land available for grassland

- and fodder development through Gram Panchayat in concerned village and handed over to Gram Panchayat after lease period.
- 34. Before onset of monsoon season as per submitted plantation scheme fruit bearing species preferably of fodder / native shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh "ANKUR YOJNA" by registering individual villagers on "Vayudoot app". Where ever Aushadhi Vatika (Medicinal Garden) is proposed by PP, a minimum of 50 saplings be planted considering 80% survival with proper protection measures in School or Aganwadi premises.
- 35. Adequate provisions of water for irrigating plantation shall be made by PP.
- 36. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.

Annexure- 'B'

Standard conditions applicable for the Sand Mine Quarries*

- 1. District Authority should annually record the deposition of sand in the lease area (at an interval of 100 meters for leases 10 ha or > 10.00 ha and at an interval of 50 meters for leases < 10 ha.) before monsoon & in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority shall allow lease holder to excavate only the replenished quantity of sand in the subsequent year.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded.
- 4. Only registered vehicles/tractor trolleys with GPS which are having the necessary registration and permission for the aforesaid purpose under the Motor Vehicle Act and also insurance coverage for the same shall alone be used for said purpose.
- 5. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 6. Mineral evacuation road shall be made Pucca (WBM/black top) by PP.
- 7. Sand and gravel shall not be extracted up to a distance of 1 kilometer (1Km) from major bridges and highways on both sides, or five times (5x) of the span (x) of a bridge/public civil structure (including water intake points) on upstream side and ten times (10x) the span of such bridge on down-stream side, subjected to a minimum of 250 meters on the upstream side and 500 meters on the downstream side.
- 8. Mining depth should be restricted to 3 meters or water level, whichever is less and distance from the bank should be 1/4th or river width and should not be less than 7.5 meters. No in-stream mining is allowed. Established water conveyance channels should not be relocated, straightened, or modified.
- 9. Demarcation of mining area with pillars and geo-referencing should be done prior to the start of mining.
- 10. PP shall carry out independent environmental audit atleast once in a year by reputed third party entity and report of such audit be placed on public domain such audits be placed on public domain through website developed for public interface along with photographs of work done w.r.t. EMP as well as CER.
- 11. No Mining shall be carried out during Monsoon season.
- 12. The mining shall be carried out strictly as per the approved mine plan and in accordance with the Sustainable Sand Mining Management Guidelines, 2016 and Enforcement & Monitoring Guidelines for Sand Mining, 2020 issued by the MoEF&CC ensuring that the annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan.
- 13. If the stream is dry, the excavation must not proceed beyond the lowest undisturbed elevation of the stream bottom, which is a function of local hydraulics, hydrology, and geomorphology.
- 14. After mining is complete, the edge of the pit should be graded to a 2.5:1 slope in the direction of the flow.