

राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण, म.प्र.

(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार)

पर्यावरण नियोजन एवं समन्वय संगठन पर्यावरण परिसर, ई-5, अरेरा कॉलोनी भोपाल-462016 (म.प्र.)

बेवसाईट—<u>http://www.mpseiaa.nic.in</u> दूरभाषनं. - 0755-2466970, 2466859 फैक्सनं. - 0755-2462136

No:352/SEIAA/2025 Date: 24/05/2025

प्रति,

Shri Nitin Chocrsey,

Chauksey Bhawan, Kamlaganj, Ward No. 33 Kamla Ganj, Shivpuri, Distt. - Shivpuri (M.P.) 473551 E-mail - nitinchocksey.env12@gmail.com

विषय :- Proposal No. SIA/MP/MIN/472001/2024- Case No. P2/969/24, Prior Environment Clearance for Bhadora Flagstone, Khanda/ Dhoka Quarry (Opencast semi mechanized method) for production capacity of Flagstone - 10,001 cum/year and Khanda / Dhoka - 1875 cum/year, in an area - 2.00 ha., Khasra No. - 799/34, at Village – Bhadora, Tehsil- Pichhore, Distt. - Shivpuri (M.P.) by Shri Nitin Chocrsey, Chauksey Bhawan, Kamlaganj, Ward No. 33 Kamla Ganj, Shivpuri, Distt. - Shivpuri (M.P.) 473551.

विषयान्तर्गत प्रकरण में राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (SEAC) द्वारा 765वीं बैठक दिनांक 07.06.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सिहत पर्यावरण अनुमित प्रदान किये जाने की अनुशंसा कर प्रकरण दिनांक 08.06.2024 को राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण (SEIAA) को अग्रेषित किया गया। प्रश्नाधीन प्रकरण SEIAA की बैठक में विचारण नहीं होने के कारण 45 दिवस से अधिक की अवधि समाप्त हो गई है।

पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार की ईआईए अधिसूचना दिनांक 14.09.2006 के पैरा 8 की कंडिका (iii) इस प्रकार है - "In the event that the decision of the regulatory authority is not communicated to the applicant within the period specified in subparagraphs (i) or (ii) above, as applicable, the applicant may proceed as if the environment clearance sought for has been granted or denied by the regulatory authority in terms of the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned."

अतः ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार उक्त प्रकरण में SEAC की 765वीं बैठक दिनांक 07.06.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सहित पर्यावरण स्वीकृति हेतु की गई अनुशंसा को अंतिम निर्णय मानते ह्ए राज्य स्तरीय समाघात निर्धारण प्राधिकरण (SEIAA) द्वारा "Deemed Approval" माना जाकर पर्यावरण अनुमति दी जाती है। तद्नुसार प्रकरण में ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार आगामी आवश्यक वैधानिक कार्यवाही करने हेतु आप स्वतंत्र हैं।

(प्रमुख सचिव, पर्यावरण विभाग द्वारा अनुमोदित)

(श्रीमन् शुक्ला) कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA

#### प्रतिलिपि:-

- 1. प्रमुख सचिव, म.प्र. शासन, पर्यावरण विभाग, मंत्रालय, भोपाल।
- 2. संयुक्त सचिव, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, इंदिरा पर्यावरण भवन, जोर बाग रोइ, नई दिल्ली - 1100031
- 3. उप सचिव, मुख्य सचिव कार्यालय म.प्र. शासन, मंत्रालय भोपाल (म.प्र.)।
- 4. अध्यक्ष, SEIAA, एप्को पर्यावरण परिसर भोपाल (म.प्र.)।
- 5. अध्यक्ष SEAC, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल (म.प्र.)।
- 6. सदस्य सचिव, SEAC एवं सदस्य सचिव, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल।
- 7. कलेक्टर, जिला शिवप्री (म.प्र.)।
- 8. वन मंडलाधिकारी, जिला शिवप्री (म.प्र.)।
- 9. निदेशक, क्षेत्रीय कार्यालय, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, केन्द्रीय पर्यावरण भवन, लिंक रोड़ नं. 03, रवि शंकर नगर, भोपाल।
- 10. संचालक, भौमिकी तथा खनिकर्म मध्यप्रदेश, 29-ए, खनिज भवन, अरेरा हिल्स, भोपाल 462002।
- 11. खनिज अधिकारी, जिला शिवपुरी (म.प्र.)।
- 12. संबंधित फाईल।

की ओर सूचनार्थ।

कार्यपालन संचालक, एप्को एवं सदस्य सचिव, SEIAA

4. निम्नानुसार वृक्षारोपण कार्यक्रम अनुसार (सतत् सिंचाई, 5 वर्ष तक मृत पौधों का बदलाव तथा खनन अविध तक रख—रखाव के साथ) कम से कम 4800 वृक्षों का वृक्षारोपण :—

कंण	वृक्षारोपण हेतु प्रस्तावित स्थान	पौधों की प्रजातियाँ	मात्रा (संख्या में)
1	बैरियर जोन में	नीम, चिरोल, सिस्सू, करंज, सीताफल, खमेर, एवं अन्य स्थानीय प्रजातियाँ	2000
2	परिवहन मार्ग में (न्यूनतम ऊँचाई 1.5 मीटर ट्री—गार्ड के साथ)	कदम्ब, कचनार, चिरोल, नीम, अमलतास, पुत्रनजीवा, एवं अन्य स्थानीय प्रजातियाँ ट्री गार्ड के साथ	200
3	गरेठा ग्रामवासियों में वितरण हेतु	मुनगा, आंवला, अमरूद । इमली, आम, कुसुम, नीबू, कटहल, एवं अन्य स्थानीय प्रजातियाँ ।	1000
4	नॉन माईनिंग जोन में	नीम, चिरोल, सिस्सू, करंज, सीताफल, खमेर, एवं अन्य स्थानीय प्रजातियाँ	1600

उपरोक्तानुसार वृक्षारोपण प्रथम वर्ष में किया जायें एवं लीज अवधि तक उन पौधों का रख—रखाव / मृत पौधों का बदलाव खनन् अवधि तक किया जाये । गारलेण्ड ड्रेन तथा सेटलिंग टैंक के बंड एवं अन्य उपलब्ध बीज रोपण हेतु उपर्युक्त स्थल जैसे झाड़ियों के बीच—बीच में आदि पर स्थानीय बीज बोबाई सीधे या सीडबाल बनाकर किया जावे तथा उनका सरंक्षण किया जाना । परियोजना प्रस्तावक ग्रामीणों में पौधों का वितरण के समय गाँव का नाम, लाभांवित व्यक्ति का नाम एवं प्रजाति का विवरण देते हुए पर्यावरणीय स्वीकृति के पालन प्रतिवेदन में शामिल करेंगे ।

अनुशंसा— प्रस्तुतीकरण एवं समीक्षा के आधार पर उपरोक्त विशिष्ट शर्तों के साथ परियोजना की पर्यावरण स्वीकृति जारी करने की अनुशंसा की जाती है।

#### 5. Other information-

- (i) No of settling with dimension-10m wide, 2m depth & 02m long, Garland drain length 802m, mining area periphery length 802m.
- (ii) Fodder area ha. and amount of expenditure Rupees 50,000
- (iii) Specify area in surface plan as a non-mining area 1.15 ha.

# 5. <u>Case No. P2/969/24 Shri NITIN CHOCRSEY, CHAUKSEY BHAWAN, KAMLAGANJ, WARD NO. 33 KAMLA GANJ, SHIVPURI, Distt. – SHIVPURI</u>

(M.P.) 473551, Prior Environment Clearance for Bhadora Flagstone, Khanda/Dhoka Quarry an Area - 2.00 ha., Khasra No. - 799/34, at Village — Bhadora, Tehsil- Pichhore, Distt. - Shivpuri (M.P.) with Bhadora Flagstone, Khanda/Dhoka Quarry of 2.00 Hectare Area, Khasra No. 799/34 in Village Bhadora, Tehsil - Pichhore, District — Shivpuri (M.P.) {Maximum Production — 11,876 Cubic Meter (Flagstone — 10,001 M3 and Khanda / Dhoka - 1875M3)}. B2 Case.

प्रस्तावित खदान बी—2 श्रेणी के अन्तर्गत द्वारा जारी पूर्व पर्यावरणीय स्वीकृति के लिये संबंधित है, जिसमें आज दिनांक 07/06/2024 को परियोजना प्रस्तावक श्री नितिन चौकसे आ. स्व. श्री सुरेश चौकसे ऑनलाइन एवं उनके पर्यावरणीय सलाहकार अमर सिंह यादव, एसीरिज इंवायरोटैक इंडिया प्रा.लि. उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज			
परियोजना प्रस्तावक	श्री नितिन चौकसे आ. स्व. श्री सुरेश चौकसे			
का नाम व पता	कमलागंज, ए	.बी. रोड, शिवपुरी म.प	त् <del>र</del> .	
खसरा नं./ क्षेत्रफल	799 / 34, স্থ	ासकीय – नॉन फॉरे	स्ट लेंड 2.	.00 हेक्टेयर
(सरकारी / निजी)	नोईयत— चार	ागाह		
,				
स्थल		तहसील पिछोर, जिला	<u> </u>	
लीज स्वीकृति				वपुरी के पत्र क्रमांक
	475 / उत्खनि	पट्टा / क्यू. / एल.३५२	2 / 2024 दिनांव	क 14 / 03 / 2024 के
	द्वारा स्वीकृत	1		
लीज का नवीनीकरण	नहीं है।			
(यदि हो तो )				
पूर्व स्वीकृत माईनिंग	_			
प्लान का वर्ष एवं				
तत्समय में उत्पादित				
स्वीकृत क्षमता एवं				
मात्रा।				
संशोधित माईनिंग प्लान	_			
का वर्ष, स्वीकृत क्षमता एवं वर्तमान में उत्पादित				
पात्रा।				
स्वीकृत माईनिंग	माईनिंग प्लान			
-	Danielani.	1	ı	
प्लान / डीएसआर	Boundary	Latitude	Longitude	
अनुसार कोर्डिनेट्स	Point 1	25° 7'49.83"N	77°58'46.70"E	
मिलान की स्थिति	2	25° 7'50.12"N	77°58'51.20"E	
		25 / 5U.12 N	// 58 51.20 E	

	3	25° 7'48.75"N	77°58'51.12"E	
	4	25° 7'47.35"N	77°58'51.12 E	-
	5			
		25° 7'45.73"N	77°58'51.20"E	
	6	25° 7'45.49"N	77°58'44.90"E	
	7	25° 7'47.33"N	77°58'45.52"E	
	8	25° 7'48.94"N	77°58'46.37"E	
		ोक्टर (खनिज शाख	•	
	दिनांक 22/04/2024 के अनुसार उक्त खदान नवीन अनुमोदित र्व			ान अनुमोदित जिला
		सर्वेक्षण रिपोर्ट में सम्मिलित कर ली जायेगी।		
अनुमोदित खनन् योजना	अनुमोदित खनन	<sup>।</sup> योजना अनुसार ब्लारि	टंग प्रस्तावित नहीं हैं ।	
अनुसार ब्लास्टिंग / रॉक				
ब्रेकर का उल्लेख करें।				
प्रकरण की स्थिति	नया प्रोजेक्ट			
पर्यावरण सलाहकार या	स्थल का नाम -	–ग्राम भडोरा,	दिनांक 08 / 04 /	/ 2024
उनके अधिकृत प्रतिनिधि			, ,	
द्वारा स्थल निरीक्षण				
डिया ई.सी. का विवरण	नहीं			
(यदि लागू हो)				
टॉर यदि लागू हो तो	नहीं			
विवरण दें।				
उत्पादन क्षमता एवं				
प्रतिवर्ष उत्पादन	खण्डा / ढोका	−1875) घनमीटर ⁄	<sup>7</sup> वर्ष हेत् आवेदन <sup>:</sup>	किया गया है और
	अनुमोदित खनन् योजना अनुसार पत्थर 11,876 (फ्लेगस्टोन–10,001,			
	खण्डा / ढोका —1875) घनमीटर / वर्ष है।			
500 मीटर की परिधि	कार्यालय कले	ोक्टर (खनिज शाखा	ा) जिला शिवपुरी वे	े एकल प्रमाण–पत्र
में अन्य खदानें		दिनांक <sup>े</sup> 22 / 04 / 20		
		दान संचालित / स्वीकृ		
वन मण्डलाधिकारी		विक्टर (खनिज शाखा		े एकल प्रमाण-पत्र
की अनापत्ति				ोमीटर की परिधि में
				विविधता क्षेत्र स्थित
		, ज सार ग्रंग्रह्मा र 50 मीटर में वन क्षेत्र		SIN IN IN
तहसीलदार की		विटर (खनिज शाखा सिंटर (खनिज शाखा		े एकल प्रमाण-पत्र
अनापितत				
	कमांक 569 दिनांक 22/04/2024 अनुसार 500 मीटर की परिधि में			
	मानव बसाहट, शैक्षणिक संस्थान, चिकित्सालय, पुरातत्व धरोहर, राष्ट्रीय			
	महत्व के स्मारक, रेल्वे लाईन/सार्वजनिक भवन/शमशान घाट/राष्ट्रीय			
	राजमार्ग / संवेदनशील क्षेत्रों जैसे : रेडियो स्टेशन, दूरदर्शन, हवाई अड्डा,			
				लाब / बांध / स्टॉप
	डैम / नहर / ग्र	गमीण कच्चा / पक्का	रास्ता / नाला नहीं	है ।

ग्राम सभा / ग्राम	ग्राम पंचायत भडोरा जिला शिवपुरी के ठहराव प्रस्ताव क्रमांक 02 दिनांक
पंचायत की अनापत्ति	02/10/2023 अनुसार प्रस्तावित स्थल पर खनन् कार्य से पंचायत को
	कोई आपत्ति नहीं हैं ।
ग्राम पेसा के अन्तर्गत है	नहीं
या नहीं	
प्रस्तावित स्थल पर वृक्षों	लीज में कोई पेड़ नहीं हैं ।
की वर्तमान स्थिति	
प्रस्तावित स्थल की	उत्तर दिशा— आबादी 154 मी., कच्चा रास्ता 230 मी.
गूगल इमेज अनुसार	दक्षिण दिशा— नाला 324 मी
वर्तमान स्थिति	Other information-
	(i) Fodder area 0.41 ha. And amount of expenditure 50,000
	Rupees.
	(ii) non- mining area- 0.41 ha. area in surface plan.
सिया में ईसी हेतु प्रकरण	
प्रस्तुत करने का दिनांक	
प्रस्तावि खदान की	कार्यालय कलेक्टर (खनिज शाखा) जिला शिवपुरी के पत्र क्रमांक 570
जिला सर्वेक्षण रिपोर्ट	दिनांक 22/04/2024 के अनुसार उक्त खदान नवीन अनुमोदित जिला
में स्थिति	सर्वेक्षण रिपोर्ट में सम्मिलित कर ली जायेगी।

परियोजना प्रस्तावक द्वारा दिए गए प्रस्तुतीकरण, पर्यावरण प्रबंधन योजना एवं अन्य प्रस्तुत की गई जानकारी संतोषजनक एवं स्वीकार्य योग्य होने से समिति विशिष्ट शर्तो एवं स्टेण्डर्ड शर्तो संलग्नक—ए अनुसार निम्नानुसार पूर्व पर्यावरणीय स्वीकृति जारी करने की अनुशंसा करती है:—

- 1. अनुमोदित खनन् योजना अनुसार अधिकतम् उत्पादन क्षमता पत्थर 11,876 (फर्शी पत्थर –10,001, खण्डा / ढोका –1875) घनमीटर / वर्ष
- 2. In case of change in ultimate pit block (Surface plan) due to setback imposed in accordance with order of NGT/CPC/M.P. MMR 1996 or ay environmental sensitivity. "The PP should obtain Modified Mining Plan / Scheme of mining before opening of the mine of capacity approved in EC. The Environment Management Plan, Geological Plan & Section, Development plan, Conceptual Plan should be accordingly revised in the approved Mining Plan /SOM by the competent authority with respect to year-wise production."
- 3. पर्यावरण प्रबंधन योजना मद में केपीटल राशि रू. 14,66,500/— एवं रिकृरिंग राशि रू. 4,04,40/— प्रति वर्ष ।

Sr. No	Particular	Capital Cost in	Recurring	
-----------	------------	--------------------	-----------	--

		Rupees	Cost in Rupees
1.	Water Sprinkling through Water Tanker for both haul road		
1.	and transportation road, all the incoming and outgoing	Nil	20,000
	trucks (Length Approx. 500m & width Approx. 5m)	1411	20,000
2.	Approach Road Maintenance@Rs.500/-		
	(Length Approx. 500m & width Approx. 5m)	2,50,000	10,000
3.	Cost of water of 4000ltr.@0.15 rupees/litre for 300 days),	2 711	100.000
	Regular Uses	Nil	180,000
4.	Plantation @ Rs. 200/plant, Barrier zone & village Total		
	plantation in Barrier zone area is 1300 x Rs.200		
	Plantation @ Rs. 500/plant with tree guards	4.05.000	20,000
	Total plantation in approach road is 200 x Rs.500	4,05,000	20,000
	Plants distribution @ Rs. 50/plant. Total plant distribution		
	900 (900 X Rs. 50)		
5.	Wire Fencing (along lease boundary) including pillar 583m	2.01.500	5000
	@500/-mt	2,91,500	3000
6.	Garland Drain (583m long,2m depth and 1.5m wide)		
	And Settling tank preparation in SS pattern (10m wide, 2m	80,000	10,000
	depth & 02m long)		
7.	Monitoring (AAQM & Water twice in a year)	Nil	40,000
8.	Drinking Water Facility for labour and staff(one water		
	cooler/20-40 labour @ 10,000/cooler) &Rs.2000/year for	10,000	2,000
	maintenance.		
9.	Separate toilets for Male and Female @ 15000*2 and	30,000	3000
	Rs.3000/-year for maintenance	·	
10.	Occupational Medical Check-up of workers@500*2*20	Nil	20,000
11.	PPES – 20workers @ 1500 per person	30,000	5,000
12.	First Aid & Fire fighting equipments @ 25000*2 &	50,000	2,000
	Rs.2000/year for maintenance	20,000	2,000
13.	Shelter rooms for labours $(10*20) = 200$ square feet @	1,60,000	10,000
	Rs.800/sqr. ft	1,00,000	10,000
14	Two dustbins & solid waste management's	10,000	2,000
	@Rs.5000/system and Rs.2000/year maintenance.	<u> </u>	ŕ
15	Half Yearly PUC certification for 5 trucks @ 1000/truck.	Nil	5000

16	Grazing land development Rs.@5000 for mines upto 5.00		
	ha and Rs.10,000 for mines >5.00 ha.(grass-	50,000	5,000
	Dicanthium, Punia, Siran, Themda)		
17	Miscellaneous Expenses such as for 02 solar lights @		
	Rs.8000/light, website development and maintenance @		
	Rs.5,000/mine,Web Camera 04(@3500/camera,Display	50,000	5,000
	board at mine enterance @2000/board etc.		
	(website will be updated every three months)		
18	VT Trainings for 20 workers(minimum @Rs.500/labour)	Nil	10,000
19	Carbon sequestration – LED bulb distribution	50,000	Nil
	Total	14,66,500	4,04,400

4. सी.ई.आर मद में निम्नानुसार राशि रू. 0.60 लाख तथा सी.ई.आर. में प्रस्तावित सभी कार्य आगामी 01 वर्ष में पूर्ण किये जाये :—

सी.ई.आर. मद में प्रस्तावित गतिविधियाँ	राशि (रू.में)
शासकीय प्राथमिक स्कूल शंकरपुर डॉडा में अधोसंरचना विकास हेतु राशि रू. 0.60 लाख शिक्षक पालक संघ में भू प्रवेश से तीन माह के भीतर जमा करेंगें	60,000 / -

5. निम्नानुसार वृक्षारोपण कार्यक्रम अनुसार (सतत् सिंचाई, 5 वर्ष तक मृत पौधों का बदलाव तथा खनन अवधि तक रख–रखाव के साथ) कम से कम 2400 वृक्षों का वृक्षारोपण :–

कं.	वृक्षारोपण हेतु प्रस्तावित स्थान	पौधों की प्रजातियाँ	मात्रा (संख्या में)
1	बैरियर जोन में	नीम, चिरोल, सिरसू, करंज, सीताफल, खमेर, एवं अन्य स्थानीय प्रजातियाँ	1300
2	परिवहन मार्ग में (न्यूनतम ऊँचाई 1.5 मीटर ट्री—गार्ड के साथ)	कदम्ब, कचनार, चिरोल, नीम, अमलतास, पुत्रनजीवा, एवं अन्य स्थानीय प्रजातियाँ ट्री गार्ड के साथ	200
4	भडोरा ग्रामवासियों में वितरण हेतु	मुनगा, आंवला, अमरूद। इमली, आम, कुसुम, नीबू, कटहल, एवं अन्य स्थानीय प्रजातियाँ।	900

उपरोक्तानुसार वृक्षारोपण प्रथम वर्ष में किया जायें एवं लीज अवधि तक उन पौधों का रख—रखाव / मृत पौधों का बदलाव खनन् अविध तक किया जाये । गारलेण्ड ड्रेन तथा सेटलिंग टैंक के बंड एवं अन्य उपलब्ध बीज रोपण हेतु उपर्युक्त स्थल जैसे झाड़ियों के बीच—बीच में आदि पर स्थानीय बीज बोबाई सीधे या सीडबाल बनाकर किया जावे तथा उनका सरंक्षण किया जाना । परियोजना प्रस्तावक ग्रामीणों में पौधों का वितरण के समय गाँव का नाम, लाभांवित व्यक्ति का नाम एवं प्रजाति का विवरण देते हुए पर्यावरणीय स्वीकृति के पालन प्रतिवेदन में शामिल करेंगे ।

अनुशंसा— प्रस्तुतीकरण एवं समीक्षा के आधार पर उपरोक्त विशिष्ट शर्तों के साथ परियोजना को पर्यावरण स्वीकृति जारी करने की अनुशंसा की जाती है।

6. Case No. P2/1005/24 VINITA SHARMA, lease owner, R/o- B-7, Sahkari Parisar, Kalpana Nagar, Raisen Road, District- Bhopal Madhya Pradesh- 462022. Prior Environment Clearance for Stone in an area of 2.760 ha. (Stone – 5080 m3/Year) (Khasra No. 39,45,46,47) Village-Ratatal, Tehsil-Huzur & District-Bhopal, Madhya Pradesh. (TOR) SIA/MP/MIN/475521/2024

उपरोक्त विवरण के परिप्रेक्ष्य में समिति इस प्रकरण में ई.आई.ए. तैयार करने हेतु पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय द्वारा जारी स्टेण्डर्ड टॉर, एनेक्जर—डी में उल्लेखित मानक शर्तो व गौण खिनजों के टॉर प्रकरणों में सेक की 745 वीं बैठक दिनांक 30/04/2024 एवं सेक की 753 वीं बैठक दिनांक 17/05 /2024 में लिये गये निर्णयानुसार विशिष्ट शर्तो के साथ स्टेण्डर्ड टॉर जारी किया जाता है।

7. Case No. 10758/2023 Shri SUMANT GOSWAMI, Partner, M/s MAA SHARDA MINERALS, 22,RAI COLONY, MPSEB SUB STATION KATNI (M.P) Prior Environment Clearance for Laterite 40139 TPA and Fireclay- 8952 TPA in an area of 4.950 ha. (Khasra No. 312 P) Village –Majhgawan, Tehsil Badwara, Distt. Katni (M.P.). (EIA) SIA/MP/MIN/475831/2024.

प्रस्तावित खदान बी—1 श्रेणी के अंतर्गत श्रेणी के पूर्व पर्यावरणीय स्वीकृति के लिए ईआईए का है, जिसमें आज दिनांक 07/06/2024 को परियोजना प्रस्तावक Shri SUMANT GOSWAMI, Partner, एवं उनके पर्यावरणीय सलाहकार श्री मुकेश कावरे, मेसर्स किएटिव इंवायो सर्विसेस, भोपाल (म.प्र.) उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज		
परियोजना प्रस्तावक, परियोजना / कम्पनी	Shri SUMANT GOSWAMI, Partner, M/s MAA SHARDA MINERALS, 22,RAI COLONY, MPSEB SUB STATION KATNI (M.P)		
का नाम व पता			
खसरा नं./ क्षेत्रफल	312 P (सरकारी —नॉन फॉरेस्ट लेंड)	4.950 hectare.	

<u>Following standard conditions shall be applicable for the mining projects of minor mineral in addition to the specific conditions and cases appraised for grant of TOR:</u>

Annexure- 'A'

#### Standard conditions applicable to Stone/Murrum and Soil quarries:

- 1. Mining should be carried out as per the submitted land use plan and approved mine plan. The regulations of danger zone (500 meters) prescribed by Directorate General of Mines safety shall also be complied compulsorily and necessary measures should be taken to minimize the impact on environment.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars and fenced from all around the site. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded along with annual record of water consumed in sprinkling during Summer (February to May/June) and winter session (October to January) separately.
- 4. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 5. Mineral evacuation road shall be made pucca (WBM/black top) by PP.
- 6. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
- 7. Crusher with inbuilt APCD & water sprinkling system shall be installed minimum 100 meters away from the road and 500 meters away from the habitations only after the permissions of MP Pollution Control Board with atleast 04 meters high wind breaking wall of suitable material to avoid fugitive emissions.
- 8. Working height of the loading machines shall be compatible with bench configuration.
- 9. Slurry Mixed Explosive (SME) shall be used instead of solid cartridge.
- 10. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
- 11. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
- 12. Six monthly occupational health surveys of workers for Cardio-vascular & Pulmonary health, vital parameters as prescribed by concerned regulatory authority shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights.
- 13. A separate bank account should be maintained for all the expenses made in the EMP and CER activities by PP for financial accountability and these details should be provided in Annual Environmental Statement. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
- 14. To avoid vibration, no overcharging shall be carried out during blasting and muffle blasting shall be adopted. Blasting shall be carried out through certified blaster only and no explosive will be stored at mine site without permission from the competent authority.
- 15. Mine water should not be discharged from the lease and be used for sprinkling & plantations. For surface runoff and storm water garland drains and settling tanks (SS pattern) of suitable sizes shall be provided.
- 16. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
- 17. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- 18. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.

- 19. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area. PP shall take Socio-economic activities in the region through the 'Gram Panchayat'.
- 20. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
- 21. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product mix in proposed mining unit shall require a fresh Environment Clearance.
- 22. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
- 23. All the mines where production is > 50,000 cum/year, PP shall develop its own website to display various mining related activities proposed in EMP & CER along with budgetary allocations. All the six monthly progress report shall also be uploads on this website along with MoEF&CC & SEIAA, MP with relevant photographs of various activities such as garland drains, settling tanks, plantation, water sprinkling arrangements, transportation & haul road etc. PP or Mine Manager shall be made responsible for its maintenance & regular updation.
- 24. All the soil queries, the maximum permitted depth shall not exceed 02 meters below general ground level & other provisions laid down in MoEF&CC OM No. L-11011/47/2011-IA.II(M) dated 24/06/2013.
- 25. The mining lease holders shall after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Moreover, a separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M, of MoEF&CC issued vide letter F.No. 22-34/2018-IA. III, dated 16/01/2020.
- 26. The project proponent shall follow the mitigation measures provided in MoEF&CCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
- 27. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
- 28. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
- 29. A display board (in hindi ) with following details of the project is mandatory at the entry to the mine.
  - a. Lease owner's Name, Contact details etc.
  - b. Mining Lease area of the project (in ha.) with latitude and longitude.
  - c. Length, breadth, sanctioned depth of mine and mining time.
  - d. Sanctioned Production capacity of the project as per EC and Consent of MPPCB.
  - e. Method of mining (Mannual/Semi Mechanised) and Blasting or Non-blasting.
  - f. Plantation and CER activities.
- 30. Dense plantation/ wood lot shall be carryout in the 7.5 meters periphery/barrier zone of the lease through concern CCF (social forestry) or concerned DFO or any other suitable agency and on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
- 31. Entire plantation proposed in barrier zone of lease area shall be carried out as per submitted plantation scheme and along the fencing seed sowing of Neem, Babool, Safed Castor etc shall also be carried out.
- 32. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. PP shall explore the possibility for plantation in adjoining forest land in consultation with concerned DFO and commensurate budget shall be transferred for plantation to DFO.
- 33. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land through forest department or on other community land available for grassland

- and fodder development through Gram Panchayat in concerned village and handed over to Gram Panchayat after lease period.
- 34. Before onset of monsoon season as per submitted plantation scheme fruit bearing species preferably of fodder / native shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh "ANKUR YOJNA" by registering individual villagers on "Vayudoot app". Where ever Aushadhi Vatika (Medicinal Garden) is proposed by PP, a minimum of 50 saplings be planted considering 80% survival with proper protection measures in School or Aganwadi premises.
- 35. Adequate provisions of water for irrigating plantation shall be made by PP.
- 36. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.

#### Annexure- 'B'

#### Standard conditions applicable for the Sand Mine Quarries\*

- 1. District Authority should annually record the deposition of sand in the lease area (at an interval of 100 meters for leases 10 ha or > 10.00 ha and at an interval of 50 meters for leases < 10 ha.) before monsoon & in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority shall allow lease holder to excavate only the replenished quantity of sand in the subsequent year.
- 2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars. Necessary safety signage & caution boards shall be displayed at mine site.
- 3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded.
- 4. Only registered vehicles/tractor trolleys with GPS which are having the necessary registration and permission for the aforesaid purpose under the Motor Vehicle Act and also insurance coverage for the same shall alone be used for said purpose.
- 5. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
- 6. Mineral evacuation road shall be made Pucca (WBM/black top) by PP.
- 7. Sand and gravel shall not be extracted up to a distance of 1 kilometer (1Km) from major bridges and highways on both sides, or five times (5x) of the span (x) of a bridge/public civil structure (including water intake points) on upstream side and ten times (10x) the span of such bridge on down-stream side, subjected to a minimum of 250 meters on the upstream side and 500 meters on the downstream side.
- 8. Mining depth should be restricted to 3 meters or water level, whichever is less and distance from the bank should be 1/4<sup>th</sup> or river width and should not be less than 7.5 meters. No in-stream mining is allowed. Established water conveyance channels should not be relocated, straightened, or modified.
- 9. Demarcation of mining area with pillars and geo-referencing should be done prior to the start of mining.
- 10. PP shall carry out independent environmental audit atleast once in a year by reputed third party entity and report of such audit be placed on public domain such audits be placed on public domain through website developed for public interface along with photographs of work done w.r.t. EMP as well as CER.
- 11. No Mining shall be carried out during Monsoon season.
- 12. The mining shall be carried out strictly as per the approved mine plan and in accordance with the Sustainable Sand Mining Management Guidelines, 2016 and Enforcement & Monitoring Guidelines for Sand Mining, 2020 issued by the MoEF&CC ensuring that the annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan.
- 13. If the stream is dry, the excavation must not proceed beyond the lowest undisturbed elevation of the stream bottom, which is a function of local hydraulics, hydrology, and geomorphology.
- 14. After mining is complete, the edge of the pit should be graded to a 2.5:1 slope in the direction of the flow.