



**State Environment Impact Assessment Authority, M.P.**  
(Government of India, Ministry of Environment, Forest & Climate Change)  
Environmental Planning Coordination Organization (EPCO)  
Paryavaran Parisar, E-5. Arera Colony  
Bhopal-462016  
visit us <http://www.mpseiaa.nic.in>  
Tel:0755-2466970, 2466859  
Fax : 0755-2462136

No: 63 /SEIAA/2018  
Date: 7.4.18

To,  
Shri Alpesh P. Patel, Partner  
M/s Vini Industries,  
2 Jupiter, Opp. Indian Bank,  
Dalal Colony, Daxini Maninagar,  
Ahemdabad, Gujarat -380008

**Sub:- Case No. 4356 /2015 :** Prior environmental Clearance for proposed Manufacture of Synthetic Organic Chemicals Industry (Dyes & Dyes Intermediates; Bulk Drugs and Intermediates excluding drug formulation; Synthetic Rubbers; Basic Organic Chemicals other Synthetic Organic Chemicals and Chemical Intermediates at Plot No. 125, AKVN Industrial Estate, Meghnagar, Taluka Meghnagar, District Jhabua, M. P., Production Capacity 3150 MTPM, Land area 4446 sq.m. by M/s Vini Industries, through partner Shri Alpesh P. Patel, 2 Jupiter, Opp. Indian Bank, Dalal Colony, Daxini Maninagar, Ahemdabad, Gujarat -380008, E-mail-4100lexus@gmail.com & viniiindustry@gmail.com, Ph. No. 0792-5891764. Env't. Consultant : San Envirotech Pvt. Ltd.

**Ref:** Your application dtd. 20.11.15 received in SEIAA office on 20.11.2015

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14<sup>th</sup> September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, ppt. and additional clarifications furnished in response observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) The unit is proposed to manufacture Dyes Intermediates and different types of Emulsifier at Plot No. 125, AKVN Industrial Estate, Meghnagar, Taluka: Meghnagar, District: Jhabua, (MP). Cumulative quantity of the production will be tune around 3150 MTPM.
- (ii) PP has proposed products with following production capacity:

Sr. No.	Name of Product	Quantity (MTPM)
1	Vinyl Sulphone	100

Case No. 4356/2015

Issued vide letter no. 63-64 dated 7.4.18

Case No.: To be quoted in registered cases for correspondence

1 of 8



2	Acetanilide	50
3	Emulsifier a) Castor oil 40 Ethoxylate, b) Lauric Acid 10 Ethoxylate c) Nonyl Phenol 5 Ethoxylate d) Polyethylene Glycol 400 e) Octyl Palmitate f) Ethylene Glycol mono stearate g) Cocodiethanolamide h) Cocomonoethanolamide i) Glyceryl Monostearate j) Glyceryl Monooleate	3000
<b>Total</b>		<b>3150</b>
<b>By Product</b>		
1	Acetic acid	22.1
2	Dilute sulphuric acid	390
3	HCl	30
4	Glauber salt	80

- (iii) The project is covered under 5 (f) category B of the Schedule of EIA Notification issued by the Ministry of Environment & Forests vide S.O.1533 (E), dtd. September 14, 2006 and its amendments.
- (iv) There is no interstate boundary within 10 km and no National Park / Sanctuary within the 5 km of the project area hence the general conditions are not attracted.
- (v) The total plot area is 4446 sq.m.(Plot no. 125) for which PP has executed amended registered lease deed dated 31.12.2015 between Managing Director MPAKVN, (Indore) Ltd. and M/s Vini Industries, through partner Shri Alpesh P. Patel for the period of 30 years.
- (vi) The project is located in notified Meghnagar Industrial Growth Centre District Jhabua approved by MPAKVN (Indore) Ltd. hence as per GoI, MoEF OM dtd 10.12.14, Public Hearing is exempted.
- (vii) PP has proposed that the raw materials obtained from traders and distributor from the local market. Raw materials and finished good transported by road ways. All the storage tanks of raw materials/products are to be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided around the storage tanks and closed handling system of chemicals shall be provided.
- (viii) Total water requirement is 34.4 KLD, out of which 16.9 KLD recycle and 17.5 KLD fresh water (Industrial 26 KLD + Domestic 3.5 KLD + Gardening 4.9 KLD). The source of water for the project is MPAKVN. PP has submitted MPAKVN letter (dtd.10.11.15) for supply of 40 KLD water.
- (ix) Total wastewater generation will be 23 KL/day, out of which 20.0 KLD will be industrial wastewater and 3.0 KLD will be domestic w/w. Effluent generated from condensation process of VS (15 KLD) will directly sent to MEE & dilute stream of utility (5 KLD) will be treated into primary effluent treatment plant,



treated water from ETP will sent to RO. Recovered water from RO will be reused for washing & greenbelt development and RO reject will be sent to MEE. Rest 3.0 KLD of domestic wastewater will be disposed off into soak pit through septic tank. Hence there will be no discharge of industrial effluent and unit will achieve zero discharge.

- (x) Solid / Hazardous waste shall be generated from the process. The details of source of Hazardous waste generation & their proposed disposal are as follows:

Sr. No.	Type of Waste & category	Category of waste	Qty.	Collection	Storage	Disposal facility
1.	ETP Waste	35.3	2.5 MT/m	HDPE bags	Solid/Haz. waste storage area	Collection, storage, transportation and dispose to TSDF site
2.	MEE Salt	35.3	2.5 MT/m	HDPE bags	Solid/Haz. waste storage area	Collection, storage, transportation and dispose to TSDF site
3.	Used Oil	5.1	0.1 MT/m	HDPE Carboys	Haz. waste storage area	Collection, storage & reuse for internal lubrication purpose. In case of excess, sell to registered re-processors.
4.	Discarded Containers/ Drums	33.1	Container: 0.5 MT/ m Drums: 200 nos./ m	--	Haz. waste storage area	Collection, storage and disposal by selling to registered recycler.

For collection of municipal solid waste like rubbish, paper, plastic garbage etc PP has proposed proper storage area and final disposal through AKVN/ local body. Hazardous waste generated from process will be sent to TSDF site for land filling.

- (xi) There will be two flue gas stacks, one is attached to boiler and other is to thermic fluid heater, which will be the main emission source from the plant. For control of air pollution PP has proposed scrubbers, high efficiency dust collector, cyclone separator, solvent in close loop system, leak detection and repair system. Periodic maintenance of DG set and monitoring will be carried out. Proper Stack height will be provided in order to achieve norms prescribed by statutory authority.

Sr. No.	Stack attached to	Fuel Type	Fuel consumption	Stack Height (m)	APC measures	Probable Emission
➤ Flue Gas Stacks						



1.	Steam Boiler (600 kg/hr)	Bio fuel / coal	1.5 TPD/ 1.1 TPD	21	Cyclone	PM<150 mg/Nm <sup>3</sup> SO <sub>2</sub> <100 ppm NO <sub>x</sub> <50 ppm
2.	Thermic Fluid Heater (5 lac Kcal/hr)	HSD	1.5 KLD	21	--	
3.	D G Set (125 kVA)	HSD	35 lit/hr.	11	--	
➤ Process Gas stack						
	Sulphonat or	--	--	11	2 stage water alkali scrubber	HCl<20 mg/Nm <sup>3</sup> SO <sub>2</sub> <40 mg/Nm <sup>3</sup>

- (xii) PP has proposed to make storm water drain line around plot boundary and it will ultimately connect with storm water drain line of MPAKVN. To avoid any contamination in receiving body, collect contaminated first rain water in plant ETP and treat it along with industrial effluent.
- (xiii) PP has submitted on site and of site emergency plan including Disaster Management, Risk Assessment and Fire Fighting.
- (xiv) The power requirement for the project is 150 KVA, Sourced from MPPKV. 125 KVA DG set will be provided at site for power backup, which will be used only during grid power failure.
- (xv) The unit proposes to develop the green belt on 1467 sq.m. area, which will be around 33% of the utilized area of the project. The greenbelt will be developed by planting trees suitable for local climate. The density of tree will be 1000 tree per acres i.e. 1 tree per 4 sq.m to minimize the effect of air and noise pollution and to improve overall environment.
- (xvi) Under CSR activities PP has proposed to spend about **Rs. 16.25 Lakhs** in the first five years of the following activities.

Sr. No.	Activity	Budgetary provision (Rs. in Lakhs)
1	Educational activities	3.5
2	Sanitation and Public Health	2.5
3	Animal Care	1.5
4	Drinking water facility	2.5
5	Preservation of the Environment and Sustainable Development	4
6	Women Empowerment & children Development activities	2.25
<b>Total</b>		<b>16.25</b>

- (xvii) The estimated cost of the proposed project is around Rs. 6.5 crore. Out of this, around Rs. 0.75 crore will be invested for pollution control measures as capital cost and around 0.5 crores as recurring cost of EMS per annum.

Based on the information submitted at Para i to xvii above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its



473<sup>rd</sup> meeting held on 16.03.2018 and decided to accept the recommendations of 284<sup>th</sup> SEAC meeting dtd. 26.11.16 & 286<sup>th</sup> SEAC meeting held on dtd 28.01.2017.


Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14<sup>th</sup> September 2006 and its amendments to the proposed Manufacture of Synthetic Organic Chemicals Industry (Dyes & Dyes Intermediates; Bulk Drugs and Intermediates excluding drug formulation; Synthetic Rubbers; Basic Organic Chemicals other Synthetic Organic Chemicals and Chemical Intermediates at Plot No. 125, AKVN Industrial Estate, Meghnagar, Taluka Meghnagar, District Jhabua, M. P., Production Capacity 3150 MTPM, Land area 4446 sq.m. by M/s Vini Industries, through partner Shri Alpesh P. Patel, 2 Jupitar, Opp. Indian Bank, Dalal Colony, Daxini Maninagar, Ahemdabad, Gujarat -380008 subject to the compliance of the Standard Conditions enclosed at **Annex-I** and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

**A. Specific Conditions as recommended by SEIAA**

1. PP should ensure to create separate storage yard for hazardous waste/sludge.
2. PP should ensure entire waste water generated from the plant will be recycled and reused in the process.
3. PP should install auto scanner to monitored fugitive emissions.
4. PP should install four stages scrubbers to control NO<sub>x</sub> emissions.
5. PP should ensure to conduct regular on site and of site mock drill as per Health and Safety Norms.
6. PP should ensure to and retained of equipments / machinery as proposed. disposed off equipments
7. PP should ensure disposal of storm water (if any) to linkage with AKVN drainage system.
8. Ensure to provide fully covered storage facility at the factory site for hazardous and inflammable substances.
9. Ensure the transportation of raw / finished material only by covered vehicles.
10. Ensure the storage and handling of all the chemicals in a proper and safe manner to avoid any spillages and also to prevent runoff contamination in monsoon.
11. Ensure collection & treatment of spillages, if any.
12. All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of hazardous chemicals.
13. All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals. Close handling system for chemicals shall be provided.



14. The entire process area should be provided with doubled liner HDEP geo membrane system of thickness 2.5 mm and double leachate collection system for detection of any leachate.
15. The storage area shall be designed in such a way that the floor level is at least 450 mm above the maximum flood level with 2.5 mm thickness of HDPE geo membrane and two layers of RCC in storage as proposed.
16. The entire demand of fresh water should be met from AKVN, supply and there should be no extraction of ground water.
17. PP should maintain zero discharge from the Industry.
18. Industrial effluent generation shall be completely evaporated with help of Evaporator so as to achieve zero discharge.
19. There shall be no industrial effluent discharge from the unit.
20. The performance of air pollution control system should be regularly monitored and maintained. Regular stack monitoring & ambient air quality monitoring should be carried out as per the guidelines/norms of MPPCB/CPCB.
21. Discarded bags/liners/containers shall be either reused or sold to the registered recyclers.
22. Used oil shall be either reused in lubrication of the plant machineries or sold to the registered recyclers.
23. PP should obtain approval of the Competent Authority for Health and safety, Onsite disaster management plan, Risk management plan before commencing of the project.
24. PP should obtain approval of the Competent Authority for Firefighting before commencing of the project.
25. PP should ensure plantation as proposed in 1467sq.m completely in first year.
26. Plantation in the project area of indigenous local varieties like Neem, Peepal, Kadam and Kachnaar.
27. Every effort should be made to protect the existing trees on the plot.
28. PP should ensure the implementation of CSR activities to the extent on regular basis as proposed in consultation with the Gram Panchayat of the receptive village.
29. In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.
30. Total quantity of runoff water generated and green belt area should be collected in underground tank & used for process in plant to minimize fresh water requirement.






**B. Specific Conditions as recommended by SEAC**

31. Atleast eight numbers of Peizo-metric monitoring points should be provided all around the plant premises and their monitoring be done bi-monthly.
32. VOC's detectors should be provided in all storage areas.
33. As proposed, no effluent from the unit shall be discharged outside the plant premises and Zero discharge shall be maintained. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom to see entire ETP area, all outlets of storm water drains and all materials/wastes entry and exit gates. Data connectivity must be provided for all such cameras to the MPPCB's server for remote operations.
34. MEE sludge and other hazardous wastes should be sent to CTSD, Pithampur, Dhar. 2.5 mm thick PP liner should be provided in the hazardous waste storage area to avoid soil contamination.
35. At least 2.5 cm of first rain water should be passed through the ETP.
36. No ground water recharge pits be provided in the plant premises.
37. Flammable, ignitable, reactive and non-compatible wastes should be stored separately and never should be stored in the same storage shed.
38. Automatic smoke, heat detection system should be provided in the sheds. Adequate fire fighting systems should be provided for the storage area.
39. The exhaust of the vehicles used for the purpose of handling, lifting and transportation within the factory such as forklifts or trucks should be fitted with the approved type of spark arrester.
40. In order to have appropriate measures to prevent percolation of spills, leaks etc. to the soil and ground water, the storage area should be provided with concrete floor of inert material or steel sheet depending on the characteristics of waste handled and the floor must be structurally sound and chemically compatible with wastes.
41. Dyke wall should be provided for storage of liquid materials. The dyke wall should be off 1.5 times higher than the quantity of stored materials.
42. The storage area floor should be provided with secondary containment such proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.
43. Storage areas should be provided with adequate number of spill kits at suitable locations. The spill kits should be provided with compatible sorbent material in adequate quantity.
44. Engineered eye wash arrangements should be provided for protection against any spillage / leakages.
45. Recent MSDS of all the chemicals be displayed at appropriate places.




46. Two on-line monitoring systems for ambient air quality should be provided and data connectivity must be provided to the MPPCB's server for remote operations.

  
(P. Narahari)  
Member Secretary

64  
Endt No. / SEIAA/ 2018  
Copy to:-

Dated 7.4.18

- (1). Principal Secretary, Urban Development & Environment Deptt. 3<sup>rd</sup> Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, Distt- Jhabua -M.P.
- (5). Managing Director, M.P. Audyogik Kendra Vikas Nigam (Indore) Limited, Free Press House First Floor, 3/54 Press Complex , Agra – Mumbai Highway, Indore(M.P).
- (6). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

  
(Dr. Sanjeev Sachdev)  
Officer-in-Charge

Encl: Standard Conditions (Annex-I)



**State Environment Impact Assessment Authority, M.P.**

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16


27


Annex-I


Standard Conditions related to item 5 (f) of the schedule of EIA notification,  
2006

(Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs  
and intermediates excluding drug formulations; synthetic rubbers; basic  
organic chemicals, other synthetic organic chemicals and chemical  
intermediates)

1. The company shall install an effluent treatment plant to treat the effluent generated due to proposed activity. The treated water shall be utilized within the premises to achieve zero discharge.
2. The hazardous wastes and Incineration from the process and treatment should be disposed off as per Hazardous Wastes (Management & Handling) Rules, 1989 and subsequent amendments.
3. The project authority shall obtain the membership of CTSDf (Common Treatment Storage & Disposal Facility) for disposal of solid and hazardous waste (if applicable) and copy of the same shall be submitted to the Regional Office of MoEF, GoI at Bhopal. The company shall maintain the valid membership of CTSDf.
4. The process emissions, VOCs and particulate matter from various units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission level shall go beyond the stipulated standards.
5. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by MPPCB.
6. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, GoI at Bhopal.
7. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.
8. The company shall develop greenbelt in the project area as per the guidelines of CPCB to mitigate the effect of fugitive emission.
9. During transfer of materials, spillages shall be avoided and earthen drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.

  
(Dr R P Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

1 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates

Issued Vinita Vipat  
Dated 23/5/2012  
63-64  
7-4-18  
SEIA/WPCO





# State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

28

10. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
11. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
12. The DG set will be provided with acoustic arrangements to attenuate the noise pollution. The emission from DG set shall be dispersed as per the CPCB/MPPCB standards.
13. Industry should get the Emergency Disaster Management Plan approved by DTHS and should also comply with the provisions made in Public Liability Insurance Act, 1991.
14. Any enhancement of capacity, change in technology, modernization and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
15. All activities / mitigative measures proposed by PP in Environmental Impact Assessment must be ensured.
16. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
17. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
18. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of raw material and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. No overloading of raw material for transportation shall be committed.
19. The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water.
20. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
21. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
22. Commitment towards CSR have to be followed strictly.

  
(Dr R P Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

2 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates

Issued Vide No. 63-64  
Dated 27/4/12  
SEIAA/EPCO  
Issued Vide No. 243-VMAA/EPCO  
Dated 27/4/2012



# State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

29

23. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
24. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.
25. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year.
26. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
27. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
28. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
29. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
30. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

(Dr R.P Singh)  
Officer-in-Charge

(Dr Vinita Vipat)  
Officer-in-Charge

(Dr Sadhna Tiwari)  
Officer-in-Charge

3 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)

Issued Vide No. 243-1012/SEIAA/EPCO  
Dated 28/5/2012

63-64  
Issued Vide No. SEIAA/EPCO  
Dated 7-4-18





**State Environment Impact Assessment Authority, M.P.**


(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

30

31. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, Gol, Bhopal, MP PCB within six months.
32. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
33. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
34. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
35. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
36. The prior Environmental Clearance granted for the project is valid for a period of five years as per EIA notification dtd. 14.09.2006.
37. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
38. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

  
(Dr R P Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

4 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates

63-64  
Issued Vide No. 243-11/SEIAA/VEPCO  
Dated 7.4.12

Issued Vide No. 243-11/SEIAA/VEPCO  
Dated 23/5/2012