



State Environment Impact Assessment Authority, M.P.
(Ministry of Environment, Forest and Climate Change, Government of India)

Environmental Planning & Coordination Organization

Paryavaran Parisar, E-5, Arera Colony

Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : mpseiaa@gmail.com

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

No.: 5796 ISEIAA 2/1
Date: 22.1.21

To,
M/s Maruti Enterprises,
Plot No. 546, Sector No. 3, Pithampur,
Dist. Dhar, MP

Sub:-Case No 7400/2020: Prior Environment Clearance for Manufacturing of Dyes Intermediates, at Plot No. 546, Sector-3, Pithampur, Dist. Dhar (MP) Total Land area- 2787 sqm. 7200 MTPA (PANTOSA) by M/s Maruti Enterprises, Plot No. 546, Sector No. 3, Pithampur, Dist. Dhar, MP Email:marutienterprises025@gmail.com Mob: 8965021777 Environmental Consultants Creative Enviro Services, Bhopal

Ref: Your application (online proposal no. 178494) dtd.05.10.2020 received in SEIAA office on 20.11.2020

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, form-2 pre-feasibility report, EIA report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- The project is proposed for manufacturing of Dyes Intermediates at Plot No. 546, Sector No. 3, Pithampur, Dist. Dhar, MP with production capacity Capacity – 7200 MTPA by M/s Maruti Enterprises Pvt. Ltd.
- The project site is a Notified Industrial Area. The project was earlier owned by Pragma Engineering, who had constructed a shed of 500 Sq. Meter area in which there was no equipment or machineries installed. As the site was not in operation and no further construction has been done, hence there is no legacy waste in the project site.
- The project is having a plot area of 2787 sq.m. Salient features of the project as submitted by the project proponent:-

Required details	Project Details
Site Address	Plot No.546 Sector No.3 Pithampur, Dist. Dhar -454774, (M.P.)
Name of Product	PARA NITRO TOLUENE ORTHO SULPHONIC ACID (P.N.T.O.S.A.)
By-product	Sulphuric Acid (SPENT ACID 75%) – 6600 KL/Annum

Production Capacity	7200 Metric ton per annum
Product type	Dye intermediate
Boiler capacity	1 no.(0.66 TPH)- Piped natural gas
Power Requirement	300 HP
Water Requirement & Source	16 KLD/ MP Industrial Development Corporation Limited (MPIDC)
Manpower Requirement	27 Nos.
Green belt Area	937 Sq.Mt.
Cost of Project	2.5 Cr
EMP Cost (Capital)	9.75 Lacs
EMP cost (recurring)	5 Lacs

- iv. PP further stated that 6600 KL/annum spent acid shall be generated as by product and will be disposed off through sale to fertilizer industries. No effluent will be generated and this unit is ZLD based concept. Proposed product and production capacity are as follows:-

S.No.	Product Name	Capacity
1.	PARA NITRO TOLUENE ORTHO SULPHONICACID (P.N.T.O.S.A.)	7200 Metric ton per annum
Sulphuric Acid (SPENT ACID 75%) will be generated as by product which will be sold to fertilizer or other company.		
1.	Sulphuric Acid (SPENT ACID 75%)	6600 KL Per annum

- v. The proposed project is covered under 5 (f) category (B) of the schedule of EIA Notification issued by the Ministry of Environment & Forests vide S.O.1533 (E), dtd. 14.09.2006 and its amendments, hence is required to obtain prior EC.
- vi. There is no interstate boundary within 05 km and no National park, Sanctuary and Eco-sensitive areas within 05 km of the project area hence General condition are not attracted.
- vii. The project is proposed in land area of 2787 sq m.Regarding land documents PP has submitted amended lease deed dtd 03.07.20 executed between M/s Maruti Enterprises .and Executive Director MP Industrial corporation Regional Office ,Indore for lease period 99 years. The land use breakup of the project area is as follows:-

S.No.	Particulars	Total Area (Sq. Mt.)
	Built Up Area	1850
1.	Production Area for plant	1000
2.	Office Area	100
3.	Lab Area	100
4.	Store for R.M.	150
5.	Store for Finished Goods	150
6.	Electric Room	50

7.	Boiler Area	150
8.	Acid Storage	150
	Green Belt Area	937
	Total Plot Area	2787

- viii. Storage area will be provided with acid proof brick lining structure with adequate secondary containment space. There will also be installation of a stainless steel pump, so that in case of any spillage in containment area the acid can be pumped to an alternative storage tank. adequate capacity of water storage available so as to clean the area in case of any over flow. Resultant waste will be disposed as per Hazardous Waste Management Rules 2016. Chemicals will be stored with utmost care considering Compatibility Matrix in well designed storage areas.
- ix. The major facilities involved area Boiler, Cooling Towers, Effluent Treatment system (ETP), and R.O Plant Facilities like administrative office, parking and greenbelt/plantation also developed as per plan/requirement.
- x. The main source of water is from MP Industrial Development Corporation Limited (MPIDC) Water Consumption is 16 KLD. No significant impact is being envisaged. There will be no waste water generated from process; only spent acid will be generated as By- Product which will be sent to Fertilizer & other industries for uses.
- xi. 1 KLD domestic wastewater shall be generated which will be disposed through soak pit. From process 22 KLD Sulphuric Acid (SPENT ACID 75%) will be generated as by product, which will be sent to fertilizer company and 0.1 KLD waste water will be generated from Boiler and cooling tower each in blow down process.
- xii. Negligible impact on air from the gases coming out from Boiler. Gases will be generated due to boiler only. Boiler will be of 0.66 TPH capacity and Piped Natural gas will be used. Generation of very less particulate matter, SO_x is inevitable. Boiler will be provided with adequate stack height will be as per norms.
- xiii. Spent acid will be generated as By- Product which will be treated as hazardous waste & sent to Fertilizer & other industries, waste or residue containing oil, Empty containers containing hazardous waste (MS Drums) and ETP sludge will be sent to TSDF site.
- xiv. PP has proposed to develop 937 sq m. i.e. 33% of the total area for green belt The green belt of 5-10 m width will be developed mainly along the periphery and road side. For Green Belt Development PP has selected native species, fast growing plants, thick canopy trees and resistant to air pollution.
- xv. Under CER activities PP has selected following school in nearby project site :-
- Govt. Middle School, Mangroda
 - Govt. Primary School, Bagun.
 - Govt. Middle School, Bagdun.

Based on the information submitted at Para i to xv above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 651st meeting held on 29.12.2020 and decided to accept the recommendations of 469th SEAC meeting held on dtd. 17.12.20

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its amendments for the Proposed Manufacturing of Dyes Intermediates, at Plot No. 546, Sector-3, Pithampur, Dist. Dhar (MP) Total Land area- 2787 sqm. 7200 MTPA (PANTOSA) by M/s Maruti Enterprises, Plot No. 546, Sector No. 3, Pithampur, Dist. Dhar, MP, subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

1. The entire demand of fresh water should be met through MPIDC) as proposed.
2. Fresh water should not be used for gardening purpose.

3. Waste water:

- (a) PP should ensure "Zero effluent discharge" from the unit by 100% recycling. The water softening reject, boiler blow down reject and cooling blow down will be treated in ETP. Further treated waste water will go through the RO and finally re used / recycled in the process and unused waste water evaporates in MEE.
- (b) RO and MEE should be provided for treatment of high COD waste streams and only in case of emergency/breakdown high COD wastes should be disposed off through CTSDF, Pithampur, Dhar

4. For Air Pollution:

- (a) PP should ensure regular Stack monitoring & Ambient air quality monitoring and should be carried out as per the guidelines/norms of MPPCB/CPCB.
- (b) In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator/bag filters and water sprinkling system.
- (c) Company shall carry out the HAZOP study and report shall be submitted to ministry MoEF & CC Regional Office, Bhopal.
- (d) For control of fugitive emission and VOCs following steps should be followed:-
 - Chilled brine circulation system shall be provided and it should be ensured that the solvent recovery efficiency is not be less than 95%.
 - Reactor and solvent handling pump shall be provided with mechanical seal to prevent leakage.
 - Solvent shall be taken from underground storage tank to reactor through closed pipeline. Storage tank shall be vented through trap receiver and condenser operated on chilled water.

5. Hazardous Waste Management:

- (a) As proposed above, PP should ensure disposal of hazardous waste regularly and there should be no dumping of these materials in the premises/outside.
- (b) PP should ensure handling, disposal and management of hazardous waste as per the related prescribed rules.
- (c) PP should obtain Renewal of authorization regularly from MPPCB for collection storage and disposal of hazardous waste (Management, handling & transboundary

Movement) Rules 2008 and its amendments. Membership of the TSDF should be obtained for hazardous waste disposal.

- (d) Hazardous chemicals should be stored in sealed tanks, drums etc. Flame arrestors shall be provided on tanks. To avoid the spillage from processing unit, Industry shall provide fully mechanized filling and packaging operation unit.

6. Green Belt Development:

- (a) PP should ensure plantation as proposed 937 sq m of area by planting 200 nos with indigenous local varieties like Neem, Peepal, Kadam and Kachnaar.
 - (b) Every effort should be made to protect the existing trees on the plot.
 - (c) Green area including thick green-belt shall be developed in at least 33% of the plot area to mitigate the effect of fugitive emissions all around the plant in consultation with the forest department as per the guidelines of CPCB.
7. All other conditions as laid in the consents of MPPCB shall be applicable.
8. Proper piezometric holes for ground water sampling.
9. PP should obtained approval from competent authority for health & safety measure, Onsite & offsite disaster management, and risk management plan.
10. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.
11. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.
12. PP should ensure to submit half yearly compliance report and CER activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

B. Specific Conditions as recommended by SEAC

13. The EC shall be valid for following products and given capacity:

S.No.	Product Name	Capacity
1.	PARA NITRO TOLUENE ORTHO SULPHONICACID (P.N.T.O.S.A.)	7200 Metric ton per annum
Sulphuric Acid (SPENT ACID 75%) will be generated as by product which will be sold to fertilizer industry as per the commitment submitted by PP.		
1.	Sulphuric Acid (SPENT ACID 75%)	6600 KL Per annum

(A) Statutory compliance

- i. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Madhya Pradesh Pollution Control Board (MPPCB).

- ii. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- iii. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

(B) Air quality monitoring and preservation

- i. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
- ii. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- iii. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

(C) Water quality monitoring and preservation

- i. The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- ii. The net fresh water requirement shall be 16 KLD. The rejected water will be reused for gardening/green belt.
- iii. The industrial water requirement for the existing and proposed project is 16 KLD per day sourced from surface water supply. Total cumulative waste water generation from proposed unit will be 0.82 KLD and treated in ETP of 1KLD.
- iv. Adhere to 'Zero Liquid Discharge and No industrial effluent from the unit shall be discharged outside the plant premises. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom and data connectivity must be provided to the MPPCB's server for remote operations.
- v. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the Madhya Pradesh Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- vi. Total fresh water requirement shall not exceed 16KLD.
- vii. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- viii. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
- ix. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.

(D) Noise monitoring and prevention

- i. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

(E) Energy Conservation measures

- i. The energy sources for lighting purposes shall preferably be LED based.
- ii. The total power requirements for project will be 300HP. The power will be supplied by Power Generator i.e. Grid power.

(F) Waste management

- i. PP will be using piped natural gas as a fuel in boiler.
- ii. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- iii. As proposed, 95% solvent recovery shall be achieved and recovered solvent shall be reused in the process.
- iv. Hazardous wastes such as spent solvents, organic incinerable wastes/residues, used filter bags, packaging materials, rejected/expired raw materials and off specification/rejected finished products from the manufacturing plants shall be directly sent to CTSDF, Dhar.
- v. If any Flammable, ignitable, reactive and non-compatible wastes should be stored separately and never should be stored in the same storage shed.
- vi. Automatic smoke, heat detection system should be provided in the sheds. Adequate fire fighting systems should be provided for the storage area.
- vii. In order to have appropriate measures to prevent percolation of spills, leaks etc. to the soil and ground water, the storage area should be provided with concrete floor of inert material or steel sheet depending on the characteristics of waste handled and the floor must be structurally sound and chemically compatible with wastes.
- viii. Measures should be taken to prevent entry of runoff into the storage area. The Storage area shall be designed in such a way that the floor level is at least 150 mm above the maximum flood level.
- ix. The storage area floor should be provided with secondary containment such as proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.
- x. Storage areas should be provided with adequate number of spill kits at suitable locations.
- xi. The spill kits should be provided with compatible sorbent material in adequate quantity.
- xii. Recent MSDS of all the chemicals used in the plant be displayed at appropriate places.
- xiii. Proper firefighting arrangements in consultation with the fire department should be provided against fire incident.
- xiv. All the storage tanks of raw materials/products shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided to the storage tanks. Closed handling system of chemicals shall be provided.

- xv. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.
- xvi. The company shall undertake waste minimization measures as below:
 - (a) Metering and control of quantities of active ingredients to minimize waste.
 - (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
 - (c) Use of automated filling to minimize spillage.
 - (d) Use of Close Feed system into batch reactors.
 - (e) Venting equipment through vapour recovery system.
 - (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

(G) Green Belt

- i. 937 sq. meter area will be covered with the good green belt .The green belt of 5-10 m width will be developed mainly along the periphery and road side. Selection of plant species shall be as per the CPCB guide lines in consultation with the State Forest Department.
- ii. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.
- iii. PP shall also develop green belt along the road with 100 numbers of trees. Further PP shall develop green belt over community places in consultation with DIC or IMC.

(H) Safety, Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- iii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iv. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- v. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vii. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

(I) EMP

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.

- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements /deviation
- iii. / violation of the environmental / forest / wildlife norms / conditions and or shareholders
- iv. /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- v. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- vi. Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
- vii. The proposed EMP cost is Rs. 9.75 Lakh as capital and 5 Lakh /year as recurring cost.
- viii. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- ix. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

(J) Miscellaneous

- i. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- ii. The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.
- iii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- iv. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- v. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

Standard Conditions:

1. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, Gol at Bhopal.
2. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.

3. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.
4. Industry should get the Emergency Disaster Management Plan approved by DTHS and should also comply with the provisions made in Public Liability Insurance Act, 1991.
5. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
6. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
7. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
8. The Regional Office, MoEF, GoI, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, GoI, Bhopal and MP PCB.
9. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
10. The project proponent has to strictly follow directions/guideline issued by the MoEF, GoI, CPCB and other Govt. agencies from time to time.
11. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal and MP PCB.
12. Any change in the correspondence address be duly intimated to all the regulatory authority within 30 days of such change.
13. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also

14. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
15. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
16. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
18. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
19. The prior Environmental Clearance granted for the project is valid for a period of seven years as per EIA notification dtd. 14.09.2006 & its amendments.
20. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
21. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

5797
Endt No. / SEIAA/ 2020
Copy to:-

Dated

22.1.21

(Tanvi Sundriyal)
Member Secretary

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.

- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Dhar, M.P.
- (5). Managing Director, M.P. Audyogik Kendra Vikas Nigam (Indore) Limited, Free Press House First Floor, 3/54 Press Complex, Agra-Mumbai Highway Indore (M.P).
- (6). Director, I.A. Division, Monitoring Cell, MoEF, GoI, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.



(Alok Nayak)
Officer-in-Charge