

The 789<sup>th</sup> meeting of the State Expert Appraisal Committee (SEAC) was held on 29<sup>st</sup> April, 2025 under the Chairmanship of Shri Rakesh Kumar Shrivastava for the projects which are scheduled in the agenda. Following members attended the meeting in person or through video conferencing -

1. Shri Vijay Kumar Ahirwar, Member.
2. Dr. Rakesh Kumar Pandey, Member.
3. Dr. Pallavee Bhatnagar, Member.
4. Dr. Sunita Singh, Member.
5. Dr. Sushil Manderia, Member.
6. Shri A.A. Mishra, Member Secretary.

The Chairman welcomed all the members of the State Expert Appraisal Committee. After that agenda items- wise taken up for deliberations.

**1. Case No.P2/84/2024 Shri Devendra Shivhare, Partner, M/s RAJAY MINERALS, House Number- 4-1, Indira Nagar, Kabrai, District- Mahoba, Uttar Pradesh. Prior Environment Clearance for Stone Mine in an area of 4.00 ha. (2,00,000 cum per annum) (Khasra No. 589 (P)) Village- MAHOBTA Tehsil- Gaurihar District Chhatarpur(M.P.) (EIA)**

- प्रस्तावित खदान का समिति की पूर्व 746वीं बैठक दिनांक 01/05/24 को टॉर की अनुशंसा सिया को प्रेषित की गई थी ।
- सिया की 855वीं बैठक दिनांक 28/05/24 को *“परियोजना प्रस्तावक द्वारा प्रस्तुत अनुमोदित खनन योजना के अक्षांश-देशांश के आधार पर गूगल इमेज के अनुसार प्रस्तावित खदान पहाड़ पर है जिसके समीप और भी पहाड़ हैं, इन पहाड़ों के मध्य एक तालाब स्थित है साथ ही खदान से 77 मी. पर आबादी, 10 मी. पर पक्का रोड़ परिलक्षित है । अतः उपरोक्त पर्यावरणीय संवेदनशीलता एवं खदान क्षेत्र के समीपस्थ स्थित रहवासियों की सुरक्षा के दृष्टिगत प्रकरण पुनः परीक्षण हेतु सेक को प्रेषित किया जाये ।”*

परियोजना प्रस्तावक Shri Devendra Shivhare, Partner, on-line एवं उनके पर्यावरणीय सलाहकार श्री कृष्ण चंद्र पाण्डा, on-line मेसर्स ओशियो इन्वायरो मैनेजमेंट सॉल्यूशन्स (इं.) प्रा.लि., गाजियाबाद, उ.प्र. ऑनलाईन उपस्थित हुए और उनके द्वारा समिति को बताया गया कि उनके द्वारा प्रकरण वापिस (Withdrawl) लिया जा रहा है, समिति द्वारा परियोजना प्रस्तावक के प्रस्ताव को मानते हुये प्रकरण को वापिस लिये जाने की अनुशंसा की जाती है।

2. **Case No. P2/85/2024 Shri Devendra Shivhare, Partner, M/s RAJAY MINERALS, House Number- 4-1, Indira Nagar, Kabrai, District- Mahoba, Uttar Pradesh. Prior Environment Clearance for Stone Mine in an area of 4.00 ha. (2,00,000 cum per annum) (Khasra No. 589 (P)) Village- MAHOBA Tehsil- Gaurihar District Chhatarpur (M.P.).(Fresh TOR)**

परियोजना प्रस्तावक Shri Devendra Shivhare, Partner, on-line एवं उनके पर्यावरणीय सलाहकार श्री कृष्ण चंद्र पाण्डा, on-line मेसर्स ओशियो इंवायरो मैनेजमेंट सॉल्यूशन्स (इं.) प्रा.लि., गाजियाबाद, उ.प्र. ऑनलाईन उपस्थित हुए और उनके द्वारा समिति को बताया गया कि उनके द्वारा प्रकरण वापिस (Withdrawl) लिया जा रहा है, समिति द्वारा परियोजना प्रस्तावक के प्रस्ताव को मानते हुये प्रकरण को वापिस लिये जाने की अनुशंसा की जाती है।

3. Case No 10971/2023 Shri HEMANT AGNIHOTRI, Owner (Authorized Signatory), Plot No 61, Ashok Vihar, Giriraj Kishor Kapoor Ward, Near FCI Godam, District- Jabalpur M.P. Prior Environment Clearance for Imjhar Stone & Murum Quarry in an area of 1.546 ha. (Stone-15066, Murum-2087 cum per year) (Khasra No. 453/1, 456, 457/2), Village-Imjhar, Tehsil-Shahpura, District-Jabalpur (MP) (Fresh EC).

पूर्व में इस प्रकरण को सेक की 718वीं बैठक 25/01/2024 को समिति द्वारा टॉर की अनुशंसा की गई थी। प्रस्तावित पत्थर खदान बी-1 श्रेणी के अंतर्गत पूर्व पर्यावरणीय स्वीकृति के पुनर्मूल्यांकन के लिए है, जिसमें आज दिनांक 29/04/2025 को परियोजना प्रस्तावक Shri HEMANT AGNIHOTRI, Online एवं उनके पर्यावरणीय सलाहकार श्री सतवंत सिंह, Ms/. Acro-design Gaziabad UP उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

After presentation the committee asked PP to submit following information for further consideration of the project:

1. Document pertaining to change of consultant.
2. The ADS replied submitted is not found satisfactory in line with EIA report as under:-
  - TOR reply point no. 01, 07, 08, 14, 16, 17, 18, 24, 25, 26, 33, and 34 requires more clarity.
  - EIA page 63, 68, 72, 79, 84, 106, 108, 114, 125, 126, 133, 136, 137, 141, 143, 158, 171, 179 & 189 requires necessary modification/correction.
  - EMP and CER proposals require modification/upgradation w.r.t. baseline data and Public Hearing issues raised as mentioned under above points in EIA report.

**4. Case No P2/239/2024 Shri Nahar Khan Patan IOC, M/s The MP State Mining Corporation Limited, Paryawas Bhawan, Block-A, 2nd Floor, Jail Road, Arera Hills, District-Bhopal (MP)- (EIA). Sand Mine in area of 8.10 Hectare, Khasra No.- 33, in Village - Titpur, Tehsil - Gogawa, District - Khargone (MP), Maximum Production – 10,000 cum per annum [518770] (EIA QUERY REPLY)**

Earlier this case was discussed in 773 SEAC Meeting dated 17-02-2025 wherein following query was issued

During appraisal of the case the committee observed that the replenishment study is based on Rainfall data for only one year, hence asked proponent to review the same in light of minimum recent 03-year rainfall data. Also Road Bridge is 264 Mt downstream hence to submit undertaking for mining in left out part only to maintain safe distance from Road Bridge as per guidelines.

Committee decided to seek following information from PP ;--

- Project proponent to revise replenishment study based on minimum recent 03 year rainfall data
- To submit undertaking for mining in left out part to maintain safe distance from Road Bridge as per guidelines.

**Hence this case is scheduled for query reply presentation.**

The case is presented by the the Environmental Consultant Shri MD Mahmood Ghouse, M/s. AmplEnviron Pvt. Ltd., along with PP for M/s The M.P. State Mining Corporation Ltd., Shri Nahar Khan Pathan (Authorized Person). PP stated that the replenishment data has been taken from the DSR which is mentioned in the DSR's page no.50 & 51.

After presentation Committee asked PP to submit following clarification -:

- Submit surface plan showing mining and non-mining area and quantity as discussed out of total 8.10 ha. Only 5.78 ha.is available for mining.

5. **Case No P2/233/2024 Shri Nahar Khan Patan IOC, M/s The MP State Mining Corporation Limited, Paryawas Bhawan, Block-A, 2nd Floor, Jail Road, Arera Hills, District-Bhopal (MP)- (EIA). Sand Mine in area of 5.10 Hectare, Khasra No.- 243, in Village - Umarkhali, Tehsil - Gogawa, District - Khargone (MP), Maximum Production – 6,000 cum per annum [518746] (EIA QUERY REPLY)**

**Earlier this case was discussed in 773 SEAC Meeting dated 17-02-2025 wherein following query was issued**

During appraisal of the case the committee observed that in the replenishment study is based on only one-year Rainfall data, hence committee advised proponent to review the same in light of minimum recent 3-year rainfall data, also to carry out more plantations towards nearest habitation village UMARKHALI.

Committee decided to seek following information from PP ;--

- Project proponent to revise replenishment study based on minimum recent 03 year rainfall data.
- To propose more plantations towards nearest habitation village UMARKHALI at 75 mt distance.

**Hence this case is scheduled for query reply presentation.**

The case is presented by the the Environmental Consultant Shri MD Mahmood Ghouse, M/s. AmplEnviron Pvt. Ltd., along with PP for M/s The M.P. State Mining Corporation Ltd., Shri Nahar Khan Pathan (Authorized Person). PP stated that the replenishment data has been taken from the DSR.

During presentation PP submitted that the replenishment data are based on District Survey Report which is mentioned in the DSR's page no.50 & 51. As per SEAC committee instructions, more plantation (150 No's) will be proposed towards nearest habitation village Umarkhali.

**The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':**

1. Production as per approved mine plan with quantity not exceeding for Sand 6,000 cum per annum.
2. Mining operation shall be carried out as per given below proposed actual mining area with justifying sand quantity considering depth mentioned in the DSR as well as mining plan.

Area (Ha)	Minable Area	Area (m <sup>2</sup> )	Thickness of Mineral (in M)	Volume (in m <sup>3</sup> )
5.10	2.00	20,000	0.3	6,000
<b>TOTAL</b>				<b>6,000</b>

3. A budgetary provision for Environmental Management Plan of Rs. 71,000 as capital and Rs. 1,41,600 as recurring has proposed by PP.
4. As proposed, a minimum of 600 Plants shall be planted During the Study Period in barrier zone, and evacuation road and distributed to villagers through Gram Panchayat as per the submitted plantation scheme.

**5. CER ACTION PLAN**

S. No.	Particular	Amount	Time Frame
1.	Supply of Educational Aids to the school Children of Govt. Primary School in the Village - Umarkhali	37000.00	First planning year
2.	Maintenance / Upgradation of the Village Road in the Village - Umarkhali	1,00,000.00	
<b>Total</b>		<b>1,37,000.00</b>	

6. **Case No P2/234/2024 Shri Himmat Sisodia, M/s The MP State Mining Corporation Limited, Paryawas Bhawan, Block-A, 2nd Floor, Jail Road, Arera Hills, District-Bhopal (MP)- (EIA). Sand Mine in area of 4.00 Hectare, Khasra No.- 49, in Village - Bhasunda, Tehsil - Maheswar, District - Khargone (MP), Maximum Production – 10,000 cum per annum [518696] (EIA QUERY REPLY)**

**Earlier this case was discussed in 773 SEAC Meeting dated 17.02.2025 wherein following query was issued**

During appraisal of the case the committee observed that in the replenishment study is based on only one-year Rainfall data, hence committee advised proponent to review the same in light of minimum recent 3-year rainfall data.

Committee decided to seek following information from PP;--

- Project proponent to revise replenishment study based on minimum recent 03-year rainfall data.

**Hence this case is scheduled for query reply presentation.**

The case is presented by the the Environmental Consultant Shri MD Mahmood Ghouse, M/s. Ampl Environ Pvt. Ltd., along with PP for M/s The M.P. State Mining Corporation Ltd., Shri Nahar Khan Pathan (Authorized Person). PP stated that the replenishment data has been taken from the DSR.

During presentation PP submitted that during presentation PP submitted that the replenishment data are based on District Survey Report which is mentioned in the DSR's page no.50 & 51.

After presentation the committee asked PP to submit following information for further consideration of the project:

- The lease area falling under scheduled area PESA hence, submit latest PESA Gram Sabha NOC.

7. **Case No P2/238/2024 Shri HimmatSisodia, M/s The MP State Mining Corporation Limited, ParyawasBhawan, Block-A, 2nd Floor, Jail Road, Arera Hills, District-Bhopal (MP)- (EIA). Sand Mine in area of 7.652 Hectare, Khasra No.- 132/1 & 133, in Village - Gangathkhedi, Tehsil - Maheswar, District - Khargone (MP), Maximum Production – 15,000 cum per annum [518729] (EIA QUERY REPLY)**

Earlier this case was discussed in 773 SEAC Meeting dated 17.02.2025 wherein following query was issued

During appraisal of the case the committee observed that in the replenishment study is based on only one-year Rainfall data, hence committee advised proponent to review the same in light of minimum recent 3-year rainfall data, also to carry out more plantations towards nearest habitation.

Committee decided to seek following information from PP;--

- Project proponent to revise replenishment study based on minimum recent 03-year rainfall data.

**Hence this case is scheduled for query reply presentation.**

The case is presented by the the Environmental Consultant Shri MD Mahmood Ghouse, M/s. AmplEnvironPvt. Ltd., along with PP for M/s The M.P. State Mining Corporation Ltd., Shri Nahar Khan Pathan (Authorized Person).

During presentation PP submitted that during presentation PP submitted that the replenishment data are based on District Survey Report which is mentioned in the DSR's page no.50 & 51.

After presentation the committee asked PP to submit following information for further consideration of the project:

- The lease area falling under scheduled area PESA hence, submit latest PESA Gram Sabha NOC.



8. **File No.: P2/242/2024, Shri Subhash Chandra Karnavat, IOCMandsaur. The Madhya Pradesh State Mining Corporation Limited, Bhopal, Paryawas Bhawan, Block '1-A', II nd floor, Jail Road, Arera Hills, Bhopal (M.P.) Prior Environment Clearance for Gopalpura Sand Quarry in an area of 4.50 ha. (1000 Cum/Annum) (Khasra No.: 938), Village- Gopalpura, Tehsil- Sitamau, District- Mandsaur (M.P.).**

**Earlier this case was discussed in 773 SEAC Meeting dated 17-02-2025 wherein following query was issued**

During appraisal of the case the committee observed that in the replenishment study is based on only one-year Rainfall data, hence committee advised proponent to review the same in light of minimum recent 3-year rainfall data, also to carry out more plantations towards nearest habitation.

Committee decided to seek following information from PP; --

- Project proponent to revise replenishment study based on minimum recent 03-year rainfall data.
- Plantation plan towards nearest habitation.

**Hence this case is scheduled for query reply presentation.**

The case is presented by the the Environmental Consultant Shri MD Mahmood Ghouse, M/s. Ampl Environ Pvt. Ltd., along with PP for M/s The M.P. State Mining Corporation Ltd., Shri Nahar Khan Pathan, IOC (Authorized Person).

During presentation PP submitted that during presentation PP submitted that the replenishment data are based on District Survey Report which is mentioned in the DSR's page no.4-6.

**The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':**

1. Production as per approved mine plan with quantity not exceeding for Sand 1,000 cum per annum.
2. Mining operation shall be carried out as per given below proposed actual mining area with justifying sand quantity considering depth mentioned in the DSR as well as mining plan.

Area in sq.m	Thickness in meter	Minable sand (in cubic meter) after 100 % recovery
10000	0.1	1000

3. A budgetary provision for Environmental Management Plan of Rs. 58,500 as capital and Rs. 1,47,830 as recurring has proposed by PP.
4. As proposed, a minimum of 100 Plants shall be planted During the Study Period towards the village boundary facing the Mine lease area and also encourage the villagers for develop the plantation within the village
5. CER ACTION PLAN

S. No.	Particular	Amount	Time Frame
1.	Educational aids provide to govt.primary schools in the Gopalpura Village	20000.00	First planning year
2.	Solar lights provide to Gopalpura Village	21000.00	First planning year
3.	Maintenance / Upgradation of the Village road in the Gopalpura Village.	110000.00	First planning year
<b>Total</b>		<b>1,51,000.00</b>	

9. **File No.: P2/241/2024, Shri Subhash Channdra Karnavat, IOC, Mandsaur. The Madhya Pradesh State Mining Corporation Limited, Bhopal, Paryawas Bhawan, Block '1-A', II nd floor, Jail Road, Arera Hills, Bhopal (M.P.) Prior Environment Clearance for Jetpura Sand Quarry in an area of 4.00 ha. (1000 Cum/Annum) (Khasra No.: 122), Village- Jetpura, Tehsil- Sitamau, District- Mandsaur (M.P.).**

**Earlier this case was discussed in 773 SEAC Meeting dated 17-02-2025 wherein following query was issued**

During appraisal of the case the committee observed that the replenishment study is based on only one-year Rainfall data, hence committee advised proponent to review the same in light of minimum recent 3-year rainfall data, also to carry out more plantations towards nearest habitation. As per khasra map interstate boundary is adjacent to mine lease area.

Committee decided to seek following information from PP; --

- Project proponent to revise replenishment study based on minimum recent 03-year rainfall data.
- Plantation plan towards nearest habitation.

**Hence this case is scheduled for query reply presentation.**

The case is presented by the the Environmental Consultant Shri MD Mahmood Ghouse, M/s. Ampl Environ Pvt. Ltd., along with PP for M/s The M.P. State Mining Corporation Ltd., Shri Nahar Khan Pathan, IOC (Authorized Person).

During presentation PP submitted that during presentation PP submitted that the replenishment data are based on District Survey Report which is mentioned in the DSR's page no.4-6.

**The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':**

1. Production as per approved mine plan with quantity not exceeding for Sand 1,000 cum per annum.

2. Mining operation shall be carried out as per given below proposed actual mining area with justifying sand quantity considering depth mentioned in the DSR as well as mining plan.

Area in sq.m	Thickness in meter	Minable sand (in cubic meter) after 100 % recovery
10000	0.1	1000

3. A budgetary provision for Environmental Management Plan of Rs. 58,500 as capital and Rs. 1,44,550 as recurring has proposed by PP.
4. As proposed, a minimum of 100 Plants shall be planted During the Study Period in barrier zone, and evacuation road and distributed to villagers through Gram Panchayat as per the submitted plantation scheme.
5. CER ACTION PLAN

S. No.	Particular	Amount	Time Frame
1.	Solar Panal/Solar street Light in the village Jetpur	37000.00	First planning year
2.	Maintenance / Upgradation of the Village road in the Jetpura Village.	110000.00	First planning year
<b>Total</b>		<b>1,47,000.00</b>	

10. **Case No: P2/281/2024, Shri Dinesh Sharma, Manager (Account), The Madhya Pradesh State Mining Corporation Limited, Bhopal, Paryawas Bhawan, Block '1-A', II nd floor, Jail Road, Arera Hills, Bhopal (M.P.) Prior Environment Clearance for Alote Jagir 2, River Sand Quarry in an area of 5.00 ha. (3,000 cum per year) (Khasra No. 2), Village- Alote Jagir, Tehsil - Nagda , District- Ujjain (M.P.).**

**Earlier this case was discussed in 774<sup>th</sup> SEAC Meeting dated 18-02-2025 wherein following query was issued**

During appraisal of the case the committee observed that the replenishment study is based on Rainfall data for only one year, hence asked proponent to review the same in light of minimum recent 03-year rainfall data as depth of available mining is only 0.3mt.

Committee decided to seek following information from PP; --

1. Project proponent to revise replenishment study based on minimum recent 03-year rainfall data as depth of available mining is only 0.3mt.

**Hence this case is scheduled for query reply presentation.**

The case is presented by the the Environmental Consultant Shri MD Mahmood Ghouse, M/s. Ampl Environ Pvt. Ltd., along with PP for M/s The M.P. State Mining Corporation Ltd., Shri Nahar Khan Pathan, IOC (Authorized Person).

During presentation PP submitted that during presentation PP submitted that the replenishment data are based on District Survey Report which is mentioned in the DSR's page no. 52.

**The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':**

1. Production as per approved mine plan with quantity not exceeding for Sand 3,000 cum per annum.
2. Mining operation shall be carried out as per given below proposed actual mining area with justifying sand quantity considering depth mentioned in the DSR as well as mining plan.

Area in sq.m	Thickness in meter	Minable sand (in cubic meter) after 100 % recovery
3,000	0.3	3,000

3. A budgetary provision for Environmental Management Plan of Rs. 85,500 as capital and Rs. 1,63,410 as recurring has proposed by PP.
4. As proposed, a minimum of 300 Plants shall be planted During the Study Period in barrier zone, and evacuation road and distributed to villagers through Gram Panchayat as per the submitted plantation scheme.
5. CER ACTION PLAN

S. No.	Particular	Amount	Time Frame
1.	Solar Pannel with street light	25000.00	First planning year
2.	Maintenance / Upgradation of the Village road in the AloteJagir Village.	110000.00	First planning year
<b>Total</b>		<b>1,35,000.00</b>	

**11. Case No 10727/2023 Shri Gaurav Bhanot, Owner, 1101, Bhanot House, Gorakhpur, District-Jabalpur (MP)-480021, Prior Environment Clearance for Badaiyakheda Stone Quarry Mine in an area of 1.25 ha. (25347 cum per year) (Khasra No. 20, 22, 24P), Village-Badhaiya Kheda, Tehsil-Jabalpur, District-Jabalpur (MP) [DEIAA] (EIA Fresh EC).**

प्रस्तावित खदान बी-1 श्रेणी के अंतर्गत पूर्व पर्यावरणीय स्वीकृति के मूल्यांकन का है, जिसमें आज दिनांक 29/04/2025 को परियोजना प्रस्तावक की ओर से श्री राजेन्द्र सिंह चंदेल एवं उनके पर्यावरणीय सलाहकार वरुण भारद्वाज, मेसर्स जेनिथ एनवायरमेंट कंसल्टेंसी, नोएडा उत्तर प्रदेश उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज
परियोजना प्रस्तावक का नाम व पता	Shri GAURAV BHANOT, Owner, 1101, Bhanot house, Gorakhpur, Jabalpur (M.P.)
खसरा नं./ क्षेत्रफल (सरकारी/निजी)	खसरा नं. 20, 22, 24Part (निजी) क्षेत्रफल – 1.25 हेक्टेयर भूमि –नॉन फॉरेस्ट लैंड)
स्थल	Village; Badaiyakheda, Tehsil & District: Jabalpur (M.P)
लीज स्वीकृति	कार्यालय कलेक्टर (खनिज शाखा) जिला जबलपुर के पत्र क्रमांक 3652 दिनांक 02/01/23 के द्वारा स्वीकृत ।
श्रेणी (बी-1/बी-2)	बी-1
ब्लास्टिंग/रॉक ब्रेकर	अनुमोदित खनन योजना अनुसार ब्लास्टिंग प्रस्तावित है ।
डिया ई.सी. का विवरण (यदि लागू हो)	डिया जबलपुर के पत्र क्रमांक 120 दिनांक 11/05/17 के द्वारा पत्थर-24,870 घनमीटर/वर्ष हेतु पर्यावरणीय अनापत्ति प्राप्त है ।
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा पत्थर –25,347 घनमीटर/वर्ष हेतु आवेदन किया गया है और अनुमोदित खनन योजना अनुसार 25,347 घनमीटर/वर्ष है ।
TOR	SEAC meeting 702 <sup>nd</sup> dated 16/12/2023
500 मीटर की परिधि में अन्य खदानें	कार्यालय कलेक्टर (खनिज शाखा) जिला जबलपुर के एकल प्रमाण-पत्र क्रमांक 305/खनिज/2023 जबलपुर दिनांक 23/08/2023 अनुसार 500 मीटर की परिधि में 7 अन्य खदानें संचालित/स्वीकृत है, इस प्रकार कुल रकबा 12.13 हे. होता है, अतः प्रकरण बी-1 श्रेणी का है ।
वन मण्डलाधिकारी की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला जबलपुर के एकल प्रमाण-पत्र क्रमांक 305/खनिज/2023 जबलपुर दिनांक 23/08/2023 अनुसार 10 किलोमीटर की परिधि में नेशनल पार्क/अभ्यारण्य/ईको सेंसेटिव जोन जैव विविधता क्षेत्र एवं 250 मीटर में वन क्षेत्र स्थित नहीं है ।
तहसीलदार की	कार्यालय कलेक्टर (खनिज शाखा) जिला जबलपुर के एकल

अनापत्ति	प्रमाण-पत्र क्रमांक 305/खनिज/2023 जबलपुर दिनांक 23/08/2023 अनुसार 500 मीटर की परिधि में मानव बसाहट, शैक्षणिक संस्थान, चिकित्सालय, पुरातत्व धरोहर, राष्ट्रीय महत्व के स्मारक, रेल्वे लाईन/सार्वजनिक भवन/शमशान घाट/राष्ट्रीय राजमार्ग/ संवेदनशील क्षेत्रों जैसे : रेडियो स्टेशन, दूरदर्शन, हवाई अड्डा, प्रतिरक्षा संस्थान एवं जलीय निकाय/नदी/ तालाब/ बांध/स्टॉप डैम/नहर/ग्रामीण कच्चा/पक्का रास्ता नहीं है ।
ग्राम सभा/ ग्राम पंचायत की अनापत्ति	ग्राम पंचायत बढैयाखेड़ा जिला जबलपुर के ठहराव प्रस्ताव क्रमांक-6 दिनांक 01/06/16 अनुसार प्रस्तावित स्थल पर खनन कार्य से पंचायत को कोई आपत्ति नहीं है ।
वृक्षों की वर्तमान स्थिति	Shrubs are existed.
गूगल इमेज अनुसार वर्तमान स्थिति	दक्षिण दिशा- नहर लगभग 115 मी
जिला सर्वेक्षण रिपोर्ट की स्थिति	कार्यालय कलेक्टर (खनिज शाखा) जिला जबलपुर के पत्र क्रमांक 1017 दिनांक 13/10/23 अनुसार उक्त उत्खनिपट्टा से संबंधित जानकारी को नवीन डिस्ट्रिक्ट सर्वे रिपोर्ट में सम्मिलित कर लिया जावेगा । समिति ने चर्चा उपरांत निर्णय लिया कि राज्य स्तरीय स्तरीय पर्यावरण समाघात निर्धारण प्राधिकारण मध्यप्रदेश की 739वीं बैठक दिनांक 29/07/22 (प्रकरण में 9261/2022 – जारी पत्र क्रमांक 1306 दिनांक 04/08/22) में लिए गए निर्णय के परिप्रेक्ष्य में इस प्रकरण को भी पर्यावरणीय संवेदनशीलता के दृष्टिगत परीक्षण कर पर्यावरणीय स्वीकृति हेतु सिया को अनुशंसित किया जाये ।

परियोजना प्रस्तावक द्वारा प्रस्तुत किया गया है की लीज क्षेत्र के दक्षिण दिशा में नहर 115 मी है अतः 85 मी. का सेड बैंक छोड़ते हुए खनन कार्य करना सुनिश्चित करेंगे एवं लीज एरिया में कशर प्रस्तावित नहीं है ।

परियोजना प्रस्तावक द्वारा दिए गए प्रस्तुतीकरण, पर्यावरण प्रबंधन योजना एवं अन्य प्रस्तुत की गई जानकारी संतोषजनक एवं स्वीकार्य योग्य होने से समिति विशिष्ट शर्तों एवं स्टेण्डर्ड शर्तों संलग्नक-ए अनुसार निम्नानुसार पूर्व पर्यावरणीय स्वीकृति जारी करने की अनुशंसा करती है:-

1. अनुमोदित खनन योजना अनुसार अधिकतम उत्पादन क्षमता पत्थर 25,347 घन मीटर प्रति वर्ष
2. पर्यावरण प्रबंधन योजना मद में कैपिटल राशि रु. 5.65 लाख एवं रिक्रिंग राशि रु. 3.50 लाख प्रति वर्ष ।
3. सी.ई.आर मद में निम्नानुसार राशि रु. 1.50 लाख तथा सी.ई.आर. में प्रस्तावित सभी कार्य आगामी 01 वर्ष में पूर्ण किये जाये :-



<b>S. No.</b>	<b>Description</b>	<b>Cost to be incurred (in Rs/Year)</b>
1	ग्राम वासियों के लिए सरकारी जमीन पर बोरवेल की व्यवस्था की जाएगी ।	1,00,000
2	ग्राम वासियों के लिए पुलिया की मरम्मत परियोजना प्रस्तावक के द्वारा किया जाएगा ।	50,000
	<b>TOTAL</b>	<b>1,50,000/-</b>

12. **Case No. P2/1312/2025 Shri Jaspreet Singh Bhatia, Director, Proposed Residential Project " Satguru N M Enclave", 16/1, Shakti Apartment, Old Palasia, Indore (M.P.) – 452001. Prior Environment Clearance for Proposed Residential Project " Satguru N M Enclave" Khasra no.- Khasra no.- 28/1/2, 29/3/1/2/3, 30/3, 31/2/2, Village- Limbodi (CT), Tehsil- Indore, District-Indore (M.P.), Total Area of land - 18095.40 sq.mt Built up Area – 68,683.89 sq mt., Cat. - 8(a). Building and Construction projects. Category B-2. (Fresh EC).**

This is case of Prior Environment Clearance for Construction of Residential complex over Plot Area of 18095.40 sq.mt, with Total Built-Up Area of 68,683.89 sq. mtrs At 29/3/1/2/3, 30/3, 31/2/2, 28/1/2 At Village Limbodi, Teh. Indore, (M.P.) By M/S D.S Warehousing & Infrastructure Pvt. Ltd. Indore (MP) hence project requires prior EC from SEIAA before initiation of activity at site. Cat. - 8(a). Building and Construction projects .

The case was presented by Env. Consultant Shri Umesh Mishra from M/s. Creative Enviro Services , Bhopal (MP) and along with PP Shri Jaspreet Singh Bhatia, Director wherein submitted that It is a high-rise residential project will have residential flats and commercial shops with provision of green features like solar power plant ( 40 KW ), MBBR technology based STP ( 275 KLD) , dual plumbing system , MSW management, energy conservation measures, rain water harvesting system etc. PP has obtained permission from T&CP and Highrise committee for the proposed project.

PP has submitted following details on Parivesh Portal:

SN	Information Required	Details
1.	Project	SIA/MP/INFRA2/528072/2025.
2.	Project Name/Activity	<b>Shri Jaspreet Singh Bhatia, Director, Proposed Residential Project " Satguru N M Enclave", 16/1, Shakti Apartment, Old Palasia, Indore (M.P.) – 452001. Prior Environment Clearance for Proposed Residential Project " Satguru N M Enclave" Khasra no.- Khasra no.- 28/1/2, 29/3/1/2/3, 30/3, 31/2/2, Village- Limbodi (CT), Tehsil- Indore, District-Indore (M.P.), Total Area of land - 18095.40 sq.mt <i>Built up</i></b>

		<i>Area – 68,683.89 sq mt., Cat. - 8(a). Building and Construction projects.</i> SIA/MP/INFRA2/528072/2025.
<b>3.</b>	Project Proposal For	New.
<b>4.</b>	Project Cost.	13540 Lakhs.
<b>5.</b>	Description of Project	The proposed development is in accordance with the Master Plan of Indore. The proposed site has owned by the proponent and it will be developed as per approval of IDA and IMC. No change in land use pattern is anticipated.
<b>6.</b>	Form 1A & Conceptual Plan	Submitted.
<b>7.</b>	Declaration	PP Submit letter regarding no construction start at project site vide dated 29/03/2025.
<b>8.</b>	Details of CTE	CTE-Fresh - 1406753 (DRAFT COPY), PCB-ID : 168901,
<b>9.</b>	T&CP letter	INDLP01102457893 Date 23/ 12/ 2024.
<b>10.</b>	High-rise NOC details	Letter no. 3882 dated 19/09/2024.
<b>11.</b>	Total parking area	30442.47 sq.m
<b>12.</b>	Number of vehicle to be parked	853 No.
<b>13.</b>	Water requirement details	Total water requirement - 340 KLD,
<b>14.</b>	RWH	03 Pits.
<b>15.</b>	DG set capacity	1 x 250 KVA & 1 x 40 KVA.
<b>16.</b>	Height of buildings	45 M.
<b>17.</b>	MSW NoC	335 KLD

<b>18.</b>	Latitude and Longitude	22°39'28.0"N and longitude 75°53'08.4"E.
<b>19.</b>	Environmental Consultant Change	Shri Umesh Mishra, M/s Creative Enviro Services, Bhopal (M.P.) Valid up to 22/03/2026.

During presentation the committee submitted following important features of the project:-

Proposal for Environmental Clearance For Proposed Residential Project ( Satguru NM Enclave)	
Total Land Area	Total Land Area = <b>18095.40 sq.mt</b>
Total Built up Area	Total Proposed Built Up area (Slab Area Including all common passages, parking, podium etc.) = <b>68,683.89 sq.m</b>
Land Owner of the Project	M/s D.S Warehousing & Infrastructure Pvt. Ltd. 280/3, khandwa road, Limbodi Indore 452020
Promoters of the Project	M/s D.S Warehousing & Infrastructure Pvt. Ltd. 280/3, khandwa road, Limbodi Indore 452020
Location of Project	29/3/1/2/3, 30/3, 31/2/2, 28/1/2 AT Village Limbodi, Teh. Indore, <b>INDORE (M.P.)</b>
Occupancy of land	Owned by PP
Geological Location Latitude and longitude	latitude 22°39'28.0"N and longitude 75°53'08.4"E

Particular	Detail
Facility	Residential Flats Total Number of offices : 3 BHK – 156 flats, 4 BHK - 108 flats
Total Water Requirement	335 KLD
Net Fresh Water Requirement	165 KLD
Total Waste Water Generation	245 KLD

Power Requirement	1195 KW
Backup Power facility	1 x 250 KVA & 1 x 40 KVA DG SETS
Solid Waste generation	KG / DAY
Height of buildings	45 M
Front MOS	15 M
Rear MOS	7.50 M
Width of main assess	75 mts
Parking area	30442.47 sq.m
Parking Number	919 no
Area under Green belt	2244.30 Sq mtr

**DETAILS OF AREA STATEMENT**

Building	Area in Sq mt	B/ Up Area Sq Mt	Ground Coverage Area Sq Mt
Residential Area	12968.89 sq. mt	37,860.64 sq.mt	3107.88sq.mt
Commercial	3408.51 sq. mt	1981.33 sq. mt	990.66 sq. mt
Total		37,860.64 sq.mt	4,098.54 sq.mt

Area Statement Of Project As Per Sub Rule 30 Of Rule 2 Of MPBVR 2012				
Block No.	B.U.A. Including Balcony	Corridor	Floor	Total Floor Area
	Each Floor			
Block A				
A	12,995.38	154.60 sq.m	2	25,990.75 sq.m
Block B				
B	13,956.17 sq.m	217.11 sq.m	13	1,81,430.23 sq.m
Block C				
C	8,965.12 sq.m	107.24 sq.m	13	1,16,546.56 sq.m

Block D				
D	8,965.12 sq.m	107.24 sq.m	13	1,16,546.56 sq.m

S No	Particular	Permissible	Proposed
1	Organized Open Area		(13.70 %) 2,244.30 sq.mt
2	Services Area		(2.1 %) 341.98 sq.mt
3	Maximum Far		1:2.0
4	Road & Circulation Area		
5	Maximum Ground Coverage	(30%) 4913.30 sq.mt	(25.02%) 4,098.54 sq.mt
6	M O S Maximum Distance between Two Blocks	Front - 15.0 mtr Rear – 7.50 mtr	Front - 15.0 mtr Rear – 7.50 mtr 15 mtr
7	Maximum Height	45.00 mts	45.00 mts
8	Total Area of land		18095.40 sq.mt
9	Total Built up area including built-up area as per T & CP norms or MPBVR 2012	-	39,821.72 sq.m
10	Total Built up area including built-up area of stair cases, balcony, basements and other services area which does not considered for calculation wrt T & CP & MPBVR 2012 ( I.e. Total Slab area )	-	68,683.89 sq.m

**DETAILS OF AREA STATEMENT**

A.	Total Plot Area	18,095.40 Sq.m
B.	Less Plot Area under coordination Road	1,717.80 Sq.m
C.	Net Plot Area	16,377.60 Sq.m
D.	Permissible Ground Coverage (30% of C)	(30%) 4,913.30 sq.mt
E.	Proposed F.A.R. Ground Coverage	(25.02%) 4,098.54 sq.mt
F.	Permissible F.A.R. (1:2.0 of C)	32,755.20 sq.mt
G.	Proposed F.A.R.	32,755.20 sq.mt
H.	Area of L.I.G. Flats (10% of G)	

I.	Open Area Permissible (Min.) 10% Open Area Proposed	1,637.76 sq.m (10 %) 2244.30 sq.m (13.70 %)
J.	Services Area <ul style="list-style-type: none"> <li>➤ Sump well &amp; OH Tank</li> <li>➤ STP &amp; Collection Tank</li> <li>➤ Rainwater Harvesting Well</li> <li>➤ Garbage Disposal</li> <li>➤ Service Block (Substation, DG Set, etc.)</li> </ul> Total Services Area	<ul style="list-style-type: none"> <li>➤ U G Sump = 540KL (Fire Fighting: 150 KL, Raw Water: 100 KL; Domestic Water Comm.: 30 KL &amp; Resi.: 210KL</li> <li>➤ 107 KLD &amp; Collection Tank 55KL</li> <li>➤ 3 Nos – 4m Dia &amp; 4m Deep</li> <li>➤ 1022.35 Kg/Da</li> </ul> 341.98 m (2.1 %)
K.	Permissible Height	45.00 mts
L.	Road & Circulation	2984.24 sq. mt
M	Width of Internal Road	6.00 mts
O	Width of approach road	75.00 mts
	Front MoS	15.0 mts
	Rear MoS	7.50 mts
	Height of Building	45.00 mts
	Number of block	4 ( blocks )
	Total Built Up area	39,821.72 sq.m

Details of Parking Statement				
Type of Parking	Parking spaces require as per norms of MPBVR 2012	Parking spaces provided	Number of Vehicles required as per norms of MPBVR 2012	Number of Vehicles provided as per norms of MPBVR 2012
Basement	35	1691.09 sq.m	48	48
Podium & ground	30	28,206.58 sq.m	378	853
Open	25	545.47 sq.m	10	18
Others			436	919

After the presentation, the committee suggested to increase the capacity of STP from 275 KLD to 300 KLD and split in two parts for its effective functioning. Further the committee has also suggested to revise budget of CER activities .

After presentation committee asked PP to submit following information for further consideration of the project:

1. Revised STP proposal, water balance chart, no. of rain water harvesting pits with capacity to be shown on map, utilization of treated sewage .
2. The EMP has to cover the mitigative measures for activities to be undertaken during construction and operation to minimize adverse environmental impacts as a result of project activities along with environmental monitoring plan.
3. Revised Plantation scheme and CER plan as suggested by committee.



**13. Case No. P2/1313/2025 Shri Umakant Sharma, Director, M/s Udit Infracore Private Limited, White House, Arjun Nagar, Rewa (M.P.) - 486001. Prior Environment Clearance for Barkhoh Raiyat Gitti & Muram Mines Production Capacity : Max. 55,000 Cu.mt/year Stone (Gitti & Murum) Private Land, (Non Forest) Area – 1.220 Hectares,(Lease Period- 02 Year), at khasra No. - 71 (Part), Vill.-Barkhoh Raiyat, Tehsil- Dindori, District- Dindori (M.P.). (Temporary Permit). (Fresh EC).**

प्रस्तावित खदान बी – 2 श्रेणी के अंतर्गत नवीन प्रकरण है एवं पर्यावरणीय स्वीकृति के मूल्यांकन का है, जिसमें आज दिनांक 29.04.2025 को परियोजना प्रस्तावक के पर्यावरणीय सलाहकार Shri Raheesh Prasad Patel , M/s. FECCM Consultancy Pvt Ltd. Bhopal, MP उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज	
परियोजना प्रस्तावक का नाम व पता	उदित इन्फावर्ल्ड प्रा.लि. अर्जुन नगर, रीवा, जिला – रीवा, (म.प्र.)	
खसरा नं./ क्षेत्रफल (सरकारी/निजी)	71 (निजी भूमि)	1.220 हेक्टर
स्थल	Village – Barkhoh Raiyat, Tehsil – Dindori, District - Dindori (M.P.)	
लीज स्वीकृति	कार्यालय कलेक्टर (खनिज शाखा) जिला – डिण्डौरी (म.प्र.) के पत्र क्रमांक 109/खनिज/2024 दिनांक 18/06/2024 के द्वारा स्वीकृत ।	
ब्लास्टिंग/रॉक ब्रेकर	माईनिंग प्लान अनुसार <u>ब्लास्टिंग प्रस्तावित है</u> ।	
प्रकरण की स्थिति	FRESH CASE	
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा अधिकतम् उत्पादन क्षमता पत्थर एवं मुरुम – 52142 घनमीटर/वर्ष हेतु आवेदन किया गया है और अनुमोदित खनन योजना अनुसार अधिकतम् उत्पादन क्षमता पत्थर – 52142 घनमीटर/वर्ष है ।	
500 मीटर की परिधि में अन्य खदानें	कार्यालय कलेक्टर (खनिज शाखा) जिला डिण्डौरी के एकल प्रमाण-पत्र क्रमांक 295 दिनांक 10/09/2024 अनुसार 500 मीटर की परिधि में कोई अन्य खदानें संचालित/स्वीकृत नहीं है जिनका कुल रकबा 1.220 हे0, इस प्रकार कुल रकबा 1.220 हे. होता है, अतः	

	प्रकरण बी – 2 श्रेणी का है।
वन मण्डलाधिकारी की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला डिण्डौरी के एकल प्रमाण-पत्र क्रमांक 295 दिनांक 10/09/2024 अनुसार 250 मीटर में वन क्षेत्र स्थित नहीं है।
तहसीलदार की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला डिण्डौरी के एकल प्रमाण-पत्र क्रमांक 295 दिनांक 10/09/2024 अनुसार 500 मीटर की परिधि में मानव बसाहट, शैक्षणिक संस्थान, चिकित्सालय, पुरातत्व धरोहर, राष्ट्रीय महत्व के स्मारक, रेलवे लाईन/सार्वजनिक भवन/शमशान घाट/राष्ट्रीय राजमार्ग/संवेदनशील क्षेत्रों जैसे : रेडियो स्टेशन, दूरदर्शन, हवाई अड्डा, प्रतिरक्षा संस्थान एवं जलीय निकाय/नदी/तालाब/बांध/स्टॉप डैम/नहर/ग्रामीण कच्चा/पक्का रास्ता/नाला जबलपुर-अमरकंटक मार्ग 500 मीटर दूरी पर है, इसके अतिरिक्त उल्लेखित क्षेत्र 500 मीटर की परिधि में नहीं है।
ग्राम सभा/ ग्राम पंचायत की अनापत्ति	ग्राम पंचायत विक्रमपुर जिला डिण्डौरी के ठहराव प्रस्ताव क्रमांक 03 दिनांक 08/02/2023 अनुसार प्रस्तावित स्थल पर खनन कार्य से पंचायत को कोई आपत्ति नहीं है।
प्रस्तावित स्थल पर वृक्षों की वर्तमान स्थिति	Additional tree to be planted - 1500
प्रस्तावित स्थल की गूगल इमेज अनुसार वर्तमान स्थिति	उत्तर दिशा – 500 मी. पर पक्की सड़क है एवं उत्तर दिशा में 230 मीटर पर चेकडेम स्थित है।
	दक्षिण दिशा – 190 मी. पर नाला है।
	पूर्व दिशा – खुला क्षेत्र है।
	पश्चिम दिशा – 800 मी. एप्रोच रोड प्रस्तावित खदान तक जाने हेतु।
प्रस्तावित खदान की जिला सवेक्षण रिपोर्ट में स्थिति	परियोजना प्रस्तावक ने बताया कि इस खदान का विवरण डिण्डौरी जिले की अनुमोदित नवीन जिला सर्वेक्षण रिपोर्ट में पेज नं. 5 एवं सरल क्रमांक 23 पर दर्ज है।

परियोजना प्रस्तावक द्वारा दिए गए प्रस्तुतीकरण, पर्यावरण प्रबंधन योजना एवं अन्य प्रस्तुत की गई जानकारी संतोषजनक एवं स्वीकार्य योग्य होने से समिति विशिष्ट शर्तों एवं स्टेण्डर्ड शर्तों संलग्नक-ए अनुसार निम्नानुसार पूर्व पर्यावरणीय स्वीकृति जारी करने की अनुशंसा करती है:-

1. अनुमोदित खनन योजना अनुसार अधिकतम उत्पादन क्षमता 52,182 घनमीटर / वर्ष
2. पर्यावरण प्रबंधन योजना मद में कैपिटल राशि रु. 8,41,000/- एवं रिकरिंग राशि रु. 1,40,500/- लाख प्रति वर्ष।
3. सी.ई.आर मद में निम्नानुसार राशि रु. 1,80,000/- तथा सी.ई.आर. में प्रस्तावित सभी कार्य आगामी यथाशीघ्र पूर्ण किये जाये :-

सी.ई.आर. मद में प्रस्तावित गतिविधियाँ	राशि (रू.में)
ग्राम बरखोह रैयत की प्राथमिक शाला के विकास हेतु 3 KW के सोलर पैनल के इनस्टालेशन के लिए 2 माह के भीतर राशि जमा कर दी जावेगी ।	1,80,000

4. वृक्षारोपण कार्यक्रम अनुसार (सतत् सिंचाई, 5 वर्ष तक मृत पौधों का बदलाव तथा खनन अवधि तक रख-रखाव के साथ) कम से कम **1500 वृक्षों** का वृक्षारोपण प्रस्तावित है ।

14. **Case No. Case Number 8963/2022 M/s New Jai Daubaba Stone Crusher, Shri Sardar Singh Gurjar, Paras Vihar Colony, Opposite Jhansi Road Police Station, Lashkar, District Gwalior (Madhya Pradesh), Environment Clearance for Stone Quarry, Khasra No. 2724/min-2, 2725, 2729, 2730, 2728/min-2, Area 2.603 Hectares, Production Capacity 60,000 Cubic Meters, Village Bilaua, Tehsil Dabra, District Gwalior.**

प्रकरण आज सेक की 789वीं बैठक दिनांक 29/04/25 को प्रस्तुतीकरण हेतु सूचीबद्ध था, जिसमें परियोजना प्रस्तावक / उनके पर्यावरणीय सलाहकार समिति के समक्ष उपस्थित नहीं हुए ना ही वर्चुअल संपर्क किया गया। समिति ने चर्चा उपरांत निर्णय लिया कि परियोजना प्रस्तावक से प्रस्तुतीकरण हेतु अनुरोध प्राप्त होने के पश्चात प्रकरण की समीक्षा हेतु विचार किया जा सकेगा ।

**15. Case No. P2/1315/2025 Shri Irfan Khan S/o. Shri Kadir Khan, Project Proponent, Address – Ward No. 14, Near Police Station, Badamalhara, District – Chhatarpur (M.P.), Prior Environment Clearance for Dongarpur Stone & M-Sand Quarry in an area of 2.933 ha (Gitti = 25,000 M<sup>3</sup>/year & M- Sand = 30,000 M<sup>3</sup>/year, Total (Gitti & M-sand) = 55,000 M<sup>3</sup>/year) (Khasra No. 468/1/4, 468/1/5, 468/9) Village – Dongarpur, Tehsil – Badamalhara, District – Chhatarpur (M.P.)**

प्रस्तावित खदान बी-2 श्रेणी के अंतर्गत पूर्व पर्यावरणीय स्वीकृति के मूल्यांकन का है, जिसमें आज दिनांक 29/04/2025 को परियोजना प्रस्तावक इरफान खान (on-line) एवं उनके पर्यावरणीय सलाहकार श्री राम मिलन पाठक, विजनटेक एनवायरनमेंट एंड सर्वे वर्क्स प्राइवेट लिमिटेड उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया।

**Chronology of the case :**

1. कार्यालय संचलनालय भौमिकी तथा खनिकर्म भोपाल से पत्र क्रमांक 172-73 दिनांक – 05.01.2023 के अनुसार आवेदक को 10 वर्ष के लिए पत्थर/गिट्टी का उत्खनन पट्टा स्वीकृत हुआ।
2. सिया कार्यालय द्वारा दिनांक 16.12.2022 को उत्पादन क्षमता गिट्टी – 15,000 घन मीटर प्रति वर्ष हेतु पर्यावरणीय स्वीकृति प्राप्त हुई।
3. कार्यालय कलेक्टर खनिज शाखा छतरपुर के पत्र क्रमांक 1365 दिनांक 02.08.2024 को एम सेन्ड जोड़े जाने हेतु आदेश प्राप्त हुआ।
4. क्षेत्रीय कार्यालय जबलपुर से दिनांक 25.11.2024 को संसोधित खनन योजनना का अनुमोदित हुआ।
5. वर्तमान में पर्यावरण स्वीकृति में उत्पादन क्षमता बढ़ाने एवं एम सेन्ड जोड़ने हेतु सिया में आवेदन किया गया है।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज	
परियोजना प्रस्तावक का नाम व पता	इरफान खान, पिता – श्री कदीर खान, पता – वार्ड नं. 14, पुलिस स्टेशन के पास, बड़ामलहरा, जिला छतरपुर (मध्यप्रदेश),।	
खसरा नं./ क्षेत्रफल (सरकारी/निजी)	खसरा नं. – 468/1/4 468/1/5, 468/9 (शासकीय भूमी)	क्षेत्रफल – 2.933 हे.
स्थल	ग्राम – डोंगरपुर, तहसील – बड़ामलहरा, जिला – छतरपुर (म.प्र.)	
लीज स्वीकृति	1. कार्यालय संचलनालय भौमिकी तथा खनिकर्म भोपाल से पत्र क्रमांक 172-73 दिनांक – 05.01.2023 के	

	अनुसार आवेदक को 10 वर्ष के लिए पत्थर/गिट्टी का उत्खनन पट्टा स्वीकृत हुआ । 2. कार्यालय कलेक्टर खनिज शाखा छतरपुर के पत्र क्रमांक 1365 दिनांक 02.08.2024 को एम सेन्ड जोड़े जाने हेतु आदेश प्राप्त हुआ ।
लीज का नवीनीकरण (यदि हो तो)	नया प्रोजेक्ट ।
स्वीकृत माईनिंग प्लान/डी एस आर अनुसार कोर्डिनेट्स मिलान की स्थिति	माईनिंग प्लान अनुसार
प्रकरण की स्थिति	बी-2 श्रेणी,
ई.सी. का विवरण	सिया कार्यालय द्वारा दिनांक 16.12.2022 को उत्पादन क्षमता गिट्टी – 15,000 घन मीटर प्रति वर्ष हेतु पर्यावरणीय स्वीकृति प्राप्त हुई । प्रकरण-9397 /2022
डिया ई.सी. का विवरण (यदि लागू हो)	लागू नहीं ।
टॉर यदि लागू हो तो विवरण दें ।	लागू नहीं ।
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा गिट्टी – 25,000 घनमीटर/वर्ष, एम सेन्ड – 30,000 घनमीटर/वर्ष कुल – 75,000 घनमीटर/वर्ष हेतु आवेदन किया गया है और अनुमोदित खनन योजना अनुसार गिट्टी एवं एम सेन्ड – 75,000 घनमीटर/वर्ष है ।
500 मीटर की परिधि में अन्य खदानें	कार्यालय कलेक्टर (खनिज शाखा) जिला छतरपुर के एकल प्रमाण-पत्र क्रमांक 1869/खनिज/2022 दिनांक 02/09/2022 के अनुसार 500 मीटर की परिधि में कोई अन्य खदान संचालित/स्वीकृत नहीं हैं । इस प्रकार कुल रकबा 2.933 हे. हैं । अतः प्रकरण बी-2 श्रेणी का हैं ।
वन मण्डलाधिकारी की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला छतरपुर के एकल प्रमाण-पत्र क्रमांक 1869/खनिज/2022 दिनांक 02/09/2022 के अनुसार 10 किलो मीटर की परिधि में नेशनल पार्क/अभ्यारण्य/ईको सेंसेटिव जोन जैव विविधता क्षेत्र स्थित नहीं है । एवं 250 मीटर में वन क्षेत्र स्थित नहीं है
तहसीलदार की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला छतरपुर के एकल प्रमाण-पत्र क्रमांक 1869/खनिज/2022 दिनांक 02/09/2022 के अनुसार 500 मीटर की परिधि में मानव बसाहट/ शैक्षणिक संस्था/चिकित्सालय/पुरातत्व धरोहर/ राष्ट्रीय महत्व के स्मारक/रेलवे

	लाइन/सार्वजनिक भवन/ शमशान घाट/ राष्ट्रीय राजमार्ग/ राज्य मार्ग/ संवेदन िल क्षेत्र जैसे- रेडियो स्टेशन/ दूरदर्शन/हवाई अड्डा प्रतिरक्षा संस्थान इत्यादि स्थित नहीं हैं एवं 500 मीटर की परिधि में कोई जलीय निकाय/नदी/ तालाब/ नहर/बांध/स्टॉप डैम/ग्रामीण कच्चा रास्ता/पक्का रास्ता/नाला स्थित नहीं हैं ।
ग्राम सभा/ ग्राम पंचायत /जनपद पंचायत की अनापत्ति	ग्राम पंचायत के ग्राम सभा की बैठक, जिला छतरपुर के अनापत्ती पत्र दिनांक 10/06/2019 के अनुसार प्रस्तावित स्थलपर खनन् कार्य से पंचायत को कोई आपत्ति नहीं है ।
प्रस्तावित स्थल पर वृक्षों की वर्तमान स्थिति	लीज में पेड़ स्थित है।
सिया में ईसी हेतु प्रकरण प्रस्तुत करने का दिनांक	14/02/2025
प्रस्तावित खदान की जिला सर्वेक्षण रिपोर्ट में स्थिति	उपरोक्त खदान का विवरण जिले की अनुमोदित जिला सर्वेक्षण रिपोर्ट के पेज नं.-15 के सरल क्रमांक-10 पर दर्ज है ।
जन सुनवाई के प्रमुख बिन्दु (यदि लागू हो तो )	लागू नहीं ।

प्रस्तुतीकरण के दौरान परियोजना प्रस्तावक द्वारा समिति को अवगत कराया कि इस प्रकरण में वर्ष 2022 में पर्यावरणीय स्वीकृति प्राप्त हुई थी उसके उपरान्त परियोजना प्रस्तावक द्वारा कोई खनन कार्य नहीं किया गया एवं उनके द्वारा सीटीओ प्राप्त की गई थी जिसकी वैधता 14/02/2026 तक है। लीज एरिया में कोई कशर प्रस्तावित नहीं है।

प्रस्तुतीकरण के पश्चात् समिति द्वारा परियोजना प्रस्तावक को निम्नलिखित जानकारी प्रस्तुत करने के निर्देश दिये :-

1. अद्यतन एकल प्रमाण-पत्र प्रस्तुत करें ।
2. संशोधित वाटर बैलेंस चार्ट।
3. सीईआर में सोलर पेनल प्लांट लगाने का प्रस्ताव दें।

**16. Case No 10826/2023 Shri Bharat Shukla, Lessee, R/o 107, Lala Lajpat Rai Colony, Govindpura, District-Bhopal (MP)-462023, Prior Environment Clearance for Ratatal Stone Quarry in an area of 1.74 ha. (20000 cum per year) (Khasra No. 51, 52, 54), Village-Ratatal, Tehsil-Huzur, District-Bhopal (MP) [DEIAA] (EIA)**

प्रस्तावित पत्थर खदान बी-1 श्रेणी के अंतर्गत डिया द्वारा जारी पूर्व पर्यावरणीय स्वीकृति के पुनर्मूल्यांकन बी-1 का है, जिसमें आज दिनांक 29/24/2025 को परियोजना प्रस्तावक श्री भारत शुक्ला, ऑनलाईन एवं उनके पर्यावरणीय सलाहकार श्री राम राघव, मेसर्स ग्रीन सर्कल आईएनसी, बडौदा, गुजराज उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया ।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज	
परियोजना प्रस्तावक का नाम व पता	Shri BHARAT SHUKLA, Lessee, 107, Lala Lajpatrai Colony Govindpura District- Bhopal (M.P.)	
खसरा नं./ क्षेत्रफल (सरकारी/निजी)	51,52,54 (सरकारी –नॉन फॉरेस्ट लैंड)	1.74 hectare.
स्थल	Village Ratatal, Tehsil Huzur, District Bhopal (M.P.).	
लीज स्वीकृति	कार्यालय कलेक्टर (खनिज शाखा) जिला भोपाल के पत्र क्रमांक 1769 दिनांक 15/06/21 के द्वारा श्री भरत शुक्ला के नाम लीज अंतरित हुई है ।	
ब्लास्टिंग/रॉक ब्रेकर	ब्लास्टिंग प्रस्तावित है ।	
डिया ई.सी. का विवरण (यदि लागू हो)	डिया भोपाल के पत्र क्रमांक 36 दिनांक 23/ /16 के द्वारा श्रीमती इंगिता बिंदल, भोपाल को पत्थर-7,000 घनमीटर/वर्ष हेतु पर्यावरणीय अनापत्ति प्राप्त है ।	
प्रकरण की स्थिति	डिया से सिया	
टॉर की स्थिति	प्रकरण को टॉर दिनांक 19/02/2024 को प्राप्त हुआ था ।	
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा पत्थर-20,000 घनमीटर/वर्ष हेतु आवेदन किया गया है और अनुमोदित खनन योजना वर्ष 2023-24 तक वैध है, जिसमें पत्थर-20,000 घनमीटर/वर्ष है ।	
500 मीटर की परिधि में अन्य खदानें	कार्यालय कलेक्टर (खनिज शाखा) जिला भोपाल के एकल प्रमाण-पत्र क्रमांक 2988 दिनांक 05/09/23 अनुसार 500 मीटर की परिधि में 07 अन्य खदानें संचालित/स्वीकृत है, इस प्रकार कुल रकबा 17.429 हे. होता है, अतः प्रकरण बी-1 श्रेणी का है ।	
वन मण्डलाधिकारी की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला भोपाल के एकल प्रमाण-पत्र क्रमांक 2988 दिनांक 05/09/23 अनुसार 10 किलोमीटर की परिधि में नेशनल पार्क/अभ्यारण्य/ईको सेंसेटिव जोन जैव विविधता क्षेत्र एवं 250 मीटर में वन क्षेत्र स्थित नहीं है ।	
तहसीलदार की	कार्यालय कलेक्टर (खनिज शाखा) जिला भोपाल के एकल प्रमाण-पत्र	



अनापत्ति	क्रमांक 2988 दिनांक 05/09/23 अनुसार 500 मीटर की परिधि में मानव बसाहट, शैक्षणिक संस्थान, चिकित्सालय, पुरातत्व धरोहर, राष्ट्रीय महत्व के स्मारक, रेल्वे लाईन/सार्वजनिक भवन/शमशान घाट/राष्ट्रीय राजमार्ग/ संवेदनशील क्षेत्रों जैसे : रेडियो स्टेशन, दूरदर्शन, हवाई अड्डा, प्रतिरक्षा संस्थान एवं जलीय निकाय/नदी/ तालाब/ बांध/स्टॉप डैम/नहर/ग्रामीण कच्चा/पक्का रास्ता/नाला नहीं है ।
ग्राम सभा/ ग्राम पंचायत की अनापत्ति	परियोजना प्रस्तावक ने ग्राम पंचायत ठहराव प्रस्ताव अपलोड नहीं किया है, अतः ईआईए रिपोर्ट के साथ प्रस्तुत करें ।
प्रस्तावित खदान की जिला सर्वेक्षण रिपोर्ट में स्थिति	परियोजना प्रस्तावक ने बताया कि इस खदान का विवरण जिले की अनुमोदित नवीन जिला सर्वेक्षण रिपोर्ट के के सरल क्रमांक-36 पर दर्ज है । समिति ने चर्चा उपरांत निर्णय लिया कि राज्य स्तरीय स्तरीय

प्रस्तुतीकरण के दौरान समिति ने पाया कि परियोजना प्रस्तावक द्वारा जो माईनिंग प्लान पोर्टल पर प्रस्तुत किया गया है उसकी वैधता वर्ष 2024 तक है। अतः समिति ने निर्देश दिये कि अद्यतन माईनिंग प्लान प्रस्तुत करें तत्पश्चात् प्रकरण पर विचार किया जावेगा।

**17. Shri Antim Chouhan Executive Engineer, OFFICE OF THE EXECUTIVE ENGINEER NARMADA VIKAS SANBHAG NO. 11 BARWANI DISTT.-BARWANI Prior Environment Clearance for Niwali Micro lift irrigation Project is proposed to Irrigate 33,179 Ha Culturable command area in Pati, Barwani, Niwali and Rajpur Tehsils in Barwani District in Madhya Pradesh.(M.P.). Cat. - 1(c) River Valley/Irrigation Projects, on-line proposal no. SIA/MP/RIV/ 522436/2025. EIA.**

- Earlier in this case was discussed and TOR was issued in the SEAC 775th dated 21.02.2025.
- SEIAA referred back this case vide 879th meeting dated 18.03.2025 wherein following query was issued.

**17. Case No. P2/1040/2025:** Prior Environment Clearance for Niwali Micro lift irrigation Project is proposed to Irrigate 33,179 Ha Culturable command area in Pati, Barwani, Niwali and Rajpur Tehsils in Barwani District in Madhya Pradesh.(M.P.) by Executive Engineer, Office of the Executive Engineer Narmada Vikas Sanbhag NO. 11 Barwani Distt.- Barwani Cat. - 1(c) River Valley / Irrigation Projects, ToR on-line proposal no. SIA/MP/RIV/522436/2025 Email: [nddivisionno11barwani@rediffmail.com](mailto:nddivisionno11barwani@rediffmail.com)

राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (SEAC) की 775 वी बैठक दिनांक 21.02.24 में उक्त प्रकरण में मानक एवं अन्य शर्तों (परिशिष्ट-डी) सहित टॉर जारी किये जाने हेतु अनुशंसा की गई है।

राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण (SEIAA) द्वारा प्रकरण का अवलोकन करने पर प्रथम दृष्टया निम्ननासार स्थिति पाई गई :-

परियोजना प्रस्तावक द्वारा परिवेश पोर्टल पर अपलोड KML फाईल के आधार पर प्रस्तावित परियोजना से अंतराज्यीय सीमा (महाराष्ट्र) 3.19 किलो मीटर की दूरी पर स्थित है, जबकि कार्यपालन यंत्री लोक निर्माण विभाग बड़वानी द्वारा परिवेश पोर्टल पर अपलोड पत्र अनुसार अंतराज्यीय सीमा की दूरी 52 किलोमीटर होना बताया गया है। भारत सरकार की अधिसूचना दिनांक 25.06.2014 अनुसार 1(c) श्रेणी की परियोजनाओं में यदि अंतराज्यीय सीमा 10 किलोमीटर के अंदर स्थित है तो प्रकरण ए-श्रेणी के अंतर्गत होने के कारण भारत सरकार द्वारा निर्णय किया जायेगा।

अतः प्राधिकरण द्वारा विस्तृत चर्चा एवं परामर्श उपरांत निर्णय लिया गया कि उपरोक्त के दृष्टिगत प्रकरण पुनः परीक्षण हेतु SEAC को अग्रेषित किया जाये।

With reference to above the the query was reply was presented by the Env. Consultant Shri R. S. Bhatiya, on-line M/s R. S. Envirolinks Technologies Pvt. Ltd., Gurugram.and authorized representative of PP Shri Antim Chouhan Executive Engineer .

In view of SEIAA referred back case the committee found that the reply submitted in lieu of EDS do not reveals sound technical support. The presentation made on-line by the Environmental Consultant on behalf of PP has assured to modify the reply in view of restricting laying of distribution pipelines within 05 Kms of interstate boundary to comply with EIA Notification under 25.06.2014.

**अध्यक्ष की अनुमति से चर्चा के अन्य बिन्दु :-**

- Member Secretary SEAC informed that fee is being deposited at SEIAA Secretariate, so adequacy of fee shall be verified by SEIAA Secretariate.
- The project proponent shall comply the MOEF&C's O.M. dated 24 July 2024 for ensuring plantation.

( ए.ए.मिश्रा )  
सदस्य सचिव

(राकेश कुमार श्रीवास्तव)  
अध्यक्ष

**Following standard conditions shall be applicable for the mining projects of minor mineral in addition to the specific conditions and cases appraised for grant of TOR:**

**Annexure- 'A'**

**Standard conditions applicable to Stone/Murram and Soil quarries:**

1. Mining should be carried out as per the submitted land use plan and approved mine plan. The regulations of danger zone (500 meters) prescribed by Directorate General of Mines safety shall also be complied compulsorily and necessary measures should be taken to minimize the impact on environment.
2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars and fenced from all around the site. Necessary safety signage & caution boards shall be displayed at mine site.
3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded along with annual record of water consumed in sprinkling during Summer (February to May/June ) and winter session (October to January) separately.
4. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
5. Mineral evacuation road shall be made pucca (WBM/black top) by PP.
6. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
7. Crusher with inbuilt APCD & water sprinkling system shall be installed minimum 100 meters away from the road and 500 meters away from the habitations only after the permissions of MP Pollution Control Board with atleast 04 meters high wind breaking wall of suitable material to avoid fugitive emissions.
8. Working height of the loading machines shall be compatible with bench configuration.
9. Slurry Mixed Explosive (SME) shall be used instead of solid cartridge.
10. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
11. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
12. Six monthly occupational health surveys of workers for Cardio-vascular & Pulmonary health, vital parameters as prescribed by concerned regulatory authority shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights.
13. A separate bank account should be maintained for all the expenses made in the EMP and CER activities by PP for financial accountability and these details should be provided in Annual Environmental Statement. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
14. To avoid vibration, no overcharging shall be carried out during blasting and muffle blasting shall be adopted. Blasting shall be carried out through certified blaster only and no explosive will be stored at mine site without permission from the competent authority.
15. Mine water should not be discharged from the lease and be used for sprinkling & plantations. For surface runoff and storm water garland drains and settling tanks (SS pattern) of suitable sizes shall be provided.
16. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
17. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
18. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.
19. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area. PP shall take Socio-economic activities in the region through the 'Gram Panchayat'.

20. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
21. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.
22. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
23. All the mines where production is > 50,000 cum/year, PP shall develop its own website to display various mining related activities proposed in EMP & CER along with budgetary allocations. All the six monthly progress report shall also be uploads on this website along with MoEF&CC & SEIAA, MP with relevant photographs of various activities such as garland drains, settling tanks, plantation, water sprinkling arrangements, transportation & haul road etc. PP or Mine Manager shall be made responsible for its maintenance & regular updation.
24. All the soil queries, the maximum permitted depth shall not exceed 02 meters below general ground level & other provisions laid down in MoEF&CC OM No. L-11011/47/2011-IA.II(M) dated 24/06/2013.
25. The mining lease holders shall after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc. Moreover, a separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M, of MoEF&CC issued vide letter F.No. 22-34/2018-IA. III, dated 16/01/2020.
26. The project proponent shall follow the mitigation measures provided in MoEF&CCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
27. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
28. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
29. A display board (in hindi) with following details of the project is mandatory at the entry to the mine.
  - a. Lease owner's Name, Contact details etc.
  - b. Mining Lease area of the project (in ha.) with latitude and longitude.
  - c. Length, breadth, sanctioned depth of mine and mining time.
  - d. Sanctioned Production capacity of the project as per EC and Consent of MPPCB.
  - e. Method of mining (Manual/Semi Mechanised) and Blasting or Non-blasting.
  - f. Plantation and CER activities.
30. Dense plantation/ wood lot shall be carryout in the 7.5 meters periphery/barrier zone of the lease through concern CCF (social forestry) or concerned DFO or any other suitable agency and on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
31. Entire plantation proposed in barrier zone of lease area shall be carried out as per submitted plantation scheme and along the fencing seed sowing of Neem, Babool, Safed Castor etc shall also be carried out.
32. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. PP shall explore the possibility for plantation in adjoining forest land in consultation with concerned DFO and commensurate budget shall be transferred for plantation to DFO.
33. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land through forest department or on other community land available for grassland and fodder development through Gram Panchayat in concerned village and handed over to Gram Panchayat after lease period.
34. Before onset of monsoon season as per submitted plantation scheme fruit bearing species preferably of fodder / native shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry

- nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh “ANKUR YOJNA” by registering individual villagers on “Vayudoot app”. Where ever Aushadhi Vatika (Medicinal Garden) is proposed by PP, a minimum of 50 saplings be planted considering 80% survival with proper protection measures in School or Aganwadi premises.
35. Adequate provisions of water for irrigating plantation shall be made by PP.
36. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.
37. The project proponent shall comply the MOEF&C's O.M. dated 24 July 2024 for ensuring plantation.
38. लीज क्षेत्र के अंदर में केवल केशर /एम-सेड प्लांट स्थित है, परियोजना प्रस्तावत निम्न शर्तों का पालन करेगा।
- खनन क्षेत्र में प्रस्तावित माईन आधारित केशर प्लान्ट/एम.सेड प्लांट हेतु म.प्र. प्रदूषण नियंत्रण बोर्ड से नियमानुसार स्थापना एवं संचालन सम्मति प्राप्त करना होगी।
  - म.प्र. प्रदूषण नियंत्रण बोर्ड की दिशा निर्देशों के अनुसार प्रस्तावित केशर प्लान्ट/एम.सेड प्लांट में स्लरी प्रबंधन तथा वायु प्रदूषणरोधी उपकरणों की स्थापना सुनिश्चित की जावेगी।
39. केशर अथवा एम सेड प्लांट प्रस्तावित नहीं है ,परियोजना प्रस्तावत निम्न शर्तों का पालन करेगा।
- परियोजना प्रस्तावक के अनुसार लीज क्षेत्र में केशर प्लान्ट/ एम.सेड प्लांट प्रस्तावित नहीं है, अतः लीज क्षेत्र में केशर प्लान्ट/एम.सेड प्लांट स्थापित करने की अनुमति नहीं दी जा सकेगी।
  - खनन क्षेत्र से बाहर प्रस्तावित माईन आधारित केशर प्लान्ट/एम.सेड प्लांट हेतु म.प्र. प्रदूषण नियंत्रण बोर्ड से नियमानुसार स्थापना एवं संचालन सम्मति प्राप्त करना होगी।
  - म.प्र. प्रदूषण नियंत्रण बोर्ड की दिशा निर्देशों के अनुसार प्रस्तावित केशर प्लान्ट/एम.सेड प्लांट में स्लरी प्रबंधन तथा वायु प्रदूषणरोधी उपकरणों की स्थापना सुनिश्चित की जावेगी।
40. यदि आवंटित खनन पट्टा भू-स्वामी की सहमति /अनुबंध पर हो तो परियोजना प्रस्तावत निम्न शर्तों का पालन सुनिश्चित करेगा।
1. क्षतिपूर्ति के संबंध में:-
- म.प्र. भू राजस्व संहिता 1959 की धारा 247 (5) के तहत संबंधित जिला कलेक्टर द्वारा भूमि स्वामियों की क्षतिपूर्ति के निर्धारण हेतु किये गये प्रावधानों/उपबंधों का पालन भूमि स्वामियों को समक्ष में सुनकर भूमि के सतह अधिकार के संबंध में क्षतिपूर्ति का निर्धारण सुनिश्चित किया जाये।
  - म.प्र. गौण खनिज नियम, 1996 के नियम 9 (क) एवं नियम,06(क) के प्रावधान अंतर्गत कण्डिका 04 में किये गये प्रावधानों के अनुरूप सहमति धारक को उत्खनन पट्टा स्वीकृत होने पर, देय रॉयल्टी के 15 प्रतिशत के समतुल्य रकम का सहमति धारक को भुगतान सुनिश्चित किया जाये। उपरोक्त शर्तों का पालन भू-प्रवेश अनुमति के पूर्व सुनिश्चित किया जावे।

**Following standard conditions shall be applicable for the mining projects of minor mineral in addition to the specific conditions and cases appraised for grant of TOR:**

**Annexure- 'B'**

**Standard conditions applicable for the Sand Mine Quarries\***

1. District Authority should annually record the deposition of sand in the lease area (at an interval of 100 meters for leases 10 ha or > 10.00 ha and at an interval of 50 meters for leases < 10 ha.) before monsoon & in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority shall allow lease holder to excavate only the replenished quantity of sand in the subsequent year.
2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars. Necessary safety signage & caution boards shall be displayed at mine site.
3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded.
4. Only registered vehicles/tractor trolleys with GPS which are having the necessary registration and permission for the aforesaid purpose under the Motor Vehicle Act and also insurance coverage for the same shall alone be used for said purpose.

5. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
6. Mineral evacuation road shall be made Pucca (WBM/black top) by PP.
7. Sand and gravel shall not be extracted up to a distance of 1 kilometer (1Km) from major bridges and highways on both sides, or five times (5x) of the span (x) of a bridge/public civil structure (including water intake points) on up-stream side and ten times (10x) the span of such bridge on down-stream side, subjected to a minimum of 250 meters on the upstream side and 500 meters on the downstream side.
8. Mining depth should be restricted to 3 meters or water level, whichever is less and distance from the bank should be 1/4<sup>th</sup> or river width and should not be less than 7.5 meters. No in-stream mining is allowed. Established water conveyance channels should not be relocated, straightened, or modified.
9. Demarcation of mining area with pillars and geo-referencing should be done prior to the start of mining.
10. PP shall carry out independent environmental audit atleast once in a year by reputed third party entity and report of such audit be placed on public domain such audits be placed on public domain through website developed for public interface along with photographs of work done w.r.t. EMP as well as CER.
11. No Mining shall be carried out during Monsoon season.
12. The mining shall be carried out strictly as per the approved mine plan and in accordance with the Sustainable Sand Mining Management Guidelines, 2016 and Enforcement & Monitoring Guidelines for Sand Mining, 2020 issued by the MoEF&CC ensuring that the annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan.
13. If the stream is dry, the excavation must not proceed beyond the lowest undisturbed elevation of the stream bottom, which is a function of local hydraulics, hydrology, and geomorphology.
14. After mining is complete, the edge of the pit should be graded to a 2.5:1 slope in the direction of the flow.
15. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
16. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
17. Six monthly occupational health surveys of workers shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights. All these facilities such as rest shelters, site office etc. Shall be removed from site after the expiry of the lease period.
18. A separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M, of MoEF&CC issued vide letter F.No. 22-34/2018-IA. III, dated 16/01/2020 and these details should be provided in Annual Environmental Statement.
19. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
20. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
21. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.
22. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area.
23. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
24. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.
25. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
26. A separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M dated 16/01/2020.
27. The project proponent shall follow the mitigation measures provided in MoEFCCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues

- related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area”.
28. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
  29. A display board with following details of the project is mandatory at the entry to the mine.
    - a. Lease owner's Name, Contact details etc.
    - b. Mining Lease area of the project (in ha.) with latitude and longitude.
    - c. Length, breadth and sanctioned depth of mine.
    - d. Minable Potential of sand mine.
    - e. Sanctioned Production capacity of the project as per EC and Consent of MPPCB.
    - f. Method of mining (Manual/Semi Mechanised)
  30. Following conditions must be implemented by PP in case of sand mining as per NGT (CZ) order dated 19/10/2020 in OA NO. 66/2020 and SEIAA's instruction vide letter No. 5084 dated 09/12/2020.
    - i. The Licensee must use minimum number of poclains and it should not be more than two in the project site.
    - ii. The District Administration should assess the site for Environmental impact at the end of first year to permit the continuation of the operation.
    - iii. The ultimate working depth shall be 01 m from the present natural river bed level and the thickness of the sand available shall be more than 03 m the proposed quarry site.
    - iv. The sand quarrying shall not be carried out blow the ground water table under any circumstances. In case, the ground water table occurs within the permitted depth at 01 meter, quarrying operation shall be stopped immediately.
    - v. The sand mining should not disturb in any way the turbidity, velocity and flow pattern of the river water.
    - vi. After closure of the mining, the licensee shall immediately remove all the sheds put up in the quarry and all the equipments used for operation of sand quarry. The roads/pathways shall be leveled to let the river resume its normal course without any artificial obstruction to the extent possible.
    - vii. The mined out pits to be backfilled where warranted and area should be suitable landscaped to prevent environmental degradation.
    - viii. PP shall adhere to the norms regarding extent and depth of quarry as per approved mining plan. The boundary of the quarry shall be properly demarcated by PP.
  31. Species such as Khus Slips and Nagar Motha shall be planted on the river banks for bank stabilization and to check soil erosion while on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
  32. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. PP shall explore the possibility for plantation in adjoining forest land in consultation with concerned DFO and commensurate budget shall be transferred for plantation to DFO.
  33. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land through forest department or on other community land available for grassland and fodder development through Gram Panchayat in concerned village and handed over to Gram Panchayat after lease period.
  34. During initial three years before onset of monsoon season, minimum 100 saplings or maximum as per submitted plantation scheme and subsequently approved by the SEAC of fodder / native fruit bearing species shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh “ANKUR YOJNA” by registering individual villagers on “Vayudoot app”. Where ever Aushadhi Vatika (Medicinal Garden) is proposed by PP, a minimum of 50 saplings be planted considering 80% survival with proper protection measures in School or Aganwadi premises.
  35. Adequate provisions of water for irrigating plantation shall be made by PP.



36. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.
37. As per Enforcement and Monitoring Guidelines for Sand Mining 2020 , Page no. 24 Para (r) minimum 7.5 meters (inward) “from the river.....bank” shall be restricted should be followed in verbatim as the para says.
38. The project proponent shall comply the MOEF&C’s O.M. dated 24 July 2024 for ensuring plantation.
39. विगत वर्षों में जारी पूर्व पर्यावरण स्वीकृति में एवं वर्तमान में जारी पर्यावरण स्वीकृति में उल्लेखित समस्त शर्तों का पालन मध्यप्रदेश स्टेट माईनिंग कॉर्पोरेशन द्वारा सुनिश्चित किया जावेगा।
40. पूर्व एवं वर्तमान ई.सी. शर्तों का पालन प्रतिवेदन निर्धारित समयावधि में एम.ओ.ई.एफ. एण्ड सी.सी. तथा एम.पी. सिया, के समक्ष प्रस्तुत किया जायेगा।