

Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

The 152nd meeting of the State Level Environment Impact Assessment Authority was convened on 26.10.2013 at 02.30 PM at the Authority's Office in M. P. Pollution Control Board Building, Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Amar Singh, Chairman, SEIAA. The following members attended the meeting:-

- | | | |
|---|--------------------|------------------|
| 1 | Shri M. Hashim | Member |
| 2 | Shri Manohar Dubey | Member Secretary |

- A. Following cases received from SEAC have been considered and the details of the receipt of the recommendations & record from the office of SEAC is as follows:

S No	Case No.	No. & date of latest SEAC meeting in which case was recommended	Date of receipt of SEAC minutes in SEIAA	Date of receipt of records in SEIAA office
1.	1702/2013	139 th SEAC meeting dtd 29.08.2013	12.09.2013	12.09.2013
2.	1703/2013	139 th SEAC meeting dtd 29.08.2013	12.09.2013	12.09.2013
3.	689/2012	140 th SEAC meeting dtd 30.08.2013	12.09.2013	12.09.2013
4.	700/2012	140 th SEAC meeting dtd 30.08.2013	12.09.2013	12.09.2013
5.	1704/2013	140 th SEAC meeting dtd 30.08.2013	12.09.2013	12.09.2013
6.	563/2010	141 th SEAC meeting dtd 10.09.2013	23.09.2013	23.09.2013
7.	574/2010	141 th SEAC meeting dtd 10.09.2013	23.09.2013	23.09.2013
8.	1522/2013	142 nd SEAC meeting dtd 11.09.2013	23.09.2013	23.09.2013
9.	1524/2013	142 nd SEAC meeting dtd 11.09.2013	23.09.2013	23.09.2013
10.	1667/2013	142 nd SEAC meeting dtd 11.09.2013	23.09.2013	23.09.2013

- B. Policy Decision for Prior Environmental Clearance of mining projects of minor minerals with lease area less than 5 ha.


- (1). **Case No. – 1702/2013:** Prior Environmental Clearance for proposed project "Coral Casa" at Khasra No. – 32/282/32/1/1, 32/282/32/1/2, 34/2, Village- Raslakhedi, Bhanpur, Tehsil - Huzur, Distt. – Bhopal (M.P.) Total Land Area – 6.194. Ha., Total Built Up Area 54,240 sqm & Plotted area development for residential 3212.15 sqm by Globus Life Style P Ltd. through Keshav Nachani Developer & Ravindra Singh Bhatija, 176, MP Nagar, Bhopal (MP) 462011

- (i) The proposed project is building construction project (residential project) located at Khasra No. – 32/282/32/1/1, 32/282/32/1/2, 34/2, Village- Raslakhedi, Bhanpur, Tehsil - Huzur, Distt. – Bhopal (M.P.) The Proponent is Globus Life Style P Ltd. through Keshav Nachani Developer & Ravindra Singh Bhatija.

- (ii) As per the T & CP, Bhopal (vide letter 957 dtd 08.11.12) total area is 6.194. ha., at Village- Raslakhedi, Bhanpur, Tehsil - Huzur, Distt. – Bhopal (M.P.) The total built up area proposed by PP is – 54,240 sq.mt. sq. m & Plotted area dev for residential. - 3212.15 sq.mt. (Form – I) The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1,50,000 sq mt. and plot area is less than 50 ha.

- (iii) The case was examined in depth and it is noted that :-

- (a) T & CP Permission dtd 08.11.12, diversion order & Nazul NOC is submitted however out of total three, Khasra Panchsala for only two khasras is submitted and in these khasra no. are not clear (readable). Further, Khasra Panchsala for


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman


Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

Khasra is not submitted. **It is decided that PP should submit a clear (readable) notarized copy of latest Khasra Panchsala for all the three Khasra numbers included in the project.**

- (b) The case was discussed in 139th dtd.29.08.13 SEAC meeting and recommended the project for grant of prior EC subject to 06 special conditions. As per 139th SEAC mtg. dtd. 29.08.13*"it was reported by the PP that no activity has been taken up at site as of date and the task of construction shall be taken up only after obtaining prior EC and other necessary permissions from concerned authorities".....*
- (c) The total water requirement is 395 KLD (264 KLD domestic use, 131KLD flushing & conceptual plan). The fresh water requirement is 264 KLD. The recycled water 131 KLD shall be used for flushing & remaining water is proposed to be used for horticulture and road side plantation. The quantity of treated waste water is not mentioned. The source of water supply is Municipal water supply. PP has submitted photocopy (not notarized) of letter (no. 43 dtd.30.07.13) issued from Bhopal Municipal Corporation regarding permission of supply of 395 KLD water. **It is decided that PP should submit a copy of above NOC from Municipal Corporation, Bhopal. The NOC should be duly notarized / attested by authorized signatory of the project. There should be no extraction of ground water.**
- (d) The total waste water generation is 339 KLD. PP has provided sewage treatment plant of 400 KLD. The sewage generated will be treated up to secondary level with chlorination in STP. The treated sewage will be recycled / reuse for flushing & remaining water shall be used for horticulture and road side plantation. Therefore during normal operation there will be zero discharge as entire treated sewage will be recycled (Form-1A pg-7) and **is satisfactory. It is decided that PP should ensure that there is no discharge of treated waste water outside the premises.**
- (e) Approximately 1566 kg / day of Municipal Solid waste shall be generated. This will be collected separately in colored bins of biodegradable waste and non biodegradable proposed at the strategic locations within the site. After collection the waste will be disposed off at trenching ground of Bhopal Municipal Corporation PP has not submitted NOC for disposal of MSW from BMC. **It is decided that the disposal of municipal solid waste should be linked with the Bhopal Nagar Nigam waste disposal facility and PP should submit copy of NOC from Municipal Corporation, Bhopal for disposal of MSW which should be duly notarized / attested by authorized signatory of the project.**
- (f) PP has provided fire fighting provisions as per NBC of India Part – IV 2005 including static U. G. storage tank 200 cum, vertical wet risers, hydrant system, overhead tanks, portable fire extinguishers, hose cabinet with full accessories, fire pumps with automatic operating system etc. PP has (vide letter dtd 17.10.13 received in SEIAA office on 17.10.13) submitted notarized copy of fire


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman


Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

fighting NOC issued by Nagar Nigam, Bhopal vide no. 66 dtd 10.10.13 and is **satisfactory**.

- (g) The maximum height of the building is 18 m + Stilt. PP has provided 12 m wide road, Front MOS 12 m and side / rear MOS 6.0 m. **It is decided that PP should provide internal road width and open spaces as per MPBVR 2012 rule no. 42 table 4 for buildings having height upto 18 m.**
- (h) PP has provided 240 ECS. (stilt - 7200 sqm) and 252 ECS for duplexes i.e. total 492 ECS. As per MPBVR 2012 rule no. 84 Appendix I- I clause 1 (3) the car parking is to be provided @ 1 ECS per 100 sqm of built up area for residential purposes. In view of MoEF, GoI office Memorandum F. No. 21-270/2008-IA.III dtd 06.06.2013, the calculation of total built up area as per sub rule 30 of rule no. 2 of MPBVR 2012 is being considered by SEIAA for calculating car parking area. PP has not submitted detailed break up of built up area as per sub rule no. 30 of rule 2 of MPBVR 2012 for car parking calculation. **It is decided that PP should submit the breakup of constructed area as per sub rule 30 of Rule 2 of MPBVR 2012.**
- (i) PP has provided 09 nos. of recharge pit for rain water harvesting and is satisfactory.
- (j) **It is noted that SEAC in its 139th meeting dtd 29.08.13 has imposed following six conditions :-**
1. Fresh water requirement for project shall not exceed 395 m³/day.
 2. Construction debris shall be recycled through conversion into aggregate as proposed by the PP
 3. Green area shall be not less than 7433.76 sq mt .
 4. Solar panels shall be installed for street lights and other utilities.
 5. STP shall be regularly operated and maintained by the developer of the township.
 6. Developer shall ensure compliance of all the terms and conditions of the EC.
- (iv) It is noted that :-
- (a).PP has proposed (Form-1 A point no. 3.3, page no. 17) that "total 7433.76 sqm and along the road so that in totality 30% area shall be developed as green area."
- (b).In 139th SEAC meeting minutes conditions has been imposed that green area shall not be less than 7433.76 sqm
- (v) It is decided that as per MPBVR 2012 "**Rule No. 67 Plantation** – A plot having area of 100 square meters or more shall be planted with trees after the completion of construction of building. The number of trees planted shall be one tree for every 100 square meters of individual plot. The occupancy certificate for the building will be issued only when the authority is satisfied that the provision of this rule have been complied with. Every effort shall be made to protect the existing trees on the plot." Hence, **the Authority decided that PP should provide plantation**


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

of minimum 600 trees @ 1 tree per 100 square meters of the plot as per MPBVR 2012 Rule no. 67.

(vi) PP should submit the above information latest by **15.12.2013**.

(2). **Case No. 1703/2013** Prior Environmental Clearance for proposed Commercial Complex "Madhav Plaza" at Khasra No. 756, Village Lashkar, Tehsil Huzrat Road, Lashkar, Distt. Gwalior (MP) Total Plot Area 9,305 sqm Total Built Up Area 26,117.81 sqm by Gwalior Development Authority, Gwalior, MP through Chief Executive Officer, Shri S.K. Mishra, Vikas Bhawan, 1, Ravi Nagar, Gwalior (MP) 474002

(i). Application for Prior Environmental Clearance was submitted by PP (vide letter dtd 14.05.13) received in SEIAA office 08.07.13.

(ii). The case was registered and forwarded to SEAC for appraisal on 16.07.13.

(iii). This is a case of building & construction project (commercial complex) in an area of 9,305 sqm and total built-up area of 26,117.81 sqm (Form-I) The project comes under 8(a) category(B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sqm & 1, 50,000 sqm and plot area is less than 50 ha.

(iv). The case was examined in depth and it is noted that :-

(v). The case was discussed in 139th SEAC meeting dtd 29.08.2013 and as per committee decision "It was informed by the project proponent that the construction activity has already been started without obtaining prior EC and has reached to substantial levels. Thus, this is a clear case of violation of EIA Notification. Committee decided to return the case to SEIAA for taking necessary credible action and if need be, issue of directions for immediate suspension of construction at existing level, in light of the MoEF O.M. no J-110131/41/2006 - IA- II (I) dated 12/12/2012 and dated 27/06/2013".


(vi). It is decided that as per MoEF, GoI, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012 and OM dtd 27.06.2013 PP should submit the details as to why the construction activities have been undertaken. How much construction has already been done ? Whether the construction activities are still continuing? PP is directed to stop the construction activities with immediate effect and should not undertake any kind of construction until prior EC under EIA Notification 2006 is accorded.

(vii). PP should submit the above information latest by **15.12.13**. The case will be considered thereafter.

(viii). The Authority is of the view that it is undisputed that violation of EIA Notification 2006 has taken place. It is decided that a letter should be sent to Principal Secretary, GoMP, Housing and Environment giving the details of violation to take action as per office memorandum of MoEF, GoI J-110131/41/2006 IA II (I) dt. 27.06.13 & 12.12.2012 (Para 2) "to initiate credible action on the violation by invoking powers under section 19 of the Environment (Protection) Act, 1986 for taking necessary legal action under section 15 of the Act for the period for which the violation has taken place and evidence provided to MoEF of the credible action taken." The details of legal action taken


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

by the Principal Secretary H & EN GoMP taken should be made available to the Authority by 15.12.13.

- (3). **Case no. 689/2012**, Prior Environmental Clearance for Semri Medium Project catchment area 92.75 sqkm. Gross Storage capacity 33.13 MCM live storage capacity 29.85 MCM Gross Command area 6350 ha cultivable command area 5700 ha at village Markheda Tappa, Tehsil Begamganj, District Raisen, MP by Shri M. G. Choubey, Engineer-in-Chief, Department of Water Resources, Tulsi Nagar, Bhopal – 462003

(i). The proposed project is a river-valley project with catchment area of 92.75 sqkm and gross storage capacity of 33.13 MCM. The Live storage capacity is reported to be 29.85 MCM and CCA is 5700 ha. The project pertains to Item No. 1(c) category 'B' of the EIA Notification schedule, as the CCA in the project is less than 10,000 ha.

(ii). The case was discussed in SEAC meetings 94th dtd. 07.05.12 and 140th dtd.30.08.13 recommended for grant of prior EC subject to 03 special conditions.

(iii). Vide letter dtd. 20.06.2012 ToR was issued and EIA was submitted by PP on 14.08.13 and forwarded to SEAC on 23.08.13.

(iv). The case was examined in depth and it is noted that :-

a. As per Form-1 point no. 7 PP has submitted that *"the project or its part are not located within 10 km from the boundary of (a) protected area notified under the Wild Life (Protection) Act 1972 (b) critically polluted areas as notified the Central Pollution Control Board from time to time (c) Notified eco-sensitive areas (d) interstate boundaries or international boundaries."*


b. SEAC in 94th meeting dtd 07.05.12 and 140th meeting dtd 30.08.13 has recorded that there is no wild life sanctuary, National Park etc. within the study area.

c. However, as per records submitted by PP letter from DFO regarding distance of National Park / Sanctuary is not submitted. **It is decided that a letter should be sent to DFO, District Raisen to seek information regarding the distance of National Park / sanctuary from the project area. A copy of this letter should be endorsed to PP.**


(v). The above information should be submitted by PP latest by 15.12.2013. **The case will be considered after the jurisdiction issue is cleared.**

- (4). **Case no. 700/2012**, Prior Environmental Clearance for Datuni Tank Project catchment area 181.61 sqkm Gross storage capacity 51.015 MCM live storage capacity 49.135 MCM Gross Command area 10206 ha cultivable command area 9073 ha at village Sukhliya, Tehsil Kannod, District Dewas, MP by Shri M. G. Choubey, Engineer-in-Chief, Department of Water Resources, Tulsi Nagar, Bhopal – 462003

(i). The proposed project is a river-valley project with catchment area of 181.61 sqkm and gross storage capacity of 51.02 MCM. The Live storage capacity is reported to be 49.14 MCM and CCA is 9073 ha. The project pertains to Item No.



(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

- 1(c) category 'B' of the EIA Notification schedule, as the CCA in the project is less than 10,000 ha.
- (ii). The case was discussed in SEAC meetings 94th dtd. 07.05.12 and 140th dtd.30.08.13 recommended for grant of prior EC subject to 04 special conditions.
- (iii). Vide letter dtd. 20.06.2012 ToR was issued and EIA was submitted by PP on 16.07.13 and forwarded to SEAC on 21.07.13.
- (iv). The case was examined in depth and it is noted that :-
- (a).In the Form-1 point no. 7 does it attract the general conditions? If yes please specify PP has submitted that "Yes. It is a medium project of 9073 ha CCA."
- (b).In 94th SEAC meeting dtd 07.05.12 it is recorded that "the project does not attract the general conditions"..... and in 140th meeting dtd 30.08.13 it is recorded that "there is no wild life sanctuary, National Park etc. within the study area".
- (c).However, as per records submitted by PP letter from DFO regarding distance of National Park / Sancutary is not submitted. **It is decided that a letter should be sent to DFO, District Dewas to seek information regarding the distance of National Park / sanctuary of the project area. A copy of this letter should be endorsed to PP.**
- (v). The above information should be submitted by PP latest by 15.12.2013. **The case will be considered after the jurisdiction issue is cleared.**
- (5). **Case No. – 1704/2013:** Prior Environmental Clearance for proposed **Residential & Commercial Development Project** at Plot No. 27, Yashwant Niwas Road, Tehsil & District Indore MP. Total Plot area 12626 sq.mt., built up area 62,262.67 sqmt. by M/s Saicharan Properties Ltd., Mr. Sanjay Daga Authorized Signatory, 101, Kalpataru Synergy, Opp. Grand Hyatt, Santacruz, East Mumbai 400055
- (i). The case was discussed in 139th SEAC meeting dtd 29.08.2013, and recommended in 140th SEAC meeting dated 30.08.2013..... based on the submission of documents and presentation made by the PP the committee has recommended for grant of prior EC to the project subject to 04 special conditions.
- (ii). The proposed project is of building & construction including residential & commercial development at Plot No. – 27, Yaswant Road, Tehsil & Distt. – Indore (MP). The Proponent is Saicharan Properties Ltd. through Authorized Signatory Mr. Sanjay Daga.
- (iii). It was noted that the total plot area in 12,626 sq.mt. and built up area proposed by PP is 62262.67 sq. m. (Form-I). The project comes under item 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1,50,000 sq mt. and plot area is less than 50 ha.
- (iv). It was noted that PP has not submitted the letter of permission of approved layout of the proposed project from the office of Town & Country Planning, Indore. **It is**


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman


Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

decided that PP should submit notarized copy of approval letter and layout plan from the Office of T & CP, Indore.

- (v). It was noted that the PP has submitted copy of letter from the Commissioner, Municipal Corporation, Indore vide No. 2802 dtd. 08.10.2010 regarding supply of fresh water, sewage disposal and solid waste collection. The content of letter is very general, there is no mention of quantity and other details. **It is decided that PP should submit the notarized copy of NOC from the Municipal Corporation, Indore showing quantity and other details regarding supply of fresh water, sewage disposal and solid waste collection. The letter should be endorsed to the Commissioner Municipal Corporation, Indore.**
- (vi). It was also noted that the height of building is 45 m. and the PP has not submitted the NOC of fire fighting and distance of the nearest fire fighting station. **It is decided that PP should submit notarized copy of NOC of the fire fighting from Nagar Nigam, Indore / UADD, Bhopal.**
- (vii). It was found that PP has not submitted the information about the parking provisions of the proposed project. As per MPBVR 2012 rule no. 84 Appendix I- I clause 1 (3) the car parking is to be provided @ 1 ECS per 100 sqm of built up area for residential purposes and 1 ECS per 50 sqm built up area for commercial. In view of MoEF, Gol office Memorandum F. No. 21-270/2008-IA.III dtd 06.06.2013, the calculation of total built up area as per sub rule 30 of rule no. 2 of MPBVR 2012 is being considered by SEIAA for calculating car parking area. PP has not submitted detailed break up of built up area as per sub rule no. 30 of rule 2 of MPBVR 2012 for car parking calculation. **It is decided that PP should submit the breakup of constructed area as per sub rule 30 of Rule 2 of MPBVR 2012 for residential and commercial area.**
- (viii). **The above information should be made available to the SEIAA office by 15.12.2013.**
- (6). **Case no. 563/2010**, Prior Environmental Clearance for Stone Quarry (for making gitti by crusher) in an area of 11.0 ha. for production capacity of 1,50,000 TPA at Survey No. 1293 at Village Budore, Tehsil & District Chhattarpur (M.P) by M/s Khajuraho Minerals, Shri Ajay Pal Singh (Partner), Post Box. No. 25, Toria House, Tehsil & District Chhattarpur (MP) 471001.
- (i). The case was discussed in 103rd SEAC meeting dtd. 12.09.2012 and **recommended in 141st SEAC meeting dated 10.09.2013.....** based on the submission of documents and presentation made by the PP the committee has **recommended for grant of prior EC to the project subject to the 07 conditions.**
- (ii). It was noted that the PP has applied in **Form-I** for Prior Environmental Clearance of Stone Quarry for making gitti by crusher (Open cast mechanized method) in an area of 11.0 ha. for production capacity of 1,50,000 TPA at Survey No. 1293 at


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


2.11.13
(Amar Singh)
Chairman

Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

Village Budore, Tehsil & District Chhattarpur, M.P. The PP was having lease for 10 years at the time of application which was effective from 04.02.03 to 04.02.13.

While scrutinizing the documents it was found that PP had applied for Prior EC on 15.06.10 and the initial ToR was issued by SEAC vide No. 536 dtd. 20.07.10. Thereafter, the PP has applied for extension of validity of ToR vide L.No. KM/2012-13 / 1994 dtd 30.08.12 showing the reason to change the consultant i.e. from Bhagwathi Ana Labs Ltd. to M/s Grass Roots Research and Creation India Pvt. Ltd. in view of no action was taken by earlier consultant regarding EIA study. After examining the fact the SEAC accepted the request of PP and recommended extension of validity of ToR vide No. 767 dtd 11.12.12 for One Year i.e. up to 20.07.13.

- (iii). It was also noted that in the mean time the renewal of the lease period was due and PP has applied for the same in the prescribed Form-1 for renewal of the lease at the Office of Collector, Chhattarpur on 03.03.2012. This document was enclosed as **Annexure-V** with the EIA report submitted by PP vide L.No. Nil dated 16.07.2013 received in SEIAA office on 18.07.2013.


It was found that the renewal of application is for the Survey No. 1293 at Village Budore, Tehsil Chhattarpur, District Chhattarpur in area of 11.0 ha. **which is same as sanctioned by the Directorate of Geology & Mining** vide No. 4051 dated 02.11.2002.

On the basis of above facts that the renewal is for the same Survey No. , location and area, it was decided that case may be considered for Prior EC.

- (iv). It was noted that as per DFO, Chhattarpur letter vide No. 1692 dtd. 20.09.2010 the National Park/Sanctuary are not located within 10 Km. radius and as per letter from the Collector, Chhattarpur vide No. 1738 dtd. 07.09.2013 the Inter-state boundary is also not within 10 km. radius from the mining site. Hence, the **General Conditions are not attracted.**
- (v). The proposed plantation program was examined and it was found that 20000 trees would be planted in an area of **9.95 ha** during conceptual period. The plantation program was found satisfactory.
- (vi). It was found that as per Mining Plan (Vide L.No. 16571/Mine Plan Cell/Na.Kra.354/2013, dtd. 06.09.2013) the expected life of mine is **9 years** (1394820/1,50,000) at present.
- (vii). It was noted that the Public Hearing was held on 11.07.2013 at Govt. School, Village Budore under the Chairmanship of Upper Collector, Chhattarpur. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
- (viii). **It was decided to accept the recommendation of 141st SEAC meeting dtd. 10.09.2013 to grant Prior Environmental Clearance** for Stone Quarry - making gitti by crusher (**Opencast Mechanized Method**) in an area of 11.0 ha. for production capacity of 1,50,000 TPA at Survey No. 1293 at Village Budore, Tehsil


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member


(Amar Singh)
Chairman


Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

& District Chhattarpur, M.P. for the **life of mine only i.e. Nine Years** by M/s Khajuraho Minerals, Shri Ajay Pal Singh (Partner), Post Box. No. 25, Toria House, Tehsil & District Chhattarpur (M.P.) - 471001

- (7). **Case no. 574/2010** - Prior Environmental Clearance for Begoudi Limestone Mine (Opencast Manual Method) in an area of 8.094 ha for production capacity of Limestone – 20,000 TPA & Reject Stone –10,000 TPA, Total – 30,000 TPA at Survey No. 86/2क at Village-Begoudi, Tehsil-Amarpatan, District-Satna (M.P) by Shri Somendra Singh & Shri Amar Singh, Malti Mandir, Ghoghar, P.O. & Distt. – Rewa (M.P)-486001.
- (i). The case was discussed & recommended in 141st SEAC meeting dtd. 10.09.13 based on the submission of documents and presentation made by the PP the committee has **recommended for grant of prior EC to the project subject to the 08 conditions.**
 - (ii). It was noted that the PP has applied in **Form-I** for Prior Environmental Clearance of Begoudi Limestone Mine (Opencast Manual Method) in an area of 8.094 ha. for production capacity of Limestone – 20,000 TPA & Reject Stone –10,000 TPA, Total – 30,000 TPA at Survey No. 86/2क at Village -Begoudi, Tehsil-Amarpatan, District-Satna, M.P.
 - (iii). It was noted that as per DFO, Satna letter vide Endt. No. 13059 dtd. 26.12.2011 the National Park/Sanctuary are not located within 10 Km. radius. As per the location of mine lease area, the criterion of Inter-state boundary is not applicable. Hence, the **General Conditions are not attracted.**
 - (iv). It was noted that the mining lease period is valid for 30 years i.e. from 17.09.2010 to 16.09.2040.
 - (v). It was noted that the Public Hearing was held on 29.07.2012 at Govt. Primary School, Village-Begoudi under the Chairmanship of Addl. Collector, District-Satna. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
 - (vi). The proposed plantation program was examined and it was found that 7082 trees would be planted in an area of 3.51 ha at the end of lease period. The plantation program was found satisfactory.
 - (vii). It was found that initially ToR was issued vide No. 818/PS-MS/MPPCB/SEAC/ToR (64)/2010 dtd 27.09.10 and further, the validity period of ToR was extended upto 26.09.13 vide No 540/PS-MS/MPPCB/SEAC/Rev.ToR (add126)/2013 dtd. 29.06.13. EIA report of the project has been submitted on 23.08.13 i.e within validity period of ToR.
 - (viii). The PP has submitted approved Mining Plan vide No. MP/Satna/Limestone/ MPLN /G-02/10-11 dtd. 30.06.10. It was noted that the copy of Mining Plan **is not notarized.**
 - (ix). It was decided to accept the recommendation of 141st SEAC meeting dtd. 10.09.13 and accord Prior Environmental Clearance **in principle.** The final Prior EC for the


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

project would be granted after submission of notarized copy of the Mining Plan and accordingly validity period of EC will be decided.

- (x). In context of above it was decided to ask PP to submit notarized copy of the Mining Plan by **15.12.2013**.

(8). **Case No. – 1522/2013** M/s Fortune Builders, Partner Shri Ajay Mohagaonkar and Shri Sameer Gupta, Fortune House, 157, Zone-I, M.P. Nagar, Bhopal – (M.P.) – 462018 Fortune Signature" at Survey No. – 147/7/1ka, 147/7/1/kha, 147/5/3, 95/1/kha/2, 147/7/3, 147/7/4, 147/7/5, 147/9/kh, 147/9/kha, 147/9/jha, 147/9/1/1/1, 147/9/1/1/2, 147/9/1/1/8, 147/7/2, Village- Bawadia Kalan, Tehsil - Huzur, Distt. – Bhopal (M.P.) Total Land Area – 30713.0 sq mt., Total Built Up Area – 45383.72 sq.mt.


- (i). PP has submitted application on 14.03.2013. The case was registered on 20.03.13 and sent to SEAC vide letter no. 3125 dtd 20.03.13
- (ii). The case was discussed in 142nd SEAC meeting dtd 11.09.2013 and recorded that *"Neither the Project Proponent nor his representative was present to explain the query which might be raised or to make any commitment which may be desired by the committee during the deliberation. It is observed that the PP has not been responding despite of several reminders for presentation and submissions. This was the last opportunity provided to the PP to make his submissions. Hence committee decided to return the case to SEIAA for further necessary action in the matter assuming that PP is not interested in the project."*
- (iii). The Authority decided to accept the recommendation of SEAC and summarily close the case. PP and all concerned should be informed.

(9). **Case No. – 1524/2013** M/s Fortune Builders, Partner Shri Ajay Mohagaonkar and Shri Sameer Gupta, Fortune House, 157, Zone-I, M.P. Nagar, Bhopal – (M.P.) – 462018 Proposed Township Project "Fortune Kasturi" at Khasra No. – 8/1/13K, 8/2/1/1, 11/1/2, Village- Jatkhedhi, Tehsil - Huzur, Distt. – Bhopal (M.P.) Total Plot Area – 18285.73 sq.mt., Proposed Built Up Area – 29654.033 sq.mt.

- (i). PP has submitted application on 14.03.2013. The case registered on 20.03.13 and sent to SEAC vide letter no. 3094 dtd 20.03.13
- (ii). The case was discussed in 142nd SEAC meeting dtd 11.09.2013 and recorded that *"Neither the Project Proponent nor his representative was present to explain the query which might be raised or to make any commitment which may be desired by the committee during the deliberation. It is observed that the PP has not been responding despite of several reminders for presentation and submissions. This was the last opportunity provided to the PP to make his submissions. Hence committee decided to return the case to SEIAA for further necessary action in the matter assuming that PP is not interested in the project."*
- (iii). The Authority decided to accept the recommendation of SEAC and summarily close the case. PP and all concerned should be informed.


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 152nd Meeting of SEIAA dated 26.10.2013

- (10). **Case No. – 1667/2013** M/s Singh Developers Pvt. Ltd. Through Shri Shashidutt Gangrani, Director, F-11, Darul habib Complex, Roxy Road, Gwalior (M.P.) – 474001 Residential Project M/s Singh Developers Pvt. Ltd., at Khasra No. – 327, 342, 343, 344, Village – Ohadpur, Tehsil – Gwalior, Distt. – Gwalior (M.P.) Plot Area – 12,550 M², Built up Area – 45,125.85 M². For – Building Construction
- (i). PP has submitted application on 28.04.13 received in SEIAA office on 28.04.13. The case was registered on 17.05.13 and sent to SEAC vide letter no. 658 dtd 17.03.13.
- (ii). The case was discussed in 142nd SEAC meeting dtd 11.09.2013 and recorded that *"Neither the Project Proponent nor his representative was present to explain the query which might be raised or to make any commitment which may be desired by the committee during the deliberation. It is observed that the PP has not been responding despite of several reminders for presentation and submissions. This was the last opportunity provided to the PP to make his submissions. Hence committee decided to return the case to SEIAA for further necessary action in the matter assuming that PP is not interested in the project."*
- (iii). The Authority decided to accept the recommendation of SEAC and summarily close the case. PP and all concerned should be informed.


B. Policy Decision for Prior Environmental Clearance of mining projects of minor minerals with lease area less than 5 ha.

- (1) The issue was discussed in context to amended EIA Notification 2006 vide SO 2731 (E) dtd 09.09.2013, published in the Gazette of India (Extraordinary) by MoEF, Gol.
- (2) It was noted that after amendment in the MP Mine Mineral Rules 1996 in the MP Gazette Notification (Extraordinary) dated 23.03.2013 the SEIAA in its 137th meeting dated 14.06.2013 decided that the cases and applications which have not been finally decided by the authority shall be kept pending till the clarification is received from MoEF, GOI. After publication of amended EIA Notification dated 09.09.2013 the applicants are approaching to SEIAA Office for prior EC.
- (3) The matter was discussed along with legal aspect of the issue. Since **Environment (Protection) Act) 1986 (Section- 24 Effect of other Laws) provides overriding effect to the rules or orders made under this act over other enactments.**
- (4) In view of above, it was decided that SEIAA office will act **as per amended EIA Notification 2006** issued vide S.O. 2731 (E) dtd. 09.09.2013 and will accept the applications of cases of mining projects of minor mineral below 5 ha for registration now onwards, received after 09.09.2013.
- (5) It was also decided to send copy of this proceeding to the MoEF, Gol. The copy of the letter should be endorsed to the Mineral Resource Deptt, GoMP.

The meeting ended with vote of thanks to the chair.


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


7.11.13
(Amar Singh)
Chairman