



**State Environment Impact Assessment Authority, M.P.**  
(Ministry of Environment, Forest and Climate Change, Government of India)

**Environmental Planning & Coordination Organization**

Paryavaran Parisar, E-5, Arera Colony

Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : mpseiaa@gmail.com

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

To,  
Shri Sachin Patni  
S/o Shri Prakash Chandra Patni,  
Chota Bazar, Unhel, Tehsil - Nagda,  
Dist. Ujjain, MP - 456221

No.: 2306 /SEIAA/ 21  
Date: 18/10/21

**Sub: -Case No 7374/2020:** Prior Environmental Clearance for Stone Quarry (Opencast Semi-Mechanized Method) in an area of 2.0 ha. for Expansion in production capacity of 3000 cum per annum to 53,236 cum per annum at Khasra No. 76, Village - Akyanjik, Tehsil - Nagda, Dist. Ujjain (MP). by Shri Sachin Patni S/o Shri Prakash Chandra Patni, Chota Bazar, Unhel, Tehsil - Nagda, Dist. Ujjain, MP - 456221.

This has reference to your letter received in SEIAA office on 14.07.2020 and subsequent letters seeking Prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., the Form - I, Pre-Feasibility Report, ToR and subsequently submission of EIA, Public Hearing and the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

II. It has been noted that the proposal is for Stone Quarry in an area of 2.0 ha. The mining lease area is located in Khasra No. 76, Village - Akyanjik, Tehsil - Nagda, Dist. Ujjain (M.P.). There is no National Park/Sanctuary within 10 Km radius. There is no forest boundary within 250 m. It lies at geographical co-ordinates at latitude 23°21'22.80" to 23°21'23.28"N and longitude 75°30'15.47" to 75°30'19.69"E as per mining plan

The proposed project is for expansion of production capacity from 3000 cum per annum to 53,236 cum per annum. The mining will be carried out by opencast manual/semi mechanized method. The total water requirement is 4.6 KLD (2.86 KLD Dust Suppression + 1.45 KLD Plantation + 0.26 KLD Domestic/drinking purposes) the Demand will be fulfillment of with the help of tanker form nearby villages. The public hearing was conducted at near mine site at Village - Kundla Tehsil - Nagda, Dist. Ujjain on dtd. 10.03.2021, under chairmanship of ADM, Ujjain.

III. The project has been considered in accordance with the provisions of the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006.

IV. Based on the information submitted, as at Para (II) above and others the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 688<sup>th</sup> meeting dtd. 01.10.2021 and decided to accept the recommendations of 513<sup>rd</sup> SEAC meeting dtd. 08.09.2021.



Hence, Prior Environmental Clearance is granted for Stone Quarry (Opencast Semi-Mechanized Method) in an area of 2.0 ha. for Expansion in production capacity of 3000 cum per annum to 53,236 cum per annum at Khasra No. 76, Village - Akyanjik, Tehsil - Nagda, Dist. Ujjain (MP) to Shri Sachin Patni S/o Shri Prakash Chandra Patni, Chota Bazar, Unhel, Tehsil - Nagda, Dist. Ujjain, MP – 456221. As per the lease agreement executed by Mining Officer, Ujjain for the period from 18.06.2017 to 17.06.2027 hence, this EC is valid up to 17.06.2027, subject to the compliance of following specific conditions as recommended by SEIAA & SEAC and subsequent Standard Conditions.

#### A. Additional Specific Conditions

1. Before commencing mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of cautionary signage at 4 corners of lease area to avoid any untoward incident involving public and animals.
2. PP shall use blasting procedure following using delayed detonators to reduce the vibration impact of L waves. Both 34 mm and 83 mm bore blast should strictly follow these procedures.
3. The certification/ study of rock limestone/ sandstone/ granite/ stone etc. must be done (to be attached with the proposal) in order to decipher their being unfit for other industries like chemical, cement and flooring etc. thus may be used for making grit.
4. PP shall ensure to construct pakka approach road in place of Kaccha Road and also planning for alternate route for transportation of material outside the village area.
5. PP shall ensure proper planning for maintenance of machineries involved in stone crusher unit.
6. PP shall ensure the minimum distance criteria considered for permitting stone Quarry by Central Pollution Control Board (in compliance to the NGT Principle Bench OA No. 304/2019)
7. PP shall demarcate a barrier zone of 7.5 m as no mining zone in the periphery of mining lease area and develop a green belt. Three rows plantation shall be carried out in the greenbelt area in the current year with proper watering arrangement.
8. The mining operation shall be restricted to above ground water table. In case of working below the ground water table, approval of the Central Ground Water Board shall be obtained.
9. PP shall ensure installation of cautionary signages on transportation routes for avoidance of accidents.
10. Proper landscape planning should be done along with its sincere implementation.
11. PP shall ensure to get the details incorporated as per sanctioned lease/EC in the DSR approved by the Directorate of Geology & Mining, Govt. of MP, failing which this EC shall be revoked.
12. PP shall plant 2400 saplings of at least three years old, for the first 03- years with suitable tree species like Neem, Pipal, Bargad, Mahua, Tamarind, Karanj, Sisham, Palas, etc. along the barrier zone, non mining area & shall be maintain as buffer zone, govt. school building, chunk of govt. land and under "Ankur scheme" of Govt. of M.P. in consultation with appropriate authority. Indigenous medicinal plants shall also be preferred for plantation in consultation with forest officials.
13. PP shall ensure to construct garland drains with settling tanks all around the lease area and regular cleaning & maintenance of the same shall be carried out by PP.
14. The overburden and waste will be stacked within the ML area and simultaneously backfilled in the mined out area where plantation will be raised on it.
15. PP shall ensure that waste material shall not be stacked for a long time in the ML area. No overburden will be dumped outside the mine lease area.
16. PP shall ensure that existing trees not to be uprooted within the ML area.
17. PP shall ensure proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes etc. especially in summer season.
18. PP shall ensure the generation of employment opportunities for nearby villagers on priority basis.
19. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as per approved Environmental Management Plan. Additional budget provision shall be made as part of EMP.
20. PP must ensure the implementation of following activities with separate budget provisions under CER:-
  - ❖ Up-gradation of govt. school building at village Akyanjik.



- ❖ Construction of bore well with installation of hand pump for water supply at village Akyanjik.
- ❖ Distribution of hand sanitizer and masks.

PP shall ensure to construct toilet with proper plumbing in the school of above village and contribute on behalf of village in Jal Jeewan Mission in consultation with Janpad Panchayat and PHED. PP shall give preference to develop/provide infrastructural facilities in schools or aanganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.

21. PP shall submit half yearly compliance report in respect of plantation and CER activity report alongwith photographs of all activities to MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per SEIAA Office Memorandum No. 930/SEIAA/2019 dated 30.05.2019.
22. In case the ownership is changed, both PPs (earlier and new) should immediately apply for transfer of EC in SEIAA. Without transfer of EC, the EC stands in abeyance till the transfer of EC to the new owner is approved by SEIAA.
23. A budgetary provision for Environmental management Plan of Rs. 15.64 Lakh as capital and Rs. 2.30 Lakh/year as recurring has proposed by PP.
24. As proposed fruit bearing Plants shall be distributed to the local villagers in the first year of their choice.
25. Mining should be carried out as per the submitted land use plan and approved mine plan.
26. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded.
27. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
28. Mineral evacuation road shall be made pucca (WBM/black top) by PP.
29. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
30. Crusher with inbuilt APCD & water sprinkling system shall be installed minimum 100 meters away from the road and 500 meters away from the habitations only after the permissions of MP Pollution Control Board with atleast 03 meters high wind breaking wall of suitable material to avoid fugitive emissions.
31. Working height of the loading machines shall be compatible with bench configuration.
32. Slurry Mixed Explosive (SME) shall be used instead of solid cartridge.
33. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
34. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
35. Six monthly occupational health surveys of workers shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights.
36. A separate bank account should be maintained for all the expenses made in the EMP and CER activities by PP for financial accountability and these details should be provided in Annual Environmental Statement. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
37. To avoid vibration, no overcharging shall be carried out during blasting and muffle blasting shall be adopted. Blasting shall be carried out through certified blaster only and no explosive will be stored at mine site without permission from the competent authority.
38. Mine water should not be discharged from the lease and be used for sprinkling & plantations. For surface runoff and storm water garland drains and settling tanks (SS pattern) of suitable sizes shall be provided.

*So*



39. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
40. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
41. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.
42. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area. PP shall take Socio-economic activities in the region through the 'Gram Panchayat'.
43. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
44. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.
45. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
46. All the mines where production is > 50,000 cum/year, PP shall develop its own website to display various mining related activities proposed in EMP & CER along with budgetary allocations. All the six monthly progress report shall also be uploads on this website along with MoEF&CC & SEIAA, MP with relevant photographs of various activities such as garland drains, settling tanks, plantation, water sprinkling arrangements, transportation & haul road etc. PP or Mine Manager shall be made responsible for its maintenance & regular updation.
47. All the soil queries, the maximum permitted depth shall not exceed 02 meters below general ground level & other provisions laid down in MoEF&CC OM No. L-11011/47/2011-IA.II(M) dated 24/06/2013.
48. The mining lease holders shall after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora , fauna etc. Moreover, A separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M dated 16/01/2020.
49. The project proponent shall follow the mitigation measures provided in MoEFCCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
50. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
51. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
52. A display board with following details of the project is mandatory at the entry to the mine.
  - a. Lease owner's Name, Contact details etc.
  - b. Mining Lease area of the project (in ha.)
  - c. Production capacity of the project.
53. Dense plantation/ wood lot shall be carryout in the 7.5 meters periphery/barrier zone of the lease through concern CCF (social forestry) and on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
54. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. Plantation in adjoining forest land shall be carried out through concerned DFO and commensurate budget shall be transferred for plantation to DFO.

10



55. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land suitable for the purpose through Gram Panchayat on suitable community land in the concerned village area and handed over to Gram Panchayat after lease period.
56. Every year, before onset of monsoon season, minimum 25 saplings of fodder / native fruit bearing species shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh "ANKUR YOJNA" by registering individual villagers on "Vayudoot app".
57. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.

## B. Standard Conditions

1. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
2. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
3. Blast vibrations study shall be conducted and submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB within six months. The study shall also provide measures for prevention of blasting associated impact on nearby houses and agricultural fields.
4. Controlled blasting techniques with sequential drilling shall be adopted. The blasting shall be carried out in the day time only.
5. Slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of Mines.
6. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB within 5 years in advance of final mine closure for approval.
7. No change in the calendar plan including excavation, quantum of mineral and waste shall be made.
8. Mining will be carried out as per the approved mining plan. In case of any violation of mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
9. Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.
10. The transportation of the minerals extracted from the mining area shall be limited to day hours time only.
11. Maintenance of near by local roads through which transportation of minerals are undertaken shall be carried out by the company regularly at its own expenses. The roads shall be black topped.
12. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
13. Trenches / garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of check dams and gully plugs shall be constructed across seasonal/ perennial Nallahs, if any, flowing through the ML area and silts arrested. De-silting at regular intervals shall be carried out.
14. The project proponent will ensure necessary protection measures around the mine pit, waste dumps and garland drain.
15. Top soil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of mined out area. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.
16. Over burden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of maximum 10 m and overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled and shall be scientifically vegetated with suitable native species to prevent erosion & surface run off.



17. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB on six monthly basis.
18. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agriculture Deptt. Herbs & shrubs shall also form a part of afforestation programme besides tree plantation. The company shall involve local people for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB every year.
19. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the course of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through wild life sanctuary, if any in the study area.
20. Four ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO<sub>2</sub>, NO<sub>x</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly up-loaded and displayed on the company's website.
21. Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the Regional office, MoEF, GoI, Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.
22. Ambient air quality at the boundary of the mine premises shall conform to the norms prescribed in MoEF notification no. GSR/826(E) dtd. 16.11.09.
23. Fugitive dust emissions from all the sources shall be controlled. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained. The dust emission shall be monitored regularly as per norms and records to be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB regularly.
24. Measures shall be taken for control of noise levels below 75 dBA in the work environment. Workers engaged in operations of HEMM, etc., shall be provided with ear plugs / muffs and health records of the workers shall be maintained.
25. Rain water harvesting shall be undertaken to recharge the ground water source. Status of implementation shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB within six months and thereafter every year from the next consequent year.
26. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e. pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected shall be regularly sent to Regional Office, MoEF, GoI, Bhopal, MP PCB, Central Ground Water Authority and Regional Director, Central Ground Water Board.
27. The waste water from the mine if any, shall be treated to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The oil and grease trap shall be installed for the effluents generated from the workshop, if any, before discharging into the natural stream. The discharged water from the tailing dam, if any shall be regularly monitored and report submitted to the Regional Office, Ministry of Environment & Forests, GoI, Bhopal, Central Pollution Control Board, and the State Pollution Control Board.
28. Hydro-geological study of the area shall be reviewed by the project proponent annually. In case adverse effect on ground water quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on ground water is implemented.
29. Occupational health check up for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures shall be conducted followed by follow up action




- wherever required. It should be made available for inspection whenever asked. Necessary funds for this also should be earmarked.
30. Project Proponent shall ensure appropriate arrangement for shelter and drinking water for the mine workers.
  31. Persons working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
  32. Commitment towards CSR have to be followed strictly.
  33. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
  34. The Project Proponent shall inform to the Regional Office, MoEF, GoI, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
  35. The necessary funds as per mandate shall kept for environmental protective measures which should be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional Office, MoEF, GoI, Bhopal and MP PCB.
  36. The Regional Office, MoEF, GoI, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing and other relevant documents should be given to Regional Office, MoEF, GoI, Bhopal and MP PCB.
  37. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies, as applicable, in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
  38. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal.
  39. The project proponent has to strictly follow directions/guideline issued by the MoEF, GoI, CPCB and other Govt. agencies from time to time.
  40. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, GoI, Bhopal, MP PCB and to the competent authority of the State Govt. within six months.
  41. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1st June and 1st December of each calendar year.
  42. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
  43. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
  44. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
  45. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
  46. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
  47. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
  48. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels



namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

49. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.


  
(Shriman Shukla)  
Member Secretary

Endt No. 2307 / SEIAA/21

Dated: 18/10/21

Copy to:-

1. Principal Secretary, Department of Environment, Government of Madhya Pradesh, Mantralaya, Bhopal.
2. Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-4620 16
3. Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016
4. Collector, District Ujjain (M. P.)
5. Divisional Forest Officer, District Ujjain (M. P.)
6. I.A. Division, Monitoring Cell, MoEF& CC, Gol, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi- 110 003.
7. Director (S), Regional office of the MOEF, Western Region, Kendriya Paryavaran Bhawan, Link Road No. 3 Ravi Shankar Nagar, Bhopal-462016.
8. Director, Geology & Mining, Madhya Pradesh, 29-A, Khanij Bhawan, Arera Hills, Bhopal - 462002.
9. District Mining Officer, District Ujjain (M. P.).
10. Guard file.

  
(Alok Nayak)  
Officer-in-Charge